

## UBODNA HALOGENA ŽARULJA - Bistra izvedba



| Artikal | Volt | Watt | Grlo    | Radni sati | Pakiranje |
|---------|------|------|---------|------------|-----------|
| 95100   | 12   | 5    | G4      | 3000       | 100       |
| 95101   | 12   | 10   | G4      | 3000       | 100       |
| 95102   | 12   | 20   | G4      | 3000       | 100       |
| 95103   | 12   | 35   | GY 6,35 | 3000       | 100       |
| 95104   | 12   | 50   | GY 6,35 | 3000       | 100       |

## UBODNA HALOGENA ŽARULJA - Matt izvedba



| Artikal | Volt | Watt | Grlo    | Radni sati | Pakiranje |
|---------|------|------|---------|------------|-----------|
| 95155   | 12   | 5    | G4      | 3000       | 100       |
| 95124   | 12   | 10   | G4      | 3000       | 100       |
| 95125   | 12   | 20   | G4      | 3000       | 100       |
| 95126   | 12   | 35   | GY 6,35 | 3000       | 100       |
| 95127   | 12   | 50   | GY 6,35 | 3000       | 100       |

## VISOKONAPONSKA LINEARNA ŽARULJA



| Artikal | Volt | Watt | Grlo | Radni sati | Pakiranje |
|---------|------|------|------|------------|-----------|
| 95200   | 230  | 100  | R7s  | 2000       | 100       |
| 95202   | 230  | 150  | R7s  | 2000       | 100       |
| 95201   | 230  | 100  | R7s  | 2000       | 50        |
| 95205   | 230  | 150  | R7s  | 2000       | 50        |
| 95206   | 230  | 200  | R7s  | 2000       | 50        |
| 95207   | 230  | 300  | R7s  | 2000       | 50        |
| 95208   | 230  | 500  | R7s  | 2000       | 50        |
| 92209   | 230  | 750  | R7s  | 2000       | 50        |
| 95210   | 230  | 1000 | R7s  | 2000       | 50        |
| 95211   | 230  | 1500 | R7s  | 2000       | 50        |
| 95212   | 230  | 2000 | R7s  | 2000       | 50        |

## VISOKONAPONSKA HALOGENA ŽARULJA - jednostrano grlo



| Artikal | Model  | Volt | Watt | Grlo | Radni sati | Pakiranje |
|---------|--------|------|------|------|------------|-----------|
| 90504   | bistra | 230  | 25   | G9   | 1500       | 100       |
| 90505   | bistra | 230  | 40   | G9   | 1500       | 100       |
| 90506   | bistra | 230  | 60   | G9   | 1500       | 100       |
| 90507   | bistra | 230  | 75   | G9   | 1500       | 100       |
| 90508   | matt   | 230  | 25   | G9   | 1500       | 100       |
| 90509   | matt   | 230  | 40   | G9   | 1500       | 100       |
| 90510   | matt   | 230  | 60   | G9   | 1500       | 100       |
| 90511   | matt   | 230  | 75   | G9   | 1500       | 100       |

NISKONAPONSKA HAL. ŽARULJA SA HLADNIM ZRC. Promjer: 35 mm MR-11



| Artikal | Volt | Watt | Kut svjetla | Grlo | Radni sati | Pakiranje |
|---------|------|------|-------------|------|------------|-----------|
| 95157   | 12   | 10   | 10°         | GU3  | 3000       | 10        |
| 95130   | 12   | 20   | 10°         | GU4  | 3000       | 10        |
| 95132   | 12   | 20   | 30°         | GU4  | 3000       | 10        |
| 95133   | 12   | 35   | 10°         | GU4  | 3000       | 10        |
| 95135   | 12   | 35   | 30°         | GU4  | 3000       | 10        |

NISKONAPONSKA HAL. ŽARULJA SA HLADNIM ZRC. Promjer: 51 mm MR-16



| Artikal | Volt | Watt | Kut svjetla | Grlo   | Radni sati | Pakiranje |
|---------|------|------|-------------|--------|------------|-----------|
| 95160   | 12   | 10   | 12°         | GU 5,3 | 3000       | 10        |
| 95136   | 12   | 20   | 12°         | GU 5,3 | 3000       | 10        |
| 95137   | 12   | 20   | 24°         | GU 5,3 | 3000       | 10        |
| 95138   | 12   | 20   | 36°         | GU 5,3 | 3000       | 10        |
| 95188   | 12   | 20   | 60°         | GU 5,3 | 3000       | 10        |
| 95139   | 12   | 35   | 12°         | GU 5,3 | 3000       | 10        |
| 95140   | 12   | 35   | 24°         | GU 5,3 | 3000       | 10        |
| 95141   | 12   | 35   | 36°         | GU 5,3 | 3000       | 10        |
| 95390   | 12   | 35   | 60°         | GU 5,3 | 3000       | 10        |
| 95142   | 12   | 50   | 13°         | GU 5,3 | 3000       | 10        |
| 95143   | 12   | 50   | 20°         | GU 5,3 | 3000       | 10        |
| 95144   | 12   | 50   | 40°         | GU 5,3 | 3000       | 10        |
| 95145   | 12   | 50   | 60°         | GU 5,3 | 3000       | 10        |

NISKONAPONSKA HAL. ŽARULJA SA ALU. ZRCALOM Promjer: 35 mm MR-11



| Artikal | Volt | Watt | Kut svjetla | Grlo | Radni sati | Pakiranje |
|---------|------|------|-------------|------|------------|-----------|
| 95533   | 12   | 20   | 30°         | GU4  | 3000       | 10        |
| 95534   | 12   | 35   | 30°         | GU4  | 3000       | 10        |

Promjer: 51 mm MR-16

|       |    |    |     |        |      |    |
|-------|----|----|-----|--------|------|----|
| 95538 | 12 | 20 | 12° | GU 5,3 | 3000 | 10 |
| 95535 | 12 | 20 | 36° | GU 5,3 | 3000 | 10 |
| 95541 | 12 | 20 | 60° | GU 5,3 | 3000 | 10 |
| 95539 | 12 | 35 | 12° | GU 5,3 | 3000 | 10 |
| 95536 | 12 | 35 | 36° | GU 5,3 | 3000 | 10 |
| 95542 | 12 | 35 | 60° | GU 5,3 | 3000 | 10 |
| 95540 | 12 | 50 | 13° | GU 5,3 | 3000 | 10 |
| 95537 | 12 | 50 | 40° | GU 5,3 | 3000 | 10 |
| 95543 | 12 | 50 | 60° | GU 5,3 | 3000 | 10 |



# Halogene žarulje

VISOKONAPONSKA HALOGENA ŽARULJA SA HLADNIM ZRCALOM  
Promjer: 51 mm MR-16



| Artikal | Volt | Watt | Kut svjetla | Grlo | Radni sati | Pakiranje |
|---------|------|------|-------------|------|------------|-----------|
| 90499   | 230  | 20   | 35°         | GU10 | 1500       | 10        |
| 90502   | 230  | 35   | 35°         | GU10 | 1500       | 10        |
| 90503   | 230  | 50   | 35°         | GU10 | 1500       | 10        |



## Žarulja u boji

| Artikal | Volt  | Watt | Boja   | Grlo  | Radni sati | Pakiranje |
|---------|-------|------|--------|-------|------------|-----------|
| 39500   | AC 12 | 20   | zelena | GU5,3 | 3000       | 10        |
| 39501   | AC 12 | 20   | plava  | GU5,3 | 3000       | 10        |
| 39502   | AC 12 | 20   | crvena | GU5,3 | 3000       | 10        |
| 39503   | AC 12 | 20   | žuta   | GU5,3 | 3000       | 10        |



**VELEPRODAJA ELEKTROMATERIJALA**

21220 TROGIR, Dr. A. Starčevića 52 • Tel.:021/882-482, fax: 796-254