

Compact Catalogue



CONTENT

Screwdrivers



| | |
|-----------------------------|-----------|
| Kraftform Stainless Steel | 6 |
| Kraftform Plus - Series 900 | 8 |
| Kraftform Plus - Series 300 | 12 |
| Flagdriver Series | 30 |
| Screwdriving Accessories | 31 |
| Kraftform Micro | 34 |
| 400 T-Handle Series | 41 |
| ESD Tools | 49 |

Tools for Electricians



| | |
|--|-----------|
| Kraftform Stainless VDE | 59 |
| Kraftform 100 VDE | 60 |
| Kraftform Kompakt VDE Stainless | 70 |
| Kraftform Kompakt VDE | 74 |
| Kraftform Kompakt Turbo i | 79 |
| Kraftform 1000 VDE | 85 |
| Series T-handle Screwdrivers | 86 |
| The Zyklop Ratchet VDE and Accessories | 86 |
| Joker VDE Self-setting, Adjustable Spanner | 90 |
| Torque-indicators for Electricians | 91 |

Ratchets & Accessories



| | |
|--------------------------|------------|
| 1/4" Zyklop Speed | 94 |
| 1/4" Zyklop Metal Push | 99 |
| 1/4" Zyklop Metal Switch | 100 |
| 1/4" Zyklop Accessories | 102 |
| 3/8" Zyklop Speed | 112 |
| 3/8" Zyklop Metal Push | 116 |
| 3/8" Zyklop Metal Switch | 118 |
| 3/8" Zyklop Accessories | 120 |
| 1/2" Zyklop Speed | 132 |
| 1/2" Zyklop Hybrid | 135 |
| 1/2" Zyklop Metal Push | 136 |
| 1/2" Zyklop Metal Switch | 137 |
| 1/2" Zyklop Accessories | 138 |
| Zyklop Pocket | 152 |
| 1/2" Koloss | 154 |
| Zyklop Mini | 157 |
| Tool-Check | 159 |

Joker Wrenches & Spanners



| | |
|--|------------|
| 6000 Joker Ratcheting Combination Wrenches | 168 |
| 6001 Joker Switch Ratcheting Combination Wrenches, with Switch Lever | 170 |
| 6002 Joker Double Open-Ended Wrenches | 171 |
| 6003 Joker Ring Spanner | 173 |
| 6004 Joker Self-setting, Adjustable Spanner | 178 |
| 6005 Joker Double Open-Ended Wrenches | 179 |

L-Keys



| | |
|----------------------------------|------------|
| L-Keys for Hexagon Socket Screws | 182 |
| L-Keys for TORX® Screws | 195 |

Kraftform Kompakt



| | |
|--|------------|
| Kraftform Kompakt Turbo | 202 |
| Kraftform Kompakt 10, 12 | 203 |
| Kraftform Kompakt 20, 22, 25, 26, 27, 28 | 204 |
| Kraftform Kompakt 40, 41 | 208 |
| Kraftform Kompakt 60, 62 | 209 |
| Kraftform Kompakt 70, 71 | 213 |
| Kraftform Kompakt 100 | 214 |
| Kraftform Kompakt 400 | 215 |
| Kraftform Kompakt 400 RA | 215 |
| Kraftform Kompakt 900 | 217 |
| Kraftform Kompakt Stubby | 220 |
| Kraftform Kompakt User-Specific Sets | 224 |
| Bitholding Screwdrivers and Adaptors | 230 |
| Kraftform Kompakt with Ratchet Function | 233 |
| Kraftform Kompakt Vario without Ratchet Function | 235 |

Roller cabinet and foam inserts



| | |
|---------------------------------|------------|
| Roller cabinet | 240 |
| Foam inserts for roller cabinet | 241 |




















Wera 2go



| | |
|---|------------|
| Wera 2go 1 Tool Carrier | 252 |
| Wera 2go 2 Tool Container | 252 |
| Wera 2go 3 Tool Box | 253 |
| Wera 2go 4 Tool Quiver | 254 |
| Wera 2go 5 Tool Carrier | 254 |
| Wera 2go 6 Shoulder Strap | 254 |
| Wera 2go 7 High Tool Box | 254 |
| Wera 2go H 1 Tool Set for Wood Applications | 255 |
| Wera 2go E 1 Tool set for electricians | 256 |
| Hook and Loop Fastener Strips | 257 |

Bits



| | | |
|--|--|-----|
|  | Bits for Phillips Screws | 260 |
|  | Bits for Pozidriv Screws | 271 |
|  | Bits for Plusminus Screws – Slotted/Phillips | 279 |
|  | Bits for Plusminus Screws – Slotted/Pozidriv | 279 |
|  | Bits for TORX® Screws | 279 |
|  | Bits for TORX® B0 Screws | 287 |
|  | Bits for TORX PLUS® Screws | 289 |
|  | Bits for TORX PLUS® IPR Screw | 290 |
|  | Bits for Slotted Screws | 290 |
|  | Bits for Hexagon Socket Screws | 293 |
|  | Bits for Hexagon Socket B0 Screws | 298 |
|  | Bits for Square Socket Screws | 300 |
|  | Bits for TORQ-SET® Screws | 303 |
|  | Bits for TRI-WING® Screws | 304 |
|  | Bits for Multi-Point Screws | 304 |
|  | Bits for Microstix® Screws | 304 |
|  | Bits for Spanner Screws | 305 |
|  | Nutsetters | 305 |
|  | Internal Thread Insertion Tool | 307 |

HOLDERS and Adaptors



| | |
|---|-----|
| Impaktor Bit Holders | 310 |
| Rapidaptor Bit Holders | 311 |
| Universal Bit Holders With Quick-Release Chuck | 313 |
| Universal Bit Holders With Retaining Ring | 314 |
| Universal Bit Holders With Stainless Steel Sleeve | 314 |
| Bit Holders With Adjustable Depth-Control Stop | 316 |
| Adaptors | 316 |

Bit Sets



| | |
|-----------------------------------|-----|
| Bit-Checks Impaktor | 322 |
| Bit-Checks Stainless | 325 |
| Bit-Checks / Bit-Safes BiTorsion | 326 |
| Bit-Checks Diamond | 329 |
| Bit-Checks / Bit-Safes Universal | 331 |
| Bit-Checks Wood | 338 |
| Bit-Checks Metal | 341 |
| Bit Sets for Special Applications | 342 |

Torque Tools



| | |
|---|-----|
| Series 7400 Krafftform Torque Screwdrivers | |
| with variable torque value adjustment | 350 |
| with a factory pre-set measurement value | 354 |
| adjustable to customer requirements within the specified measurement range | 358 |
| Series Torque-indicators | 363 |
| Series Click-Torque Adjustable Torque Wrenches with Reversible Ratchet | 367 |
| Adjustable Torque Wrenches for Right-Hand and Left-Hand Tightening | 369 |
| Adjustable Torque Wrenches for Insert Tools | 370 |
| Pre-set, Adjustable Torque Wrenches for Insert Tools | 372 |
| Insert Tools Series | 373 |
| Accessories | 380 |
| Safe-Torque torque wrenches and accessories | 381 |

Impact Driver and Soft-faced Hammers



| | |
|---------------------|-----|
| Impact Driver 90 Nm | 383 |
| Soft Faced Hammers | 383 |

Index


| | |
|-------------------|-----|
| Techlex | 385 |
| Code No. Index | 389 |
| Article No. Index | 403 |





Screwdrivers

Kraftform Stainless - stainless steel to prevent rust




High quality Kraftform Plus screwdriver out of stainless steel. The stainless tools from Wera are vacuum ice-hardened and have the hardness and strength needed for screw connections. They can be used for industrial application without hesitation. The Lasertip tip literally bites into the head of the screw and thereby prevents any slipping out of the screw head. Multi-component Kraftform handle for fast and low-fatigue working.

Take it easy Tool Finder: colour coding according to profile and size. The hexagonal anti-roll feature prevents any bothersome rolling away at the workplace.

- Multi-component Kraftform handle for fast and ergonomic screwdriving
- Take it easy tool finder: colour coding according to profile and size
- Hexagonal anti-roll feature against rolling away
- Lasertip tips for more secure fit in the screw head

Lasertip - laser engineered blade



3335 Screwdriver for slotted screws, stainless



| | EAN | | | | | | | |
|---------------------------|---------|-----|-----|-----|-----|----|-------|----|
| Code | 4013288 | mm | mm | mm | mm | mm | | |
| 05032001001 ¹⁾ | 107329 | 0,5 | 3,0 | 3,0 | 80 | 81 | 1/8" | 10 |
| 05032002001 ¹⁾ | 107336 | 0,6 | 3,5 | 3,5 | 100 | 81 | 9/64" | 10 |
| 05032003001 | 107343 | 0,8 | 4,0 | 4,0 | 100 | 98 | 5/32" | 10 |
| 05032004001 | 107350 | 1,0 | 5,5 | 5,5 | 125 | 98 | 7/32" | 10 |

¹⁾without Lasertip

3334 Screwdriver for slotted screws, stainless



| | EAN | | | | | | | |
|-------------|---------|-----|------|-----|-----|-----|-------|----|
| Code | 4013288 | mm | mm | mm | mm | mm | | |
| 05032005001 | 107367 | 1,2 | 6,5 | 6,0 | 150 | 105 | 1/4" | 10 |
| 05032006001 | 107374 | 1,2 | 8,0 | 7,0 | 175 | 112 | 5/16" | 10 |
| 05032007001 | 107381 | 1,6 | 10,0 | 9,0 | 200 | 112 | 3/8" | 5 |

3350 PH Screwdriver for Phillips screws, stainless



| | EAN | | | | | | |
|---------------------------|---------|------|-----|-----|-----|--------|----|
| Code | 4013288 | | mm | mm | mm | | |
| 05032020001 ¹⁾ | 107398 | PH 0 | 60 | 81 | 3,0 | 2 3/8" | 5 |
| 05032021001 | 107404 | PH 1 | 80 | 98 | 4,5 | 3 1/8" | 10 |
| 05032022001 | 107411 | PH 2 | 100 | 105 | 6,0 | 4" | 10 |
| 05032023001 | 107428 | PH 3 | 150 | 112 | 8,0 | 6" | 5 |

¹⁾without Lasertip

3355 PZ Screwdriver for Pozidriv screws, stainless



| | EAN | | | | | | |
|---------------------------|---------|------|-----|-----|-----|--------|----|
| Code | 4013288 | | mm | mm | mm | | |
| 05032030001 ¹⁾ | 107435 | PZ 0 | 60 | 81 | 3,0 | 2 3/8" | 5 |
| 05032031001 | 107442 | PZ 1 | 80 | 98 | 4,5 | 3 1/8" | 10 |
| 05032032001 | 107459 | PZ 2 | 100 | 105 | 6,0 | 4" | 10 |
| 05032033001 | 107466 | PZ 3 | 150 | 112 | 8,0 | 6" | 5 |

¹⁾without Lasertip

3367 Screwdriver for TORX® screws, stainless



| | EAN | | | | | | |
|-------------|---------|-------|-----|-----|-----|---------|----|
| Code | 4013288 | | mm | mm | mm | | |
| 05032050001 | 107473 | TX 8 | 60 | 81 | 3,5 | 2 3/8" | 10 |
| 05032051001 | 107480 | TX 9 | 60 | 81 | 4,0 | 2 3/8" | 10 |
| 05032052001 | 107497 | TX 10 | 80 | 81 | 4,0 | 3 1/8" | 10 |
| 05032053001 | 107503 | TX 15 | 80 | 98 | 4,0 | 3 1/8" | 10 |
| 05032054001 | 107510 | TX 20 | 100 | 98 | 4,5 | 4" | 10 |
| 05032055001 | 107527 | TX 25 | 100 | 105 | 5,0 | 4" | 10 |
| 05032056001 | 107534 | TX 27 | 115 | 105 | 5,5 | 4 9/16" | 10 |
| 05032057001 | 107541 | TX 30 | 115 | 105 | 6,0 | 4 9/16" | 10 |
| 05032058001 | 107558 | TX 40 | 130 | 112 | 7,0 | 5 3/16" | 10 |

3368 Screwdriver for square socket screws, stainless

- Stainless screwdriver for square socket screws
- Multi-component Kraftform handle for fast and ergonomic screwdriving
- Handle markings simplify finding and sorting of tools
- Hexagonal anti-roll feature against rolling away
- Stainless against extraneous rust

3368 Screwdriver for square socket screws, stainless



| | EAN | | | | | | |
|-------------|---------|-----|-----|-----|-----|--------|----|
| Code | 4013288 | | mm | mm | mm | | |
| 05032070002 | 114150 | # 1 | 80 | 98 | 4,5 | 3 1/8" | 10 |
| 05032071002 | 114167 | # 2 | 100 | 105 | 6,0 | 4" | 10 |

3334/6 Screwdriver set, stainless and rack

- Storage rack for wall-mounting

3334/6 Screwdriver set, stainless and rack



| Code | EAN | | |
|-------------|--------|--|---|
| 05032060001 | 111388 | | 1 |
| | | 3350 PH 1x PH 1x80; 1x PH 2x100 | |
| | | 3335 1x 0,5x3,0x80 ¹⁾ ; 1x 0,8x4,0x100; 1x 1,0x5,5x125 | |
| | | 3334 1x 1,2x6,5x150 | |

¹⁾without Lasertip

3334/3355/6 Screwdriver set, stainless and rack

- Storage rack for wall-mounting

3334/3355/6 Screwdriver set, stainless and rack



| Code | EAN | | |
|-------------|--------|--|---|
| 05032061001 | 111395 | | 1 |
| | | 3355 PZ 1x PZ 1x80; 1x PZ 2x100 | |
| | | 3335 1x 0,5x3,0x80 ¹⁾ ; 1x 0,8x4,0x100; 1x 1,0x5,5x125 | |
| | | 3334 1x 1,2x6,5x150 | |

¹⁾without Lasertip

3334/3350/3355/6 Screwdriver set, stainless and rack

- Storage rack for wall-mounting


3334/3350/3355/6 Screwdriver set, stainless and rack



| Code | EAN | | |
|-------------|--------|-------------------------------------|---|
| 05032063001 | 111739 | | 1 |
| | | 3350 PH 1x PH 1x80; 1x PH 2x100 | |
| | | 3355 PZ 1x PZ 1x80; 1x PZ 2x100 | |
| | | 3335 1x 0,5x3,0x80 ¹⁾ | |
| | | 3334 1x 1,2x6,5x150 | |

¹⁾Without Lasertip

Wera Chiseldriver



Wera Chiseldriver for fastening, chiselling and loosening seized screws. Multi-component Kraftform handle for fast and low-fatigue working. Kraftform Plus: hard gripping zones for high working speeds whereas soft zones ensure high torque transfer. A hexagon blade out of high quality bit material that extends right through the blade ensures full transfer of force, even when struck with a hammer.

The ductile tempered material prevents the blade from splintering or breaking. Comes with an impact cap for durability and reduced risk of splintering. More torque can be transferred with the help of an open-end or ring spanner applied to the integrated hexagonal bolster.

The Wera Black Point tip and a complex hardening process ensure a long service life of the tip, enhanced corrosion protection and an exact fit. The hexagonal anti-roll feature prevents any bothersome rolling away at the workplace.

932 A Screwdriver for slotted screws



| | EAN | mm | mm | mm | mm | mm | mm | |
|---------------------------|---------|-----|------|----|----|-----|-----|----|
| Code | 4013288 | | | | | | | |
| 05018260001 ¹⁾ | 018007 | 0,6 | 3,5 | 4 | | 80 | 81 | 10 |
| 05018262001 | 018014 | 0,8 | 4,5 | 5 | 8 | 90 | 98 | 10 |
| 05018264001 | 018021 | 1,0 | 5,5 | 6 | 10 | 100 | 105 | 10 |
| 05018266001 | 018038 | 1,2 | 7,0 | 6 | 10 | 125 | 105 | 10 |
| 05018268001 | 018045 | 1,6 | 9,0 | 8 | 13 | 150 | 112 | 10 |
| 05018270001 | 018052 | 1,6 | 10,0 | 8 | 13 | 175 | 112 | 5 |
| 05018272001 ²⁾ | 018069 | 2,0 | 12,0 | 10 | 16 | 200 | 117 | 2 |
| 05018274001 ²⁾ | 018076 | 2,5 | 14,0 | 10 | 16 | 250 | 117 | 2 |

¹⁾ No throughout blade, no impact cap and no hexagon bolster

²⁾ Kraftform with non-roll feature, single-component

932 A SB Screwdriver for slotted screws



| Code | EAN | | |
|-------------|--------|-------------------------|----|
| 05100085001 | 181596 | | 10 |
| | | 932 A 1x 1.0x5.5x100 | |
| 05100086001 | 181602 | | 10 |
| | | 932 A 1x 1.2x7.0x125 | |
| 05100087001 | 181619 | | 10 |
| | | 932 A 1x 1.6x9.0x150 | |

932 AS Screwdriver for slotted screws

- Hexagonal blade extending through the handle, impact cap with integrated square and bolster

932 AS Screwdriver for slotted screws



| | EAN | mm | mm | mm | mm | mm | mm | |
|-------------|---------|-----|-----|----|----|-----|-----|----|
| Code | 4013288 | | | | | | | |
| 05018300001 | 134486 | 0,8 | 4,5 | 5 | 8 | 100 | 98 | 10 |
| 05018301001 | 134462 | 1,0 | 5,5 | 6 | 10 | 113 | 105 | 10 |
| 05018302001 | 134455 | 1,2 | 7,0 | 6 | 10 | 138 | 105 | 10 |

917 SPH Screwdriver for Phillips screws



| | EAN | + | mm | mm | mm | mm | mm | mm | mm |
|-------------|---------|------|----|----|-----|-----|--------|----|----|
| Code | 4013288 | | | | | | | | |
| 05017005001 | 017734 | PH 1 | 5 | 8 | 80 | 98 | 3 1/8" | 10 | |
| 05017010001 | 017741 | PH 2 | 6 | 10 | 100 | 105 | 4" | 10 | |
| 05017015001 | 017758 | PH 3 | 8 | 13 | 150 | 112 | 6" | 5 | |
| 05017020001 | 017765 | PH 4 | 10 | 16 | 200 | 117 | 8" | 2 | |

917 SPH SB Screwdriver for Phillips screws



| | EAN | | | |
|-------------|---------|---|-------------------------------|----|
| Code | 4013288 | | | |
| 05100075001 | 181565 | + | 917 SPH 1x PH 1x80 | 10 |
| 05100076001 | 181572 | + | 917 SPH 1x PH 2x100 | 10 |
| 05100077001 | 181589 | + | 917 SPH 1x PH 3x150 | 5 |

917 SPHS Screwdriver for Phillips screws

- Hexagonal blade extending through the handle, impact cap with integrated square and bolster

917 SPHS Screwdriver for Phillips screws



| | EAN | + | mm | mm | mm | mm | mm | mm | mm |
|-------------|---------|------|----|----|-----|-----|----------|----|----|
| Code | 4013288 | | | | | | | | |
| 05017040001 | 134493 | PH 1 | 5 | 8 | 90 | 98 | 3 35/64" | 10 | |
| 05017041001 | 134448 | PH 2 | 6 | 10 | 113 | 105 | 4 29/64" | 10 | |

918 SPZ Screwdriver for Pozidriv screws



| | EAN | * | mm | mm | mm | mm | mm | mm | mm |
|-------------|---------|------|----|----|-----|-----|--------|----|----|
| Code | 4013288 | | | | | | | | |
| 05017050001 | 017772 | PZ 1 | 5 | 8 | 80 | 98 | 3 1/8" | 10 | |
| 05017052001 | 017789 | PZ 2 | 6 | 10 | 100 | 105 | 4" | 10 | |
| 05017054001 | 017796 | PZ 3 | 8 | 13 | 150 | 112 | 6" | 5 | |
| 05017056001 | 017802 | PZ 4 | 10 | 16 | 200 | 117 | 8" | 2 | |

918 SPZ SB Screwdriver for Pozidriv screws



| | EAN | | | |
|-------------|---------|---|-------------------------------|----|
| Code | 4013288 | | | |
| 05100080001 | 181633 | * | 918 SPZ 1x PZ 1x80 | 10 |
| 05100081001 | 181640 | * | 918 SPZ 1x PZ 2x100 | 10 |
| 05100082001 | 181657 | * | 918 SPZ 1x PZ 3x150 | 5 |

977 Screwdriver for TORX® screws



| | EAN | * | mm | mm | mm | mm | mm | mm | mm |
|-------------|---------|-------|----|----|-----|-----|--------|----|----|
| Code | 4013288 | | | | | | | | |
| 05024400001 | 094742 | TX 15 | 5 | 8 | 80 | 98 | 3 1/8" | 10 | |
| 05024401001 | 094759 | TX 20 | 5 | 8 | 90 | 98 | 3 1/2" | 10 | |
| 05024402001 | 094766 | TX 25 | 6 | 10 | 100 | 105 | 4" | 10 | |
| 05024403001 | 094773 | TX 27 | 6 | 10 | 125 | 105 | 5" | 10 | |
| 05024404001 | 094780 | TX 30 | 8 | 13 | 150 | 112 | 6" | 10 | |
| 05024405001 | 094797 | TX 40 | 8 | 13 | 150 | 112 | 6" | 10 | |

Big Pack 900 Screwdriver set Kraftform Wera: Chiseldriver and rack

- Storage rack for wall-mounting

Big Pack 900 Screwdriver set Kraftform Wera: Chiseldriver and rack





| Code | EAN | | |
|-------------|-------------------|---|--|
| 05133285001 | 4013288 176349 | | 1 |
| | | + | 917 SPH 1x PH 1x80; 1x PH 2x100; 1x PH 3x150 |
| | | + | 918 SPZ 1x PZ 1x80; 1x PZ 2x100; 1x PZ 3x150 |
| | | - | 932 A 1x 0,6x3,5x80 ¹⁾ ; 1x 0,8x4,5x90; 1x 1,0x5,5x100; 1x 1,2x7,0x125; 1x 1,6x9,0x150 |
| | | + | 977 TORX® 1x TX 20x90; 1x TX 25x100 |
| | | | Rack 2x 190,0x50,0 |

¹⁾No throughout blade, no impact cap and no hexagon bolster

Kraftform 900/7 set 1 screwdriver set Kraftform Wera: The chiseldriver

- 7-piece set in compact, textile box with Wera 2go compatibility

Kraftform 900/7 set 1 screwdriver set Kraftform Wera: The chiseldriver



| Code | EAN | | |
|-------------|-------------------|---|---|
| 05137811001 | 4013288 217622 | | 1 |
| | | + | 917 SPH 1x PH 1x80; 1x PH 2x100 |
| | | + | 977 TORX® 1x TX 20x90; 1x TX 25x100 |
| | | - | 932 A 1x 0,8x4,5x90; 1x 1,0x5,5x100; 1x 1,2x7,0x125 |
| | | | K240 1x 50,0x240,0 |

Kraftform 900/7 set 2 screwdriver set Kraftform Wera: The chiseldriver

- 7-piece set in compact, textile box with Wera 2go compatibility
- With Wera bottle opener

Kraftform 900/7 set 2 screwdriver set Kraftform Wera: The chiseldriver



| Code | EAN | | |
|-------------|-------------------|---|--|
| 05137812001 | 4013288 218162 | | 1 |
| | | + | 917 SPH 1x PH 1x80; 1x PH 2x100 |
| | | - | 932 A 1x 0,6x3,5x80 ¹⁾ ; 1x 0,8x4,5x90; 1x 1,0x5,5x100; 1x 1,2x7,0x125 |
| | | | Bottle opener 1x 145 |
| | | | K240 1x 50,0x240,0 |

¹⁾No throughout blade, no impact cap and no hexagon bolster

Kraftform 900/7 set 3 screwdriver set Kraftform Wera: The chiseldriver

- 7-piece set in compact, textile box with Wera 2go compatibility
- With Wera bottle opener

Kraftform 900/7 set 3 screwdriver set Kraftform Wera: The chiseldriver



| Code | EAN | | |
|-------------|-------------------|---|--|
| 05137813001 | 4013288 218179 | | 1 |
| | | + | 918 SPZ 1x PZ 1x80; 1x PZ 2x100 |
| | | - | 932 A 1x 0,6x3,5x80 ¹⁾ ; 1x 0,8x4,5x90; 1x 1,0x5,5x100; 1x 1,2x7,0x125 |
| | | | Bottle opener 1x 145 |
| | | | K240 1x 50,0x240,0 |

¹⁾No throughout blade, no impact cap and no hexagon bolster

932/6 Screwdriver set Krafftform Wera: Chiseldriver and rack

- Storage rack for wall-mounting

932/6 Screwdriver set Krafftform Wera: Chiseldriver and rack



| | | | | |
|-------------|--------|---------|--|---|
| Code | | EAN | | |
| | | 4013288 | | |
| 05018282001 | 018090 | | | 1 |
| | | | 917 SPH 1x PH 1x80; 1x PH 2x100 | |
| | | | 932 A 1x 0,6x3,5x80 ¹⁾ ; 1x 0,8x4,5x90; 1x 1,0x5,5x100; 1x 1,2x7,0x125 | |

¹⁾No throughout blade, no impact cap and no hexagon bolster

932 S/6 Screwdriver set Krafftform Wera: Chiseldriver and rack

- Impact cap with integrated square and bolster for the transfer of higher torque
- Storage rack for wall-mounting

932 S/6 Screwdriver set Krafftform Wera: Chiseldriver and rack



| | | | | |
|-------------|--------|---------|--|---|
| Code | | EAN | | |
| | | 4013288 | | |
| 05018283001 | 134479 | | | 1 |
| | | | 917 SPHS 1x PH 1x90; 1x PH 2x113 | |
| | | | 932 A 1x 0,6x3,5x80 ¹⁾ | |
| | | | 932 AS 1x 0,8x4,5x100; 1x 1,0x5,5x113; 1x 1,2x7,0x138 | |

¹⁾No throughout blade, no impact cap and no hexagon bolster

932/918/6 Screwdriver set Krafftform Wera: Chiseldriver and rack

- Storage rack for wall-mounting

932/918/6 Screwdriver set Krafftform Wera: Chiseldriver and rack



| | | | | |
|-------------|--------|---------|--|---|
| Code | | EAN | | |
| | | 4013288 | | |
| 05018287001 | 018137 | | | 1 |
| | | | 918 SPZ 1x PZ 1x80; 1x PZ 2x100 | |
| | | | 932 A 1x 0,6x3,5x80 ¹⁾ ; 1x 0,8x4,5x90; 1x 1,0x5,5x100; 1x 1,2x7,0x125 | |

¹⁾No throughout blade, no impact cap and no hexagon bolster

977/6 TORX® Screwdriver set Krafftform Wera: Chiseldriver and rack


- Storage rack for wall-mounting

977/6 TORX® Screwdriver set Krafftform Wera: Chiseldriver and rack



| | | | | |
|-------------|--------|---------|---|---|
| Code | | EAN | | |
| | | 4013288 | | |
| 05024410001 | 094803 | | | 1 |
| | | | 977 TORX® 1x TX 15x80; 1x TX 20x90; 1x TX 25x100; 1x TX 27x125; 1x TX 30x150; 1x TX 40x150 | |

Kraffform - the shape that adapts to the hand



High quality Kraffform Plus screwdriver with electrician's blade. Multi-component Kraffform Plus handle for pleasant, ergonomic working that makes blisters and calluses a thing of the past. Hard gripping zones for high working speeds whereas soft zones ensure high torque transfer.

The tips of Wera Lasertip screwdrivers are microscopically roughened by means of laser beams. This rough surface literally bites into the head of the screw. Any unintentional slipping out is therefore prevented.

Take it easy tool finder with colour coding according to profiles and size stamp – for simple and rapid accessing of the required tool. The hexagonal anti-roll feature prevents any bothersome rolling away at the workplace and handle markings make for simplified finding and sorting of the tool.

- Smooth hard zones for high speed turning, soft grip zones for high torque transfer
- Take it easy tool finder: colour coding according to profile and size
- Hexagonal anti-roll feature against rolling away
- Lasertip tips for more secure fit in the screw head

Lasertip - laser engineered blade



335 Screwdriver for slotted screws



| | EAN | | | | | | | |
|---------------------------|---------|-----|-----|-----|-----|-----|-------|----|
| Code | 4013288 | mm | mm | mm | mm | mm | mm | |
| 05008006001 ¹⁾ | 039996 | 0,4 | 2,0 | 60 | 70 | 2,5 | 5/64" | 10 |
| 05110000001 ¹⁾ | 003232 | 0,4 | 2,5 | 60 | 70 | 2,5 | 3/32" | 10 |
| 05008007001 ¹⁾ | 003249 | 0,4 | 2,5 | 75 | 70 | 2,5 | 3/32" | 10 |
| 05110001001 ¹⁾ | 003256 | 0,5 | 3,0 | 80 | 81 | 3,0 | 1/8" | 10 |
| 05008008001 ¹⁾ | 107985 | 0,5 | 3,0 | 150 | 81 | 4,0 | 1/8" | 10 |
| 05008009001 ¹⁾ | 107992 | 0,5 | 3,0 | 200 | 81 | 4,0 | 1/8" | 5 |
| 05008015001 ¹⁾ | 003263 | 0,6 | 3,5 | 100 | 81 | 3,5 | 9/64" | 10 |
| 05110002001 ¹⁾ | 003270 | 0,6 | 3,5 | 125 | 81 | 3,5 | 9/64" | 10 |
| 05110003001 ¹⁾ | 003287 | 0,6 | 3,5 | 200 | 81 | 3,5 | 9/64" | 5 |
| 05110004001 | 003294 | 0,8 | 4,0 | 100 | 98 | 4,0 | 5/32" | 10 |
| 05110005001 | 003300 | 0,8 | 4,0 | 150 | 98 | 4,0 | 5/32" | 10 |
| 05110006001 | 003317 | 0,8 | 4,0 | 200 | 98 | 4,0 | 5/32" | 5 |
| 05008027001 ¹⁾ | 003324 | 0,8 | 4,0 | 300 | 98 | 4,0 | 5/32" | 2 |
| 05110007001 | 003331 | 1,0 | 5,5 | 125 | 98 | 5,5 | 7/32" | 10 |
| 05008055001 | 003348 | 1,0 | 5,5 | 150 | 98 | 5,5 | 7/32" | 10 |
| 05110008001 | 003355 | 1,0 | 5,5 | 200 | 98 | 5,5 | 7/32" | 5 |
| 05008060001 ¹⁾ | 003362 | 1,0 | 5,5 | 300 | 98 | 5,5 | 7/32" | 2 |
| 05008061001 | 108005 | 1,2 | 6,0 | 100 | 105 | 6,0 | 5/16" | 10 |

¹⁾without Lasertip

335 SB Slotted screwdriver



| | Code | EAN | | |
|--|-------------|---------|--|----|
| | | 4013288 | | |
| | 05100042001 | 181275 | 335 1x 0.6x3.5x100 ¹⁾ | 10 |
| | 05100043001 | 181251 | 335 1x 0.8x4.0x100 | 10 |
| | 05100044001 | 181244 | 335 1x 1.0x5.5x125 | 10 |

334 SK Screwdriver for slotted screws

- Hexagonal blade and bolster for higher torque transfer

334 SK Screwdriver for slotted screws



| | EAN | | | | | | | |
|---------------------------|---------|-----|------|----|----|-----|-----|----|
| Code | 4013288 | mm | mm | mm | mm | mm | mm | |
| 05007670001 ¹⁾ | 108036 | 0,6 | 3,5 | 4 | - | 75 | 81 | 10 |
| 05007671001 | 108043 | 0,8 | 4,0 | 4 | - | 90 | 81 | 10 |
| 05007672001 | 108050 | 0,8 | 4,5 | 5 | 8 | 90 | 98 | 10 |
| 05007673001 | 108067 | 1,0 | 5,5 | 6 | 10 | 100 | 98 | 10 |
| 05007674001 | 108074 | 1,2 | 6,5 | 6 | 10 | 125 | 105 | 10 |
| 05007675001 | 108081 | 1,2 | 7,0 | 6 | 10 | 125 | 105 | 10 |
| 05007676001 | 108098 | 1,6 | 9,0 | 8 | 13 | 150 | 112 | 10 |
| 05007677001 | 108104 | 1,6 | 10,0 | 8 | 13 | 175 | 112 | 5 |

¹⁾without Lasertip

334 Screwdriver for slotted screws



| | EAN | | | | | | | |
|---------------------------|---------|-----|------|-----|-----|------|-------|----|
| Code | 4013288 | mm | mm | mm | mm | mm | mm | |
| 05007610001 | 003058 | 0,8 | 5,0 | 100 | 98 | 5,0 | 3/16" | 10 |
| 05007620001 | 003065 | 1,0 | 6,0 | 125 | 105 | 6,0 | 1/4" | 10 |
| 05340330001 | 102553 | 1,0 | 6,0 | 150 | 105 | 6,0 | 1/4" | 10 |
| 05110010001 | 003089 | 1,2 | 6,5 | 150 | 105 | 6,0 | 1/4" | 10 |
| 05007635001 | 003072 | 1,2 | 7,0 | 150 | 105 | 7,0 | 9/32" | 10 |
| 05007621001 | 108012 | 1,2 | 6,5 | 200 | 105 | 7,0 | 9/32" | 5 |
| 05110011001 | 003096 | 1,2 | 8,0 | 175 | 112 | 7,0 | 5/16" | 5 |
| 05007640001 | 108029 | 1,6 | 8,0 | 175 | 112 | 7,0 | 5/16" | 5 |
| 05110104001 | 003102 | 1,6 | 10,0 | 200 | 112 | 9,0 | 3/8" | 5 |
| 05110105001 ¹⁾ | 003119 | 2,0 | 12,0 | 250 | 117 | 10,0 | 1/2" | 2 |

¹⁾without Lasertip

334 SB Screwdriver for slotted screws



| Code | EAN | | | | | | |
|-------------|---------|--|------------|--|--|--|----------------|
| | 4013288 | | | | | | |
| 05100030001 | 181411 | | 334 | | | | 10 |
| | | | | | | | 1x 1.2x6.5x150 |
| 05100031001 | 181220 | | 334 | | | | 5 |
| | | | | | | | 1x 1.2x8.0x175 |

350 SK PH Screwdriver for Phillips screws

- Hexagonal blade and bolster for higher torque transfer

350 SK PH Screwdriver for Phillips screws



| | EAN | | | | | | | |
|---------------------------|---------|------|----|----|-----|-----|--------|----|
| Code | 4013288 | | mm | mm | mm | mm | mm | |
| 05008750001 ¹⁾ | 108128 | PH 0 | 4 | | 60 | 81 | 2 3/8" | 5 |
| 05008751001 | 108135 | PH 1 | 5 | 8 | 80 | 98 | 3 1/8" | 10 |
| 05008752001 | 108142 | PH 2 | 6 | 10 | 100 | 105 | 4" | 10 |
| 05008753001 | 108159 | PH 3 | 8 | 13 | 150 | 112 | 6" | 5 |

¹⁾without Lasertip

350 PH Screwdriver for Phillips screws



| | EAN | | | | | | | |
|---------------------------|---------|------|-----|-----|------|--------|--|----|
| Code | 4013288 | | mm | mm | mm | | | |
| 05008705001 ¹⁾ | 003591 | PH 0 | 60 | 81 | 3,0 | 2 3/8" | | 5 |
| 05008706001 ¹⁾ | 108111 | PH 0 | 100 | 81 | 3,0 | 4" | | 5 |
| 05008710001 | 003607 | PH 1 | 80 | 98 | 4,5 | 3 1/8" | | 10 |
| 05008712001 | 003614 | PH 1 | 200 | 98 | 4,5 | 8" | | 2 |
| 05008715001 ¹⁾ | 003621 | PH 1 | 300 | 98 | 4,5 | 12" | | 2 |
| 05008720001 | 003638 | PH 2 | 100 | 105 | 6,0 | 4" | | 10 |
| 05008723001 | 097996 | PH 2 | 150 | 105 | 6,0 | 6" | | 10 |
| 05008725001 | 003645 | PH 2 | 200 | 105 | 6,0 | 8" | | 2 |
| 05008730001 ¹⁾ | 003652 | PH 2 | 300 | 105 | 6,0 | 12" | | 2 |
| 05008735001 | 003669 | PH 3 | 150 | 112 | 8,0 | 6" | | 5 |
| 05008740001 ¹⁾ | 003676 | PH 4 | 200 | 112 | 10,0 | 8" | | 2 |

¹⁾without Lasertip

350 PH SB Screwdriver for Phillips screws



| Code | EAN | | |
|-------------|---------|------------------------------------|----|
| | 4013288 | | |
| 05100050001 | 181329 | 350 PH 1x PH 0x60 ¹⁾ | 10 |
| 05100051001 | 181336 | 350 PH 1x PH 1x80 | 10 |
| 05100052001 | 181343 | 350 PH 1x PH 2x100 | 10 |

¹⁾without Lasertip

355 SK PZ Screwdriver for Pozidriv screws

- Hexagonal blade and bolster for higher torque transfer

355 SK PZ Screwdriver for Pozidriv screws



| Code | EAN | | | | | | | |
|---------------------------|---------|------|----|----|-----|-----|--------|----|
| | 4013288 | | mm | mm | mm | mm | | |
| 05009340001 ¹⁾ | 108180 | PZ 0 | 4 | | 60 | 81 | 2 3/8" | 5 |
| 05009341001 | 108197 | PZ 1 | 5 | 8 | 80 | 98 | 3 1/8" | 10 |
| 05009342001 | 108203 | PZ 2 | 6 | 10 | 100 | 105 | 4" | 10 |
| 05009343001 | 108210 | PZ 3 | 8 | 13 | 150 | 112 | 6" | 5 |

¹⁾without Lasertip

355 PZ Screwdriver for Pozidriv screws



| Code | EAN | | | | | | | |
|---------------------------|---------|------|-----|-----|------|--------|--|----|
| | 4013288 | | mm | mm | mm | | | |
| 05009305001 ¹⁾ | 004024 | PZ 0 | 60 | 81 | 3,0 | 2 3/8" | | 10 |
| 05009310001 | 004031 | PZ 1 | 80 | 98 | 4,5 | 3 1/8" | | 10 |
| 05009312001 | 004048 | PZ 1 | 200 | 98 | 4,5 | 8" | | 2 |
| 05009313001 ¹⁾ | 108166 | PZ 1 | 300 | 98 | 4,5 | 12" | | 2 |
| 05009315001 | 004055 | PZ 2 | 100 | 105 | 6,0 | 4" | | 10 |
| 05009317001 | 004062 | PZ 2 | 200 | 105 | 6,0 | 8" | | 2 |
| 05347743001 | 097040 | PZ 2 | 250 | 105 | 6,0 | 10" | | 2 |
| 05009319001 ¹⁾ | 108173 | PZ 2 | 300 | 105 | 6,0 | 12" | | 2 |
| 05009320001 | 004079 | PZ 3 | 150 | 112 | 8,0 | 6" | | 5 |
| 05009325001 ¹⁾ | 004086 | PZ 4 | 200 | 112 | 10,0 | 8" | | 2 |

¹⁾without Lasertip

355 PZ SB Screwdriver for Pozidriv screws




| Code | EAN | | |
|-------------|---------|------------------------------------|----|
| | 4013288 | | |
| 05100055001 | 181282 | 355 PZ 1x PZ 0x60 ¹⁾ | 10 |
| 05100056001 | 181299 | 355 PZ 1x PZ 1x80 | 10 |
| 05100057001 | 181305 | 355 PZ 1x PZ 2x100 | 10 |

¹⁾without Lasertip

Hex-Plus - lets hexagon socket screws last longer

Deformation of the screws is reduced

Above-average service life



High quality Kraftform Plus screwdriver.

Multi-component Kraftform handle for fast and low-fatigue working. Kraftform Plus: hard gripping zones for high working speeds whereas soft zones ensure high torque transfer.

Hex-Plus offers a larger contact surface within the screw head. This reduces the notching effects to a minimum and almost completely eliminates the risk of destroying the screw recess.

Take it easy Tool Finder: colour coding according to profile and size. The hexagonal anti-roll feature prevents any bothersome rolling away at the workplace.

- Hexagonal screwdriver Hex-Plus
- Hex-Plus allows socket head screws to live longer

354 Screwdriver for hexagon socket screws



| | EAN | ⊙ | ⊙ | ⊙ | ⊙ | ⊙ | ⊙ | ⊙ |
|-------------|---------|-----|-----|-----|------|--------|----|----|
| Code | 4013288 | mm | mm | mm | mm | mm | mm | mm |
| 05023105001 | 003942 | 2,0 | 75 | 70 | 3,0 | 3" | | 5 |
| 05023107001 | 003959 | 2,5 | 75 | 81 | 3,0 | 3" | | 10 |
| 05023110001 | 003966 | 3,0 | 75 | 81 | 4,0 | 3" | | 10 |
| 05023115001 | 003973 | 4,0 | 75 | 98 | 5,0 | 3" | | 10 |
| 05023120001 | 003980 | 5,0 | 80 | 105 | 6,0 | 3 1/8" | | 10 |
| 05023125001 | 003997 | 6,0 | 80 | 105 | 7,0 | 3 1/8" | | 5 |
| 05023130001 | 004000 | 8,0 | 100 | 112 | 10,0 | 4" | | 5 |

352 Ball end screwdriver for hexagon socket screws

- Hexagonal blade and ballpoint for secure working even in difficult installation situations

352 Ball end screwdriver for hexagon socket screws



| | EAN | ⊙ | ⊙ | ⊙ | ⊙ | ⊙ | ⊙ | ⊙ |
|-------------|---------|------|-------|-----|-----|--------|----|----|
| Code | 4013288 | mm | mm | mm | mm | mm | mm | mm |
| 05022795001 | 032577 | 1,5 | | 60 | 70 | 2 3/8" | | 10 |
| 05022800001 | 003751 | 2,0 | | 100 | 70 | 4" | | 10 |
| 05138070001 | 003768 | 2,5 | | 100 | 81 | 4" | | 10 |
| 05022805001 | 003775 | 3,0 | | 100 | 81 | 4" | | 10 |
| 05022810001 | 003782 | 4,0 | | 100 | 98 | 4" | | 10 |
| 05022815001 | 003799 | 5,0 | | 100 | 105 | 4" | | 10 |
| 05022820001 | 003805 | 6,0 | | 125 | 105 | 5" | | 5 |
| 05022825001 | 003812 | 8,0 | | 150 | 112 | 6" | | 5 |
| 05022830001 | 003829 | 10,0 | | 150 | 112 | 6" | | 5 |
| 05022835001 | 003836 | 12,0 | | 150 | 117 | 6" | | 5 |
| 05022905001 | 003843 | | 5/32" | 100 | 98 | 4" | | 5 |
| 05022910001 | 003850 | | 3/16" | 100 | 105 | 4" | | 5 |
| 05022920001 | 003874 | | 1/4" | 125 | 105 | 5" | | 5 |

TORX® Tools with holding function



High quality Kraftform Plus screwdriver.

Multi-component Kraftform handle for fast and low-fatigue working. Kraftform Plus: hard gripping zones for high working speeds whereas soft zones ensure high torque transfer.

Holding function: the wedging forces resulting from the contact pressure between the drive tip and the screw profile securely hold the screw on the tool.

The hexagonal anti-roll feature prevents any bothersome rolling away at the workplace. Handle markings for simplified finding and sorting of the tool.

- Screwdriver for recessed TORX® screws
- Holding function for TORX® screws
- Multi-component Kraftform handle for fast and ergonomic screw-driving
- Handle markings simplify finding and sorting of tools
- Hexagonal anti-roll feature against rolling away

367 TORX® HF Screwdriver with holding function for TORX® screws



| Code | EAN | | | | | | |
|-------------|---------|-------|-----|-----|-----|---------|----|
| | 4013288 | | mm | mm | mm | | |
| 05028048001 | 106643 | TX 8 | 60 | 81 | 3,5 | 2 3/8" | 10 |
| 05028049001 | 106650 | TX 9 | 60 | 81 | 4,0 | 2 3/8" | 10 |
| 05028050001 | 100696 | TX 10 | 80 | 81 | 4,0 | 3 1/8" | 10 |
| 05028051001 | 100702 | TX 15 | 80 | 98 | 4,0 | 3 1/8" | 10 |
| 05028052001 | 100719 | TX 20 | 100 | 98 | 4,5 | 4" | 10 |
| 05028070001 | 138415 | TX 20 | 300 | 98 | 4,5 | 12" | 4 |
| 05028053001 | 100726 | TX 25 | 100 | 105 | 5,0 | 4" | 10 |
| 05028071001 | 138408 | TX 25 | 300 | 105 | 6,0 | 12" | 4 |
| 05028054001 | 100733 | TX 27 | 115 | 105 | 5,5 | 4 9/16" | 10 |
| 05028072001 | 138392 | TX 27 | 300 | 105 | 6,0 | 12" | 4 |
| 05028055001 | 100740 | TX 30 | 115 | 105 | 6,0 | 4 9/16" | 10 |
| 05028073001 | 138385 | TX 30 | 300 | 105 | 6,0 | 12" | 4 |
| 05028056001 | 100757 | TX 40 | 130 | 112 | 7,0 | 5 3/8" | 10 |

367 Screwdriver for TORX® screws



| Code | EAN | | | | | | |
|-------------|---------|-------|-----|-----|-----|---------|----|
| | 4013288 | | mm | mm | mm | | |
| 05028000001 | 025852 | TX 5 | 60 | 70 | 3,5 | 2 3/8" | 10 |
| 05028001001 | 004185 | TX 6 | 60 | 70 | 3,5 | 2 3/8" | 10 |
| 05028002001 | 004192 | TX 7 | 60 | 70 | 3,5 | 2 3/8" | 10 |
| 05028003001 | 004208 | TX 8 | 60 | 81 | 3,5 | 2 3/8" | 10 |
| 05028004001 | 004215 | TX 9 | 60 | 81 | 4,0 | 2 3/8" | 10 |
| 05028005001 | 004222 | TX 10 | 80 | 81 | 4,0 | 3 1/8" | 10 |
| 05028008001 | 004239 | TX 15 | 80 | 98 | 4,0 | 3 1/8" | 10 |
| 05028010001 | 004246 | TX 20 | 100 | 98 | 4,5 | 4" | 10 |
| 05028012001 | 004253 | TX 25 | 100 | 105 | 5,0 | 4" | 10 |
| 05028013001 | 004260 | TX 27 | 115 | 105 | 5,5 | 4 9/16" | 10 |
| 05028015001 | 004277 | TX 30 | 115 | 105 | 6,0 | 4 9/16" | 10 |
| 05028020001 | 004284 | TX 40 | 130 | 112 | 7,0 | 5 1/8" | 10 |

367 SB Screwdriver for TORX® screws



| Code | EAN | | |
|-------------|---------|---------------------------|----|
| | 4013288 | | |
| 05100060001 | 181350 | 367 TORX® 1x TX 10x80 | 10 |
| 05100061001 | 181367 | 367 TORX® 1x TX 15x80 | 10 |
| 05100062001 | 181374 | 367 TORX® 1x TX 20x100 | 10 |
| 05100063001 | 181381 | 367 TORX® 1x TX 25x100 | 10 |
| 05100064001 | 181398 | 367 TORX® 1x TX 30x115 | 10 |

367 TORX® BO Screwdriver for tamper-proof TORX® screws

High quality Kraftform Plus screwdriver. Multi-component Kraftform handle for fast and low-fatigue working.

TORX® BO screws have a protruding pin in their drive profile. This prevents any unauthorised loosening since the "normal" hex tools cannot move these screws. Only special TORX® BO tools have a bore hole which can slip over the pin.

The Wera Black Point tip and a complex hardening process ensure a long service life of the tip, enhanced corrosion protection and an exact fit.

The hexagonal anti-roll feature prevents any bothersome rolling away at the workplace. Handle markings for simplified finding and sorting of the tool.

- Screwdrivers for recessed TORX® screws with safety pin

367 TORX® BO Screwdriver for tamper-proof TORX® screws



| Code | EAN | | | | | | |
|-------------|--------|-------|-----|-----|-----|---------|---|
| | | | mm | mm | mm | | |
| 05138257001 | 039965 | TX 7 | 60 | 70 | 3,5 | 2 3/8" | 5 |
| 05138258001 | 039972 | TX 8 | 60 | 81 | 3,5 | 2 3/8" | 5 |
| 05138259001 | 039989 | TX 9 | 60 | 81 | 4,0 | 2 3/8" | 5 |
| 05138260001 | 025869 | TX 10 | 80 | 81 | 4,0 | 3 1/8" | 5 |
| 05138268001 | 108234 | TX 10 | 300 | 81 | 4,0 | 12" | 5 |
| 05138261001 | 025876 | TX 15 | 80 | 98 | 4,0 | 3 1/8" | 5 |
| 05138269001 | 108241 | TX 15 | 300 | 98 | 4,0 | 12" | 2 |
| 05138262001 | 025883 | TX 20 | 100 | 98 | 4,5 | 4" | 5 |
| 05138270001 | 108258 | TX 20 | 300 | 98 | 4,5 | 12" | 2 |
| 05138263001 | 025890 | TX 25 | 100 | 105 | 5,0 | 4" | 5 |
| 05138264001 | 025906 | TX 27 | 115 | 105 | 5,5 | 4 9/16" | 5 |
| 05138265001 | 025913 | TX 30 | 115 | 105 | 6,0 | 4 9/16" | 5 |
| 05138266001 | 025920 | TX 40 | 130 | 112 | 7,0 | 5 3/16" | 5 |

367 TORX PLUS® Screwdriver for TORX PLUS® screws

High quality Kraftform Plus screwdriver by Wera. TORX PLUS® profile: in comparison to "normal" TORX® profiles, the enlargement of the 6 torque-transferring flanks between the tool and screw is implemented by using an elliptical and not circular profile design.

This means that the power applied when fastening is spread across a larger surface area. Higher torque is transferred and the service life of the screw and tool is also enhanced. Multi-component Kraftform handle for rapid and convenient working.

Kraftform Plus: hard gripping zones for high working speeds whereas soft zones ensure high torque transfer. The Wera Black Point tip offers a perfect fit and optimised corrosion protection. The hexagonal non-roll feature prevents any annoying rolling away at the workplace. Handle markings for simplified finding and sorting of the tools.

367 TORX PLUS® Screwdriver for TORX PLUS® screws



| | EAN | | | | | | |
|-------------|---------|-------|-----|-----|-----|---------|---|
| Code | 4013288 | | mm | mm | mm | | |
| 05028029001 | 041555 | 5 IP | 60 | 70 | 3,5 | 2 3/8" | 5 |
| 05028030001 | 040091 | 6 IP | 60 | 70 | 3,5 | 2 3/8" | 5 |
| 05028031001 | 040107 | 7 IP | 60 | 70 | 3,5 | 2 3/8" | 5 |
| 05028032001 | 040114 | 8 IP | 60 | 70 | 3,5 | 2 3/8" | 5 |
| 05028033001 | 040121 | 9 IP | 60 | 81 | 4,0 | 2 3/8" | 5 |
| 05028034001 | 040138 | 10 IP | 80 | 81 | 4,0 | 3 1/8" | 5 |
| 05028035001 | 040145 | 15 IP | 80 | 98 | 4,0 | 3 1/8" | 5 |
| 05028036001 | 040152 | 20 IP | 100 | 98 | 4,5 | 4" | 5 |
| 05028037001 | 040169 | 25 IP | 100 | 105 | 5,0 | 4" | 5 |
| 05028038001 | 040176 | 30 IP | 115 | 105 | 6,0 | 4 9/16" | 5 |

368 Screwdriver for square socket head screws

High quality Kraftform Plus screwdriver for square socket screws. The colour coding system allows the user to quickly find and identify the size needed. Multi-component Kraftform handle for fast and low-fatigue working.

The Wera Black Point tip offers optimised corrosion protection and an exact fit. The hexagonal anti-roll feature prevents any bothersome rolling away at the workplace. Handle markings for simplified finding and sorting of the tool.

368 Screwdriver for square socket head screws



| | EAN | | | | | | | |
|-------------|---------|--|------|-----|-----|-----|--------|---|
| Code | 4013288 | | | mm | mm | mm | | |
| 05117680001 | 028723 | | # 00 | 60 | 81 | 3,5 | 2 3/8" | 5 |
| 05117681001 | 028730 | | # 0 | 60 | 81 | 4,0 | 2 3/8" | 5 |
| 05117682001 | 028747 | | # 1 | 80 | 98 | 4,5 | 3 1/8" | 5 |
| 05117683001 | 028754 | | # 1 | 200 | 98 | 4,5 | 8" | 5 |
| 05117684001 | 028761 | | # 2 | 100 | 105 | 6,0 | 4" | 5 |
| 05117685001 | 028778 | | # 2 | 200 | 105 | 6,0 | 8" | 5 |
| 05117691001 | 040916 | | # 2 | 300 | 105 | 6,0 | 12" | 2 |
| 05117686001 | 028785 | | # 3 | 150 | 112 | 8,0 | 6" | 5 |
| 05117687001 | 028792 | | # 4 | 200 | 112 | 8,0 | 8" | 5 |

368 SB Screwdriver for square socket head screws



| Code | EAN | | | | |
|-------------|------------|--|--------------------------|--|---|
| | 4013288 | | | | |
| 05100070001 | 181404 | | 368 1x # 1x80 | | 5 |
| 05100071001 | 181428 | | 368 1x # 2x100 | | 5 |
| 05100072001 | 181435 | | 368 1x # 3x150 | | 5 |

338 Actuation tool for terminal blocks (spring cages)

- Special tool for unlocking contact springs in electrotechnical line terminals
- Due to the curved geometry, even terminal blocks that cannot be reached with normal screwdrivers can be operated
- Suitable for spring terminals with a conductor cross-section of up to 1.5 mm² and 2.5 to 4.0 mm²

338 Actuation tool for terminal blocks (spring cages)



| | EAN | | | | | | | |
|-------------|---------|-----|-----|----|----|-----|-------|----|
| Code | 4013288 | mm | mm | mm | mm | mm | | |
| 05008101001 | 225641 | 0,4 | 2,5 | 81 | 81 | 2,5 | 3/32" | 10 |
| 05008102001 | 225788 | 0,6 | 3,5 | 81 | 81 | 3,5 | 9/64" | 10 |

391 Hose clamp screwdriver

- Hose clamp screwdriver for hexagon head screws
- Flexible, circular blade

391 Hose clamp screwdriver



| | EAN | | | | | | |
|-------------|---------|----|-----|----|---------|--|---|
| Code | 4013288 | mm | mm | mm | | | |
| 05028148001 | 004703 | 6 | 167 | 98 | 6 9/16" | | 5 |
| 05028150001 | 004710 | 7 | 167 | 98 | 6 9/16" | | 5 |
| 05028152001 | 004727 | 8 | 167 | 98 | 6 9/16" | | 5 |

395 Nutdriver

- Nutsetter for hexagon head screws

395 Nutdriver



| | EAN | | | | | | | |
|-------------|---------|------|-----|-----|------|----|----|----|
| Code | 4013288 | mm | mm | mm | mm | mm | mm | mm |
| 05028205001 | 004734 | 3,0 | 125 | 98 | 5,0 | 5" | | 5 |
| 05028210001 | 004741 | 3,5 | 125 | 98 | 6,1 | 5" | | 5 |
| 05028215001 | 004758 | 4,0 | 125 | 98 | 6,9 | 5" | | 5 |
| 05028220001 | 004765 | 4,5 | 125 | 98 | 7,1 | 5" | | 5 |
| 05028225001 | 004772 | 5,0 | 125 | 98 | 8,1 | 5" | | 5 |
| 05028230001 | 004789 | 5,5 | 125 | 98 | 8,1 | 5" | | 5 |
| 05029405001 | 004796 | 6,0 | 125 | 98 | 9,1 | 5" | | 5 |
| 05029410001 | 004802 | 7,0 | 125 | 105 | 11,0 | 5" | | 5 |
| 05029415001 | 004819 | 8,0 | 125 | 105 | 12,1 | 5" | | 5 |
| 05029420001 | 004826 | 9,0 | 125 | 105 | 13,1 | 5" | | 5 |
| 05029425001 | 004833 | 10,0 | 125 | 112 | 14,1 | 5" | | 5 |
| 05029430001 | 004840 | 11,0 | 125 | 112 | 16,0 | 5" | | 5 |
| 05029435001 | 004857 | 12,0 | 125 | 112 | 17,1 | 5" | | 5 |
| 05029440001 | 004864 | 13,0 | 125 | 112 | 18,1 | 5" | | 5 |
| 05029445001 | 004871 | 14,0 | 125 | 112 | 19,1 | 5" | | 5 |
| 05029450001 | 004888 | 15,0 | 125 | 112 | 21,0 | 5" | | 5 |

395 HO Nutdriver

High quality nutsetter with hollow shaft by Wera. Hollow shaft for the fastening of threaded rods; only then can the threaded rod with nut slip into the hollow shaft. Multi-component Kraftform handle for high working speeds and particularly ergonomic screwdriving.

Kraftform Plus: hard gripping zones for high working speeds whereas soft zones ensure high torque transfer. Hexagonal anti-roll feature prevents any rolling away and handle markings make for simplified finding and sorting of the tool; for hexagon head screws.

- Nutsetter for hexagon head screws
- Hollow shaft for protruding threaded rods, chrome-plated


395 HO Nutdriver




| | EAN | | | | | | | |
|-------------|---------|------|--------|----|-----|------|-----------------------------------|----|
| Code | 4013288 | mm | mm | mm | mm | mm | mm | mm |
| 05029460001 | 108296 | 5,0 | | 90 | 98 | 7,2 | 3 ³⁵ / ₆₄ " | 5 |
| 05029461001 | 108302 | 5,5 | | 90 | 98 | 7,2 | 3 ³⁵ / ₆₄ " | 5 |
| 05029462001 | 108319 | 6,0 | | 90 | 98 | 7,2 | 3 ³⁵ / ₆₄ " | 5 |
| 05029463001 | 108326 | 7,0 | | 90 | 105 | 7,2 | 3 ³⁵ / ₆₄ " | 5 |
| 05029464001 | 108333 | 8,0 | | 90 | 105 | 9,3 | 3 ³⁵ / ₆₄ " | 5 |
| 05029465001 | 108340 | 10,0 | | 90 | 112 | 9,3 | 3 ³⁵ / ₆₄ " | 5 |
| 05029466001 | 108357 | 13,0 | | 90 | 112 | 11,0 | 3 ³⁵ / ₆₄ " | 5 |
| 05029501001 | 110503 | | 3/16" | 90 | 98 | 7,2 | 3 ³⁵ / ₆₄ " | 5 |
| 05029502001 | 110510 | | 1/4" | 90 | 98 | 7,2 | 3 ³⁵ / ₆₄ " | 5 |
| 05029503001 | 110527 | | 5/16" | 90 | 105 | 9,3 | 3 ³⁵ / ₆₄ " | 5 |
| 05029504001 | 110534 | | 11/32" | 90 | 105 | 9,3 | 3 ³⁵ / ₆₄ " | 5 |
| 05029505001 | 110541 | | 3/8" | 90 | 112 | 9,3 | 3 ³⁵ / ₆₄ " | 5 |
| 05029506001 | 110558 | | 7/16" | 90 | 112 | 11,0 | 3 ³⁵ / ₆₄ " | 5 |
| 05029507001 | 110565 | | 1/2" | 90 | 112 | 11,0 | 3 ³⁵ / ₆₄ " | 5 |

Take it easy tool finder with color markings - for quick tool identification

Bits: Take it easy tool finder 

Zyklop sockets: Take it easy tool finder 

L-Keys: Take it easy tool finder 

Joker: Take it easy tool finder 

Especially small screwdrivers with short blades for hard to reach areas. The 2-component Kraftform handle with its practical combination of hard and soft zones allows for a firm grip and precise working.








The blades have all the benefits of the Wera Bit technology. Special surface treatment of the blades for high corrosion protection and optimum fitting accuracy in the screw.

The hexagon anti-roll protection prevents annoying rolling away of bits in the workplace.

- Short compact shape for working in confined spaces
- Ergonomic 2-component Kraftform handle for precise work
- Blades with the benefits of the Wera Bit technology
- Hexagonal anti-roll feature against rolling away
- Take it easy tool finder: colour coding according to profile and size






335 Stubby/carburetor screwdriver



| | EAN |  |  |  |  |  |  |  |
|-------------|---------|---|---|---|---|---|---|---|
| Code | 4013288 | mm | mm | mm | mm | mm | mm | |
| 05008840001 | 212115 | 0,6 | 3,5 | 24,5 | 54 | 3,5 | 9/64" | 5 |
| 05008841001 | 212122 | 0,8 | 4,0 | 24,5 | 54 | 4,0 | 5/32" | 5 |
| 05008842001 | 212139 | 1,0 | 5,5 | 24,5 | 54 | 5,5 | 7/32" | 5 |
| 05008843001 | 212146 | 1,2 | 6,5 | 24,5 | 54 | 6,5 | 1/4" | 5 |
| 05008844001 | 212153 | 1,2 | 8,0 | 24,5 | 54 | 8,0 | 5/16" | 5 |







350 PH Phillips-head Stubby/carburetor screwdriver



| | EAN |  |  |  |  |  |  |
|-------------|---------|---|---|---|---|---|---|
| Code | 4013288 | | mm | mm | mm | mm | |
| 05008850001 | 212160 | PH 1 | 25 | 54 | 4,2 | 1" | 5 |
| 05008851001 | 212177 | PH 2 | 25 | 54 | 5,2 | 1" | 5 |
| 05008852001 | 212184 | PH 3 | 25 | 54 | 6,2 | 1" | 5 |







355 PZ Phillips-head Stubby/carburetor screwdriver




| | EAN |  |  |  |  |  |  |
|-------------|---------|---|---|---|---|---|---|
| Code | 4013288 | | mm | mm | mm | mm | |
| 05008853001 | 212191 | PZ 1 | 25 | 54 | 4,5 | 1" | 5 |
| 05008854001 | 212207 | PZ 2 | 25 | 54 | 6,0 | 1" | 5 |
| 05008855001 | 212214 | PZ 3 | 25 | 54 | 8,0 | 1" | 5 |

367 TORX® Stubby screwdriver



| | EAN |  |  |  |  |  |  |
|-------------|---------|---|---|---|---|---|---|
| Code | 4013288 | | mm | mm | mm | mm | |
| 05008856001 | 212245 | TX 10 | 25 | 54 | 3,4 | 1" | 5 |
| 05008857001 | 212252 | TX 15 | 25 | 54 | 3,7 | 1" | 5 |
| 05008858001 | 212269 | TX 20 | 25 | 54 | 4,0 | 1" | 5 |
| 05008859001 | 212276 | TX 25 | 25 | 54 | 4,5 | 1" | 5 |
| 05008860001 | 212283 | TX 27 | 25 | 54 | 5,1 | 1" | 5 |
| 05008861001 | 212290 | TX 30 | 25 | 54 | 5,6 | 1" | 5 |
| 05008862001 | 212306 | TX 40 | 25 | 54 | - | 1" | 5 |

368 Stubby screwdriver for square head socket screws



| | EAN | | | | | | | |
|-------------|---------|--|------|----|----|-----|----|---|
| Code | 4013288 | | | mm | mm | mm | mm | |
| 05008863001 | 212313 | | # 01 | 25 | 54 | 4,2 | 1" | 5 |
| 05008864001 | 212320 | | # 02 | 25 | 54 | 4,2 | 1" | 5 |

Kraftform Big Pack 300

- Screwdrivers for slotted, cross-recess Phillips and Pozidriv screws and TORX®

Kraftform Big Pack 300




| Code | EAN | | |
|-------------|--------|---|---|
| 05105630001 | 163622 | | 1 |
| | | 350 PH 1x PH 1x80; 1x PH 2x100; 1x PH 3x150 | |
| | | 355 PZ 1x PZ 1x80; 1x PZ 2x100; 1x PZ 3x150 | |
| | | 367 TORX® 1x TX 10x80; 1x TX 15x80; 1x TX 20x100; 1x TX 25x100; 1x TX 30x115 | |
| | | 334 1x 1,2x6,5x150 | |
| | | 335 1x 0,6x3,5x100 ¹⁾ ; 1x 0,8x4,0x100 | |
| | | Rack 2x 190,0x50,0 | |

¹⁾without Lasertip

Kraftform XXL

- For every application the right tool

Kraftform XXL



| Code | EAN | | |
|-------------|--------|--|---|
| 05051010001 | 139092 | | 1 |
| | | 350 PH 1x PH 1x80; 1x PH 2x100 | |
| | | 355 PZ 1x PZ 1x80; 1x PZ 2x100 | |
| | | 932 A 1x 1,0x5,5x100; 1x 1,2x7,0x125 | |
| | | 334 1x 1,2x6,5x150 | |
| | | 335 1x 0,8x4,0x100; 1x 1,0x5,5x125 | |
| | | 160 i VDE 1x 0,4x2,5x80 ¹⁾ ; 1x 0,6x3,5x100 ¹⁾ | |
| | | 247 1x 0,5x3,0x70 | |
| | | Rack 2x 190,0x50,0 | |

¹⁾without Lasertip

²⁾Product not available in the USA and Canada.

Kraftform XXL 2



| Code | EAN | | |
|-------------|-------------------|---|--|
| 05051011001 | 4013288 144225 | | 1 |
| | | + | 350 PH 1x PH 2x100 |
| | | + | 355 PZ 1x PZ 1x80; 1x PZ 2x100 |
| | | ● | 932 A 1x 1,0x5,5x100; 1x 1,2x7,0x125 |
| | | ● | 335 1x 0,8x4,0x100 |
| | | ⊕ | 367 TORX® 1x TX 15x80; 1x TX 20x100; 1x TX 25x100 |
| | | ● | 160 i VDE 1x 0,4x2,5x80 ¹⁾ ; 1x 0,6x3,5x100 ¹⁾ |
| | | ● | 247 1x 0,5x3,0x70 |
| | | | Rack 2x 190,0x50,0 |

¹⁾ without Lasertip

²⁾ Product not available in the USA and Canada.

Kraftform XXL 3



| Code | EAN | | |
|-------------|-------------------|---|--|
| 05347106001 | 4013288 182388 | | 1 |
| | | ● | 932 A 1x 1,0x5,5x100; 1x 1,2x7,0x125 |
| | | + | 350 PH 1x PH 1x80; 1x PH 2x100 |
| | | ● | 334 1x 1,2x6,5x150 |
| | | ● | 335 1x 0,8x4,0x100; 1x 1,0x5,5x125 |
| | | ○ | 368 1x # 1x80; 1x # 2x100 |
| | | ● | 160 i VDE 1x 0,4x2,5x80 ¹⁾ ; 1x 0,6x3,5x100 ¹⁾ |
| | | | Rack 2x 190,0x50,0 |

¹⁾ without Lasertip

Kraftform 2go 300

11 Kraftform screwdrivers; with Take it easy Toolfinder; in the Wera 2go 4 quiver; comes with an adjustable partition element for individual sectioning.

- Suitable for docking with the Wera 2go system

Kraftform 2go 300



| Code | EAN | | |
|-------------|-------------------|---|---|
| 05004313001 | 4013288 187833 | | 1 |
| | | | Wera 2go 4 1x 165,0x165,0x105,0 |
| | | + | 350 PH 1x PH 1x80; 1x PH 2x100 |
| | | + | 355 PZ 1x PZ 1x80; 1x PZ 2x100 |
| | | ⊕ | 367 TORX® 1x TX 10x80; 1x TX 15x80; 1x TX 20x100; 1x TX 25x100; 1x TX 30x115 |
| | | ● | 334 SK 1x 0,8x4,5x90; 1x 1,2x7,0x125 |
| | | | K120 1x 50,0x120,0 |

334 SK/6 Rack Screwdriver set Kraftform Plus Lasertip and rack

- Hexagonal blade and bolster for higher torque transfer

334 SK/6 Rack Screwdriver set Kraftform Plus Lasertip and rack



| Code | EAN | | |
|-------------|-------------------|---|---|
| 05007680001 | 4013288 111418 | | 1 |
| | | + | 350 SK PH 1x PH 1x80; 1x PH 2x100 |
| | | ● | 334 SK 1x 0,6x3,5x75 ¹⁾ ; 1x 0,8x4,0x90; 1x 1,0x5,5x100; 1x 1,2x6,5x125 |

¹⁾ without Lasertip

334/6 Rack Screwdriver set Kraffform Plus Lasertip and rack



| Code | EAN | | |
|-------------|-------------------|---|---|
| 05105650001 | 4013288 003133 | | 1 |
| | | + | 350 PH 1x PH 1x80; 1x PH 2x100 |
| | | - | 334 1x 1,2x6,5x150 |
| | | - | 335 1x 0,5x3,0x80 ¹⁾ ; 1x 0,8x4,0x100; 1x 1,0x5,5x125 |

¹⁾without Lasertip

334/355 SK/6 Screwdriver set Kraffform Plus Lasertip and rack

- Hexagonal blade and bolster for higher torque transfer

334/355 SK/6 Screwdriver set Kraffform Plus Lasertip and rack



| Code | EAN | | |
|-------------|-------------------|---|---|
| 05007681001 | 4013288 111425 | | 1 |
| | | + | 355 SK PZ 1x PZ 1x80; 1x PZ 2x100 |
| | | - | 334 SK 1x 0,6x3,5x75 ¹⁾ ; 1x 0,8x4,0x90; 1x 1,0x5,5x100; 1x 1,2x6,5x125 |

¹⁾without Lasertip

334/355/6 Rack Screwdriver set Kraffform Plus Lasertip and rack



| Code | EAN | | |
|-------------|-------------------|---|---|
| 05105656001 | 4013288 003140 | | 1 |
| | | + | 355 PZ 1x PZ 1x80; 1x PZ 2x100 |
| | | - | 334 1x 1,2x6,5x150 |
| | | - | 335 1x 0,5x3,0x80 ¹⁾ ; 1x 0,8x4,0x100; 1x 1,0x5,5x125 |

¹⁾without Lasertip

335/350/355/6 Screwdriver set Kraffform Plus Lasertip and rack




| Code | EAN | | |
|-------------|-------------------|---|--|
| 05105622001 | 4013288 041616 | | 1 |
| | | + | 350 PH 1x PH 1x80; 1x PH 2x100 |
| | | + | 355 PZ 1x PZ 1x80; 1x PZ 2x100 |
| | | - | 335 1x 0,8x4,0x100; 1x 1,0x5,5x125 |

335/350/355/3 Screwdriver set Kraftform Plus 300 mm-long blades

- Extra-long blade for low-lying working situations

335/350/355/3 Screwdriver set Kraftform Plus 300 mm-long blades



| Code | EAN | | |
|-------------|--------|-------------------------------------|---|
| 05347735002 | 120991 | | 1 |
| | | 335 1x 1,0x5,5x300 ¹⁾ | |
| | | 350 PH 1x PH 2x300 ¹⁾ | |
| | | 355 PZ 1x PZ 2x300 ¹⁾ | |

¹⁾without Lasertip

335/350/355/4 Screwdriver set Kraftform Plus Lasertip 200 mm-long blades

- Extra-long blade for low-lying working situations

335/350/355/4 Screwdriver set Kraftform Plus Lasertip 200 mm-long blades



| Code | EAN | | |
|-------------|--------|------------------------------------|---|
| 05347736002 | 117397 | | 1 |
| | | 350 PH 1x PH 2x200 | |
| | | 355 PZ 1x PZ 1x200; 1x PZ 2x200 | |
| | | 335 1x 1,0x5,5x200 | |

335/350/367/7 Rack Screwdriver set Kraftform Plus Lasertip and rack



| Code | EAN | | |
|-------------|--------|--|---|
| 05320540001 | 094704 | | 1 |
| | | 350 PH 1x PH 2x100 | |
| | | 355 PZ 1x PZ 1x80; 1x PZ 2x100 | |
| | | 335 1x 0,8x4,0x100 | |
| | | 367 TORX® 1x TX 15x80; 1x TX 20x100; 1x TX 25x100 | |

Kraftform 300/7 set 1 Screwdriver set Kraftform Plus

- 7-piece set in compact, textile box with Wera 2go compatibility

Kraftform 300/7 set 1 Screwdriver set Kraftform Plus



| Code | EAN | | |
|-------------|--------|--|---|
| 05105623001 | 217608 | | 1 |
| | | 350 PH 1x PH 1x80; 1x PH 2x100 | |
| | | 355 PZ 1x PZ 2x100 | |
| | | 367 TORX® 1x TX 15x80; 1x TX 20x100; 1x TX 25x100 | |
| | | 335 1x 0,8x4,0x100 | |
| | | K240 1x 50,0x240,0 | |

Kraftform 300/7 set 2 Screwdriver set Kraftform Plus

- 7-piece set in compact, textile box with Wera 2go compatibility
- With Wera bottle opener

Kraftform 300/7 set 2 Screwdriver set Kraftform Plus



| Code | EAN | | |
|-------------|-------------------|--|---|
| 05105624001 | 4013288 218049 | | 1 |
| | | ⊕ 350 PH 1x PH 1x80; 1x PH 2x100 | |
| | | ⊖ 335 1x 0,5x3,0x80 ¹⁾ ; 1x 0,8x4,0x100; 1x 1,0x5,5x125; 1x 1,2x6,0x100 | |
| | | Bottle opener 1x 145 | |
| | | K240 1x 50,0x240,0 | |

¹⁾without Lasertip

Kraftform 300/7 set 3 Screwdriver set Kraftform Plus

- 7-piece set in compact, textile box with Wera 2go compatibility
- With Wera bottle opener

Kraftform 300/7 set 3 Screwdriver set Kraftform Plus



| Code | EAN | | |
|-------------|-------------------|---|---|
| 05105625001 | 4013288 218056 | | 1 |
| | | ⊕ 350 PH 1x PH 2x100 | |
| | | ⊕ 355 PZ 1x PZ 1x80; 1x PZ 2x100 | |
| | | ⊖ 334 SK 1x 1,2x6,5x125 | |
| | | ⊖ 335 1x 0,8x4,0x100; 1x 1,0x5,5x125 | |
| | | Bottle opener 1x 145 | |
| | | K240 1x 50,0x240,0 | |

Kraftform 300/7 set 4 Screwdriver set Kraftform Plus

- 7-piece set in compact, textile box with Wera 2go compatibility
- With Wera bottle opener

Kraftform 300/7 set 4 Screwdriver set Kraftform Plus



| | | | | |
|-------------|-------------------|---|---------------------------------------|---|
| | | | | |
| Code | EAN | | | |
| 05105626001 | 4013288 218063 | | | 1 |
| | | + | 350 PH 1x PH 1x80; 1x PH 2x100 | |
| | | - | 335 1x 0,8x4,0x100; 1x 1,0x5,5x125 | |
| | | □ | 368 1x # 1x80; 1x # 2x100 | |
| | | | Bottle opener 1x 145 | |
| | | | K240 1x 50,0x240,0 | |

367/7 TORX® HF Kraftform Plus Screwdriver set with holding function and rack

- Holding function for TORX® screws, chrome-plated

367/7 TORX® HF Kraftform Plus Screwdriver set with holding function and rack



| | | | | |
|-------------|-------------------|----|--|---|
| | | | | |
| Code | EAN | | | |
| 05223161001 | 4013288 118226 | | | 1 |
| | | ♻️ | 367 TORX® HF 1x TX 8x60; 1x TX 10x80; 1x TX 15x80; 1x TX 20x100; 1x TX 25x100; 1x TX 27x115; 1x TX 30x115 | |

367/6 TORX® HF Kraftform Plus Screwdriver set with holding function and rack




| | | | | |
|-------------|-------------------|----|---|---|
| | | | | |
| Code | EAN | | | |
| 05028059001 | 4013288 100764 | | | 1 |
| | | ♻️ | 367 TORX® HF 1x TX 10x80; 1x TX 15x80; 1x TX 20x100; 1x TX 25x100; 1x TX 30x115; 1x TX 40x130 | |

367/4 TORX® HF Kraftform Plus Screwdriver set with holding function and 300 mm-long blades

- Screwdriver for TORX® screws; holding function and extra-long 300 mm blade

367/4 TORX® HF Kraftform Plus Screwdriver set with holding function and 300 mm-long blades



| | | | | |
|-------------|-------------------|----|---|---|
| | | | | |
| Code | EAN | | | |
| 05028074001 | 4013288 138378 | | | 1 |
| | | ♻️ | 367 TORX® HF 1x TX 20x300; 1x TX 25x300; 1x TX 27x300; 1x TX 30x300 | |

367/6 TORX® Screwdriver set Kraftform Plus and rack



| | | | | |
|-------------|--------|---|--|---|
| Code | | EAN | | |
| | | 4013288 | | |
| 05028062001 | 028891 | | | 1 |
| | | 367 TORX® 1x TX 10x80; 1x TX 15x80; 1x TX 20x100; 1x TX 25x100; 1x TX 30x115; 1x TX 40x130 | | |

334/368/6 Screwdriver set and rack



| | | | | |
|-------------|--------|--|--|---|
| Code | | EAN | | |
| | | 4013288 | | |
| 05347778001 | 122735 | | | 1 |
| | | 350 PH 1x PH 1x80; 1x PH 2x100 | | |
| | | 334 1x 1,2x6,5x150 | | |
| | | 335 1x 0,8x4,0x100 | | |
| | | 368 1x # 1x80; 1x # 2x100 | | |

367/6 TORX® BO Kraftform Plus Screwdriver set and rack

- Screwdrivers for recessed TORX® screws with safety pin

367/6 TORX® BO Kraftform Plus Screwdriver set and rack



| | | | | |
|-------------|--------|--|--|---|
| Code | | EAN | | |
| | | 4013288 | | |
| 05138250001 | 028907 | | | 1 |
| | | 367 TORX® BO 1x TX 10x80; 1x TX 15x80; 1x TX 20x100; 1x TX 25x100; 1x TX 30x115; 1x TX 40x130 | | |

338/2 Set of actuation tools for terminal blocks (spring cages)

Set with 2 actuation tools for spring terminals. The curved blades also make it easy to operate spring terminals in distribution boxes which cannot be reached with a straight blade.

The blade stays in the terminal block, leaving both hands free to insert the wire. Multi-component Kraftform handle for fast and smooth work.

- Special tool for unlocking contact springs in electrotechnical line terminals
- Due to the curved geometry, even terminal blocks that cannot be reached with normal screwdrivers can be operated
- Suitable for spring terminals with a conductor cross-section of up to 1.5 mm² and 2.5 to 4.0 mm²

338/2 Set of actuation tools for terminal blocks (spring cages)



| | | | | |
|-------------|--------|--|--|---|
| Code | | EAN | | |
| | | 4013288 | | |
| 05008100001 | 225658 | | | 1 |
| | | 338 1x 0,4x2,5x81; 1x 0,6x3,5x81 | | |

395 HO/7 SM Nutdriver set

- Nutsetter for hexagon head screws
- Hollow shaft for protruding threaded rods, chrome-plated

395 HO/7 SM Nutdriver set



| Code | EAN | | |
|-------------|--------|---|---|
| 05029510001 | 111432 | | 1 |
| | | 395 HO 1x 5,0x90; 1x 5,5x90; 1x 6,0x90; 1x 7,0x90; 1x 8,0x90; 1x 10,0x90; 1x 13,0x90 | |

395 HO/3 Sanitary Nutdriver set

- Nutsetter for hexagon head screws, chrome-plated
- With hollow shaft for protruding threaded rods, particularly suitable for installing/removing mixer taps on washbasins

395 HO/3 Sanitary Nutdriver set



| Code | EAN | | |
|-------------|--------|--|---|
| 05134275001 | 207616 | | 1 |
| | | 395 HO 1x 10,0x90; 1x 13,0x90; 1x 7/16"x90 | |

391/3 Hose clamp screwdriver set

- Flexible, circular blade

391/3 Hose clamp Screwdriver set



| Code | EAN | | |
|-------------|--------|--|---|
| 05135311001 | 169860 | | 1 |
| | | 391 1x 6x167; 1x 7x167; 1x 8x167 | |

Stubby Set 1 Screwdriver set

Especially small screwdrivers with short blades for hard to reach areas. The 2-component Kraftform handle with its practical combination of hard and soft zones allows for a firm grip and precise working.

The blades have all the benefits of the Wera Bit technology. Special surface treatment of the blades for high corrosion protection and an optimum fit in the screw head.

The hexagonal anti-roll protection prevents annoying rolling away of bits in the workplace.

- Short compact shape for working in confined spaces
- Ergonomic 2-component Kraftform handle for precise work
- Blades with the benefits of the Wera Bit technology
- Hexagonal anti-roll feature against rolling away
- Take it easy tool finder: colour coding according to profile and size

Stubby Set 1 Screwdriver set




| Code | EAN | | |
|-------------|--------|---|---|
| 05008870001 | 212337 | | 1 |
| | | 335 Stubby 1x 0,6x3,5x24,5; 1x 0,8x4,0x24,5; 1x 1,0x5,5x24,5 | |
| | | 350 PH Stubby 1x PH 1x25; 1x PH 2x25 | |

Stubby Set 2 Screwdriver set



| | | | |
|-------------|-------------------|---|---|
| | | | |
| Code | EAN | | |
| 05008871001 | 4013288 212344 | | 1 |
| | | 335 Stubby 1x 0,6x3,5x24,5; 1x 0,8x4,0x24,5; 1x 1,0x5,5x24,5 | |
| | | 355 PZ Stubby 1x PZ 1x25; 1x PZ 2x25 | |

Stubby Set 3 Screwdriver set



| | | | |
|-------------|-------------------|--|---|
| | | | |
| Code | EAN | | |
| 05008872001 | 4013288 214096 | | 1 |
| | | 350 PH Stubby 1x PH 1x25; 1x PH 2x25 | |
| | | 335 Stubby 1x 1,0x5,5x24,5 | |
| | | 368 Stubby 1x # 01x25; 1x # 02x25 | |

Stubby Set TX 1 Screwdriver set TORX®



| | | | |
|-------------|-------------------|---|---|
| | | | |
| Code | EAN | | |
| 05008876001 | 4013288 212351 | | 1 |
| | | 367 TORX® Stubby 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25 | |

300/7 Mix 1 Screwdriver set

Application-specific mixture of workshop screwdrivers with normal long blade and especially small Stubby screwdrivers with short blade for hard to reach areas.

The 2-component Kraftform handle with its practical combination of hard and soft zones allows for a firm grip and precise working. The blades have all the benefits of the Wera Bit technology. Special surface treatment of the blades for high corrosion protection and an optimum fit in the screw head.

The hexagon anti-roll protection prevents annoying rolling away of bits in the workplace.

- Short compact Stubby screwdriver for working in confined spaces
- Lasertip screwdriver with long blade
- Ergonomic 2-component Kraftform handle for precise work
- Hexagonal anti-roll feature against rolling away
- Take it easy tool finder: colour coding according to profile and size

300/7 Mix 1 Screwdriver set



| | | | |
|-------------|-------------------|--|---|
| | | | |
| Code | EAN | | |
| 05008900001 | 4013288 214218 | | 1 |
| | | 350 PH Stubby 1x PH 1x25; 1x PH 2x25 | |
| | | 350 PH 1x PH 1x80; 1x PH 2x100 | |
| | | 334 1x 1,2x6,5x150 | |
| | | 335 1x 0,5x3,0x80 ¹⁾ ; 1x 1,0x5,5x125 | |
| | | Rack 1x 190,0x50,0 | |

¹⁾without Lasertip

300/7 Mix 2 Screwdriver set



| Code | EAN | | | |
|-------------|-------------------|---|--|---|
| 05008901001 | 4013288 214225 | | | 1 |
| | | + | 355 PZ Stubby 1x PZ 1x25; 1x PZ 2x25 | |
| | | + | 355 PZ 1x PZ 1x80; 1x PZ 2x200 | |
| | | ● | 334 1x 1,2x6,5x150 | |
| | | ● | 335 1x 0,5x3,0x80 ¹⁾ ; 1x 1,0x5,5x125 | |
| | | | Rack 1x 190,0x50,0 | |

¹⁾without Lasertip

Bicycle Big Pack 1

Immediately find the suitable tool for many bicycle screws: Screwdriver all-round set with 7 T-handle screwdrivers, 5 Kraftform screwdrivers and 2 chiseldrivers with impact cap.

Kraftform Plus handle for comfortable ergonomic screwdriving, which avoids blisters and calluses.

Hard handle zones for high working speeds, while soft handle zones guarantee a high torque transfer. PH-screwdrivers with Lasertip: The tips of Wera Lasertip screwdrivers are microscopically roughened with laser beams.

This rough surface "bites" into the screw head and unintentional slipping is a thing of the past.

Take it easy tool finder with colour coding by profile and size stamping - to help you find the required tool quickly and easily. T-handles with holding function to hold the hexagonal socket screw securely on the tool.

- Bicycle tool set
- With 7 T-handle screwdrivers, 5 Kraftform screwdrivers and 2 chiseldrivers with impact cap
- T-handle screwdriver for the transmission of particularly high tightening and loosening moments
- T-handle screwdriver with holding function on the long arm for a secure hold of the screw on the tool
- PH screwdriver with Lasertip tip for better hold on the screw head

Bicycle Big Pack 1



| Code | EAN | | | |
|-------------|-------------------|---|--|---|
| 05004190001 | 4013288 220745 | | | 1 |
| | | ○ | 354 Hex-Plus 1x 2,0x75; 1x 2,5x75 | |
| | | ○ | 454 HF 1x 3x100; 1x 4x150; 1x 5x150; 1x 6x200; 1x 8x200 | |
| | | + | 367 TORX® 1x TX 10x80 | |
| | | + | 467 TORX® HF 1x TX 20x100; 1x TX 25x200 | |
| | | ● | 932 A 1x 1,0x5,5x100; 1x 1,2x7,0x125 | |
| | | + | 350 PH 1x PH 1x80; 1x PH 2x100 | |

1267 A TORX® Flagdriver for TORX® screws

High quality Wera flagdriver for recessed TORX® screws. High torque transfer for small screws. Particularly suitable for exchanging indexable inserts.

The BlackLaser surface treatment provides outstanding surface protection, even against corrosion, and a long service life. Multi-component for outstanding grip.

- TORX® flagdriver for recessed TORX® screws
- Multi-component handle
- Circular blade with BlackLaser treatment for outstanding surface protection and long service life
- High corrosion protection
- High torque transfer for small screws

1267 A TORX® Flagdriver for TORX® screws



| Code | EAN | ⊕ | ⌀ | ⌀ | ⌀ | ⌀ | | |
|-------------|---------|-------|----|------|-----|----------|--|----|
| | 4013288 | | mm | mm | mm | | | |
| 05026350001 | 093516 | TX 6 | 33 | 62,0 | 3,0 | 1 19/64" | | 10 |
| 05026351001 | 093523 | TX 7 | 33 | 62,0 | 3,0 | 1 19/64" | | 10 |
| 05026352001 | 093530 | TX 8 | 40 | 69,0 | 3,0 | 1 37/64" | | 10 |
| 05026353001 | 093547 | TX 9 | 40 | 69,0 | 3,0 | 1 37/64" | | 10 |
| 05026354001 | 093554 | TX 10 | 40 | 69,0 | 3,0 | 1 37/64" | | 10 |

1267 A TORX PLUS® Flagdriver for TORX PLUS® screws



| | EAN | | | | | | | |
|-------------|---------|------|----|------|-----|----------|--|----|
| Code | 4013288 | | mm | mm | mm | | | |
| 05026360001 | 093561 | 6 IP | 33 | 62,0 | 3,0 | 1 19/64" | | 10 |
| 05026361001 | 093578 | 7 IP | 33 | 62,0 | 3,0 | 1 19/64" | | 10 |
| 05026363001 | 093608 | 9 IP | 40 | 69,0 | 3,0 | 1 37/64" | | 10 |

1267 B TORX® combination flagdriver for TORX® and hexagon socket screws

High quality Wera flagdrivers with combination profiles for recessed TORX and socket head screws. High torque can be applied to small screws. Particularly suitable for the replacement of indexable inserts. The BlackLaser surface treatment provides outstanding surface protection, even against corrosion, and a long service life. Multi-component for an especially good grip.

1267 B TORX® Combination flagdriver for TORX® and hexagon socket screws



| | EAN | | | | | | | |
|-------------|---------|-------|-----|----|------|----------|--|----|
| Code | 4013288 | | mm | mm | mm | | | |
| 05026372001 | 093639 | TX 15 | 3,5 | 47 | 86,0 | 1 27/32" | | 10 |
| 05026373001 | 093707 | TX 15 | 4 | 47 | 86,0 | 1 27/32" | | 10 |
| 05026374001 | 093646 | TX 20 | 4 | 47 | 86,0 | 1 27/32" | | 10 |

1267 B TORX PLUS® Combination flagdriver for TORX PLUS® and hexagon socket screws



| | EAN | | | | | | | |
|-------------|---------|-------|-----|----|------|----------|--|----|
| Code | 4013288 | | mm | mm | mm | | | |
| 05026382001 | 093677 | 15 IP | 3,5 | 47 | 86,0 | 1 27/32" | | 10 |

9500 Magnetiser SB

Wera magnetiser to magnetise and demagnetise tools to ensure the screw remains firmly on the blade.

- To magnetise and demagnetise tool tips
- To magnetise, move the tool tip along the positive side
- To demagnetise, move the tool tip along the negative side

9500 Magnetiser SB



| | EAN | | | | |
|-------------|---------|------|--|--|---|
| Code | 4013288 | mm | | | |
| 05033404001 | 219589 | 64,6 | | | 1 |

1427 Awl



| | EAN | | | | |
|-------------|---------|-----|----|---------|---|
| Code | 4013288 | mm | mm | | |
| 05027405001 | 019998 | 105 | 92 | 4 3/16" | 5 |

1428 Reamer



| | EAN | | | | |
|-------------|--------|-----|----|---------|---|
| Code | | mm | mm | | |
| 05027455001 | 020000 | 107 | 92 | 4 9/32" | 5 |

Rack for Kraftform Micro screwdrivers



| | | | | | | | | |
|-------------|--------|-------|----|--|--|--|--|---|
| | | | | | | | | |
| | | mm | mm | | | | | |
| 05134002001 | 100047 | 190,0 | 80 | | | | | 1 |

Rack for Kraftform screwdrivers



| | | | | | | | | |
|-------------|------------|-------|------|--|--|--|--|---|
| | EAN | | | | | | | |
| Code | 4013288 | mm | mm | | | | | |
| 05134001001 | 100030 | 190,0 | 50,0 | | | | | 1 |

1440/1442 Screw gripper set

Screw gripper set: attachment tool with holding function for screws. Holds all screw profiles securely on the tool.

During the job, the gripper can be pushed up along the blade so that it is not in the way when working with low-lying screws.

- Screw gripper set
- Attachment tool with holding function for screws
- Holds all screw profiles and sizes securely on the tool
- Made out of stable, elastomer material



1441 SB Screw gripper attachment for screwdriver blades, long bits and L-keys, with holding function for screws



| | | | | | | | | |
|-------------|------------|---------|------|--|--|--|--|---|
| | EAN | | | | | | | |
| Code | 4013288 | mm | mm | | | | | |
| 05073681001 | 140357 | 4,5-6,0 | 41,0 | | | | | 1 |

1440/1442 Screw gripper set



| | | | | | | | |
|--|-------------|------------|-----------------|--|--|--|---|
| | Code | EAN | | | | | |
| | 05073680001 | 140340 | | | | | 1 |
| | | | 1440 | | | | |
| | | | 1x 4,5-6,0x41,0 | | | | |
| | | | 1442 | | | | |
| | | | 1x 6,0-8,5x41,0 | | | | |

Bicycle set 13

2-piece tyre lever set for the mobile and stationary use. Both tyre levers are made of glass fibre reinforced plastic: 9502 tyre lever with bit mounting, which is also suitable to secure the French valve, and 9503 tyre lever with valve ejector.

With the glass fibre reinforced plastic tyre levers, the tyres can be safely levered off the rim without damaging the rim.

- 2 tyre levers (9502+9503) made of glass fibre reinforced plastic
- Safely lever the tyres off of the rim without damaging the rim
- The 1/4" hexagon mounting in the 9502 tyre lever allows the fixing of French valves and the use of a 1/4" bit
- 9503 tyre lever with valve ejector and deflater

Bicycle set 13



| Code | EAN | | |
|-------------|---------|-------------------------|---|
| | 4013288 | | |
| 05004184001 | 220585 | 9502 1x 105.0 | 5 |
| | | 9503 1x 105.0 | |

Bicycle Set 15

The ultra compact and lightweight bike tools with two quadruple bits and three tyre levers. Four different screw profiles can be operated with just one bit.

Significant weight savings of over 50 %. The enormous space savings make the Bicycle Set 15 perfect for mobile use. The operability of the large profiles is made possible by the spring compression of the small tips. The bit with a 1/4" hexagon drive (Wera connection series 1) can also be used with e.g. bit ratchets and bitholding screwdrivers with Rapidaptor.


The 9504 tyre lever has a 1/4" mounting for using a 1/4" bit. When both 9504 tyre levers are stacked together, a 4-in-1 bit can be inserted and you get a screwdriving tool. The 9505 tyre lever serves as both valve ejector and bleeder valve. The levers and 4-in-1 bits can be clipped together, so that everything is compact and nothing will be lost.

Bicycle Set 15



| Code | EAN | | |
|-------------|---------|---|---|
| | 4013288 | | |
| 05004182001 | 222190 | 9504 2x 105,0 | 1 |
| | | 9505 1x 105,0 | |
| | | 9506 1x 3,0; 4,0; 5,0; 6,0x37 | |
| | | 9507 1x 2,5; 5,0; 6,0; TX 25x37 | |

Kraftform Micro - the electronic screwdriver



High quality Wera Micro screwdriver for precision mechanical jobs. Rapid twisting results from fixing the hand on the head and using the fast-turning zone just below.

This makes time-consuming grip adjustments unnecessary. Power zones with integrated soft sections ensure the transfer of high loosening and tightening torque; a precision zone for the right rotation angle during fine adjustment work.

The Black Point tip offers optimised corrosion protection and an exact fit. Take it easy tool finder with colour coding according to profiles and size stamp – for simple and rapid accessing of the required tool.

- Multi-component Kraftform Micro handle for fast and ergonomic screwdriving
- Anti-roll feature and swivel cap for rapid twisting
- The Wera Black Point tip offers an exact fit and optimum corrosion protection
- Take it easy tool finder: colour coding according to profile and size
- E.g. for electricians, opticians, precision mechanics, jewellers or IT hardware fitters

2035 Screwdriver for slotted screws for electronic applications



| | EAN | | | | | | | |
|-------------|---------|------|-----|-----|----|-----|-------|----|
| Code | 4013288 | mm | mm | mm | mm | mm | | |
| 05117990001 | 108418 | 0,16 | 0,8 | 40 | 97 | 2,0 | 1/32" | 10 |
| 05117991001 | 108425 | 0,18 | 1,0 | 40 | 97 | 2,0 | 0,04" | 10 |
| 05117992001 | 108432 | 0,20 | 1,2 | 40 | 97 | 2,0 | 0,05" | 10 |
| 05118002001 | 031877 | 0,23 | 1,5 | 40 | 97 | 2,0 | 1/16" | 10 |
| 05118003001 | 108456 | 0,23 | 1,5 | 60 | 97 | 2,0 | 1/16" | 10 |
| 05118000001 | 031860 | 0,25 | 1,2 | 40 | 97 | 2,0 | 0,05" | 10 |
| 05117993001 | 108463 | 0,30 | 1,8 | 40 | 97 | 2,0 | 0,07" | 10 |
| 05118004001 | 031884 | 0,30 | 1,8 | 60 | 97 | 2,0 | 0,07" | 10 |
| 05118017001 | 151704 | 0,30 | 2,0 | 50 | 97 | 2,0 | 0,07" | 10 |
| 05117997001 | 194824 | 0,35 | 2,5 | 40 | 97 | 2,5 | 0,07" | 10 |
| 05118005001 | 108470 | 0,40 | 2,0 | 40 | 97 | 2,5 | 5/64" | 10 |
| 05118006001 | 031891 | 0,40 | 2,0 | 60 | 97 | 2,5 | 5/64" | 10 |
| 05118007001 | 108487 | 0,40 | 2,0 | 100 | 97 | 2,5 | 5/64" | 10 |
| 05117994001 | 108494 | 0,40 | 2,5 | 50 | 97 | 2,5 | 3/32" | 10 |
| 05118008001 | 031907 | 0,40 | 2,5 | 80 | 97 | 2,5 | 3/32" | 10 |
| 05117995001 | 108517 | 0,50 | 3,0 | 50 | 97 | 3,0 | 1/8" | 10 |
| 05118010001 | 031914 | 0,50 | 3,0 | 80 | 97 | 3,0 | 1/8" | 10 |
| 05118012001 | 031921 | 0,60 | 3,5 | 80 | 97 | 4,0 | 9/64" | 10 |
| 05118014001 | 031938 | 0,80 | 4,0 | 80 | 97 | 4,0 | 5/32" | 10 |

2055 PZ Screwdriver for Pozidriv screws for electronic applications



| | EAN | | | | | | |
|-------------|---------|------|----|----|-----|---------|----|
| Code | 4013288 | | mm | mm | mm | | |
| 05118030001 | 032195 | PZ 0 | 60 | 97 | 3,0 | 2 3/8" | 10 |
| 05118032001 | 032201 | PZ 1 | 80 | 97 | 4,0 | 3 1/16" | 10 |

2050 PH Screwdriver for Phillips screws for electronic applications



| | EAN | + | mm | mm | mm | mm | |
|-----------------------------|---------|--------|----|----|---------|---------|----|
| Code | 4013288 | | | | | | |
| 05345290001 ¹⁾²⁾ | 164506 | PH 000 | 40 | 97 | 1,5/2,5 | 1 9/16" | 10 |
| 05118019001 ¹⁾²⁾ | 108562 | PH 00 | 40 | 97 | 1,8/2,5 | 1 9/16" | 10 |
| 05118020001 ¹⁾ | 031969 | PH 00 | 60 | 97 | 2,5 | 2 3/8" | 10 |
| 05118026001 ³⁾ | 194800 | PH 0 | 40 | 97 | 3,0 | 1 9/16" | 10 |
| 05118022001 ³⁾ | 031976 | PH 0 | 60 | 97 | 3,0 | 2 3/8" | 10 |
| 05118023001 | 108579 | PH 1 | 60 | 97 | 4,0 | 2 3/8" | 10 |
| 05118024001 | 031983 | PH 1 | 80 | 97 | 4,0 | 3 1/8" | 10 |

¹⁾ Optimised for Asian PH screws

²⁾ On the output side, the blade is turned to a nominal length of 10 mm.

³⁾ Size 0 modified according to JCS 0 (Japanese Camera Industrial Standard)

2067 TORX® HF Screwdriver with holding function for electronic applications

- Holding function for TORX® screws

2067 TORX® HF Screwdriver with holding function for electronic applications



| | EAN | * | mm | mm | mm | mm | |
|-------------|---------|-------|----|----|-----|---------|---|
| Code | 4013288 | | | | | | |
| 05118180001 | 108623 | TX 4 | 40 | 97 | 2,5 | 1 9/16" | 5 |
| 05118181001 | 108630 | TX 5 | 40 | 97 | 3,0 | 1 9/16" | 5 |
| 05118182001 | 108647 | TX 6 | 40 | 97 | 3,0 | 1 9/16" | 5 |
| 05118183001 | 108654 | TX 7 | 60 | 97 | 3,0 | 2 3/8" | 5 |
| 05118184001 | 108661 | TX 8 | 60 | 97 | 3,0 | 2 3/8" | 5 |
| 05118185001 | 108678 | TX 9 | 60 | 97 | 4,0 | 2 3/8" | 5 |
| 05118186001 | 108685 | TX 10 | 60 | 97 | 4,0 | 2 3/8" | 5 |

2067 TORX® Screwdriver for TORX® screws for electronic applications



| | EAN | * | mm | mm | mm | mm | |
|-------------|---------|------|----|----|-----|---------|---|
| Code | 4013288 | | | | | | |
| 05118035001 | 108593 | TX 1 | 40 | 97 | 2,0 | 1 9/16" | 5 |
| 05118036001 | 108609 | TX 2 | 40 | 97 | 2,0 | 1 9/16" | 5 |
| 05118037001 | 108616 | TX 3 | 40 | 97 | 2,0 | 1 9/16" | 5 |
| 05118039001 | 040084 | TX 4 | 40 | 97 | 2,5 | 1 9/16" | 5 |
| 05118040001 | 032218 | TX 5 | 40 | 97 | 3,0 | 1 9/16" | 5 |
| 05118042001 | 032225 | TX 6 | 40 | 97 | 3,0 | 1 9/16" | 5 |

2067 TORX® BO Screwdriver for tamper-proof TORX® screws for electronic applications




| | EAN | * | mm | mm | mm | mm | |
|-------------|---------|-------|----|----|-----|---------|---|
| Code | 4013288 | | | | | | |
| 05118044001 | 032232 | TX 7 | 60 | 97 | 3,0 | 1 9/16" | 5 |
| 05118046001 | 032249 | TX 8 | 60 | 97 | 3,0 | 2 3/8" | 5 |
| 05118048001 | 032256 | TX 9 | 60 | 97 | 4,0 | 2 3/8" | 5 |
| 05118050001 | 032263 | TX 10 | 60 | 97 | 4,0 | 2 3/8" | 5 |
| 05118052001 | 032270 | TX 15 | 60 | 97 | 4,0 | 2 3/8" | 5 |
| 05118054001 | 032287 | TX 20 | 60 | 97 | 4,0 | 2 3/8" | 5 |

2067 IPR TORX PLUS® Screwdriver for electronic applications



| | EAN | * | mm | mm | mm | mm | |
|-------------|---------|-------|----|----|-----|----------|---|
| Code | 4013288 | | | | | | |
| 05030160001 | 178749 | 1 IPR | 40 | 97 | 2,0 | 1 47/64" | 5 |

Hex-Plus - lets hexagon socket screws last longer



- Kraftform Micro screwdriver for hexagon socket screws
- Hex-Plus allows socket head screws to live longer

2054 Screwdriver for hexagon socket screws for electronic applications



| Code | EAN | ⊕ | ⊙ | ⌵ | ⌵ | ∅ | ⌵ | 📦 |
|-------------|---------|-----|--------|----|----|-----|---------|---|
| Code | 4013288 | mm | | mm | mm | mm | | |
| 05118060001 | 032072 | 0,7 | | 40 | 97 | 3,0 | 1 9/16" | 5 |
| 05118062001 | 032089 | 0,9 | | 40 | 97 | 3,0 | 1 9/16" | 5 |
| 05118064001 | 032096 | 1,3 | | 40 | 97 | 3,0 | 1 9/16" | 5 |
| 05118066001 | 032102 | 1,5 | | 60 | 97 | 3,0 | 2 3/8" | 5 |
| 05118068001 | 032119 | 2 | | 60 | 97 | 3,0 | 2 3/8" | 5 |
| 05118070001 | 032126 | 2,5 | | 60 | 97 | 4,0 | 2 3/8" | 5 |
| 05118072001 | 032133 | 3,0 | | 60 | 97 | 4,0 | 2 3/8" | 5 |
| 05345284001 | 152206 | - | 0,028" | 40 | 97 | 3,0 | 1 9/16" | 5 |
| 05345285001 | 152213 | - | 0,035" | 40 | 97 | 3,0 | 1 9/16" | 5 |
| 05118074001 | 032140 | - | 0,05" | 40 | 97 | 3,0 | 1 9/16" | 5 |
| 05118076001 | 032157 | - | 1/16" | 60 | 97 | 3,0 | 2 3/8" | 5 |
| 05118078001 | 032164 | - | 5/64" | 60 | 97 | 3,0 | 2 3/8" | 5 |
| 05118080001 | 032171 | - | 3/32" | 60 | 97 | 4,0 | 2 3/8" | 5 |
| 05118082001 | 032188 | - | 7/64" | 60 | 97 | 4,0 | 2 3/8" | 5 |
| 05118075001 | 108807 | - | 1/8" | 60 | 97 | 4,0 | 2 3/8" | 5 |

2052 Ball end hexagon screwdriver for electronic applications

- Ballpoint for dependable working even in difficult installation situations

2052 Ball end hexagon screwdriver for electronic applications



| Code | EAN | ⊕ | ⊙ | ⌵ | ⌵ | ∅ | ⌵ | 📦 |
|-------------|---------|-----|-------|----|----|-----|--------|---|
| Code | 4013288 | mm | | mm | mm | mm | | |
| 05118089001 | 108814 | 1,3 | | 60 | 97 | 3,0 | 2 3/8" | 5 |
| 05118090001 | 031990 | 1,5 | | 60 | 97 | 3,0 | 2 3/8" | 5 |
| 05118092001 | 032003 | 2,0 | | 60 | 97 | 3,0 | 2 3/8" | 5 |
| 05118094001 | 032010 | 2,5 | | 60 | 97 | 4,0 | 2 3/8" | 5 |
| 05118096001 | 032027 | 3,0 | | 60 | 97 | 4,0 | 2 3/8" | 5 |
| 05118098001 | 032034 | - | 1/16" | 60 | 97 | 3,0 | 2 3/8" | 5 |
| 05118100001 | 032041 | - | 5/64" | 60 | 97 | 3,0 | 2 3/8" | 5 |
| 05118102001 | 032058 | - | 3/32" | 60 | 97 | 3,0 | 2 3/8" | 5 |
| 05118106001 | 110954 | - | 7/64" | 60 | 97 | 4,0 | 2 3/8" | 5 |
| 05118103001 | 108821 | - | 1/8" | 60 | 97 | 4,0 | 2 3/8" | 5 |

2072 Screwdriver for Microstix® screws



| Code | EAN | ⊕ | ⌵ | ⌵ | ∅ | ⌵ | 📦 |
|-------------|--------|---|----|----|-----|---------|---|
| Code | 194817 | m | 40 | 97 | 2,5 | 1 9/16" | 5 |
| 05118145001 | 194817 | m | 40 | 97 | 2,5 | 1 9/16" | 5 |

2069 Nutdriver for electronic applications



| | EAN | | | | | | | |
|-------------|---------|-----|-------|----|----|-----|--------|---|
| Code | 4013288 | mm | | mm | mm | mm | | |
| 05118108001 | 108852 | 1,5 | | 60 | 97 | 5,7 | 2 3/8" | 5 |
| 05118109001 | 108869 | 1,8 | | 60 | 97 | 5,7 | 2 3/8" | 5 |
| 05118110001 | 032300 | 2,0 | | 60 | 97 | 5,7 | 2 3/8" | 5 |
| 05118112001 | 032317 | 2,5 | | 60 | 97 | 5,7 | 2 3/8" | 5 |
| 05118114001 | 032324 | 3,0 | | 60 | 97 | 5,7 | 2 3/8" | 5 |
| 05118116001 | 032331 | 3,2 | | 60 | 97 | 5,7 | 2 3/8" | 5 |
| 05118118001 | 032348 | 3,5 | | 60 | 97 | 5,7 | 2 3/8" | 5 |
| 05118120001 | 032355 | 4,0 | | 60 | 97 | 5,7 | 2 3/8" | 5 |
| 05118122001 | 032362 | 4,5 | | 60 | 97 | 6,4 | 2 3/8" | 5 |
| 05118124001 | 032379 | 5,0 | | 60 | 97 | 7,0 | 2 3/8" | 5 |
| 05118126001 | 032386 | 5,5 | | 60 | 97 | 7,8 | 2 3/8" | 5 |
| 05345281001 | 150189 | 6,0 | | 60 | 97 | 8,5 | 2 3/8" | 5 |
| 05118128001 | 032393 | - | 3/32" | 60 | 97 | 5,7 | 2 3/8" | 5 |
| 05118130001 | 032409 | - | 7/64" | 60 | 97 | 5,7 | 2 3/8" | 5 |
| 05118132001 | 032416 | - | 1/8" | 60 | 97 | 5,7 | 2 3/8" | 5 |
| 05118134001 | 032423 | - | 9/64" | 60 | 97 | 5,7 | 2 3/8" | 5 |
| 05118136001 | 032430 | - | 5/32" | 60 | 97 | 5,7 | 2 3/8" | 5 |
| 05118135001 | 110596 | - | 3/16" | 60 | 97 | 6,6 | 2 3/8" | 5 |
| 05118137001 | 112019 | - | 7/32" | 60 | 97 | 7,8 | 2 3/8" | 5 |
| 05345282001 | 150196 | - | 1/4" | 60 | 97 | 9,0 | 2 3/8" | 5 |

1429 Chip Removal Tool

- Lifting fork to remove firmly-fitted parts from a circuit board after desoldering

1429 Chip Removal Tool



| | EAN | | | | | |
|-------------|---------|-----|-----|----|----|----|
| Code | 4013288 | mm | mm | mm | mm | |
| 05027456001 | 112187 | 1,0 | 3,5 | 50 | 97 | 10 |

1013 Kraftform Micro Bitholding screwdriver

Kraftform Micro holder with ergonomic Kraftform handle for fast and low-fatigue working.

The anti-roll feature prevents any bothersome rolling away at the workplace.

Suitable for take-up of bits with 4 mm halfmoon drive and bits with 4 mm HIOS drive. Ideal for applications on smartphones, cell phones, cameras, electronic equipment, in dental laboratories and dental surgeries.

- Kraftform Micro bit holder
- Multi-component Kraftform Micro handle with anti-roll feature and swivel cap
- Suitable for take-up of bits with 4 mm halfmoon drive and bits with 4 mm HIOS drive
- Applications e.g. on smartphones, mobile phones, cameras, electronic equipment

1013 Kraftform Micro Bitholding screwdriver



| | EAN | | | | |
|-------------|---------|----|----|----|---|
| Code | 4013288 | mm | mm | | |
| 05051276001 | 183699 | 23 | 97 | 1" | 1 |

Kraftform Micro Big Pack 1 Screwdriver set for electronic applications

Wera Micro screwdriver set for fine mechanical screw connections. By supporting the hand on the rotating cap, and by the fast rotating zone below the rotating cap, lightning fast turning is possible.

Time-consuming hand switching is eliminated. Storage and transport in a robust roll-bag, so the correct tool is always at hand.

With Take it easy tool finder: colour coding by profile and size stamping.

- 25-piece Kraftform Micro screwdriver set in a robust and compact roll bag
- Kraftform Micro handle for fast and ergonomic working
- Tools with anti-roll protection and rotating cap for fast turning
- The Wera Black Point tip offers an exact fit and optimum corrosion protection
- Take it easy tool finder: colour coding according to profile and size
- Suitable for electricians, opticians, precision mechanics, jewellers or computer hardware engineers

Kraftform Micro Big Pack 1 Screwdriver set for electronic applications



| Code | EAN | | |
|------------|--------|---|---|
| 0513400001 | 209580 | | 1 |
| | | + 2050 PH Micro 1x PH 000x40 ¹⁾ 2); 1x PH 00x40 ^{1) 2);} 1x PH 0x40 ³⁾ | |
| | | * 2067 TORX® 1x TX 5x40; 1x TX 6x40 | |
| | | * 2067 TORX® HF 1x TX 5x40; 1x TX 6x40; 1x TX 7x60; 1x TX 8x60; 1x TX 10x60 | |
| | | * 2067 TORX PLUS® IPR Micro 1x 1 IPRx40 | |
| | | ○ 2054 Micro 1x 0,9x40; 1x 1,3x40; 1x 1,5x60; 1x 2x60 | |
| | | ◐ 2035 Micro 1x 0,23x1,5x40; 1x 0,30x1,8x60; 1x 0,35x2,5x40; 1x 0,40x2,0x60; 1x 0,50x3,0x80 | |
| | | ● 2069 Micro 1x 4,0x60; 1x 5,5x60 | |
| | | ⊕ 2072 1x mx40 | |
| | | ● 1429 1x 1,0x3,5x50 | |
| | | K240 1x 50,0x240,0 | |

¹⁾ Optimised for Asian PH screws


²⁾ On the output side, the blade is turned to a nominal length of 10 mm.

³⁾ Size 0 modified according to JCIS 0 (Japanese Camera Industrial Standard)

Kraftform Micro 12 Universal 1 Screwdriver set for electronic applications

- Kraftform Micro set in a robust pouch

Kraftform Micro 12 Universal 1 Screwdriver set for electronic applications



| Code | EAN | | |
|-------------|--------|---|---|
| 05073675001 | 165695 | | 1 |
| | | + 2050 PH Micro 1x PH 00x60 ¹⁾ ; 1x PH 0x60 ²⁾ | |
| | | * 2067 TORX® HF 1x TX 5x40; 1x TX 6x40 | |
| | | ◐ 2035 Micro 1x 0,23x1,5x40; 1x 0,30x1,8x60; 1x 0,40x2,0x60; 1x 0,40x2,5x80; 1x 0,50x3,0x80 | |
| | | ○ 2054 Micro 1x 0,9x40; 1x 1,5x60; 1x 2x60 | |

¹⁾ Optimised for Asian PH screws

²⁾ Size 0 modified according to JCIS 0 (Japanese Camera Industrial Standard)

Kraftform Micro 12 Electronics 1 Screwdriver set for electronic applications

- Kraftform Micro screwdriver for slotted, Phillips, TORX® B0, Hex, IPR and Microstix® screws plus chip lifter

Kraftform Micro 12 Electronics 1 Screwdriver set for electronic applications



| Code | EAN | | | |
|-------------|--------|---|---|---|
| 05073677001 | 194831 | | | 1 |
| | | + | 2050 PH Micro 1x PH 000x40 ^{1) 2)} ; 1x PH 00x40 ^{1) 2)} ; 1x PH 0x40 ³⁾ | |
| | | * | 2067 TORX® B0 Micro 1x TX 8x60; 1x TX 10x60 | |
| | | * | 2067 TORX PLUS® IPR Micro 1x 1 IPRx40 | |
| | | — | 2035 Micro 1x 0,23x1,5x40; 1x 0,35x2,5x40 | |
| | | ● | 2069 Micro 1x 2,5x60; 1x 3,0x60 | |
| | | ⊕ | 2072 1x mx40 | |
| | | ● | 1429 1x 1,0x3,5x50 | |

¹⁾ Optimised for Asian PH screws

²⁾ On the output side, the blade is turned to a nominal length of 10 mm.

³⁾ Size 0 modified according to JCS 0 (Japanese Camera Industrial Standard)

Kraftform Kompakt Micro 11 Electronics 1

Kraftform Kompakt Micro Set for precision mechanical applications; suitable for the take-up of bits with 4 mm halfmoon drive (Wera series 9) and bits with 4 mm HIOS drive (Wera series 21); handle/interchangeable blade system for rapid blade change; Kraftform Micro handle with twist cap and free-turning zone for rapid twisting, making any time-consuming repositioning of the fingers unnecessary; power zone with integrated soft zones for the transfer of higher tightening and loosening torque; precision zone directly above the blade for the right angle for adjustment work; comes with 10 bits for manual as well as power tool operations; rapid fixing of the bit: just push the bit into the insert for automatic locking and a secure fit.

To change the bit, simply push the sleeve forward and remove; free-turning sleeve for simple guidance of the tool during the screwdriving process.

Kraftform Kompakt Micro 11 Electronics 1



| Code | EAN | | | |
|-------------|--------|---|--|---|
| 05073676001 | 194848 | | | 1 |
| | | ● | 1013 Kraftform Micro 1x 97 | |
| | | + | 851/9 C 1x PH 000x44 ¹⁾ ; 1x PH 00x44 ¹⁾ ; 1x PH 0x44 ²⁾ | |
| | | * | 867/9 C TORX® 1x TX 8x44 | |
| | | * | 867/9 C TORX PLUS® 1x 3 IPx44 | |
| | | * | 867/9 IPR TORX® PLUS 1x 1 IPRx44 | |
| | | — | 800/9 C 1x 0,35x2,5x44 | |
| | | ⊕ | 872/9 1x mx44 | |
| | | ● | 869/9 1x 2,5x44,0; 1x 3,0x44,0 | |

¹⁾ Optimised for Asian PH screws

²⁾ Size 0 modified according to JCS 0 (Japanese Camera Industrial Standard)

Kraftform Kompakt Micro 11 Universal 1



| Code | EAN | | |
|-------------|-------------------|---|---|
| 05135938001 | 4013288 178343 | | 1 |
| | | 1013 Kraftform Micro 1x 97 | |
| | | 851/9 C 1x PH 00x44 ¹⁾ ; 1x PH 0x44 ²⁾ ; 1x PH 1x44 ¹⁾ | |
| | | 840/9 C 1x 1,5x44; 1x 2,0x44 | |
| | | 800/9 C 1x 0,23x1,5x44; 1x 0,40x2,0x44; 1x 0,50x3,0x44 | |
| | | 867/9 C TORX® 1x TX 5x44; 1x TX 6x44 | |

¹⁾ Optimised for Asian PH screws

²⁾ Size 0 modified according to JCIS 0 (Japanese Camera Industrial Standard)

2035/6 A Screwdriver set and rack for electronic applications

- With useful plastic rack

2035/6 A Screwdriver set and rack for electronic applications



| Code | EAN | | |
|-------------|-------------------|--|---|
| 05118150001 | 4013288 031945 | | 1 |
| | | 2050 PH Micro 1x PH 00x60 ¹⁾ ; 1x PH 0x60 ²⁾ | |
| | | 2035 Micro 1x 0,30x1,8x60; 1x 0,40x2,0x60; 1x 0,40x2,5x80; 1x 0,50x3,0x80 | |

¹⁾ Optimised for Asian PH screws

²⁾ Size 0 modified according to JCIS 0 (Japanese Camera Industrial Standard)

2035/6 B Screwdriver set and rack for electronic applications

- With useful plastic rack

2035/6 B Screwdriver set and rack for electronic applications



| Code | EAN | | |
|-------------|-------------------|--|---|
| 05118152001 | 4013288 031952 | | 1 |
| | | 2050 PH Micro 1x PH 0x60 ¹⁾ ; 1x PH 1x80 | |
| | | 2035 Micro 1x 0,40x2,5x80; 1x 0,50x3,0x80; 1x 0,60x3,5x80; 1x 0,80x4,0x80 | |

¹⁾ Size 0 modified according to JCIS 0 (Japanese Camera Industrial Standard)

2050/6 Screwdriver set and rack for electronic applications

- Kraftform Micro screwdriver for slotted, Phillips-Recess, IPR and Microstix® screws
- With useful plastic rack

2050/6 Screwdriver set and rack for electronic applications



| Code | EAN | | |
|-------------|-------------------|--|---|
| 05030181001 | 4013288 194794 | | 1 |
| | | 2050 PH Micro 1x PH 000x40 ¹⁾ ²⁾ ; 1x PH 00x40 ¹⁾ ²⁾ ; 1x PH 0x40 ³⁾ | |
| | | 2067 TORX PLUS® IPR Micro 1x 1 IPRx40 | |
| | | 2072 1x mx40 | |
| | | 2035 Micro 1x 0,35x2,5x40 | |

¹⁾ Optimised for Asian PH screws

²⁾ On the output side, the blade is turned to a nominal length of 10 mm.

³⁾ Size 0 modified according to JCIS 0 (Japanese Camera Industrial Standard)

2052/6 Hexagon Screwdriver set and rack for electronic applications

- Kraftform Micro screwdriver with ballpoint for hexagon socket screws

2052/6 Hexagon Screwdriver set and rack for electronic applications



| | | | | |
|--|-------------|-------------------|---|---|
| | Code | EAN | | |
| | 05118156001 | 4013288 032065 | | 1 |
| | | | 2052 Micro 1x 1,5x60; 1x 2,0x60; 1x 2,5x60; 1x 3,0x60 | |
| | | | 2054 Micro 1x 0,9x40; 1x 1,3x40 | |

2067/6 TORX® B0 Screwdriver set and rack for electronic applications


- Kraftform Micro screwdriver set for recessed TORX® screws with safety pin

2067/6 TORX® B0 Screwdriver set and rack for electronic applications



| | | | | |
|--|-------------|-------------------|--|---|
| | Code | EAN | | |
| | 05118154001 | 4013288 032294 | | 1 |
| | | | 2067 TORX® B0 Micro 1x TX 7x60; 1x TX 8x60; 1x TX 9x60; 1x TX 10x60; 1x TX 15x60; 1x TX 20x60 | |

2069/6 Screwdriver set and rack for electronic applications



| | | | | |
|--|-------------|-------------------|--|---|
| | Code | EAN | | |
| | 05118158001 | 4013288 032447 | | 1 |
| | | | 2069 Micro 1x 2,0x60; 1x 2,5x60; 1x 3,0x60; 1x 3,5x60; 1x 4,0x60; 1x 5,0x60 | |

Series 400 T-Handle

The ergonomically shaped 2-component T-handle with finger recesses and pleasant surface facilitates very high power transmission and fatigue-free working.

Due to the special surface treatment, the blades receive a high level of corrosion protection. The optimum fitting accuracy of the screw is also guaranteed.

- T-handle screwdriver for the transmission of particularly high tightening and loosening moments
- Ergonomic 2-component handle with finger handle recesses and pleasant surface feel for very high power transmission and fatigue-free working.
- Take it easy tool finder: colour coding according to profile and size
- With additional short arm for the transmission of extremely high torques due to the leverage of the long arm

454 T-handle hexdriver




| | | | | | | | | |
|-------------|------------|-----|-----|----|----|----|----|---|
| | EAN | | | | | | | |
| Code | 4013288 | mm | mm | mm | mm | mm | mm | |
| 05023330001 | 207753 | 2 | 100 | 12 | 32 | 65 | 4" | 5 |
| 05023332001 | 207814 | 2,5 | 100 | 12 | 32 | 65 | 4" | 5 |

454 HF T-handle hexagon screwdriver Hex-Plus with holding function



| Code | EAN | Hexagon | mm | mm | mm | mm | | |
|-------------|--------|---------|-----|----|----|----|--|---|
| 05023334001 | 207838 | 3 | 100 | 15 | 38 | 77 | | 5 |
| 05023338001 | 207883 | 4 | 100 | 15 | 38 | 77 | | 5 |
| 05023339001 | 207876 | 4 | 150 | 15 | 38 | 77 | | 5 |
| 05023340001 | 207890 | 4 | 200 | 15 | 38 | 77 | | 5 |
| 05023342001 | 207913 | 5 | 100 | 20 | 49 | 99 | | 5 |
| 05023343001 | 207920 | 5 | 150 | 20 | 49 | 99 | | 5 |
| 05023344001 | 207937 | 5 | 200 | 20 | 49 | 99 | | 5 |
| 05023346001 | 207951 | 6 | 100 | 20 | 49 | 99 | | 5 |
| 05023347001 | 207968 | 6 | 150 | 20 | 49 | 99 | | 5 |
| 05023348001 | 207975 | 6 | 200 | 20 | 49 | 99 | | 5 |
| 05023350001 | 208002 | 7 | 200 | 20 | 49 | 99 | | 5 |
| 05023351001 | 208019 | 8 | 100 | 20 | 49 | 99 | | 5 |
| 05023352001 | 208026 | 8 | 150 | 20 | 49 | 99 | | 5 |
| 05023353001 | 208033 | 8 | 200 | 20 | 49 | 99 | | 5 |
| 05023354001 | 208057 | 10 | 100 | 20 | 49 | 99 | | 5 |
| 05023355001 | 208064 | 10 | 200 | 20 | 49 | 99 | | 5 |

454 Imperial T-handle hexagon screwdriver Hex-Plus, imperial



| Code | EAN | Hexagon | mm | mm | mm | mm | | |
|-------------|--------|---------|-----|----|----|----|--|---|
| 05023356001 | 214133 | 5/64" | 150 | 12 | 32 | 65 | | 5 |
| 05023357001 | 208071 | 3/32" | 150 | 12 | 32 | 65 | | 5 |
| 05023358001 | 208088 | 7/64" | 150 | 12 | 32 | 65 | | 5 |

454 HF T-handle hexagon screwdriver Hex-Plus with holding function, imperial

- With holding function (HF) on the long arm to securely hold the screw on the tool

454 HF T-handle hexagon screwdriver Hex-Plus with holding function, imperial



| Code | EAN | Hexagon | mm | mm | mm | mm | | |
|-------------|--------|---------|-----|----|----|----|--|---|
| 05023359001 | 208095 | 1/8" | 150 | 15 | 38 | 77 | | 5 |
| 05023360001 | 208101 | 9/64" | 150 | 15 | 38 | 77 | | 5 |
| 05023361001 | 208118 | 5/32" | 150 | 15 | 38 | 77 | | 5 |
| 05023362001 | 208125 | 3/16" | 150 | 20 | 49 | 99 | | 5 |
| 05023363001 | 208132 | 7/32" | 150 | 20 | 49 | 99 | | 5 |
| 05023364001 | 208149 | 1/4" | 150 | 15 | 49 | 99 | | 5 |
| 05023365001 | 208156 | 5/16" | 150 | 20 | 49 | 99 | | 5 |
| 05023366001 | 208163 | 3/8" | 150 | 20 | 49 | 99 | | 5 |

467 TORX® HF T-handle screwdriver with holding function


- With holding function (HF) on the long arm to securely hold the screw on the tool

467 TORX® HF T-handle screwdriver with holding function




| Code | EAN | TORX | mm | mm | mm | mm | mm | |
|-------------|--------|-------|-----|----|----|----|-----|---|
| 05023367001 | 208217 | TX 6 | 100 | 12 | 32 | 65 | 3,0 | 5 |
| 05023368001 | 208224 | TX 7 | 100 | 12 | 32 | 65 | 3,0 | 5 |
| 05023369001 | 208231 | TX 8 | 100 | 12 | 32 | 65 | 3,5 | 5 |
| 05023370001 | 208248 | TX 9 | 100 | 12 | 32 | 65 | 3,5 | 5 |
| 05023371001 | 208255 | TX 10 | 100 | 12 | 32 | 65 | 4,0 | 5 |
| 05023372001 | 208262 | TX 15 | 100 | 15 | 38 | 77 | 4,0 | 5 |
| 05023373001 | 208279 | TX 20 | 100 | 15 | 38 | 77 | 4,5 | 5 |
| 05023374001 | 208286 | TX 20 | 200 | 15 | 38 | 77 | 4,5 | 5 |
| 05023375001 | 208293 | TX 25 | 100 | 15 | 38 | 77 | 5,0 | 5 |
| 05023376001 | 208309 | TX 25 | 200 | 15 | 38 | 77 | 5,0 | 5 |
| 05023377001 | 208316 | TX 27 | 200 | 20 | 49 | 99 | 6,0 | 5 |
| 05023378001 | 208323 | TX 30 | 200 | 20 | 49 | 99 | 6,0 | 5 |
| 05023379001 | 208330 | TX 40 | 200 | 20 | 49 | 99 | 8,0 | 5 |
| 05023380001 | 208347 | TX 45 | 200 | 20 | 49 | 99 | 9,0 | 5 |

495 T-handle socket wrench screwdrivers



| Code | EAN | Hex | mm | mm | mm | mm | mm | mm |
|-------------|--------|-----|-----|----|----|----|----|----|
| 05023381001 | 208354 | 5 | 230 | 38 | 77 | 9" | | 5 |
| 05023382001 | 208361 | 5,5 | 230 | 38 | 77 | 9" | | 5 |
| 05023383001 | 208378 | 6 | 230 | 38 | 77 | 9" | | 5 |
| 05023384001 | 208385 | 7 | 230 | 49 | 99 | 9" | | 5 |
| 05023385001 | 208392 | 8 | 230 | 49 | 99 | 9" | | 5 |
| 05023386001 | 208408 | 9 | 230 | 49 | 99 | 9" | | 5 |
| 05023387001 | 208415 | 10 | 230 | 49 | 99 | 9" | | 5 |
| 05023389001 | 208439 | 11 | 230 | 49 | 99 | 9" | | 5 |
| 05023391001 | 208477 | 12 | 230 | 49 | 99 | 9" | | 5 |
| 05023393001 | 208491 | 13 | 230 | 49 | 99 | 9" | | 5 |

Radidaptor - the amazing compact multifunction tool



The ergonomically shaped 2-component T-handle with finger recesses and pleasant surface facilitates very high power transmission and fatigue-free working.

For bits with 1/4" hex head drive as per DIN ISO 1173-C 6.3 and E 6.3. With Radidaptor technology for lightning-fast bit changes.

- T-handle screwdriver for the transmission of particularly high tightening and loosening moments
- Ergonomic 2-component handle with finger handle recesses and pleasant surface feel for very high power transmission and fatigue-free working.
- With Radidaptor technology for lightning-fast bit changes
- Bitholders, magnetic, for easier application of the screw
- For bits with 1/4" external hexagon drive as per DIN ISO 1173-C 6.3 and E 6.3

416 R T-handle bitholding screwdriver Rapidaptor



| Code | EAN | Hex | mm | mm | mm | mm | mm |
|-------------|--------|------|----|----|----|----------|----|
| 05023404001 | 214157 | 1/4" | 45 | 44 | 99 | 1 25/32" | 2 |

416 RA T-handle bitholding screwdriver with ratchet function and Rapidaptor quick-release chuck

The integrated ratchet with fine toothing (80 teeth/return angle 4.5°) eases and accelerates screwdriving without having to reposition the tool. The ratchet mechanism completely embedded in the handle ensures very handy and comfortable work. With reversing lever for comfortable clockwise/counterclockwise direction change in one-hand operation.

The ergonomic shape of the handle fills the ball of the hand well, the fingers lie securely in the softly rounded recessed grips. The whole hand comes into contact with the handle, friction loss between hand and handle is avoided.

Bit holder for bits with 1/4" external hexagon drive as per DIN ISO 1173-C 6.3 and E 6.3. With Rapidaptor technology for lightning-fast bit changes.

- The integrated ratchet with fine toothing ensures fast and safe working
- Reversing lever for comfortable clockwise/counterclockwise direction change
- Convenient working thanks to the ratchet mechanism fully embedded in the handle
- Ergonomic 2-component handle with finger handle recesses and pleasant surface feel for very high power transmission and fatigue-free working
- Fast-rotating sleeve for extremely high working speed
- Rapidaptor bitholding screwdriver with fast-rotating sleeve for lightning-fast bit changes and high working speeds
- For bits with 1/4" external hexagon drive as per DIN ISO 1173-C 6.3 and E 6.3

416 RA T-handle bitholding screwdriver with ratchet function and Rapidaptor quick-release chuck



| | | | | | | | |
|-------------|---------|------|----|----|----|----------|---|
| | EAN | | | | | | |
| Code | 4013288 | | mm | mm | mm | | |
| 05023461001 | 222824 | 1/4" | 45 | 44 | 99 | 1 25/32" | 2 |

411 A RA T-handle adapter screwdriver with ratchet function, 1/4"

The integrated ratchet with fine toothing (80 teeth/return angle 4.5°) eases and accelerates screwdriving without having to reposition the tool.

The ratchet mechanism completely embedded in the handle ensures very handy and comfortable work. With reversing lever for comfortable clockwise/counterclockwise direction change in one-hand operation.

The ergonomic shape of the handle fills the ball of the hand well, the fingers lie securely in the softly rounded recessed grips. The whole hand comes into contact with the handle, friction loss between hand and handle is avoided. 1/4" socket mounting with secure locking mechanism.

- The integrated ratchet with fine toothing ensures fast and safe working
- Reversing lever for comfortable clockwise/counterclockwise direction change
- Convenient working thanks to the ratchet mechanism fully embedded in the handle
- Ergonomic 2-component handle with finger handle recesses and pleasant surface feel for very high power transmission and fatigue-free working
- Fast-rotating sleeve for extremely high working speed
- 1/4" socket mounting with secure ball lock

411 A RA T-handle adapter screwdriver with ratchet function, 1/4"



| | | | | | | | |
|-------------|---------|------|----|----|----|----------|---|
| | EAN | | | | | | |
| Code | 4013288 | | mm | mm | mm | | |
| 05023460001 | 222817 | 1/4" | 45 | 44 | 99 | 1 25/32" | 2 |

454/7 HF Set 1 screwdriver set T-handle screwdrivers Hex-Plus with holding function

- With holding function (HF) on the long arm to securely hold the screw on the tool

454/7 HF Set 1 screwdriver set T-handle screwdrivers Hex-Plus with holding function



| Code | EAN | | |
|-------------|--------|--|---|
| 05023450001 | 214829 | | 1 |
| | | ○ 454 1x 2,5x100 | |
| | | ○ 454 HF 1x 3x100; 1x 4x100; 1x 5x150; 1x 6x150; 1x 8x200; 1x 10x200 | |
| | | Rack 2x 190,0x50,0 | |

454/7 HF Set 2 Screwdriver set T-handle Hex-Plus screwdrivers with holding function

- T-handle screwdriver for the transmission of particularly high tightening and loosening torque
- Ergonomic 2-component handle with finger handle recesses and pleasant surface feel for very high power transmission and fatigue-free working
- Take it easy tool finder: colour coding according to profile and size
- With additional short arm for the transmission of extremely high torques due to the leverage of the long arm
- With holding function (HF) on the long arm to securely hold the screw on the tool
- Including metal rack; the rack can be placed upright or hung on the tool wall.

454/7 HF Set 2 Screwdriver set T-handle Hex-Plus screwdrivers with holding function



| Code | EAN | | |
|-------------|--------|--|---|
| 05023453001 | 221742 | | 1 |
| | | ○ 454 1x 2,5x100 | |
| | | ○ 454 HF 1x 3x100; 1x 4x100; 1x 5x150; 1x 6x150; 1x 8x200; 1x 10x200 | |
| | | 9604 1x 214,0x78,0 | |

454/10 HF Set Imperial 1 screwdriver set T-handle screwdrivers Hex-Plus with holding function, imperial

- With holding function (HF) on the long arm to securely hold the screw on the tool

454/10 HF Set Imperial 1 screwdriver set T-handle screwdrivers Hex-Plus with holding function, imperial



| Code | EAN | | |
|-------------|--------|--|---|
| 05023451001 | 214836 | | 1 |
| | | ○ 454 Imperial 1x 3/32"x150; 1x 7/64"x150 | |
| | | ○ 454 Imperial HF 1x 1/8"x150; 1x 9/64"x150; 1x 5/32"x150; 1x 3/16"x150; 1x 7/32"x150; 1x 1/4"x150; 1x 5/16"x150; 1x 3/8"x150 | |
| | | Rack 2x 190,0x50,0 | |

454/10 HF Set Imperial 2 Screwdriver set T-handle Hex-Plus screwdrivers with holding function, imperial

T-handle screwdriver: The ideal handle shape allows the transmission of particularly high tightening and loosening torque. The ergonomic shape of the handle fills the palm of the hand well, the fingers lie safely in the soft rounded handle recesses. The whole hand makes contact with the handle and friction losses between the hand and the handle are avoided.

With holding function to securely hold the hexagon socket screw on the tool. Special surface treatment of the blades for high corrosion protection and optimum fitting accuracy in the screw. Including metal rack for storage. The rack can be placed on the workbench or hung on the tool wall.

- Including metal rack; the rack can be placed upright or hung on the tool wall.

454/10 HF Set Imperial 2 Screwdriver set T-handle Hex-Plus screwdrivers with holding function, imperial



| Code | EAN | | |
|-------------|--------|--|---|
| 05023454001 | 227735 | | 1 |
| | | ○ 454 Imperial 1x 3/32"x150; 1x 7/64"x150 | |
| | | ○ 454 Imperial HF 1x 1/8"x150; 1x 9/64"x150; 1x 5/32"x150; 1x 3/16"x150; 1x 7/32"x150; 1x 1/4"x150; 1x 5/16"x150; 1x 3/8"x150 | |
| | | 9605 1x 214,0x78,0 | |

467/7 TORX® HF Set 1 screwdriver set T-handle TORX® screwdrivers with holding function

- With holding function (HF) on the long arm to securely hold the screw on the tool

467/7 TORX® HF Set 1 screwdriver set T-handle TORX® screwdrivers with holding function



| | | | | |
|-------------|--|---|--|---|
| Code | | EAN | | 1 |
| 05023452001 | | 4013288 | | |
| | | 214874 | | |
| | | 467 TORX® HF 1x TX 10x100; 1x TX 15x100; 1x TX 20x100; 1x TX 25x100; 1x TX 30x200; 1x TX 40x200; 1x TX 45x200 | | |
| | | Rack 2x 190,0x50,0 | | |

467/7 TORX® HF Set 2 Screwdriver set T-handle TORX® screwdrivers with holding function

T-handle screwdriver: The ideal handle shape allows the transmission of particularly high tightening and loosening torque. The ergonomic shape of the handle fills the palm of the hand well, the fingers lie safely in the soft rounded handle recesses. The whole hand makes contact with the handle and friction losses between the hand and the handle are avoided.

With holding function to securely hold the TORX® screw on the tool. Special surface treatment of the blades for high corrosion protection and optimum fitting accuracy in the screw. Including metal rack for storage. The rack can be placed on the workbench or hung on the tool wall.

- Including metal rack; the rack can be placed upright or hung on the tool wall.

467/7 TORX® HF Set 2 Screwdriver set T-handle TORX® screwdrivers with holding function



| | | | | |
|-------------|--|---|--|---|
| Code | | EAN | | 1 |
| 05023456001 | | 4013288 | | |
| | | 221728 | | |
| | | 467 TORX® HF 1x TX 10x100; 1x TX 15x100; 1x TX 20x100; 1x TX 25x100; 1x TX 30x200; 1x TX 40x200; 1x TX 45x200 | | |
| | | 9606 1x 214,0x78,0 | | |

9606 Metal rack for T-handle screwdrivers

Metal rack for T-handle screwdrivers. The rack can be placed on the workbench or hung on the tool wall. For up to 7 Wera TORX® T-handle screwdrivers.

9606 Metal rack for T-handle screwdrivers



| | EAN | | | | | | | |
|-------------|---------|-------|------|--|--|--|--|---|
| Code | 4013288 | mm | mm | | | | | |
| 05136426001 | 223432 | 214,0 | 78,0 | | | | | 1 |

ESD Series

ESD-safe Micro screwdriver. Dependable protection against electrostatic energy and associated damage. Rapid twisting results from fixing the hand on the head and using the fast-twisting zone just below. This makes time-consuming grip adjustments unnecessary.

Power zones with integrated soft sections ensure the transfer of high loosening and tightening torque; a precision zone for the right rotation angle during fine adjustment work.

The Black Point tip offers optimised corrosion protection and an exact fit. Take it easy tool finder with colour coding according to profiles and size stamp – for simple and rapid accessing of the required tool.

- ESD-safe tool thanks to surface resistance of $\leq 10^9$ Ohm
- Multi-component Kraftform Micro handle for fast and ergonomic screwdriving
- The Wera Black Point tip offers an exact fit and optimum corrosion protection
- Take it easy tool finder: colour coding according to profile and size
- Anti-roll feature and swivel cap for rapid twisting

1578 A ESD Kraftform Micro screwdriver for slotted screws



| | EAN | | | | | | | |
|-------------|---------|------|-----|----|----|-----|-------|---|
| Code | 4013288 | mm | mm | mm | mm | mm | mm | |
| 05030099001 | 215253 | 0,16 | 0,8 | 40 | 97 | 2,0 | 1/32" | 5 |
| 05030101001 | 039040 | 0,23 | 1,5 | 40 | 97 | 2,0 | 1/16" | 5 |
| 05030100001 | 039033 | 0,25 | 1,2 | 40 | 97 | 2,0 | 0,05" | 5 |
| 05030102001 | 039057 | 0,30 | 1,8 | 60 | 97 | 2,0 | 0,07" | 5 |
| 05030108001 | 194763 | 0,35 | 2,5 | 40 | 97 | 2,5 | 3/32" | 5 |
| 05030103001 | 039064 | 0,40 | 2,0 | 60 | 97 | 2,5 | 5/64" | 5 |
| 05030104001 | 039071 | 0,40 | 2,5 | 80 | 97 | 2,5 | 3/32" | 5 |
| 05030105001 | 039088 | 0,50 | 3,0 | 80 | 97 | 3,0 | 1/8" | 5 |
| 05030106001 | 039095 | 0,60 | 3,5 | 80 | 97 | 4,0 | 9/64" | 5 |
| 05030107001 | 039101 | 0,80 | 4,0 | 80 | 97 | 4,0 | 5/32" | 5 |

1550 PH ESD Kraftform Micro screwdriver for Phillips screws



| | EAN | | | | | | | |
|------------------------------|---------|--------|----|----|---------|---------|----|---|
| Code | 4013288 | | mm | mm | mm | mm | mm | |
| 05030117001 ^{1) 2)} | 194725 | PH 000 | 40 | 97 | 1,5/2,5 | 1 9/16" | | 5 |
| 05030118001 ^{1) 2)} | 194732 | PH 00 | 40 | 97 | 1,8/2,5 | 1 9/16" | | 5 |
| 05030110001 ²⁾ | 039118 | PH 00 | 60 | 97 | 1,8/2,5 | 2 3/8" | | 5 |
| 05030119001 ³⁾ | 194749 | PH 0 | 40 | 97 | 3,0 | 1 9/16" | | 5 |
| 05030111001 ³⁾ | 039125 | PH 0 | 60 | 97 | 3,0 | 2 3/8" | | 5 |
| 05030112001 | 039132 | PH 1 | 80 | 97 | 4,0 | 3 1/8" | | 5 |

¹⁾ Optimised for Asian PH screws

²⁾ On the output side, the blade is turned to a nominal length of 10 mm

³⁾ Size 0 modified according to JCS 0 (Japanese Camera Industrial Standard)

1550 PH S ESD Kraftform Micro screwdrivers



| | EAN | | | | | | |
|-------------|---------|------|----|----|---------|--|---|
| Code | 4013288 | | mm | mm | | | |
| 05030109001 | 215222 | # 01 | 40 | 97 | 1 9/16" | | 5 |


1555 PZ ESD Kraftform Micro screwdriver for Pozidriv screws



| | EAN | | | | | | |
|-------------|---------|------|----|----|-----|--------|---|
| Code | 4013288 | | mm | mm | mm | | |
| 05030115001 | 039149 | PZ 0 | 60 | 97 | 3,0 | 2 3/8" | 5 |
| 05030116001 | 039156 | PZ 1 | 80 | 97 | 4,0 | 3 1/8" | 5 |

TORX® Tools with holding function

Clamping force holds TORX® screw tight.



1567 TORX® HF ESD Kraftform Micro screwdriver with holding function for TORX® screws



| | EAN | | | | | | |
|-------------|---------|-------|----|----|-----|---------|---|
| Code | 4013288 | | mm | mm | mm | | |
| 05030400001 | 183972 | TX 4 | 40 | 97 | 2,5 | 1 9/16" | 5 |
| 05030401001 | 183989 | TX 5 | 40 | 97 | 3,0 | 1 9/16" | 5 |
| 05030402001 | 183996 | TX 6 | 40 | 97 | 3,0 | 1 9/16" | 5 |
| 05030403001 | 184009 | TX 7 | 60 | 97 | 3,0 | 2 3/8" | 5 |
| 05030404001 | 184016 | TX 8 | 60 | 97 | 3,0 | 2 3/8" | 5 |
| 05030405001 | 184023 | TX 9 | 60 | 97 | 4,0 | 2 3/8" | 5 |
| 05030406001 | 184030 | TX 10 | 60 | 97 | 4,0 | 2 3/8" | 5 |

1567 TORX® ESD Kraftform Micro screwdriver for TORX® screws



| | EAN | | | | | | |
|-------------|---------|------|----|----|-----|---------|---|
| Code | 4013288 | | mm | mm | mm | | |
| 05030158001 | 215239 | TX 2 | 40 | 97 | 2,0 | 1 9/16" | 5 |
| 05030159001 | 215246 | TX 3 | 40 | 97 | 2,0 | 1 9/16" | 5 |
| 05030120001 | 039163 | TX 4 | 40 | 97 | 2,5 | 1 9/16" | 5 |
| 05030121001 | 039170 | TX 5 | 40 | 97 | 3,0 | 1 9/16" | 5 |
| 05030122001 | 039187 | TX 6 | 40 | 97 | 3,0 | 1 9/16" | 5 |

1567 TORX® BO ESD Kraftform Micro screwdriver for tamper-proof TORX® screws




| | EAN | | | | | | |
|-------------|---------|---------|----|----|-----|--------|---|
| Code | 4013288 | | mm | mm | mm | | |
| 05030113001 | 219473 | TX 6 BO | 60 | 97 | 3,0 | 2 3/8" | 5 |
| 05030114001 | 219480 | TX 8 BO | 60 | 97 | 3,0 | 2 3/8" | 5 |

1567 IPR TORX PLUS® ESD screwdriver



| | EAN | | | | | | |
|-------------|---------|-------|----|----|-----|---------|---|
| Code | 4013288 | | mm | mm | mm | | |
| 05030135001 | 194756 | 1 IPR | 40 | 97 | 2,0 | 1 9/16" | 5 |

1572 ESD Kraffform Micro screwdriver for Microstix® screws



| | EAN | | | | | | |
|-------------|---------|----|----|----|-----|---------|---|
| Code | 4013288 | | mm | mm | mm | | |
| 05030080001 | 181169 | m | 40 | 97 | 2,5 | 1 9/16" | 5 |
| 05030081001 | 181176 | 00 | 40 | 97 | 2,5 | 1 9/16" | 5 |
| 05030082001 | 181183 | F | 40 | 97 | 2,5 | 1 9/16" | 5 |
| 05030083001 | 181190 | 0 | 40 | 97 | 2,5 | 1 9/16" | 5 |
| 05030084001 | 181206 | 1 | 40 | 97 | 2,5 | 1 9/16" | 5 |

1573 Pentalobe ESD Kraffform Micro screwdriver

- Kraffform Micro screwdriver for Pentalobe screws

1573 Pentalobe ESD Kraffform Micro screwdriver



| | EAN | | | | | | |
|-------------|---------|--------|----|----|-----|---------|---|
| Code | 4013288 | | mm | mm | mm | | |
| 05030330001 | 219435 | PL 1,1 | 40 | 97 | 2,0 | 1 9/16" | 5 |
| 05030331001 | 219497 | PL 1,4 | 40 | 97 | 2,0 | 1 9/16" | 5 |

1569 ESD Nutdriver



| | EAN | | | | | | |
|-------------|---------|-----|----|----|-----|--------|---|
| Code | 4013288 | | mm | mm | mm | | |
| 05030410001 | 184047 | 1,5 | 60 | 97 | 5,7 | 2 3/8" | 5 |
| 05030411001 | 184054 | 1,8 | 60 | 97 | 5,7 | 2 3/8" | 5 |
| 05030412001 | 184061 | 2,0 | 60 | 97 | 5,7 | 2 3/8" | 5 |
| 05030413001 | 184078 | 2,5 | 60 | 97 | 5,7 | 2 3/8" | 5 |
| 05030414001 | 184085 | 3,0 | 60 | 97 | 5,7 | 2 3/8" | 5 |
| 05030415001 | 184092 | 3,2 | 60 | 97 | 5,7 | 2 3/8" | 5 |
| 05030416001 | 184108 | 3,5 | 60 | 97 | 5,7 | 2 3/8" | 5 |
| 05030417001 | 184115 | 4,0 | 60 | 97 | 5,7 | 2 3/8" | 5 |
| 05030418001 | 184122 | 4,5 | 60 | 97 | 6,4 | 2 3/8" | 5 |
| 05030150001 | 093486 | 5,0 | 60 | 97 | 7,0 | 2 3/8" | 5 |
| 05030151001 | 093493 | 5,5 | 60 | 97 | 7,8 | 2 3/8" | 5 |

1529 ESD Chip Removal Tool

- Chip lifter to remove firmly-fitted parts from a circuit board after desoldering

1529 ESD Chip Removal Tool



| | EAN | | | | | | |
|-------------|---------|-----|-----|----|----|----|----|
| Code | 4013288 | | mm | mm | mm | mm | |
| 05027450001 | 219428 | 1,0 | 3,5 | 50 | 97 | | 10 |

Kraftform Micro ESD Big Pack 1 Screwdriver set for electronic applications

Electrostatically secured Wera Micro screwdriver 25-piece set. The included screw profiles are especially suitable for the use on mobile phones and tablets. Safe protection against electrostatic energy and associated damage.

By supporting the hand on the rotating cap, and by the fast rotating zone below the rotating cap, lightning fast turning is possible. Time-consuming hand switching is eliminated.

The power zone with integrated soft zones ensures the transmission of high tightening and loosening moments. Precision zone for correct rotation angles whilst adjusting.

The Black Point tip provides fitting accuracy and optimum corrosion protection.

Take it easy tool finder with size stamping and colour coding by profile to find the required tool quickly and easily. Storage and transport in a robust textile bag, so the tool is well protected and always close at hand.

- Included profiles especially suitable for servicing mobile phones, tablets and laptops/desktops
- Storage and transport in a robust textile bag, so the tool is well protected and always close at hand

Kraftform Micro ESD Big Pack 1 Screwdriver set for electronic applications



| Code | EAN | | |
|-------------|-------------------|--|---|
| 05134019001 | 4013288 219459 | | 1 |
| | | ⊕ 1550 PH ESD Micro 1x PH 000x40 ^{1) 2)} ; 1x PH 00x40 ^{1) 2)} ; 1x PH 0x40 ³⁾ ; 1x PH 1x80 | |
| | | ⊕ 1550 PH S ESD Micro 1x # 01x40 | |
| | | ⊕ 1567 TORX® HF ESD Micro 1x TX 8x60; 1x TX 10x60 | |
| | | ⊕ 1567 TORX® ESD Micro 1x TX 2x40; 1x TX 3x40; 1x TX 4x40; 1x TX 5x40; 1x TX 6x40 | |
| | | ⊕ 1567 TORX® B0 ESD Micro 1x TX 6 B0x60; 1x TX 8 B0x60 | |
| | | ⊕ 1567 TORX PLUS® IPR ESD 1x 1 IPRx40 | |
| | | ⊕ 1572 ESD 1x mx40; 1x 00x40; 1x Fx40; 1x 0x40 | |
| | | ⊕ 1573 Pentalobe ESD 1x PL 1,1x40; 1x PL 1,4x40 | |
| | | ⊕ 1569 ESD 1x 3,0x60 | |
| | | ⊕ 1578 A ESD Micro 1x 0,16x0,8x40; 1x 0,23x1,5x40 | |
| | | ⊕ 1529 ESD 1x 1,0x3,5x50 | |

¹⁾ Optimised for Asian PH screws

²⁾ On the output side, the blade is turned to a nominal length of 10 mm

³⁾ Size 0 modified according to JCIS 0 (Japanese Camera Industrial Standard)

Kraftform Micro 6 ESD Smartphone repair kit 1

Electrostatically secured Wera Micro screwdriver 6-piece set. The included screw profiles are especially suitable for use on mobile phones and tablets. Safe protection against electrostatic energy and associated damage.


By supporting the hand on the rotating cap, and by the fast rotating zone below the rotating cap, lightning fast turning is possible. Time-consuming hand switching is eliminated. The power zone with integrated soft zones ensures the transmission of high tightening and loosening moments. Precision zone for correct rotation angles whilst adjusting.

The Black Point tip provides fitting accuracy and optimum corrosion protection.

Take it easy tool finder with size stamping and colour coding by profile to find the required tool quickly and easily.

- Included profiles especially suitable for servicing mobile phones and tablets

Kraftform Micro 6 ESD Smartphone repair kit 1



| Code | EAN | | |
|-------------|-------------------|---|--|
| 05030182001 | 4013288 219411 | | 1 |
| | | + | 1550 PH ESD Micro 1x PH 00x40 ^{1) 2)} ; 1x PH 0x40 ³⁾ |
| | | + | 1567 TORX PLUS® IPR ESD 1x 1 IPRx40 |
| | | + | 1572 ESD 1x mx40 |
| | | + | 1550 PH S ESD Micro 1x # 01x40 |
| | | • | 1529 ESD 1x 1,0x3,5x50 |

¹⁾ Optimised for Asian PH screws
²⁾ On the output side, the blade is turned to a nominal length of 10 mm
³⁾ Size 0 modified according to JCIS 0 (Japanese Camera Industrial Standard)

1578 A/6 ESD Screwdriver set and rack for electronic applications

- Includes practical rack for tidy storage of the screwdrivers

1578 A/6 ESD Screwdriver set and rack for electronic applications



| Code | EAN | | |
|-------------|-------------------|---|---|
| 05030170001 | 4013288 113900 | | 1 |
| | | + | 1550 PH ESD Micro 1x PH 0x60 ¹⁾ ; 1x PH 1x80 |
| | | • | 1578 A ESD Micro 1x 0,23x1,5x40; 1x 0,25x1,2x40; 1x 0,30x1,8x60; 1x 0,40x2,5x80 |

¹⁾ Size 0 modified according to JCIS 0 (Japanese Camera Industrial Standard)

1550/6 ESD Screwdriver set and rack for electronic applications

- Includes practical rack for tidy storage of the screwdrivers

1550/6 ESD Screwdriver set and rack for electronic applications



| Code | EAN | | |
|-------------|-------------------|---|---|
| 05030180001 | 4013288 194787 | | 1 |
| | | + | 1550 PH ESD Micro 1x PH 000x40 ^{1) 2)} ; 1x PH 00x40 ^{1) 2)} ; 1x PH 0x40 ³⁾ |
| | | • | 1578 A ESD Micro 1x 0,35x2,5x40 |
| | | + | 1567 TORX PLUS® IPR ESD 1x 1 IPRx40 |
| | | + | 1572 ESD 1x mx40 |

¹⁾ Optimised for Asian PH screws

²⁾ On the output side, the blade is turned to a nominal length of 10 mm.

³⁾ Size 0 modified according to JCIS 0 (Japanese Camera Industrial Standard)

1013 Kraftform Micro ESD bitholding screwdriver

ESD-safe Wera tool. The Kraftform Micro ESD holder for dependable protection against electrostatic energy and associated damage. Electrical surface resistance of $\leq 10^9$ Ohm. Ergonomic Kraftform handle for pleasant and low-fatigue working.

Black anti-roll feature prevents any bothersome rolling away at the workplace. Suitable for the take-up of bits with 4 mm half-moon drive and bits with 4 mm HIOS drive. Ideal for applications on smartphones, cell phones, cameras, electrical appliances, in dental labs and dental surgeries.

- Kraftform Micro ESD bit holder
- ESD-safe tool thanks to surface resistance of $\leq 10^9$ Ohm
- Multi-component Kraftform Micro handle with anti-roll feature and swivel cap
- Suitable for take-up of bits with 4 mm halfmoon drive and bits with 4 mm HIOS drive
- Applications e.g. on smartphones, mobile phones, cameras, electronic equipment

1013 Kraftform Micro ESD Bitholding screwdriver



| | EAN | ⌀ | ℓ | ℓ | | | | | |
|-------------|---------|----|----|----|--|--|--|--|---|
| Code | 4013288 | mm | mm | | | | | | |
| 05300004001 | 168610 | 23 | 97 | 1" | | | | | 1 |

Radidaptor - the amazing compact multifunction tool



- ESD bit holder for ESD-safe working
- Surface resistance of $\leq 10^9$ Ohm
- Multi-component Kraftform handle for fast and ergonomic screwdriving
- Hexagonal anti-roll feature against rolling away
- 1/4" hexagon take-up with Radidaptor quick-release chuck

816 R ESD Bitholding screwdriver, non-magnetic



| | EAN | ⌀ | ℓ | | | | | | |
|-------------|---------|------|-----|--|--|--|--|--|---|
| Code | 4013288 | | mm | | | | | | |
| 05051464001 | 103918 | 1/4" | 119 | | | | | | 2 |

813 R ESD Bitholding screwdriver, non-magnetic



| | EAN | ⌀ | ℓ | | | | | | |
|-------------|---------|------|----|--|--|--|--|--|---|
| Code | 4013288 | | mm | | | | | | |
| 05051273001 | 103901 | 1/4" | 90 | | | | | | 2 |

Kraftform Kompakt 60 ESD

ESD-safe Wera tool. 16 bits. Includes bitholder 816 R ESD holder, multi-component for high working speeds and particularly ergonomic screwdriving. Dependable protection against electrostatic energy and associated damage.

Compact set that enables both manual as well as power tool operations. Simple sorting according to profile and size, easy bit removal and reinsertion; with belt clip, 18-piece.

- Suitable for manual and power tool operations
- Smooth hard zones for high speed turning, soft grip zones for high torque transfer
- Rapidaptor quick-release chuck
- Tough viscous bits for universal use
- In robust pouch

Kraftform Kompakt 60 ESD



| Code | EAN | | |
|-------------|--------|--|---|
| 05051043001 | 183934 | | 1 |
| | | 816 R ESD 1x 1/4"x119 | |
| | | 851/4 Z PH 1x PH 1x89; 1x PH 2x89; 1x PH 3x89 | |
| | | 855/4 Z PZ 1x PZ 1x89; 1x PZ 2x89; 1x PZ 3x89 | |
| | | 867/4 Z TORX® B0 1x TX 10x89; 1x TX 15x89; 1x TX 20x89; 1x TX 25x89; 1x TX 30x89 | |
| | | 840/4 Z Hex-Plus 1x 3,0x89; 1x 4,0x89; 1x 5,0x89; 1x 6,0x89 | |
| | | 800/4 Z 1x 1,0x5,5x89 | |

Kraftform Kompakt Micro 21 ESD 1

Kraftform Kompakt Micro set for precision mechanical work. Suitable for the take-up of bits with 4 mm halfmoon drive (Wera series 9) and bits with 4 mm HIOS drive (Wera series 21). Electrical surface resistance of $\leq 10^9$ Ohm for secure protection against electrostatic charge.

Manufactured in accordance with DIN EN 61340-5-1. Compact handle/interchangeable blade system for fast blade change. Kraftform Micro handle with twist cap and free-turning zone for rapid twisting, making any time-consuming repositioning of the fingers unnecessary.

Power zone with integrated soft zones for the transfer of higher tightening and loosening torque. Precision zone directly above the blade for the right angle for adjustment work. Bits for manual as well as power tool operations. Rapid fixing of the bit: just push the bit into the insert for automatic locking and a secure fit. To change the bit, simply push the sleeve forward and remove. Free-turning sleeve for simple guidance of the tool during the screwdriving process.

Kraftform Kompakt Micro 21 ESD 1



| Code | EAN | | |
|-------------|--------|--|---|
| 05135973001 | 194855 | | 1 |
| | | 1013 Kraftform Micro ESD 1x 97 | |
| | | 851/9 C 1x PH 000x44 ¹⁾ ; 1x PH 00x44 ¹⁾ ; 1x PH 0x44 ²⁾ | |
| | | 867/9 C TORX® 1x TX 1x44; 1x TX 2x44; 1x TX 3x44; 1x TX 4x44; 1x TX 5x44 | |
| | | 867/9 C TORX PLUS® 1x 1 IPx44; 1x 2 IPx44; 1x 3 IPx44; 1x 4 IPx44 | |
| | | 867/9 IPR TORX® PLUS 1x 1 IPRx44 | |
| | | 872/9 1x mx44; 1x 00x44; 1x Fx44; 1x 0x44 | |
| | | 800/9 C 1x 0,23x1,5x44; 1x 0,35x2,5x44 | |
| | | 869/9 1x 2,5x44,0 | |

¹⁾ Optimised for Asian PH screws

²⁾ Size 0 modified according to JCIS 0 (Japanese Camera Industrial Standard)

Kraftform Kompakt Micro 20 ESD 1

- Bit holder suitable for the take-up of bits with 4 mm halfmoon or HIOS drive
- Handle out of material with a surface resistance of $\leq 10^9$ Ohm
- Handle/Interchangeable blade system for rapid exchange of the blade
- Kraftform Micro handle with swivel cap for rapid twisting
- Bits for manual as well as power tool operations

Kraftform Kompakt Micro 20 ESD 1



| Code | EAN | | |
|-------------|--------|---|---|
| 05073671001 | 169662 | | 1 |
| | | 1013 Kraftform Micro ESD 1x 97 | |
| | | 851/9 C 1x PH 00x44 ¹⁾ ; 1x PH 0x44 ²⁾ ; 1x PH 1x44 ¹⁾ | |
| | | 867/9 C TORX® 1x TX 1x44; 1x TX 2x44; 1x TX 3x44; 1x TX 4x44; 1x TX 5x44; 1x TX 6x44 | |
| | | 867/9 C TORX PLUS® 1x 1 IPx44; 1x 2 IPx44; 1x 3 IPx44; 1x 4 IPx44 | |
| | | 840/9 C 1x 1,5x44; 1x 2,0x44 | |
| | | 800/9 C 1x 0,23x1,5x44; 1x 0,40x2,0x44; 1x 0,50x3,0x44 | |
| | | 867/9 IPR TORX® PLUS 1x 1 IPRx44 | |

¹⁾ Optimised for Asian PH screws

²⁾ Size 0 modified according to JCIS 0 (Japanese Camera Industrial Standard)

Kraftform Kompakt Micro 11 ESD 1



| Code | EAN | | |
|-------------|--------|---|---|
| 05073670001 | 168344 | | 1 |
| | | 1013 Kraftform Micro ESD 1x 97 | |
| | | 851/9 C 1x PH 00x44 ¹⁾ ; 1x PH 0x44 ²⁾ ; 1x PH 1x44 ¹⁾ | |
| | | 867/9 C TORX® 1x TX 5x44; 1x TX 6x44 | |
| | | 800/9 C 1x 0,23x1,5x44; 1x 0,40x2,0x44; 1x 0,50x3,0x44 | |
| | | 840/9 C 1x 1,5x44; 1x 2,0x44 | |

¹⁾ Optimised for Asian PH screws

²⁾ Size 0 modified according to JCIS 0 (Japanese Camera Industrial Standard)

Kraftform Kompakt Stubby ESD 1

Handle/interchangeable blade system for lightning fast replacement of the required blade. Especially small ESD bit-holding Stubby screwdriver handle with short blade for electrostatically secure working even in hard to reach areas.

Suitable for the mounting of bits with 1/4" hexagon drive as per DIN ISO 1173-C 6.3 and Wera connection series 1. With strong permanent magnet, which also holds large and heavy screws.

The 2-component Kraftform handle with its practical combination of hard and soft zones allows for a firm grip and precise working. High-quality bits for universal use. Compact, textile box with high robustness, low weight and volume. Suitable for docking with the Wera 2go system.

- ESD bits hand holder for electrostatically safe working, magnetic
- 851/1 J: bits optimized for Asian PH screws

Kraftform Kompakt Stubby ESD 1



| Code | EAN | | | |
|-------------|---------|---|---|---|
| 05057472001 | 4013288 | | | 1 |
| | 214584 | ● | 811/1 Stubby ESD 1x 1/4"x54 | |
| | | + | 851/1 Z PH 1x PH 0x25; 1x PH 1x25; 1x PH 2x25 | |
| | | + | 851/1 J 1x PH 00x25x2,0 ¹⁾ | |
| | | ● | 800/1 Z 1x 0,5x3,0x25; 1x 0,6x4,5x25; 1x 1,0x5,5x25; 1x 1,2x6,5x25; 1x 1,2x8,0x25 | |

¹⁾Size 00 modified according to JCIS 00 (Japanese Camera Industrial Standard)

809/1 ESD Stubby Bitholding screwdriver, with retaining ring

- Short compact shape for working in confined spaces
- Bit holder with retaining ring for bits with 1/4" hexagon drive

809/1 ESD Stubby Bitholding screwdriver, with retaining ring



| Code | EAN | | | | | | |
|-------------|--------|------|----|----|------|--|---|
| 05008882001 | 219206 | 1/4" | 10 | 54 | 3/8" | | 2 |

811/1 ESD Stubby Bitholding screwdriver, magnetic

- Short compact shape for working in confined spaces
- Ergonomic 2-component Kraftform handle for precise work
- Hexagonal anti-roll feature against rolling away
- ESD bits hand holder for electrostatically safe working, magnetic
- For 1/4" bits as per DIN ISO 1173-C 6.3

811/1 ESD Stubby Bitholding screwdriver, magnetic



| Code | EAN | | | | | | |
|-------------|--------|------|----|----|------|--|---|
| 05008881001 | 212382 | 1/4" | 10 | 54 | 3/8" | | 2 |

9514 ESD Magnetiser SB

Magnetiser. Simply pull the tool along the positive side of the Wera magnetiser and the tool will hold the screw securely on the blade.

To demagnetise, move the tool along the negative side.


- Magnetiser
- ESD-safe tool thanks to surface resistance of $\leq 10^9$ Ohm
- To magnetise and demagnetise tool tips
- Securely holds the screw on the tool

9514 ESD Magnetiser SB



| Code | EAN | mm | | | | | | | |
|-------------|--------|------|--|--|--|--|--|--|---|
| 05073984001 | 225924 | 64,6 | | | | | | | 1 |

Kraftform Stainless - stainless steel to prevent rust




High quality Kraftform Plus VDE screwdriver out of stainless steel by Wera. The stainless tools from Wera are vacuum ice-hardened and have the hardness and strength needed for screw connections. They can be used for industrial application without hesitation.

The individual testing of the Kraftform Stainless VDE screwdrivers at 10,000 volts as per DIN EN 60900 (IEC 60900) ensures safe working with voltages of up to 1,000 volts. Secure working is also ensured under extreme conditions and verified with the proven cold impact resistance at -40° C. Kraftform handle for fast and low-fatigue working.

Take it easy Tool Finder: colour coding according to profile and size. The hexagonal anti-roll feature prevents any bothersome rolling away at the workplace.

Lasertip - laser engineered blade



3160 i VDE Insulated Screwdriver for slotted screws, stainless



| | EAN | | | | | | | |
|---------------------------|---------|-----|-----|-----|----|-------|--------|----|
| Code | 4013288 | | | | | | | |
| 05022729001 ¹⁾ | 122353 | 0,5 | 3,0 | 80 | 81 | 1/8" | 3 1/8" | 10 |
| 05022730001 ¹⁾ | 122148 | 0,6 | 3,5 | 100 | 81 | 9/64" | 4" | 10 |
| 05022731001 | 122155 | 0,8 | 4,0 | 100 | 98 | 5/32" | 4" | 10 |
| 05022732001 | 122162 | 1,0 | 5,5 | 125 | 98 | 7/32" | 5" | 10 |

¹⁾without Lasertip

3162 i PH VDE Insulated Screwdriver for Phillips screws, stainless



| | EAN | | | | | |
|-------------|---------|------|-----|-----|--------|---|
| Code | 4013288 | | | | | |
| 05022733001 | 122179 | PH 1 | 80 | 98 | 3 1/8" | 5 |
| 05022734001 | 122186 | PH 2 | 100 | 105 | 4" | 5 |

3165 i PZ VDE Insulated Screwdriver for Pozidriv screws, stainless



| | EAN | | | | |
|-------------|---------|------|-----|-----|--------|
| Code | 4013288 | | | | |
| 05022740001 | 183941 | PZ 1 | 80 | 98 | 3 1/8" |
| 05022741001 | 183965 | PZ 2 | 100 | 105 | 4" |

3167 i VDE-isolated TORX® screwdriver, stainless steel



| | EAN | | | | |
|-------------|---------|-------|-----|-----|--------|
| Code | 4013288 | | | | |
| 05022760001 | 220103 | TX 8 | 80 | 81 | 3 1/8" |
| 05022761001 | 220110 | TX 9 | 80 | 81 | 3 1/8" |
| 05022762001 | 220127 | TX 10 | 80 | 81 | 3 1/8" |
| 05022763001 | 220134 | TX 15 | 80 | 98 | 3 1/8" |
| 05022764001 | 220141 | TX 20 | 80 | 98 | 3 1/8" |
| 05022765001 | 220158 | TX 25 | 100 | 105 | 4" |
| 05022766001 | 220165 | TX 30 | 100 | 105 | 4" |

3160 i/7 Screwdriver set, stainless and rack

- Including useful rack for well-arranged storage of the screwdrivers

3160 i/7 Screwdriver set, stainless and rack



| Code | EAN | | |
|-------------|-------------------|---|---|
| 05022728001 | 4013288 118073 | | 1 |
| | | 3162 i VDE 1x PH 1x80; 1x PH 2x100 | |
| | | 3160 i VDE 1x 0,5x3,0x80 ¹⁾ ; 1x 0,6x3,5x100 ¹⁾ ; 1x 0,8x4,0x100; 1x 1,0x5,5x125 | |
| | | 3247 1x 0,5x3,0x70 | |

¹⁾without Lasertip

²⁾Product not available in the USA and Canada.

3165 i/6 Screwdriver set, stainless and rack

- Including useful rack for well-arranged storage of the screwdrivers


3165 i/6 Screwdriver set, stainless and rack



| Code | EAN | | |
|-------------|-------------------|---|---|
| 05022745001 | 4013288 184207 | | 1 |
| | | 3165 i PZ VDE 1x PZ 1x80; 1x PZ 2x100 | |
| | | 3160 i VDE 1x 0,5x3,0x80 ¹⁾ ; 1x 0,6x3,5x100 ¹⁾ ; 1x 0,8x4,0x100; 1x 1,0x5,5x125 | |

¹⁾without Lasertip

3167 i/7 TORX® Screwdriver set, stainless and rack



| | | | | |
|--|-------------|-------------------|--|---|
| | Code | EAN | | |
| | 05022767001 | 4013288 220172 | | 1 |
| | | | 3167 i TORX® VDE 1x TX 8x80; 1x TX 9x80; 1x TX 10x80; 1x TX 15x80; 1x TX 20x80; 1x TX 25x100; 1x TX 30x100 | |

Kraftform 3100 i/7 set 1 Screwdriver set, stainless

- 6-piece VDE screwdriver set, stainless, in compact, textile box with Wera 2go compatibility
- With Wera bottle opener


Kraftform 3100 i/7 set 1 Screwdriver set, stainless



| | | | | |
|--|-------------|-------------------|---|---|
| | Code | EAN | | |
| | 05022750001 | 4013288 218131 | | 1 |
| | | | 3162 i VDE 1x PH 2x100 | |
| | | | 3165 i PZ VDE 1x PZ 1x80; 1x PZ 2x100 | |
| | | | 3160 i VDE 1x 0,6x3,5x100 ¹⁾ ; 1x 0,8x4,0x100; 1x 1,0x5,5x125 | |
| | | | Bottle opener 1x 147 | |
| | | | K240 1x 50,0x240,0 | |

¹⁾without Lasertip

Lasertip - laser engineered blade



Wera VDE screwdrivers with multi-component Kraftform Plus handle for fast and low-fatigue working: hard gripping zones for high working speeds whereas soft zones ensure high torque transfer. Individually tested at 10,000 volts for secure work at the permissible voltage of 1,000 volts.

The tips of the Wera Lasertip screwdrivers are microscopically roughened by laser beams. This rough surface literally bites into the head of the screw. Any unintentional slipping out is therefore a thing of the past.

Take it easy tool finder with colour coding according to profiles and size stamp – for simple and rapid accessing of the required tool. The hexagonal anti-roll feature prevents any bothersome rolling away at the workplace.

- Insulated blades for secure work at 1,000 volts
- Smooth hard zones for high speed turning, soft grip zones for high torque transfer
- Take it easy tool finder: colour coding according to profile and size
- Hexagonal anti-roll feature against rolling away
- Conical blade, Lasertip


160 i VDE Insulated screwdriver for slotted screws



| | EAN | | | | | | | |
|---------------------------|---------|-----|------|-----|-----|-------|--------|----|
| Code | 4013288 | mm | mm | mm | mm | mm | mm | |
| 05006100001 ¹⁾ | 027221 | 0,4 | 2,5 | 80 | 81 | 3/32" | 3 1/8" | 10 |
| 05006105001 ¹⁾ | 027238 | 0,5 | 3,0 | 100 | 81 | 1/8" | 4" | 10 |
| 05006110001 ¹⁾ | 027245 | 0,6 | 3,5 | 100 | 81 | 9/64" | 4" | 10 |
| 05006115001 | 027252 | 0,8 | 4,0 | 100 | 98 | 5/32" | 4" | 10 |
| 05006116001 | 105431 | 0,8 | 4,0 | 150 | 98 | 5/32" | 6" | 5 |
| 05006120001 | 027269 | 1,0 | 5,5 | 125 | 98 | 7/32" | 5" | 10 |
| 05006121001 | 105448 | 1,0 | 5,5 | 200 | 98 | 7/32" | 8" | 5 |
| 05006125001 | 027276 | 1,2 | 6,5 | 150 | 105 | 1/4" | 6" | 10 |
| 05006126001 | 105455 | 1,2 | 6,5 | 200 | 105 | 1/4" | 8" | 5 |
| 05006130001 | 027283 | 1,2 | 8,0 | 175 | 112 | 5/16" | 7" | 5 |
| 05006135001 | 028884 | 1,6 | 8,0 | 200 | 112 | 5/16" | 8" | 5 |
| 05006140001 | 028877 | 1,6 | 10,0 | 200 | 112 | 3/8" | 8" | 5 |

¹⁾without Lasertip

160 i SB VDE Insulated screwdriver for slotted screws



| Code | EAN | | |
|-------------|---------|---|----|
| | 4013288 | | |
| 05100000001 | 181466 | 160 i VDE 1x 0.4x2.5x80 ¹⁾ | 10 |
| 05100001001 | 181473 | 160 i VDE 1x 0.5x3.0x100 ¹⁾ | 10 |
| 05100002001 | 181480 | 160 i VDE 1x 0.6x3.5x100 ¹⁾ | 10 |
| 05100003001 | 181497 | 160 i VDE 1x 0.8x4.0x100 | 10 |
| 05100004001 | 181503 | 160 i VDE 1x 1.0x5.5x125 | 10 |

¹⁾without Lasertip

160 iS VDE Insulated screwdriver with reduced blade diameter for slotted screws

- Reduced shaft diameter
- Allows screwdriving even in confined situations
- Low-lying screw and spring elements can be reached and actuated

160 iS VDE Insulated screwdriver with reduced blade diameter for slotted screws



| Code | EAN | mm | mm | mm | mm | | | |
|-------------|--------|-----|-----|-----|----|-------|----|----|
| 05006440001 | 160089 | 0,6 | 3,5 | 100 | 81 | 9/64" | 4" | 10 |
| 05006441001 | 160102 | 0,8 | 4,0 | 100 | 98 | 5/32" | 4" | 10 |
| 05006442001 | 160126 | 1,0 | 5,5 | 125 | 98 | 7/32" | 5" | 10 |

160 iSS VDE Insulated screwdriver with reduced blade and handle diameter for slotted screws

- Reduced blade and handle diameter
- Allows screwdriving even in confined situations
- Low-lying screw and spring elements can be reached and actuated

160 iSS VDE Insulated screwdriver with reduced blade and handle diameter for slotted screws



| Code | EAN | mm | mm | mm | mm | | | |
|-------------|--------|-----|-----|-----|----|-------|----|---|
| 05020129001 | 179548 | 0,8 | 4,0 | 100 | 81 | 5/32" | 4" | 5 |

162 i PH VDE Insulated screwdriver for Phillips screws



| Code | EAN | + | mm | mm | mm | | |
|---------------------------|--------|------|-----|-----|--------|--|---|
| 05006150001 ¹⁾ | 027290 | PH 0 | 80 | 81 | 3 1/8" | | 5 |
| 05006152001 | 027306 | PH 1 | 80 | 98 | 3 1/8" | | 5 |
| 05006153001 | 105417 | PH 1 | 150 | 98 | 6" | | 5 |
| 05006154001 | 027313 | PH 2 | 100 | 105 | 4" | | 5 |
| 05006159001 | 105424 | PH 2 | 200 | 105 | 8" | | 5 |
| 05006156001 | 027320 | PH 3 | 150 | 112 | 6" | | 5 |
| 05006158001 ¹⁾ | 027818 | PH 4 | 200 | 112 | 8" | | 2 |

¹⁾without Lasertip

162 i PH SB VDE Insulated screwdriver for Phillips screws



| Code | EAN | + | | |
|-------------|--------|---|-----------------------------|---|
| 05100011001 | 181442 | + | 162 i PH VDE 1x PH 1x80 | 5 |
| 05100012001 | 181459 | + | 162 i PH VDE 1x PH 2x100 | 5 |

162 iS PH VDE Insulated screwdriver with reduced blade diameter for Phillips screws

- Reduced shaft diameter
- Allows screwdriving even in confined situations
- Low-lying screw and spring elements can be reached and actuated

162 iS PH VDE Insulated screwdriver with reduced blade diameter for Phillips screws




| Code | EAN | + | mm | mm | mm | | |
|-------------|--------|------|-----|-----|--------|--|---|
| 05006450001 | 160140 | PH 1 | 80 | 98 | 3 1/8" | | 5 |
| 05006451001 | 160164 | PH 2 | 100 | 105 | 4" | | 5 |

162 iSS PH VDE Insulated screwdriver with reduced blade diameter for Phillips screws

- Reduced blade and handle diameter
- Allows screwdriving even in confined situations
- Low-lying screw and spring elements can be reached and actuated

162 iSS PH VDE Insulated screwdriver with reduced blade diameter for Phillips screws



| | EAN | + | mm | mm | mm | | |
|-------------|---------|------|-----|----|--------|--|---|
| Code | 4013288 | | | | | | |
| 05020131001 | 179432 | PH 1 | 80 | 81 | 3 1/8" | | 5 |
| 05020133001 | 179425 | PH 2 | 100 | 98 | 4" | | 5 |


165 i PZ VDE Insulated screwdriver for Pozidriv screws



| | EAN | * | mm | mm | mm | | |
|---------------------------|---------|------|-----|-----|--------|--|---|
| Code | 4013288 | | | | | | |
| 05006160001 ¹⁾ | 032782 | PZ 0 | 80 | 81 | 3 1/8" | | 5 |
| 05006162001 | 029836 | PZ 1 | 80 | 98 | 3 1/8" | | 5 |
| 05006163001 | 105462 | PZ 1 | 150 | 98 | 6" | | 5 |
| 05006164001 | 029843 | PZ 2 | 100 | 105 | 4" | | 5 |
| 05006165001 | 105479 | PZ 2 | 200 | 105 | 8" | | 5 |
| 05006166001 | 029850 | PZ 3 | 150 | 112 | 6" | | 5 |
| 05006168001 ¹⁾ | 029867 | PZ 4 | 200 | 112 | 8" | | 2 |

¹⁾without Lasertip

165 i PZ SB VDE Insulated screwdriver for Pozidriv screws



| | EAN | | | |
|-------------|---------|---|-----------------------------|---|
| Code | 4013288 | | | |
| 05100015001 | 181510 | + | 165 i PZ VDE 1x PZ 1x80 | 5 |
| 05100016001 | 181527 | + | 165 i PZ VDE 1x PZ 2x100 | 5 |

165 iS PZ VDE Insulated screwdriver with reduced blade diameter for Pozidriv screws

- Reduced shaft diameter
- Allows screwdriving even in confined situations
- Low-lying screw and spring elements can be reached and actuated

165 iS PZ VDE Insulated screwdriver with reduced blade diameter for Pozidriv screws




| | EAN | * | mm | mm | mm | | |
|-------------|---------|------|-----|-----|--------|--|---|
| Code | 4013288 | | | | | | |
| 05006460001 | 160188 | PZ 1 | 80 | 98 | 3 1/8" | | 5 |
| 05006461001 | 160249 | PZ 2 | 100 | 105 | 4" | | 5 |

162 i PH/S VDE Insulated screwdriver for PlusMinus screws (Phillips/slotted)

- Combination profile Phillips/slotted

162 i PH/S VDE Insulated screwdriver for PlusMinus screws (Phillips/slotted)



| | EAN | + | mm | mm | mm | | |
|-------------|---------|-----|-----|-----|--------|--|---|
| Code | 4013288 | | | | | | |
| 05006380001 | 102614 | # 1 | 80 | 98 | 3 1/8" | | 5 |
| 05006381001 | 102621 | # 2 | 100 | 105 | 4" | | 5 |

162 i PH/S SB VDE Insulated screwdriver for PlusMinus screws (Phillips/slotted)



| | EAN | | | |
|-------------|---------|---|------------------------------|---|
| Code | 4013288 | | | |
| 05100019001 | 186560 | + | 162 i PH/S VDE 1x # 1x80 | 5 |
| 05100020001 | 186577 | + | 162 i PH/S VDE 1x # 2x100 | 5 |

162 iS PH/S VDE Insulated screwdriver with reduced blade diameter for PlusMinus screws (Phillips/slotted)

- Reduced shaft diameter: combination profile Phillips/slotted
- Allows screwdriving even in confined situations
- Low-lying screw and spring elements can be reached and actuated

162 iS PH/S VDE Insulated screwdriver with reduced blade diameter for PlusMinus screws (Phillips/slotted)



| | EAN | + | mm | mm | mm | | |
|-------------|---------|-----|-----|-----|--------|--|---|
| Code | 4013288 | | | | | | |
| 05006455001 | 160201 | # 1 | 80 | 98 | 3 1/8" | | 5 |
| 05006456001 | 160225 | # 2 | 100 | 105 | 4" | | 5 |

165 i PZ/S VDE Insulated screwdriver for PlusMinus screws (Pozidriv/slotted)

- Combination profile Pozidriv/slotted

165 i PZ/S VDE Insulated screwdriver for PlusMinus screws (Pozidriv/slotted)



| | EAN | + | mm | mm | mm | | |
|-------------|---------|-----|-----|-----|--------|--|---|
| Code | 4013288 | | | | | | |
| 05006190001 | 102638 | # 1 | 80 | 98 | 3 1/8" | | 5 |
| 05006191001 | 102645 | # 2 | 100 | 105 | 4" | | 5 |

165 i PZ/S SB VDE Insulated screwdriver for PlusMinus screws (Pozidriv/slotted)



| | EAN | | | | | |
|-------------|---------|---|----------------|------------|--|---|
| Code | 4013288 | | | | | |
| 05100021001 | 186584 | + | 165 i PZ/S VDE | 1x # 1x80 | | 5 |
| 05100022001 | 186591 | + | 165 i PZ/S VDE | 1x # 2x100 | | 5 |

165 iS PZ/S VDE Insulated screwdriver with reduced blade diameter for PlusMinus screws (Pozidriv/slotted)

- Reduced shaft diameter: combination profile Pozidriv/slotted
- Allows screwdriving even in confined situations
- Low-lying screw and spring elements can be reached and actuated

165 iS PZ/S VDE Insulated screwdriver with reduced blade diameter for PlusMinus screws (Pozidriv/slotted)



| | EAN | + | mm | mm | mm | | |
|-------------|---------|-----|-----|-----|--------|--|---|
| Code | 4013288 | | | | | | |
| 05006465001 | 160263 | # 1 | 80 | 98 | 3 1/8" | | 5 |
| 05006466001 | 160287 | # 2 | 100 | 105 | 4" | | 5 |

165 iSS PZ/S VDE Insulated screwdriver with reduced blade diameter for PlusMinus screws (Pozidriv/slotted)


- Reduced blade and handle diameter
- Allows screwdriving even in confined situations
- Low-lying screw and spring elements can be reached and actuated

165 iSS PZ/S VDE Insulated screwdriver with reduced blade diameter for PlusMinus screws (Pozidriv/slotted)



| | EAN | + | mm | mm | mm | | |
|-------------|---------|-----|-----|----|--------|--|---|
| Code | 4013288 | | | | | | |
| 05020132001 | 179418 | # 1 | 80 | 81 | 3 1/8" | | 5 |
| 05020134001 | 179401 | # 2 | 100 | 98 | 4" | | 5 |

167 i VDE Insulated screwdriver for TORX® screws



| Code | EAN | | | | | |
|-------------|--------|-------|-----|-----|--------|---|
| | | | mm | mm | " | |
| 05006181001 | 108876 | TX 5 | 80 | 81 | 3 1/8" | 5 |
| 05006182001 | 108883 | TX 6 | 80 | 81 | 3 1/8" | 5 |
| 05006183001 | 108890 | TX 7 | 80 | 81 | 3 1/8" | 5 |
| 05006184001 | 108906 | TX 8 | 80 | 81 | 3 1/8" | 5 |
| 05006169001 | 036452 | TX 9 | 80 | 81 | 3 1/8" | 5 |
| 05006170001 | 036667 | TX 10 | 80 | 81 | 3 1/8" | 5 |
| 05006172001 | 036674 | TX 15 | 80 | 98 | 3 1/8" | 5 |
| 05006174001 | 036681 | TX 20 | 80 | 98 | 3 1/8" | 5 |
| 05006176001 | 036698 | TX 25 | 100 | 105 | 4" | 5 |
| 05006177001 | 036469 | TX 27 | 100 | 105 | 4" | 5 |
| 05006178001 | 036704 | TX 30 | 100 | 105 | 4" | 5 |
| 05006179001 | 036476 | TX 40 | 150 | 112 | 6" | 5 |

168 i VDE Insulated screwdriver for square socket head screws



| Code | EAN | | | | | | |
|-------------|--------|--|-----|-----|-----|--------|---|
| | | | # | mm | mm | " | |
| 05004780001 | 038777 | | # 1 | 80 | 98 | 3 1/8" | 5 |
| 05004783001 | 105486 | | # 1 | 150 | 98 | 6" | 5 |
| 05004781001 | 038784 | | # 2 | 100 | 105 | 4" | 5 |
| 05004784001 | 105493 | | # 2 | 200 | 105 | 8" | 5 |
| 05004782001 | 040909 | | # 3 | 150 | 112 | 6" | 5 |

168 i SB VDE Insulated screwdriver for square socket head screws



| Code | EAN | | | |
|-------------|--------|--|-------------------------|---|
| | | | | |
| 05100024001 | 181534 | | 168 i VDE 1x # 1x80 | 5 |
| 05100025001 | 181541 | | 168 i VDE 1x # 2x100 | 5 |
| 05100026001 | 181558 | | 168 i VDE 1x # 3x150 | 5 |

190 i VDE Insulated nutdriver



| Code | EAN | | | | | | | |
|-------------|--------|------|----|-----|-----|------|----|---|
| | | mm | mm | mm | mm | " | | |
| 05005300001 | 032485 | 5,5 | | 125 | 98 | 11,0 | 5" | 5 |
| 05005305001 | 032492 | 6,0 | | 125 | 98 | 12,0 | 5" | 5 |
| 05005310001 | 032508 | 7,0 | | 125 | 105 | 14,0 | 5" | 5 |
| 05005315001 | 032515 | 8,0 | | 125 | 105 | 15,0 | 5" | 5 |
| 05005320001 | 032522 | 9,0 | | 125 | 105 | 16,0 | 5" | 5 |
| 05005325001 | 032539 | 10,0 | | 125 | 112 | 17,0 | 5" | 5 |
| 05005330001 | 032546 | 11,0 | | 125 | 112 | 19,0 | 5" | 5 |
| 05005335001 | 032553 | 12,0 | | 125 | 112 | 20,0 | 5" | 5 |
| 05005340001 | 032560 | 13,0 | | 125 | 112 | 21,0 | 5" | 5 |

247 Single-pole phase tester



| Code | EAN | | | | | | | |
|-------------|--------|-----|-----|----|-----|------|--------|---|
| | | mm | mm | mm | | | | |
| 05005655001 | 002686 | 0,5 | 3,0 | 70 | 3,0 | 1/8" | 2 3/4" | 5 |

^{*)}Product not available in the USA and Canada.

247 SB Single-pole phase tester



| Code | EAN | | | |
|-------------|--------|--|----------------------|---|
| | | | | |
| 05100100001 | 181664 | | 247 1x 0.5x3.0x70 | 5 |


^{*)}Product not available in the USA and Canada.

Kraftform Big Pack 100 VDE

14-piece screwdriver set with individually tested, insulated screwdrivers as per IEC 60900. Individual testing at 10,000 volts so as to ensure safe working at the permitted voltage of 1,000 volts.

- Insulated blades for secure work at 1,000 volts
- Multi-component Kraftform handle for high working speeds and ergonomic screwdriving
- Take it easy tool finder: colour coding according to profile and size
- Hexagonal anti-roll feature against rolling away
- Lasertip tips for more secure fit in the screw head

Kraftform Big Pack 100 VDE



| Code | EAN | | |
|-------------|--------|---|--|
| 05105631001 | 163639 | | 1 |
| | | + | 162 i PH VDE 1x PH 1x80; 1x PH 2x100 |
| | | + | 165 i PZ VDE 1x PZ 1x80; 1x PZ 2x100 |
| | | + | 165 i PZ/S VDE 1x # 1x80; 1x # 2x100 |
| | | + | 167 i TORX® VDE 1x TX 10x80; 1x TX 15x80; 1x TX 20x80 |
| | | ● | 160 iS 1x 0,6x3,5x100 |
| | | ● | 160 i VDE 1x 0,4x2,5x80 ¹⁾ ; 1x 0,8x4,0x100; 1x 1,0x5,5x125 |
| | | ● | 247 1x 0,5x3,0x70 |
| | | | Rack 2x 190,0x50,0 |

¹⁾ without Lasertip

²⁾ Product not available in the USA and Canada.

Kraftform 2go 100

11 VDE-insulated, Kraftform screwdrivers; with Take it easy Toolfinder; in the Wera 2go 4 quiver; comes with an adjustable partition element for individual sectioning.

- Suitable for docking with the Wera 2go system

Kraftform 2go 100



| Code | EAN | | |
|-------------|--------|---|--|
| 05004310001 | 187826 | | 1 |
| | | | Wera 2go 4 1x 165,0x165,0x105,0 |
| | | + | 162 i PH VDE 1x PH 1x80; 1x PH 2x100 |
| | | + | 165 i PZ VDE 1x PZ 1x80; 1x PZ 2x100 |
| | | + | 167 i TORX® VDE 1x TX 10x80; 1x TX 15x80; 1x TX 20x80 |
| | | ● | 160 i VDE 1x 0,4x2,5x80 ¹⁾ ; 1x 0,8x4,0x150; 1x 1,0x5,5x200 |
| | | ● | 160 iS 1x 0,6x3,5x100 |
| | | | K120 1x 50,0x120,0 |

¹⁾ without Lasertip

160 i/6 Rack Screwdriver set Kraftform Plus Series 100 + Rack

- Including useful rack for well-arranged storage of the screwdrivers

160 i/6 Rack Screwdriver set Kraftform Plus Series 100 + Rack



| Code | EAN | | |
|-------------|--------|---|---|
| 05006145001 | 027887 | | 1 |
| | | + | 162 i PH VDE 1x PH 1x80; 1x PH 2x100 |
| | | ● | 160 i VDE 1x 0,4x2,5x80 ¹⁾ ; 1x 0,6x3,5x100 ¹⁾ ; 1x 0,8x4,0x100; 1x 1,0x5,5x125 |

¹⁾ without Lasertip

160 i/7 Rack Screwdriver set Kraftform Plus Series 100, single-pole phase tester and rack

- Including useful rack for well-arranged storage of the screwdrivers

160 i/7 Rack Screwdriver set Kraftform Plus Series 100, single-pole phase tester and rack



| Code | EAN | | |
|-------------|-------------------|---|--|
| 05006147001 | 4013288 041708 | | 1 |
| | | + | 162 i PH VDE 1x PH 1x80; 1x PH 2x100 |
| | | - | 160 i VDE 1x 0,4x2,5x80 ¹⁾ ; 1x 0,6x3,5x100 ¹⁾ ; 1x 0,8x4,0x100; 1x 1,0x5,5x125 |
| | | - | 247 1x 0,5x3,0x70 |

¹⁾ without Lasertip

²⁾ Product not available in the USA and Canada.

160 i/165 i/7 Rack Screwdriver set Kraftform Plus Series 100, single-pole phase tester and rack

- Including useful rack for well-arranged storage of the screwdrivers

160 i/165 i/7 Rack Screwdriver set Kraftform Plus Series 100, single-pole phase tester and rack



| Code | EAN | | |
|-------------|-------------------|---|--|
| 05006148001 | 4013288 041715 | | 1 |
| | | + | 165 i PZ VDE 1x PZ 1x80; 1x PZ 2x100 |
| | | - | 160 i VDE 1x 0,4x2,5x80 ¹⁾ ; 1x 0,6x3,5x100 ¹⁾ ; 1x 0,8x4,0x100; 1x 1,0x5,5x125 |
| | | - | 247 1x 0,5x3,0x70 |

¹⁾ without Lasertip

²⁾ Product not available in the USA and Canada.

167 i/6 Screwdriver set Kraftform Plus Series 100

- Including useful rack for well-arranged storage of the screwdrivers

167 i/6 Screwdriver set Kraftform Plus Series 100



| Code | EAN | | |
|-------------|-------------------|---|--|
| 05133356001 | 4013288 160072 | | 1 |
| | | + | 167 i TORX® VDE 1x TX 8x80; 1x TX 9x80; 1x TX 10x80; 1x TX 15x80; 1x TX 20x80; 1x TX 25x100 |

160 iS/7 Rack Screwdriver set Kraftform Plus Series 100, single-pole phase tester and rack. With reduced blade diameter.

- Reduced shaft diameter
- Allows screwdriving even in confined situations
- Low-lying screw and spring elements can be reached and actuated
- Including useful rack for well-arranged storage of the screwdrivers

160 iS/7 Rack Screwdriver set Kraftform Plus Series 100, single-pole phase tester and rack. With reduced blade diameter



| Code | EAN | | |
|-------------|-------------------|---|--|
| 05006480001 | 4013288 160713 | | 1 |
| | | + | 162 iS 1x PH 1x80; 1x PH 2x100 |
| | | + | 165 iS PZ/S 1x # 2x100 |
| | | - | 160 iS 1x 0,6x3,5x100; 1x 0,8x4,0x100; 1x 1,0x5,5x125 |
| | | - | 247 1x 0,5x3,0x70 |

²⁾ Product not available in the USA and Canada.

160 iSS/7 Screwdriver set Kraftform Plus Series 100.
With reduced blade diameters and smaller handle diameters

- Kraftform screwdrivers with reduced blade diameter as well as partially with slim handle design
- Allows screwdriving even in confined situations
- Low-lying screw and spring elements can be reached and actuated
- Safe work at a voltage of 1,000 volts, individually tested

160 iSS/7 Screwdriver set Kraftform Plus Series 100. With reduced blade diameters and smaller handle diameters



| Code | EAN | | | |
|-------------|-------------------|---|---------------------------------------|---|
| 05135961001 | 4013288 178640 | | | 1 |
| | | ⊖ | 160 iSS 1x 0,8x4,0x100 | |
| | | ⊖ | 160 iS 1x 0,6x3,5x100; 1x 1,0x5,5x125 | |
| | | ⊕ | 162 iSS 1x PH 1x80; 1x PH 2x100 | |
| | | ⊕ | 165 iSS PZ/S 1x # 1x80; 1x # 2x100 | |

160 i/168 i/6 Rack Screwdriver set Kraftform Plus Series 100, and rack

- Including useful rack for well-arranged storage of the screwdrivers

160 i/168 i/6 Rack Screwdriver set Kraftform Plus Series 100, and rack



| Code | EAN | | | |
|-------------|-------------------|---|--|---|
| 05347777001 | 4013288 122957 | | | 1 |
| | | ⊕ | 162 i PH VDE 1x PH 1x80; 1x PH 2x100 | |
| | | ⊖ | 160 i VDE 1x 0,6x3,5x100 ¹⁾ ; 1x 1,0x5,5x125 | |
| | | ⊖ | 168 i VDE 1x # 1x80; 1x # 2x100 | |

¹⁾without Lasertip

160 i/162 i/167 i/9 Screwdriver set Kraftform Plus Series 100




| Code | EAN | | | |
|-------------|-------------------|---|---|---|
| 05133355001 | 4013288 160065 | | | 1 |
| | | ⊕ | 162 i PH VDE 1x PH 2x100 | |
| | | ⊕ | 165 i PZ VDE 1x PZ 2x100 | |
| | | ⊕ | 165 i PZ/S VDE 1x # 1x80; 1x # 2x100 | |
| | | ⊕ | 167 i TORX® VDE 1x TX 15x80; 1x TX 20x80; 1x TX 25x100 | |
| | | ⊖ | 160 i VDE 1x 0,4x2,5x80 ¹⁾ ; 1x 1,0x5,5x125 | |

¹⁾without Lasertip

Kraftform 100 iS/7 set 1 Screwdriver set Kraftform Plus series 100. Partly with reduced blade diameter

- 7-piece VDE screwdriver set in compact, textile box with Wera 2go compatibility
- Insulated tools, blades partly with reduced diameter for safe working at up to 1,000 Volt

Kraftform 100 iS/7 set 1 Screwdriver set Kraftform Plus series 100. Partly with reduced blade diameter



| Code | EAN | | | |
|-------------|-------------------|---|--|---|
| 05136013001 | 4013288 217615 | | | 1 |
| | | ⊕ | 162 iS 1x PH 1x80; 1x PH 2x100 | |
| | | ⊕ | 165 iS PZ/S 1x # 2x100 | |
| | | ⊕ | 167 i TORX® VDE 1x TX 20x80; 1x TX 25x100 | |
| | | ⊖ | 160 iS 1x 0,6x3,5x100; 1x 1,0x5,5x125 | |
| | | | K240 1x 50,0x240,0 | |

Kraftform 100 iS/7 set 2 Screwdriver set Kraftform Plus series 100. Partly with reduced blade diameter

- 6-piece VDE screwdriver set in compact, textile box with Wera 2go compatibility
- Insulated tools, blades partly with reduced diameter for safe working at up to 1,000 Volt
- With Wera bottle opener

Kraftform 100 iS/7 set 2 Screwdriver set Kraftform Plus series 100. Partly with reduced blade diameter



| Code | EAN | | |
|-------------|--------|---|---|
| 05136022001 | 218155 | | 1 |
| | | ⊕ 162 iS 1x PH 1x80; 1x PH 2x100 | |
| | | ⊖ 160 iS 1x 0,6x3,5x100; 1x 0,8x4,0x100; 1x 1,0x5,5x125 | |
| | | ⊖ 160 i VDE 1x 0,4x2,5x80 ¹⁾ | |
| | | Bottle opener 1x 145 | |
| | | K240 1x 50,0x240,0 | |

¹⁾without Lasertip

Kraftform 100 iS/7 set 3 Screwdriver set Kraftform Plus series 100. Partly with reduced blade diameter

- 6-piece VDE screwdriver set in compact, textile box with Wera 2go compatibility
- Insulated tools, blades partly with reduced diameter for safe working at up to 1,000 Volt
- With Wera bottle opener

Kraftform 100 iS/7 set 3 Screwdriver set Kraftform Plus series 100. Partly with reduced blade diameter



| Code | EAN | | |
|-------------|--------|--|---|
| 05136018001 | 217998 | | 1 |
| | | ⊕ 162 iS 1x PH 1x80; 1x PH 2x100 | |
| | | ⊖ 160 iS 1x 0,8x4,0x100; 1x 1,0x5,5x125 | |
| | | ○ 168 i VDE 1x # 1x80; 1x # 2x100 | |
| | | Bottle opener 1x 145 | |
| | | K240 1x 50,0x240,0 | |


Kraftform 100 i/7 set 1 Screwdriver set Kraftform Plus series 100

7-piece VDE screwdriver set. Kraftform Plus handle for comfortable ergonomic screwdriving, which avoids blisters and calluses. Hard handle zones for high working speeds, while soft handle zones guarantee high torque transfer.

Take it easy tool finder with colour coding and size stamping - for easy and fast location of the required tool. The anti-roll protection avoids bits from annoying rolling away in the workplace.

- 7-piece VDE screwdriver set in compact, textile box with Wera 2go compatibility

Kraftform 100 i/7 set 1 Screwdriver set Kraftform Plus series 100



| Code | EAN | | |
|-------------|--------|---|---|
| 05136019001 | 218001 | | 1 |
| | | ⊕ | 165 i PZ VDE 1x PZ 1x80; 1x PZ 2x100 |
| | | ⊖ | 162 i PH/S VDE 1x # 2x100 |
| | | ⊙ | 160 i VDE 1x 0,4x2,5x80 ¹⁾ ; 1x 0,6x3,5x100 ¹⁾ ; 1x 0,8x4,0x100; 1x 1,0x5,5x125 |
| | | | K240 1x 50,0x240,0 |

¹⁾without Lasertip

165 iS PZ/S # 1 + 2 Screwdriver set Kraftform Plus series 100. With reduced blade diameter

- Reduced shaft diameter: combination profile - Pozidriv / slotted
- Allows screwdriving even in confined situations
- Low-lying screw and spring elements can be reached and actuated



165 iS PZ/S # 1 + 2 Screwdriver set Kraftform Plus series 100. With reduced blade diameter



| Code | EAN | | |
|-------------|--------|---|--------------------------------------|
| 05006470001 | 214317 | | 1 |
| | | ⊕ | 165 iS PZ/S 1x # 1x80; 1x # 2x100 |

Kraftform Kompakt VDE Stainless 17 extra slim 1

15 VDE stainless blades, most of which with reduced blade diameter, so that even low-lying screw and spring elements can be easily reached and operated.

Two 3817 VDE Kraftform bitholding screwdrivers for ergonomic screwdriving. Individually tested tools as per IEC 60900. Individually tested at 10,000 V for safe working at the approved voltage of 1,000 V.

Wera's stainless steel tools are vacuum ice tempered and therefore have the hardness and strength properties required for screw connections. Industrial use is possible without restrictions. The pouch is suitable for attachment to walls, shelves, workshop trolleys and the Wera 2go system thanks to the hook and loop fastener system on the back.

- Individually tested VDE Stainless blades, some of which with reduced blade diameter
- Two multi-component VDE-insulated Kraftform Stainless bitholding screwdrivers with anti-roll protection
- Individually tested tool as per IEC 60900 at 10,000V
- Blades made of stainless steel to prevent extraneous rust
- Vacuum ice-hardening provides the required hardness and strength
- Ergonomic Kraftform handles for fatigue-free work
- In robust folding bag with Wera 2go compatibility

Kraftform Kompakt VDE Stainless 17 extra slim 1



| Code | EAN | | |
|-------------|---------|--|---|
| | 4013288 | | |
| 05059041001 | 220547 | | 1 |
| | | | 3817 VDE Stainless 2x 9x98 |
| | | | Kraftform Kompakt VDE 3062 iS 1x PH 1x154; 1x PH 2x154 |
| | | | Kraftform Kompakt VDE 3065 iS PZ 1x PZ 1x154; 1x PZ 2x154 |
| | | | Kraftform Kompakt VDE 3065 iS PZ/S 1x # 1x154; 1x # 2x154 |
| | | | Kraftform Kompakt VDE 3067 i TORX® 1x TX 10x154 |
| | | | Kraftform Kompakt VDE 3067 iS TORX® 1x TX 15x154; 1x TX 20x154; 1x TX 25x154 |
| | | | Kraftform Kompakt VDE 3060 i 1x 0,4x2,5x154; 1x 1,2x6,5x154 |
| | | | Kraftform Kompakt VDE 3060 iS 1x 0,6x3,5x154; 1x 0,8x4,0x154; 1x 1,0x5,5x154 |
| | | | Hook and Loop Fastener Strip 70 1x 50,0x70,0 |

Kraftform Kompakt VDE Stainless 8 extra slim 1

7 VDE stainless blades, some of which with reduced blade diameter, so that even low-lying screw and spring elements can be easily reached and operated.

One 3817 VDE Kraftform bitholding screwdriver for ergonomic screwdriving. In a robust pouch. Individually tested tools as per IEC 60900. Individually tested at 10,000 V for safe working at the approved voltage of 1,000 V. Wera's stainless steel tools are vacuum ice tempered and therefore have the hardness and strength properties required for screw connections.

Industrial use is possible without restrictions. The pouch is suitable for attachment to walls, shelves, workshop trolleys and the Wera 2go system thanks to the hook and loop fastener system on the back.

Kraftform Kompakt VDE Stainless 8 extra slim 1



| | | | | | |
|-------------|--|--------|---|---|---|
| Code | | EAN | | | |
| 05059040001 | | 220554 | | | 1 |
| | | | ● | 3817 VDE Stainless 1x 9x98 | |
| | | | ✦ | Kraftform Kompakt VDE 3067 i TORX® 1x TX 8x154; 1x TX 9x154; 1x TX 10x154; 1x TX 30x154 | |
| | | | ✦ | Kraftform Kompakt VDE 3067 iS TORX® 1x TX 15x154; 1x TX 20x154; 1x TX 25x154 | |
| | | | | Hook and Loop Fastener Strip 70 1x 50,0x70,0 | |

3817 VDE Kraftform Stainless blade-holding handle

Premium VDE bitholding screwdriver solely for Wera VDE stainless blades. The handle/blade system allows for lightning-fast change of the required blade and thus a wide range of applications.

Kraftform Plus handle for comfortable ergonomic screwdriving, which avoids blisters and calluses. Hard handle zones for high working speeds, while soft handle zones guarantee a high torque transfer.

- Kraftform Kompakt VDE Stainless bitholding handle
- Smooth hard zones for high speed turning, soft grip zones for high torque transfer



3817 VDE Kraftform Stainless blade-holding handle



| | | | | | | | | |
|-------------|---------|----|----|--|--|--|--|---|
| | EAN | ● | ⚡ | | | | | |
| Code | 4013288 | mm | mm | | | | | |
| 05003991001 | 220189 | 9 | 98 | | | | | 1 |

Kraftform Kompakt VDE 3060 i SB, stainless

VDE stainless blade for the Kraftform Kompakt handle/blade system for lightning-fast blade changes without special tools. Individually tested tools as per IEC 60900. Individually tested at 10,000 V for safe working at the approved voltage of 1,000 V.

Wera's stainless steel tools are vacuum ice hardened and therefore have the hardness and strength properties required for screw connections. Industrial use is possible without restrictions.

- Kraftform Kompakt VDE interchangeable blades for slotted screws
- Insulated, individually tested as per IEC 60900
- Blades made of stainless steel to prevent extraneous rust
- Vacuum ice-hardening provides the required hardness and strength
- 9 mm hex drive with with entry chamfer

Kraftform Kompakt VDE 3060 i SB, stainless



| Code | EAN | | |
|-------------|---------|--|---|
| | 4013288 | | |
| 05033600001 | 220356 | ⊖ Kraftform Kompakt VDE 3060 i 1x 0.4x2.5x154 | 5 |
| 05033601001 | 220363 | ⊖ Kraftform Kompakt VDE 3060 i 1x 1.2x6.5x154 | 5 |

Kraftform Kompakt VDE 3060 iS SB, stainless

- Reduced shaft diameter and integrated insulation protection
- This means that low-lying screws and spring elements can be accessed and actuated

Kraftform Kompakt VDE 3060 iS SB, stainless



| Code | EAN | | |
|-------------|---------|---|---|
| | 4013288 | | |
| 05033606001 | 220370 | ⊖ Kraftform Kompakt VDE 3060 iS 1x 0.6x3.5x154 | 5 |
| 05033607001 | 220387 | ⊖ Kraftform Kompakt VDE 3060 iS 1x 0.8x4.0x154 | 5 |
| 05033608001 | 220394 | ⊖ Kraftform Kompakt VDE 3060 iS 1x 1.0x5.5x154 | 5 |

Kraftform Kompakt VDE 3062 iS SB, stainless

- Reduced shaft diameter and integrated insulation protection
- In this way, low-lying PH screws can be accessed and actuated

Kraftform Kompakt VDE 3062 iS SB, stainless



| Code | EAN | | |
|-------------|---------|--|---|
| | 4013288 | | |
| 05033613001 | 220400 | ⊕ Kraftform Kompakt VDE 3062 iS 1x PH 1x154 | 5 |
| 05033614001 | 220417 | ⊕ Kraftform Kompakt VDE 3062 iS 1x PH 2x154 | 5 |

Kraftform Kompakt VDE 3065 iS PZ SB, stainless

- Reduced shaft diameter and integrated insulation protection
- In this way, low-lying PZ screws can be accessed and actuated

Kraftform Kompakt VDE 3065 iS PZ SB, stainless



| Code | EAN | | | |
|-------------|---------|--|---|---|
| | 4013288 | | | |
| 05033655001 | 220424 | | Kraftform Kompakt VDE 3065 iS PZ 1x PZ 1x154 | 5 |
| 05033656001 | 220431 | | Kraftform Kompakt VDE 3065 iS PZ 1x PZ 2x154 | 5 |

Kraftform Kompakt VDE 3065 iS PZ/S, stainless

- Reduced shaft diameter and integrated insulation protection
- In this way, low-lying PlusMinus screws can be accessed and actuated

Kraftform Kompakt VDE 3065 iS PZ/S SB, stainless



| Code | EAN | | | |
|-------------|---------|--|--|---|
| | 4013288 | | | |
| 05033647001 | 220448 | | Kraftform Kompakt VDE 3065 iS PZ/S 1x # 1x154 | 5 |
| 05033648001 | 220455 | | Kraftform Kompakt VDE 3065 iS PZ/S 1x # 2x154 | 5 |

Kraftform Kompakt VDE 3067 i TORX®, stainless

- Kraftform Kompakt VDE interchangeable blade for TORX® screws

Kraftform Kompakt VDE 3067 i TORX® SB, stainless



| Code | EAN | | | |
|-------------|---------|--|--|---|
| | 4013288 | | | |
| 05033629001 | 220462 | | Kraftform Kompakt VDE 3067 i TORX® 1x TX 8x154 | 5 |
| 05033630001 | 220479 | | Kraftform Kompakt VDE 3067 i TORX® 1x TX 9x154 | 5 |
| 05033631001 | 220486 | | Kraftform Kompakt VDE 3067 i TORX® 1x TX 10x154 | 5 |
| 05033636001 | 220493 | | Kraftform Kompakt VDE 3067 i TORX® 1x TX 30x154 | 5 |

Kraftform Kompakt VDE 3067 iS TORX® SB, stainless

- Reduced shaft diameter and integrated insulation protection
- In this way, low-lying TORX® screws can be accessed and actuated

Kraftform Kompakt VDE 3067 iS TORX® SB, stainless



| Code | EAN | | | |
|-------------|---------|--|---|---|
| | 4013288 | | | |
| 05033637001 | 220509 | | Kraftform Kompakt VDE 3067 iS TORX® 1x TX 15x154 | 5 |
| 05033638001 | 220516 | | Kraftform Kompakt VDE 3067 iS TORX® 1x TX 20x154 | 5 |
| 05033639001 | 220523 | | Kraftform Kompakt VDE 3067 iS TORX® 1x TX 25x154 | 5 |



Kraftform Kompakt & VDE - every size always available

Kraftform Kompakt VDE 16 Torque 1,2-3,0 Nm extra slim 1

16-piece torque VDE interchangeable blade set. Includes 14 blades (11 of which with a reduced diameter) with integrated insulation protection.

Torque VDE holder with adjustable torque from 1.2-3.0 Nm and VDE holder 817 VDE. Kraftform Plus handle: hard gripping zones for high working speeds whereas soft zones ensure high torque transfer.

- Kraftform Kompakt VDE torque screwdriver set with adjustable torque
- Adjustable Kraftform VDE torque holder exclusively for Wera VDE interchangeable blades
- VDE interchangeable blades 154 mm long
- In robust pouch
- 16-piece

Kraftform Kompakt VDE 16 Torque 1.2-3.0 Nm extra slim 1



| Code | EAN | | |
|-------------|--------|--|---|
| 05135906001 | 188335 | | 1 |
| | | 7400 VDE 1x 7441 VDE, 1,2-3,0 Nm | |
| | | 817 VDE 1x 9x102 | |
| | | KK 62 iS 1x PH 1x154; 1x PH 2x154 | |
| | | KK 65 iS PZ 1x PZ 1x154; 1x PZ 2x154 | |
| | | KK 65 iS PZ/S 1x # 1x154; 1x # 2x154 | |
| | | KK 67 i TORX® 1x TX 10x154 | |
| | | KK 67 iS TORX® 1x TX 15x154; 1x TX 20x154; 1x TX 25x154 | |
| | | KK 60 i 1x 0,4x2,5x154 | |
| | | KK 60 iS 1x 0,6x3,5x154; 1x 0,8x4,0x154; 1x 1,0x5,5x154 | |

Kraftform Kompakt VDE 15 Torque 1.2-3.0 Nm extra slim 1

15-piece torque VDE interchangeable blade set. Includes 14 blades (12 of which with a reduced diameter) with integrated insulation protection. Torque VDE holder with adjustable torque from 1.2-3.0 Nm. Kraftform Plus handle: hard gripping zones for high working speeds whereas soft zones ensure high torque transfer.

Kraftform Kompakt VDE 15 Torque 1.2-3.0 Nm extra slim 1



| Code | EAN | | |
|-------------|--------|--|---|
| 05059291001 | 168375 | | 1 |
| | | 7400 VDE 1x 7441 VDE, 1,2-3,0 Nm | |
| | | KK 62 iS 1x PH 1x154; 1x PH 2x154 | |
| | | KK 65 iS PZ 1x PZ 1x154; 1x PZ 2x154 | |
| | | KK 65 iS PZ/S 1x # 1x154; 1x # 2x154 | |
| | | KK 67 i TORX® 1x TX 10x154 | |
| | | KK 67 iS TORX® 1x TX 15x154; 1x TX 20x154; 1x TX 25x154 | |
| | | KK 60 i 1x 0,4x2,5x154 | |
| | | KK 60 iS 1x 0,6x3,5x154; 1x 0,8x4,0x154; 1x 1,0x5,5x154 | |

Kraftform Kompakt VDE 18 Universal 1

16 VDE interchangeable blades with 817 VDE Kraftform handle in a robust belt pouch. Individually tested tools as per IEC 60900.

Individual test at 10,000 volts for secure work at the permissible voltage of 1,000 volts.

Kraftform Kompakt VDE 18 Universal 1



| Code | EAN | | | |
|-------------|---------|--|--|---|
| | 4013288 | | | |
| 05003471001 | 106599 | | | 1 |
| | | | 817 VDE 1x 9x102 | |
| | | | KK 62 i 1x PH 1x154; 1x PH 2x154 | |
| | | | KK 62 i PH/S 1x # 1x154; 1x # 2x154 | |
| | | | KK 65 i PZ 1x PZ 1x154; 1x PZ 2x154 | |
| | | | KK 65 i PZ/S 1x # 1x154; 1x # 2x154 | |
| | | | KK 60 i 1x 0,4x2,5x154; 1x 0,6x3,5x154; 1x 0,8x4,0x154; 1x 1,0x5,5x154 | |
| | | | KK 96 VK 6,3 1x 6,3x89 | |
| | | | KK 97 VK 8,1 1x 8,1x89 | |
| | | | KK 98 DK 1x 89 | |
| | | | KK 99 FL 1x 89 | |
| | | | 247 1x 0,5x3,0x70 | |

^{*)}Product not available in the USA and Canada.

Kraftform Kompakt VDE 18 Imperial 1



| Code | EAN | | | |
|-------------|---------|--|--|---|
| | 4013288 | | | |
| 05347108001 | 182401 | | | 1 |
| | | | 817 VDE 2x 9x102 | |
| | | | KK 62 i 1x PH 1x154; 1x PH 2x154 | |
| | | | KK 62 i PH/S 1x # 1x154; 1x # 2x154 | |
| | | | KK 65 i PZ/S 1x # 1x154; 1x # 2x154 | |
| | | | KK 60 i 1x 0,4x2,5x154; 1x 0,6x3,5x154; 1x 0,8x4,0x154; 1x 1,0x5,5x154 | |
| | | | KK 68 i 1x # 1x154; 1x # 2x154 | |
| | | | KK 96 VK 6,3 1x 6,3x89 | |
| | | | KK 97 VK 8,1 1x 8,1x89 | |
| | | | KK 98 DK 1x 89 | |
| | | | KK 99 FL 1x 89 | |

Kraftform Kompakt VDE 18 Universal 2



| Code | EAN | | |
|-------------|--------|--|---|
| 05347107001 | 182395 | | 1 |
| | | 817 VDE 2x 9x102 | |
| | | KK 62 i 1x PH 1x154; 1x PH 2x154 | |
| | | KK 62 i PH/S 1x # 1x154; 1x # 2x154 | |
| | | KK 60 i 1x 0,4x2,5x154; 1x 0,6x3,5x154; 1x 0,8x4,0x154; 1x 1,0x5,5x154 | |
| | | KK 65 i PZ 1x PZ 1x154; 1x PZ 2x154 | |
| | | KK 65 i PZ/S 1x # 1x154; 1x # 2x154 | |
| | | KK 96 VK 6,3 1x 6,3x89 | |
| | | KK 97 VK 8,1 1x 8,1x89 | |
| | | KK 98 DK 1x 89 | |
| | | KK 99 FL 1x 89 | |

Kraftform Kompakt VDE 17 extra slim 1

- Individually tested VDE interchangeable blades with reduced blade diameters
- 2 multi-component, ergonomic Kraftform VDE hand-holders with anti-roll protection
- In a robust textile box
- Multifunctional pliers for electrical installation: cable cutting, stripping, gripping, bending, deburring, crimping of wire end ferrules
- Pliers including cable shears with precision cutting edges (inductively hardened) for Cu and Al cables up to 5 x 2.5mm² / Ø 15 mm

Kraftform Kompakt VDE 17 extra slim 1



| Code | EAN | | |
|-------------|--------|---|---|
| 05136027001 | 208798 | | 1 |
| | | 817 VDE 2x 9x102 | |
| | | KK 62 iS 1x PH 1x154; 1x PH 2x154 | |
| | | KK 65 iS PZ 1x PZ 1x154; 1x PZ 2x154 | |
| | | KK 65 iS PZ/S 1x # 1x154; 1x # 2x154 | |
| | | KK 67 i TORX® 1x TX 10x154 | |
| | | KK 67 iS TORX® 1x TX 15x154; 1x TX 20x154; 1x TX 25x154 | |
| | | KK 60 i 1x 0,4x2,5x154 | |
| | | KK 60 iS 1x 0,6x3,5x154; 1x 0,8x4,0x154; 1x 1,0x5,5x154 | |
| | | KNIPEX® 13 96 200 K70 1x 50,0x70,0 | |

Kraftform Kompakt VDE 17 Universal 1

- 2 multi-component, ergonomic Kraftform VDE hand-holders with anti-roll protection

Kraftform Kompakt VDE 17 Universal 1



| Code | EAN | | |
|-------------|-------------------|--|---|
| 05059030001 | 4013288 173508 | | 1 |
| | | ● 817 VDE 2x 9x102 | |
| | | ⊕ KK 62 i 1x PH 1x154; 1x PH 2x154 | |
| | | ⊕ KK 65 i PZ 1x PZ 1x154; 1x PZ 2x154 | |
| | | ⊕ KK 65 i PZ/S 1x # 1x154; 1x # 2x154 | |
| | | ⊗ KK 67 i TORX® 1x TX 10x154; 1x TX 15x154; 1x TX 20x154; 1x TX 25x154 | |
| | | ⊖ KK 60 i 1x 0,4x2,5x154; 1x 0,8x4,0x154; 1x 1,0x5,5x154; 1x 1,2x6,5x154 | |
| | | ⊖ KK 60 iS 1x 0,6x3,5x154 | |

Kraftform Kompakt VDE 16 extra slim 1

- VDE interchangeable blade with reduced shaft diameter
- Allows screwdriving even in confined situations
- Low-lying screw and spring elements can be reached and actuated

Kraftform Kompakt VDE 16 extra slim 1



| Code | EAN | | |
|-------------|-------------------|---|---|
| 05003484001 | 4013288 164056 | | 1 |
| | | ● 817 VDE 1x 9x102 | |
| | | ⊕ KK 62 iS 1x PH 1x154; 1x PH 2x154 | |
| | | ⊕ KK 65 iS PZ 1x PZ 1x154; 1x PZ 2x154 | |
| | | ⊕ KK 65 iS PZ/S 1x # 1x154; 1x # 2x154 | |
| | | ⊗ KK 67 i TORX® 1x TX 10x154 | |
| | | ⊗ KK 67 iS TORX® 1x TX 15x154; 1x TX 20x154; 1x TX 25x154 | |
| | | ⊖ KK 60 i 1x 0,4x2,5x154 | |
| | | ⊖ KK 60 iS 1x 0,6x3,5x154; 1x 0,8x4,0x154; 1x 1,0x5,5x154 | |
| | | ⊖ 247 1x 0,5x3,0x70 | |

^{*)}Product not available in the USA and Canada.



Kraftform Kompakt VDE 7 Universal 2



| | | | | | | | | | |
|-------------|--|--------|---|--|--|--|--|--|---|
| Code | | EAN | | | | | | | |
| 05003472001 | | 106605 | | | | | | | 1 |
| | | | ● | 817 VDE 1x 9x102 | | | | | |
| | | | ⊕ | KK 65 i PZ 1x PZ 1x154; 1x PZ 2x154 | | | | | |
| | | | ● | KK 60 i 1x 0,4x2,5x154; 1x 0,6x3,5x154; 1x 0,8x4,0x154; 1x 1,0x5,5x154 | | | | | |

Series 7400 VDE Kraftform adjustable torque handle (0.3-3.5 Nm)

- Adjustable Kraftform VDE torque holder
- Adjustable torque from 0.3-1.2
- Distinct audible and perceivable excess load signal when the pre-set torque value is reached
- Suitable for Kraftform Kompakt VDE blades
- Rapid exchange of the interchangeable blades

Series 7400 VDE Kraftform adjustable torque handle (0.3-3.5 Nm)



| | | | | | | | | | |
|-------------|--|--------|----------|----|---------|------|-----|---------|---|
| Code | | EAN | Art.No. | mm | Nm | Nm | mm | | |
| 05074752001 | | 179111 | 7440 VDE | 9 | 0,3-1,2 | 0,05 | 192 | 7 9/16" | 1 |
| 05074750001 | | 168535 | 7441 VDE | 9 | 1,2-3,0 | 0,10 | 192 | 7 9/16" | 1 |
| 05074757001 | | 184412 | 7444 VDE | 9 | 1,7-3,5 | 0,10 | 192 | 7 9/16" | 1 |

817 VDE Kraftform blade-holding handle SB

- Kraftform Kompakt VDE Kraftform handle
- Exclusively for Wera VDE interchangeable blades
- Smooth hard zones for high speed turning, soft grip zones for high torque transfer
- Hexagonal anti-roll feature against rolling away

817 VDE Kraftform blade-holding handle SB



| | | | | | | | | | |
|-------------|--|--------|----|-----|--|--|--|--|---|
| Code | | EAN | mm | mm | | | | | |
| 05003990001 | | 104359 | 9 | 102 | | | | | 1 |

Kraftform Kompakt Turbo i 1

Many users would like to be able to carry out screwdriving processes faster without compromise. With a screwdriver that is precise, allows powerful screwdriving, and is much faster than a conventional screwdriver.

A part-time universal gear is the solution: Integrated in the screwdriver handle, it quadruples the working speed with smooth couplings - purely mechanically. One hand holds the front part of the handle, the other hand turns the rear part of the handle.

The turbo function can be switched on or off at the push of a button. Turning it off is recommended for tightening and loosening with high torque as well as for fine adjustments.

Robust, maintenance-free gear made of steel with a maximum torque of 14Nm when the turbo function is deactivated.

With the Wera VDE interchangeable blades individually tested as per IEC 60900, the VDE version of the Kraftform Turbo hand holder 827 T i guarantees fast and safe working even in live environments (up to 1.000 volts).

- 4 times the screwdriving speed thanks to the turbo function (purely mechanical - without battery)
- Activate and deactivate the turbo function by a simple push of a button
- Turbo function especially for smooth couplings
- Can be used without the turbo function like a normal screwdriver, for couplings with steadily increasing torque
- Robust, maintenance-free gear made of steel



Kraftform Kompakt Turbo i 1



| | | | | | | | | | |
|-------------|--|--------|---|--|--|--|--|--|---|
| Code | | EAN | | | | | | | |
| 05057484001 | | 214638 | | | | | | | 1 |
| | | | ● | 827 T i Kraftform Turbo 1x 9x125 | | | | | |
| | | | ● | 817 VDE 1x 9x102 | | | | | |
| | | | ⊕ | KK 62 iS 1x PH 1x154; 1x PH 2x154 | | | | | |
| | | | ⊕ | KK 65 iS PZ 1x PZ 1x154; 1x PZ 2x154 | | | | | |
| | | | ⊕ | KK 65 iS PZ/S 1x # 1x154; 1x # 2x154 | | | | | |
| | | | ⊕ | KK 67 i TORX® 1x TX 10x154 | | | | | |
| | | | ⊕ | KK 67 iS TORX® 1x TX 15x154; 1x TX 20x154; 1x TX 25x154 | | | | | |
| | | | ● | KK 60 i 1x 0,4x2,5x154 | | | | | |
| | | | ● | KK 60 iS 1x 0,6x3,5x154; 1x 0,8x4,0x154; 1x 1,0x5,5x154 | | | | | |

Kraftform Kompakt Turbo i Imperial 1



| Code | EAN | | | |
|-------------|--------|---|--|---|
| 05057485001 | 214669 | | | 1 |
| | | ● | 827 T i Kraftform Turbo 1x 9x125 | |
| | | ● | 817 VDE 1x 9x102 | |
| | | + | KK 62 iS 1x PH 1x154; 1x PH 2x154 | |
| | | + | KK 62 i PH/S 1x # 1x154; 1x # 2x154 | |
| | | ⊕ | KK 67 i TORX® 1x TX 10x154 | |
| | | ⊕ | KK 67 iS TORX® 1x TX 15x154; 1x TX 20x154; 1x TX 25x154 | |
| | | □ | KK 68 iS 1x # 1x154; 1x # 2x154 | |
| | | ⊖ | KK 60 i 1x 0,4x2,5x154 | |
| | | ⊖ | KK 60 iS 1x 0,6x3,5x154; 1x 0,8x4,0x154; 1x 1,0x5,5x154 | |

827 T i Kraftform Turbo hand holder



| Code | EAN | mm | mm | | | | | |
|---------------------------|--------|----|-----|--|--|--|--|---|
| 05057481001 ¹⁾ | 214607 | 9 | 125 | | | | | 1 |

Kraftform Kompakt VDE 60 i

VDE blades for Kraftform Kompakt handle/interchangeable blade system for rapid exchange of the blades without any special tools. Individually tested as per IEC 60900.

Individual testing at 10,000 volts so as to ensure safe working at the permitted voltage of 1,000 volts.

Kraftform Kompakt VDE 60 i



| Code | EAN | mm | mm | mm | mm | mm | | |
|-------------|--------|-----|-----|-----|-------|---------|--|---|
| 05003400001 | 104052 | 0,4 | 2,5 | 154 | 3/32" | 6 1/16" | | 5 |
| 05003401001 | 104069 | 0,5 | 3,0 | 154 | 1/8" | 6 1/16" | | 5 |
| 05003402001 | 104076 | 0,6 | 3,5 | 154 | 9/64" | 6 1/16" | | 5 |
| 05003403001 | 104083 | 0,8 | 4,0 | 154 | 5/32" | 6 1/16" | | 5 |
| 05003404001 | 104090 | 1,0 | 5,5 | 154 | 7/32" | 6 1/16" | | 5 |
| 05003405001 | 104106 | 1,2 | 6,5 | 154 | 1/4" | 6 1/16" | | 5 |

Kraftform Kompakt VDE 60 i SB



| Code | EAN | | | | | | | |
|-------------|--------|---|----------------------------------|--|--|--|--|---|
| 05004400001 | 220790 | ⊖ | KK 60 i 1x 0.4x2.5x154 | | | | | 5 |
| 05004401001 | 220806 | ⊖ | KK 60 i 1x 0.5x3.0x154 | | | | | 5 |
| 05004402001 | 220813 | ⊖ | KK 60 i 1x 0.6x3.5x154 | | | | | 5 |
| 05004403001 | 220820 | ⊖ | KK 60 i 1x 0.8x4.0x154 | | | | | 5 |
| 05004404001 | 220837 | ⊖ | KK 60 i 1x 1.0x5.5x154 | | | | | 5 |
| 05004405001 | 220844 | ⊖ | KK 60 i 1x 1.2x6.5x154 | | | | | 5 |

Kraftform Kompakt VDE 60 iS


- Reduced shaft diameter and integrated insulation protection
- Allows screwdriving even in confined situations
- Low-lying screw and spring elements can be reached and actuated

Kraftform Kompakt VDE 60 iS



| | EAN | mm | mm | mm | mm | mm | |
|-------------|---------|-----|-----|-----|-------|---------|---|
| Code | 4013288 | | | | | | |
| 05003406001 | 163882 | 0,6 | 3,5 | 154 | 9/64" | 6 1/16" | 5 |
| 05003407001 | 163899 | 0,8 | 4,0 | 154 | 5/32" | 6 1/16" | 5 |
| 05003408001 | 163905 | 1,0 | 5,5 | 154 | 7/32" | 6 1/16" | 5 |

Kraftform Kompakt VDE 60 iS SB



| Code | EAN | | | |
|-------------|---------|--|-----------------------------------|---|
| | 4013288 | | | |
| 05004406001 | 220851 | | KK 60 iS 1x 0.6x3.5x154 | 5 |
| 05004407001 | 220868 | | KK 60 iS 1x 0.8x4.0x154 | 5 |
| 05004408001 | 220875 | | KK 60 iS 1x 1.0x5.5x154 | 5 |

Kraftform Kompakt VDE 62 i



| Code | EAN | | mm | mm | | |
|-------------|---------|------|-----|---------|--|---|
| | 4013288 | | | | | |
| 05003410001 | 104113 | PH 0 | 154 | 6 1/16" | | 5 |
| 05003411001 | 104120 | PH 1 | 154 | 6 1/16" | | 5 |
| 05003412001 | 104137 | PH 2 | 154 | 6 1/16" | | 5 |

Kraftform Kompakt VDE 62 iS

- Reduced shaft diameter and integrated insulation protection
- Allows screwdriving even in confined situations
- Low-lying screw and spring elements can be reached and actuated

Kraftform Kompakt VDE 62 iS



| | EAN | | mm | mm | | |
|-------------|---------|------|-----|---------|--|---|
| Code | 4013288 | | | | | |
| 05003413001 | 163912 | PH 1 | 154 | 6 1/16" | | 5 |
| 05003414001 | 163929 | PH 2 | 154 | 6 1/16" | | 5 |

Kraftform Kompakt VDE 62 iS SB



| Code | EAN | | | | |
|-------------|---------|--|--------------------------------|--|---|
| | 4013288 | | | | |
| 05004413001 | 220882 | | KK 62 iS 1x PH 1x154 | | 5 |
| 05004414001 | 220899 | | KK 62 iS 1x PH 2x154 | | 5 |

Kraftform Kompakt VDE 65 i



| Code | EAN | | mm | mm | | |
|-------------|---------|------|-----|---------|--|---|
| | 4013288 | | | | | |
| 05003450001 | 104144 | PZ 0 | 154 | 6 1/16" | | 5 |
| 05003451001 | 104151 | PZ 1 | 154 | 6 1/16" | | 5 |
| 05003452001 | 104168 | PZ 2 | 154 | 6 1/16" | | 5 |

Kraftform Kompakt VDE 65 iS

- Reduced shaft diameter and integrated insulation protection
- Allows screwdriving even in confined situations
- Low-lying screw and spring elements can be reached and actuated

Kraftform Kompakt VDE 65 iS



| Code | EAN | | | mm | | | | | |
|-------------|--------|------|--|-----|---------|--|--|--|---|
| 05003455001 | 163950 | PZ 1 | | 154 | 6 1/16" | | | | 5 |
| 05003456001 | 164032 | PZ 2 | | 154 | 6 1/16" | | | | 5 |

Kraftform Kompakt VDE 65 iS PZ SB



| Code | EAN | | | | | | | | |
|-------------|--------|--|--|----------------------------|--|--|--|--|---|
| 05004455001 | 220905 | | | KK 65 iS PZ 1x PZ 1x154 | | | | | 5 |
| 05004456001 | 220912 | | | KK 65 iS PZ 1x PZ 2x154 | | | | | 5 |

Kraftform Kompakt VDE 62 i PH/S

- Kraftform Kompakt VDE interchangeable blade for PlusMinus screws slotted / Phillips
- Reduced shaft diameter and integrated insulation protection
- Allows screwdriving even in confined situations
- Low-lying screw and spring elements can be reached and actuated

Kraftform Kompakt VDE 62 i PH/S



| Code | EAN | | | | mm | | | | |
|-------------|--------|-----|--|--|-----|---------|--|--|---|
| 05003440001 | 104311 | # 1 | | | 154 | 6 1/16" | | | 5 |
| 05003441001 | 104328 | # 2 | | | 154 | 6 1/16" | | | 5 |

Kraftform Kompakt VDE 62 iS PH/S

- Kraftform Kompakt VDE interchangeable blade for PlusMinus screws slotted / Phillips
- Reduced shaft diameter and integrated insulation protection
- Allows screwdriving even in confined situations
- Low-lying screw and spring elements can be reached and actuated

Kraftform Kompakt VDE 62 iS PH/S



| Code | EAN | | | | mm | | | | |
|-------------|--------|-----|--|--|-----|---------|--|--|---|
| 05003442001 | 163936 | # 1 | | | 154 | 6 1/16" | | | 5 |
| 05003443001 | 163943 | # 2 | | | 154 | 6 1/16" | | | 5 |

Kraftform Kompakt VDE 65 i PZ/S

- Combination profile - Pozidriv / slotted
- Particularly for jobs on terminal blocks, fuse boxes, switches and relays

Kraftform Kompakt VDE 65 i PZ/S



| Code | EAN | | | | mm | | | | |
|-------------|--------|-----|--|--|-----|---------|--|--|---|
| 05003445001 | 104335 | # 1 | | | 154 | 6 1/16" | | | 5 |
| 05003446001 | 104342 | # 2 | | | 154 | 6 1/16" | | | 5 |

Kraftform Kompakt VDE 65 iS PZ/S

- Combination profile - Pozidriv/slotted
- Reduced shaft diameter and integrated insulation protection
- Allows screwdriving even in confined situations
- Low-lying screw and spring elements can be reached and actuated

Kraftform Kompakt VDE 65 iS PZ/S



| Code | EAN | | | | mm | | | | |
|-------------|--------|-----|--|--|-----|---------|--|--|---|
| 05003447001 | 164018 | # 1 | | | 154 | 6 1/16" | | | 5 |
| 05003448001 | 164025 | # 2 | | | 154 | 6 1/16" | | | 5 |

Kraftform Kompakt VDE 65 iS PZ/S SB




| Code | EAN | | | |
|-------------|---------|--|-----------------------------|---|
| | 4013288 | | | |
| 05004447001 | 220936 | | KK 65 iS PZ/S 1x # 1x154 | 5 |
| 05004448001 | 220943 | | KK 65 iS PZ/S 1x # 2x154 | 5 |

Kraftform Kompakt VDE 67 i TORX®



| Code | EAN | | | | | | | |
|-------------|---------|-------|-----|---------|--|--|--|---|
| | 4013288 | | mm | | | | | |
| 05003429001 | 196491 | TX 8 | 154 | 6 1/16" | | | | 5 |
| 05003430001 | 104243 | TX 9 | 154 | 6 1/16" | | | | 5 |
| 05003431001 | 104250 | TX 10 | 154 | 6 1/16" | | | | 5 |
| 05003432001 | 104267 | TX 15 | 154 | 6 1/16" | | | | 5 |
| 05003433001 | 104274 | TX 20 | 154 | 6 1/16" | | | | 5 |
| 05003434001 | 104281 | TX 25 | 154 | 6 1/16" | | | | 5 |
| 05003435001 | 104298 | TX 27 | 154 | 6 1/16" | | | | 5 |
| 05003436001 | 104304 | TX 30 | 154 | 6 1/16" | | | | 5 |

Kraftform Kompakt VDE 67 i TORX® SB



| Code | EAN | | | |
|-------------|---------|--|-------------------------------|---|
| | 4013288 | | | |
| 05004431001 | 220950 | | KK 67 i TORX® 1x TX 10x154 | 5 |
| 05004432001 | 220967 | | KK 67 i TORX® 1x TX 15x154 | 5 |
| 05004433001 | 220974 | | KK 67 i TORX® 1x TX 20x154 | 5 |
| 05004434001 | 220981 | | KK 67 i TORX® 1x TX 25x154 | 5 |
| 05004436001 | 220998 | | KK 67 i TORX® 1x TX 30x154 | 5 |

Kraftform Kompakt VDE 67 iS TORX®

- Reduced shaft diameter and integrated insulation protection
- Allows screwdriving even in confined situations
- Low-lying screw and spring elements can be reached and actuated



Kraftform Kompakt VDE 67 iS TORX®



| Code | EAN | | | | | | | |
|-------------|---------|-------|-----|---------|--|--|--|---|
| | 4013288 | | mm | | | | | |
| 05003437001 | 163981 | TX 15 | 154 | 6 1/16" | | | | 5 |
| 05003438001 | 163998 | TX 20 | 154 | 6 1/16" | | | | 5 |
| 05003439001 | 164001 | TX 25 | 154 | 6 1/16" | | | | 5 |

Kraftform Kompakt VDE 68 i




| Code | EAN | | | | | | | |
|-------------|---------|-----|-----|---------|--|--|--|---|
| | 4013288 | | mm | | | | | |
| 05003415001 | 104175 | # 1 | 154 | 6 1/16" | | | | 5 |
| 05003416001 | 104182 | # 2 | 154 | 6 1/16" | | | | 5 |

Kraftform Kompakt VDE 68 iS

- Reduced shaft diameter and integrated insulation protection
- Allows screwdriving even in confined situations
- Low-lying screw and spring elements can be reached and actuated

Kraftform Kompakt VDE 68 iS




| Code | EAN | | | | | | | |
|-------------|---------|-----|-----|---------|--|--|--|---|
| | 4013288 | | mm | | | | | |
| 05003417001 | 163967 | # 1 | 154 | 6 1/16" | | | | 5 |
| 05003418001 | 163974 | # 2 | 154 | 6 1/16" | | | | 5 |

Kraftform Kompakt VDE 64 i



| | EAN | | | | | | | |
|-------------|---------|-----|-----|---------|--|--|--|---|
| Code | 4013288 | mm | mm | | | | | |
| 05003420001 | 104199 | 2,5 | 154 | 6 1/16" | | | | 5 |
| 05003421001 | 104205 | 3,0 | 154 | 6 1/16" | | | | 5 |
| 05003422001 | 104212 | 4,0 | 154 | 6 1/16" | | | | 5 |
| 05003423001 | 104229 | 5,0 | 154 | 6 1/16" | | | | 5 |
| 05003424001 | 104236 | 6,0 | 154 | 6 1/16" | | | | 5 |

Kraftform Kompakt VDE 64 i SB



| | EAN | | | | | | | |
|-------------|---------|--|-----------------------|--|--|--|--|---|
| Code | 4013288 | | | | | | | |
| 05004420001 | 221001 | | KK 64 i 1x 2.5x154 | | | | | 5 |
| 05004421001 | 221018 | | KK 64 i 1x 3.0x154 | | | | | 5 |
| 05004422001 | 221025 | | KK 64 i 1x 4.0x154 | | | | | 5 |
| 05004423001 | 221032 | | KK 64 i 1x 5.0x154 | | | | | 5 |
| 05004424001 | 221049 | | KK 64 i 1x 6.0x154 | | | | | 5 |

Kraftform Kompakt 96 VK 6,3

Glass-fibre reinforced switch cabinet key. Blade for Kraftform Kompakt handle/interchangeable blade system for rapid exchange of the blade without needing any special tools - square socket.

Kraftform Kompakt 96 VK 6,3



| | EAN | | | | | | | |
|-------------|---------|-----|----|---------|--|--|--|---|
| Code | 4013288 | mm | mm | | | | | |
| 05003460001 | 105349 | 6,3 | 89 | 3 9/16" | | | | 5 |

Kraftform Kompakt 97 VK 8,1

- Kraftform Kompakt switch cabinet key 8.1 mm

Kraftform Kompakt 97 VK 8,1



| | EAN | | | | | | | |
|-------------|---------|-----|----|---------|--|--|--|---|
| Code | 4013288 | mm | mm | | | | | |
| 05003461001 | 105370 | 8,1 | 89 | 3 9/16" | | | | 5 |

Kraftform Kompakt 98 DK



| | EAN | | | | | | | |
|-------------|---------|--|----|---------|--|--|--|---|
| Code | 4013288 | | mm | | | | | |
| 05003462001 | 105356 | | 89 | 3 9/16" | | | | 5 |

Kraftform Kompakt 99 FL



| | EAN | | | | | | | |
|-------------|---------|--|----|---------|--|--|--|---|
| Code | 4013288 | | mm | | | | | |
| 05003463001 | 105363 | | 89 | 3 9/16" | | | | 5 |

Kraftform – Series 1000 VDE

Premium Kraftform VDE screwdriver. Multi-component Kraftform handle for fast and gentle work. The Wera Black Point tip and a sophisticated hardening process guarantee a long usability for the tip, increased corrosion protection and exact fitting accuracy.

Individually tested at 10,000 V for safe working at the approved voltage of 1,000 V. The hexagon anti-roll protection avoids bits from rolling away annoyingly at the workplace. Handles marked to find and sort the tools easily.

- Insulated screwdriver for safe working up to 1,000 volts
- Individually tested
- Multi-component Kraftform handle for fast and low-fatigue working
- Handle markings simplify finding and sorting of tools
- The Wera Black Point tip offers an exact fit and optimum corrosion protection

1060 i VDE-insulated Kraftform slotted screwdriver



| | EAN | | | | | | | |
|-------------|---------|-----|-----|-----|----|-------|--------|----|
| Code | 4013288 | mm | mm | mm | mm | | | |
| 05051580001 | 222268 | 0,4 | 2,5 | 80 | 81 | 3/32" | 3 1/8" | 10 |
| 05051582001 | 222275 | 0,6 | 3,5 | 100 | 81 | 9/64" | 4" | 10 |
| 05051583001 | 222282 | 0,8 | 4,0 | 100 | 98 | 5/32" | 4" | 10 |
| 05051587001 | 222299 | 1,0 | 5,5 | 125 | 98 | 7/32" | 5" | 10 |

1062 i PH VDE-insulated Kraftform Phillips-head screwdriver



| | EAN | | | | | | |
|-------------|---------|------|-----|-----|--------|--|---|
| Code | 4013288 | | mm | mm | | | |
| 05051601001 | 222220 | PH 1 | 80 | 98 | 3 1/8" | | 5 |
| 05051603001 | 222237 | PH 2 | 100 | 105 | 4" | | 5 |

1065 i PZ VDE-insulated Kraftform Phillips-head screwdriver



| | EAN | | | | | | |
|-------------|---------|------|-----|-----|--------|--|---|
| Code | 4013288 | | mm | mm | | | |
| 05051611001 | 222244 | PZ 1 | 80 | 98 | 3 1/8" | | 5 |
| 05051613001 | 222251 | PZ 2 | 100 | 105 | 4" | | 5 |

1060 i/1062 i/6 Kraftform VDE screwdriver set

Premium Kraftform VDE screwdriver set. Multi-component Kraftform handle for fast and gentle work. The Wera Black Point tip and a sophisticated hardening process guarantee a long usability for the tip, increased corrosion protection and exact fitting accuracy.

Individually tested at 10,000 V for safe working at the approved voltage of 1,000 V. The hexagon anti-roll protection avoids bits from rolling away annoyingly at the workplace. Handles marked to find and sort the tools easily.

1060 i/1062 i/6 Kraftform VDE screwdriver set



| | EAN | | | | | | |
|-------------|---------|--|--|--|--|--|---|
| Code | 4013288 | | | | | | |
| 05051575001 | 222381 | | | | | | 1 |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

1060 i/1065 i/6 Kraftform VDE screwdriver set



| | | | | |
|-------------|--|---------|--|---|
| Code | | EAN | | |
| 05051576001 | | 4013288 | | |
| | | 222374 | | 1 |
| | | + | 1065 i PZ VDE 1x PZ 1x80; 1x PZ 2x100 | |
| | | - | 1060 i VDE 1x 0,4x2,5x80; 1x 0,6x3,5x100; 1x 0,8x4,0x100; 1x 1,0x5,5x125 | |

410 i VDE B VDE-insulated T-handle adapter screwdriver for 3/8" sockets

The shape of the T-handle allows a transmission of particularly high tightening and loosening torque. The geometry of the handle fills the hand well and the fingers lie safely in the soft rounded handle recesses.

This ensures optimal, ergonomic power transmission. Individually tested tool as per IEC 60900 at 10,000 V for safe working at the approved voltage of 1,000 V.

Only allowed for 3/8" VDE bit sockets and sockets of the Wera Zyklop VDE series 8740, 8760, 8767, 8790. The coated handle protects even sensitive surfaces from damage.

- 3/8" VDE T-handle screwdriver for the transmission of particularly high tightening and loosening torque
- Ergonomic 2-component T-handle with handle recesses and a pleasant feel for a very high power transmission and fatigue-free working.
- Insulated, individually tested tool as per IEC 60900 for safe working up to 1.000 V
- Only allowed for 3/8" VDE bit sockets and sockets of the Wera Zyklop VDE series 8740, 8760, 8767, 8790

410 i VDE B VDE-insulated T-handle adapter screwdriver for 3/8" sockets



| | | | | | | | |
|-------------|--|---------|------|-----|----|----|--------|
| Code | | EAN | | | | | |
| 05005120001 | | 4013288 | | | | | |
| | | 222664 | 3/8" | 130 | 49 | 99 | 5 1/8" |

8100 SB VDE 1 Zyklop Ratchet set, insulated, switch lever, 3/8" drive, metric

Incredibly compact set arrangement for a lot of tools in a small space. Individually tested ratchet, sockets and extensions as per IEC 60900 at 10,000V for safe working at the approved voltage of 1,000V.

Textile box with very high robustness and durability can be positioned upright for clear storage in the workshop shelf. Additional surface protection through textile outer material. Low weight and volume for easier mobility. Smooth turning mechanism for secure hold and easy removal of VDE sockets.

- Insulated and 100% individually tested Zyklop ratchets, sockets and extensions for safe working up to 1,000 volts
- Fine-toothed ratchet with 80 teeth for a short return angle of 4.5°
- Extremely slim design with a soft, ergonomic grip zone for easy work even in very confined spaces
- Robust and extremely compact textile box with socket holders, which ensure a secure hold and easy socket removal by means of a rotating mechanism
- Tools and textile box protect sensitive surfaces, the box is Wera 2go compatible

8100 SB VDE 1 Zyklop Ratchet set, insulated, switch lever, 3/8" drive, metric



| | | | | |
|-------------|--|---------|--|---|
| Code | | EAN | | |
| 05004970001 | | 4013288 | | |
| | | 190970 | | 1 |
| | | □ | 8007 B VDE 1x 3/8"x222,0 | |
| | | ● | 8790 B VDE 1x 6,0x46,0; 1x 7,0x46,0; 1x 8,0x46,0; 1x 9,0x46,0; 1x 10,0x46,0; 1x 11,0x46,0; 1x 12,0x46,0; 1x 13,0x46,0; 1x 14,0x46,0; 1x 15,0x46,0; 1x 16,0x46,0; 1x 17,0x46,0; 1x 18,0x46,0; 1x 19,0x46,0 | |
| | | □ | 8794 SB VDE 1x 3/8"x91,0 | |
| | | □ | 8794 LB VDE 1x 3/8"x166,0 | |

Belt B VDE 1 Zyklop bit socket set TORX® hexagonal socket with holding function, 3/8" drive

10 Zyklop bit sockets, with 3/8" drive, insulated, individually tested as per IEC 60900. Increased safety due to 2-component isolation with yellow core under red insulation outer layer visible in case of damage to outer red VDE insulation layer. With holding function for TORX® screws to Acument Intellectual Properties specifications or holding function for hexagonal socket screws. Robust textile belt in the typical Wera design with 10 VDE bit sockets in a compact space. A smooth turning mechanism ensures secure holding and easy removal of the sockets. Includes snap hook for attaching to belt loops or bags. With fleece backing and hook and loop fastener strips for easy attachment e.g. on wall, shelf, workshop trolley and Wera 2go tool transport system. VDE 3/8" bit socket and holding function for particularly comfortable screwdriving with reduced risk of screw loss when feeding to the component. With increased safety due to yellow insulation core, which becomes visible in case of damage to the outer red VDE insulation layer. Individually tested tool as per IEC 60900 at 10,000 V for safe working at the approved voltage of 1,000 V.

- 10-piece 3/8" socket set on robust textile belt
- Smooth Twist to Unlock mechanism for a secure fit and simple removal of the sockets
- Extremely short and compact 3/8" bit socket for easy work even in very confined spaces
- The holding function holds screws securely on the tool
- Individually tested tool as per IEC 60900 at 10,000 V for safe working at up to 1,000 volts
- Suitable for attachment to a wall, shelf, tool trolley and to the Wera 2go System

Belt B VDE 1 Zyklop bit socket set TORX® hexagonal socket with holding function, 3/8" drive



| | | | | |
|--|-------------|-------------------|---|---|
| | Code | EAN | | |
| | 05004930001 | 4013288 210234 | | 1 |
| | | | 8767 B VDE HF 1x TX 20x55,0; 1x TX 25x55,0; 1x TX 27x55,0; 1x TX 30x55,0; 1x TX 40x55,0; 1x TX 45x59,0 | |
| | | | 8740 B VDE HF 1x 4,0x55,0; 1x 5,0x55,0; 1x 6,0x55,0; 1x 8,0x59,0 | |
| | | | Belt B VDE 0/10 1x 71,0x209,0 | |
| | | | K30 1x 30,0x200,0 | |

8007 B VDE Zyklop ratchet, insulated, with switch lever, with 3/8" drive

- Insulated and 100% individually tested Zyklop ratchet for safe working up to 1,000 volts
- Fine toothing with 80 teeth for a short return angle of only 4.5°
- Extremely slim design with a soft, ergonomic grip zone for easy work even in very confined spaces
- Safe socket lock via push button, convenient direction change thanks to the reversing lever
- Plastic coating protects surfaces from damage

8007 B VDE Zyklop ratchet, insulated, with switch lever, with 3/8" drive



| | | | | | | | | | |
|--|-------------|-------------------|------|----|-------|--|--|--|---|
| | Code | EAN | | | | | | | |
| | 05004966001 | 4013288 190963 | 3/8" | mm | 222,0 | | | | 3 |

8790 B VDE Zyklop $\frac{3}{8}$ " socket, insulated

- Individually tested tool as per IEC 60900 at 10,000V
- Increased safety due to 2-component isolation with yellow insulation core under red insulation outer layer
- Plastic coating protects surfaces from damage

8790 B VDE Zyklop $\frac{3}{8}$ " socket, insulated



| Code | EAN | | | | | | |
|-------------|--------|------|------|------|------|--|---|
| 05004950001 | 192936 | 6,0 | 46,0 | 14,8 | 23,0 | | 1 |
| 05004951001 | 192943 | 7,0 | 46,0 | 15,7 | 23,0 | | 1 |
| 05004952001 | 192950 | 8,0 | 46,0 | 17,0 | 23,0 | | 1 |
| 05004953001 | 192967 | 9,0 | 46,0 | 18,2 | 23,0 | | 1 |
| 05004954001 | 192974 | 10,0 | 46,0 | 19,4 | 23,0 | | 1 |
| 05004955001 | 192981 | 11,0 | 46,0 | 20,7 | 23,0 | | 1 |
| 05004956001 | 192998 | 12,0 | 46,0 | 23,0 | 23,0 | | 1 |
| 05004957001 | 193001 | 13,0 | 46,0 | 23,0 | 23,0 | | 1 |
| 05004958001 | 193018 | 14,0 | 46,0 | 24,7 | 23,0 | | 1 |
| 05004959001 | 193025 | 15,0 | 46,0 | 26,0 | 23,0 | | 1 |
| 05004960001 | 193032 | 16,0 | 46,0 | 26,8 | 23,0 | | 1 |
| 05004961001 | 193049 | 17,0 | 46,0 | 29,0 | 23,0 | | 1 |
| 05004962001 | 193056 | 18,0 | 46,0 | 29,6 | 23,0 | | 1 |
| 05004963001 | 193063 | 19,0 | 46,0 | 30,7 | 23,0 | | 1 |

8767 B VDE HF TORX® Zyklop bit socket, insulated, with holding function, $\frac{3}{8}$ " drive

- The holding function holds screws securely on the tool
- Extremely short and compact $\frac{3}{8}$ " bit socket for easy work even in very confined spaces

8767 B VDE HF TORX® Zyklop bit socket, insulated, with holding function, $\frac{3}{8}$ " drive



| Code | EAN | | | | | |
|-------------|--------|-------|------|------|------|---|
| 05004920001 | 210173 | TX 20 | 55,0 | 23,0 | 9,0 | 1 |
| 05004921001 | 210180 | TX 25 | 55,0 | 23,0 | 9,0 | 1 |
| 05004922001 | 210197 | TX 27 | 55,0 | 23,0 | 9,0 | 1 |
| 05004923001 | 210203 | TX 30 | 55,0 | 23,0 | 9,0 | 1 |
| 05004924001 | 210210 | TX 40 | 55,0 | 23,0 | 9,0 | 1 |
| 05004925001 | 210227 | TX 45 | 59,0 | 23,0 | 13,0 | 1 |

8740 B VDE HF Zyklop Hex bit socket, insulated, with holding function, $\frac{3}{8}$ " drive

- The holding function holds screws securely on the tool
- Extremely short and compact $\frac{3}{8}$ " bit socket for easy work even in very confined spaces

8740 B VDE HF Zyklop Hex bit socket, insulated, with holding function, $\frac{3}{8}$ " drive



| Code | EAN | | | | | |
|-------------|--------|-----|------|------|------|---|
| 05004900001 | 210135 | 4,0 | 55,0 | 23,0 | 9,0 | 1 |
| 05004901001 | 210142 | 5,0 | 55,0 | 23,0 | 9,0 | 1 |
| 05004902001 | 210159 | 6,0 | 55,0 | 23,0 | 9,0 | 1 |
| 05004903001 | 210166 | 8,0 | 59,0 | 23,0 | 13,0 | 1 |

8760 B VDE XZN Zyklop bit socket, insulated, $\frac{3}{8}$ " drive, for multi-point socket screws

- Extremely short and compact $\frac{3}{8}$ " bit socket for easy work even in very confined spaces

8760 B VDE XZN Zyklop bit socket, insulated, $\frac{3}{8}$ " drive, for multi-point socket screws



| Code | EAN | | | | | |
|-------------|--------|------|------|------|------|---|
| 05004940001 | 211453 | M 8 | 59,0 | 23,0 | 13,0 | 1 |
| 05004941001 | 211460 | M 10 | 59,0 | 23,0 | 13,0 | 1 |
| 05004942001 | 211477 | M 12 | 59,0 | 23,0 | 13,0 | 1 |

8794 LB VDE Zyklop extension, insulated, long, 3/8"

- 3/8" VDE Zyklop extension
- Individually tested tool as per IEC 60900 at 10,000 V
- Increased safety due to 2-component isolation with yellow insulation core under red insulation outer layer
- Plastic coating protects surfaces from damage
- Long version

8794 LB VDE Zyklop extension, insulated, long, 3/8"



| | EAN | | | | | | | |
|-------------|---------|------|-------|--|--|--|--|---|
| Code | 4013288 | | mm | | | | | |
| 05004965001 | 190956 | 3/8" | 166,0 | | | | | 1 |

8794 SB VDE Zyklop extension, insulated, short, 3/8"

- Short version

8794 SB VDE Zyklop extension, insulated, short, 3/8"



| | EAN | | | | | | | |
|-------------|---------|------|------|--|--|--|--|---|
| Code | 4013288 | | mm | | | | | |
| 05004964001 | 190949 | 3/8" | 91,0 | | | | | 1 |

Socket rail B VDE (textile belt), 10 location, unloaded

- Empty textile belt for 10 VDE socket wrench/bit socket inserts, 3/8"
- Includes a convenient snap hook
- Smooth Twist to Unlock mechanism for a secure fit and simple removal of the sockets
- Suitable for attachment to a wall, shelf, tool trolley and to the Wera 2go System



Socket rail B VDE (textile belt), 10 location, unloaded



| Code | EAN | | |
|-------------|-------------------|---|---|
| 05003982001 | 4013288 210913 | | 1 |
| | | Belt B VDE 0/10 1x 71,0x209,0 | |
| | | K30 1x 30,0x200,0 | |

6004 Joker VDE 4 Set 1 VDE-insulated self-setting spanner set

Individually tested tools as per IEC 60900 at 10,000 V for safe working at the approved voltage of 1.000 V. The adjustable VDE spanner continuously and automatically grips all hexagonal sizes in the indicated range of dimensions - metric and imperial.

The integrated lever mechanism securely clamps the hexagon screw or bolt between the jaws, which significantly reduces the risk of slippage or damage. The ratchet feature ensures fast and consistent screwdriving without removing the tool.

By using the corner-width rectangular prisms, a back-pivoting angle of only 30° can be achieved. The single-arm design, in conjunction with the ratchet feature and the corner-width prism, makes it possible to work even in confined spaces.

The adjustable Joker 6004 VDE has a naturally comfortable handle thanks to the 2-component plastic insulation.

Safety is increased by the anti-slip protection at the front end of the handle. The sliding function offers contactless and safe opening of the non-insulated jaws, thereby providing extra protection.

- The compact textile box with four adjustable Joker 6004 VDE covers all metric and imperial dimensions in the field of application from 7 to 19 mm or ¼" to ¾"

6004 Joker VDE 4 Set 1 VDE-insulated self-setting spanner set



| Code | EAN | | |
|-------------|--------|--|---|
| 05020170001 | 221803 | | 1 |
| | | 6004 Joker VDE XS 1x 7-10 (¼"-⅜")x119 | |
| | | 6004 Joker VDE S 1x 10-13 (⅜"-½")x155 | |
| | | 6004 Joker VDE M 1x 13-16 (½"-⅝")x190 | |
| | | 6004 Joker VDE L 1x 16-19 (⅝"-¾")x226 | |
| | | Hook and Loop Fastener Strip 120 1x 50,0x120,0 | |

6004 Joker VDE VDE-insulated, self-setting spanner

Individually tested tools as per IEC 60900 at 10,000 V for safe working at the approved voltage of 1.000 V. The adjustable VDE spanner continuously and automatically grips all hexagonal sizes in the indicated range of dimensions – metric and imperial.

The integrated lever mechanism securely clamps the hexagon screw or bolt between the jaws, which significantly reduces the risk of slippage or damage.

The ratchet feature ensures fast and consistent screwdriving without removing the tool. By using the corner-width rectangular prisms, a back-pivoting angle of only 30° can be achieved.

The single-arm design, in conjunction with the ratchet feature and the corner-width prism, makes it possible to work even in confined spaces.

The adjustable Joker 6004 VDE has a naturally comfortable handle thanks to the 2-component plastic insulation. Safety is increased by the anti-slip protection at the front end of the handle.

The sliding function offers contactless and safe opening of the non-insulated jaws, thereby providing extra protection.

- The adjustable Joker 6004 VDE covers all metric and imperial dimensions in the respective field of application
- Individually tested tools with insulated handles for safe working up to 1,000 volt, with anti-slip protection and sliding function for contactless and safe opening of the non-insulated jaws
- Automatic and continuous grip of hexagon screws and bolts
- Lever mechanism when gripping avoids slipping and damage
- Fast and consistent screwdriving without removing the wrench thanks to mechanical ratchet function
- Return angle of only 30° through placement in the corner-width rectangular prisms in the mouth

6004 Joker VDE XS VDE-insulated, self-setting spanner



| Code | EAN | mm | mm | mm | | |
|---------------------------|--------|------|-------|-----|-----|---|
| 05020150001 ¹⁾ | 221797 | 7-10 | ¼"-⅜" | 119 | 7,7 | 3 |

6004 Joker VDE S VDE-insulated, self-setting spanner



| Code | EAN | mm | mm | mm | | |
|---------------------------|--------|-------|------------|-----|----|---|
| 4013288 | | | | | | |
| 05020151001 ¹⁾ | 221766 | 10-13 | 7/16"-1/2" | 155 | 10 | 3 |

6004 Joker VDE M VDE-insulated, self-setting spanner



| Code | EAN | mm | mm | mm | | |
|---------------------------|--------|-------|-----------|-----|------|---|
| 4013288 | | | | | | |
| 05020152001 ¹⁾ | 221780 | 13-16 | 1/2"-5/8" | 190 | 12,4 | 3 |

6004 Joker VDE L VDE-insulated self-setting spanner



| Code | EAN | mm | mm | mm | | |
|---------------------------|--------|-------|-----------|-----|----|---|
| 4013288 | | | | | | |
| 05020153001 ¹⁾ | 221773 | 16-19 | 5/8"-3/4" | 226 | 14 | 3 |

400 i VDE Hex Insulated torque-indicator

Wera VDE torque indicator with fixed torque for hexagon socket screws. Tamper proof. The robust slip clutch generates a clearly audible and tactile trigger that signals when the set torque is reached, making it impossible to apply any further torque. The loosening torque value is significantly higher than the set tightening torque, therefore no additional tools are needed for loosening screw connections. The shape of the handle perfectly fills the whole hand and fingers comfortably lie in the softly rounded recessed grips. This ensures optimal, ergonomic power transfer. Individually tested tool as per IEC 60900 at 10,000 V for safe working at the approved voltage of 1,000 V.



- Insulated, individually tested VDE T-handle torque indicator for safe working up to 1,000V
- T-handle is ideal for transferring controlled tightening torque and high loosening torque
- Error-free screwdriving due to non-slip friction clutch and exact torque transmission
- Distinctly audible and noticeable excess-load signal when the pre-set torque is reached
- Tamper-proof against accidental changing of set torque value

400 i VDE Hex Insulated torque-indicator



| Code | EAN | mm | Nm | mm | mm | mm | mm | |
|-------------|--------|-----|-----|----|----|-----|--------|---|
| 4013288 | | | | | | | | |
| 05004980001 | 206398 | 4,0 | 5,0 | 90 | 48 | 100 | 3 1/2" | 1 |
| 05004981001 | 206114 | 5,0 | 5,0 | 90 | 48 | 100 | 3 1/2" | 1 |




Weld
Be a Pro



Ratchets & Accessories

Zyklop Speed - incredibly fast and incredibly flexible














Incredibly compact set arrangement with many tools in a minimum of space. A completely new ratchet set feeling thanks to the unique textile boxes that are very robust and durable.

They can be positioned upright for tidy storage on the workshop shelf. Additional surface protection due to textile outer material. Low weight and volume for simpler mobility. Take it easy Tool Finder with colour coding according to sizes.

- 42-piece ratchet set in robust textile box
- Freely pivoting ratchet head with 5 predefined locking positions
- Bit-sockets with all the advantages of the Wera bit technology
- TORX®, hex plus and hexagon nuts with holding function for screws / nuts
- Take it easy tool finder with colour coding according to sizes
- Suitable for Wera 2go

8100 SA All-in Zyklop Speed Ratchet Set, 1/4" drive, with holding function, metric



| Code | EAN | |  |
|-------------|---|--|---|
| 05003755001 | 4013288 190994 | | 1 |
| |  | 8000 A 1x 1/4"x152,0 | |
| |  | 8796 LA 1x 1/4"x150,0 | |
| |  | 8794 A 1x 1/4"x56,0 | |
| |  | 8790 HMA HF 1x 4,0x23,0; 1x 4,5x23,0; 1x 5,0x23,0; 1x 5,5x23,0; 1x 6,0x23,0; 1x 7,0x23,0; 1x 8,0x23,0; 1x 9,0x23,0; 1x 10,0x23,0; 1x 11,0x23,0; 1x 12,0x23,0; 1x 13,0x23,0; 1x 14,0x23,0 | |
| |  | 8767 A HF 1x TX 8x28,0; 1x TX 9x28,0; 1x TX 10x28,0; 1x TX 15x28,0; 1x 3,7x3,7xTX 20x28,0; 1x 4,1x4,1xTX 25x28,0; 1x 4,8x4,8xTX 27x28,0; 1x 5,4x5,4xTX 30x28,0; 1x 6,5x6,5xTX 40x28,0 | |
| |  | 8740 A 1x 2,0x28,0; 1x 2,5x28,0 | |
| |  | 8740 A HF 1x 3,0x28,0; 1x 4,0x28,0; 1x 5,0x28,0; 1x 6,0x28,0; 1x 7,0x28,0; 1x 8,0x28,0 | |
| |  | 8751 A 1x PH 1x28,0; 1x PH 2x28,0; 1x PH 3x28,0 | |
| |  | 8755 A 1x PZ 1x28,0; 1x PZ 2x28,0; 1x PZ 3x28,0 | |
| |  | 8700 A FL 1x 0,8x5,5x28,0; 1x 1,2x6,5x28,0 | |
| | | ME1 1x 14,0x43,0 | |

8100 SA 6 Zyklop Speed Ratchet Set, 1/4" drive, metric

- Freely pivoting ratchet head with 5 predefined locking positions
- Fine toothing with 72 teeth
- Small return angle of only 5°
- Free-turning sleeve for high working speeds
- Take it easy tool finder with colour coding according to sizes
- Compact textile box with high robustness, low weight and volume

8100 SA 6 Zyklop Speed Ratchet Set, 1/4" drive, metric



| Code | EAN | | |
|-------------|--------|---|---|
| 05004016001 | 174000 | | 1 |
| | | □ 8000 A 1x 1/4"x152,0 | |
| | | ● 8790 HMA 1x 5,0x23,0; 1x 5,5x23,0; 1x 6,0x23,0; 1x 7,0x23,0; 1x 8,0x23,0; 1x 10,0x23,0; 1x 11,0x23,0; 1x 12,0x23,0; 1x 13,0x23,0 | |
| | | ■ 8794 LA 1x 1/4"x150,0 | |
| | | ■ 8794 A 1x 1/4"x56,0 | |
| | | ● 8784 A1 1x 1/4"x1/4"x37,0 | |
| | | + 851/4 TZ PH 1x PH 1x50; 1x PH 2x50; 1x PH 3x50 | |
| | | + 855/4 TZ PZ 1x PZ 1x50; 1x PZ 2x50 | |
| | | * 867/4 Z TORX® 1x TX 10x50; 1x TX 15x50; 1x TX 20x50; 1x TX 25x50; 1x TX 27x50; 1x TX 30x50 | |
| | | ○ 840/4 Z Hex-Plus 1x 3,0x50; 1x 4,0x50; 1x 5,0x50; 1x 6,0x50 | |

8100 SA 9 Zyklop Speed Ratchet Set, 1/4" drive, imperial



| Code | EAN | | |
|-------------|--------|---|---|
| 05004019001 | 173843 | | 1 |
| | | □ 8000 A 1x 1/4"x152,0 | |
| | | ● 8790 HMA 1x 3/16"x23,0; 1x 7/32"x23,0; 1x 1/4"x23,0; 1x 9/32"x23,0; 1x 5/16"x23,0; 1x 11/32"x23,0; 1x 3/8"x23,0; 1x 7/16"x23,0; 1x 1/2"x23,0 | |
| | | ■ 8794 LA 1x 1/4"x150,0 | |
| | | ■ 8794 A 1x 1/4"x56,0 | |
| | | ● 8784 A1 1x 1/4"x1/4"x37,0 | |
| | | + 851/4 TZ PH 1x PH 1x50; 1x PH 2x50; 1x PH 3x50 | |
| | | + 855/4 TZ PZ 1x PZ 1x50; 1x PZ 2x50 | |
| | | * 867/4 Z TORX® 1x TX 10x50; 1x TX 15x50; 1x TX 20x50; 1x TX 25x50; 1x TX 27x50; 1x TX 30x50 | |
| | | ○ 840/4 Z Hex-Plus 1x 5/32"x50; 1x 3/16"x50; 1x 7/32"x50; 1x 1/4"x50 | |

Kraftform Kompakt Zyklop MS1 Metal/Speed 1/4"

- Incredibly fast 1/4" Zyklop Speed ratchet with pivoting ratchet head and 5 predefined locking positions
- Extremely slim Zyklop Metal ratchet with long lever
- Return angle of only 5°
- Convenient direction change thanks to switchover lever
- Set in robust textile box

Kraftform Kompakt Zyklop MS1 Metal/Speed 1/4"



| Code | EAN | | | |
|-------------|-------------------|-------------------------------------|-------------------------------------|---|
| 05135949001 | 4013288 178633 | | | 1 |
| | | <input type="checkbox"/> | 8000 A 1x 1/4"x152,0 | |
| | | <input type="checkbox"/> | 8004 A 1x 1/4"x141,0 | |
| | | <input checked="" type="checkbox"/> | 8796 LA 1x 1/4"x150,0 | |
| | | <input checked="" type="checkbox"/> | 8794 LA 1x 1/4"x150,0 | |
| | | <input checked="" type="checkbox"/> | 8794 SA 1x 1/4"x75,0 | |
| | | <input checked="" type="checkbox"/> | 8784 A1 1x 1/4"x1/4"x37,0 | |
| | | <input checked="" type="checkbox"/> | 8794 A 1x 1/4"x56,0 | |
| | | <input checked="" type="checkbox"/> | 8795 A 1x 1/4"x35,5 | |

8100 SA 2 Zyklop Speed Ratchet Set, 1/4" drive, metric

- 42-piece set in a robust metal case

8100 SA 2 Zyklop Speed Ratchet Set, 1/4" drive, metric



| Code | EAN | | | |
|-------------|-------------------|-------------------------------------|---|---|
| 05003533001 | 4013288 121103 | | | 1 |
| | | <input type="checkbox"/> | 8000 A 1x 1/4"x152,0 | |
| | | <input checked="" type="checkbox"/> | 8790 HMA 1x 4,0x23,0; 1x 4,5x23,0; 1x 5,0x23,0; 1x 5,5x23,0; 1x 6,0x23,0; 1x 7,0x23,0; 1x 8,0x23,0; 1x 9,0x23,0; 1x 10,0x23,0; 1x 11,0x23,0; 1x 12,0x23,0; 1x 13,0x23,0; 1x 14,0x23,0 | |
| | | <input type="checkbox"/> | 8789 A 1x 1/4"x110,0 | |
| | | <input checked="" type="checkbox"/> | 8794 A 1x 1/4"x56,0 | |
| | | <input checked="" type="checkbox"/> | 8795 A 1x 1/4"x35,5 | |
| | | <input checked="" type="checkbox"/> | 8784 A1 1x 1/4"x1/4"x37,0 | |
| | | <input checked="" type="checkbox"/> | 8796 SA 1x 1/4"x75,0 | |
| | | <input checked="" type="checkbox"/> | 8796 LA 1x 1/4"x150,0 | |
| | | <input checked="" type="checkbox"/> | 851/1 Z PH 1x PH 1x25; 1x PH 2x25; 1x PH 3x25 | |
| | | <input checked="" type="checkbox"/> | 855/1 Z PZ 1x PZ 1x25; 1x PZ 2x25; 1x PZ 3x25 | |
| | | <input checked="" type="checkbox"/> | 867/1 Z TORX® BO 1x TX 8x25; 1x TX 9x25; 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25; 1x TX 40x25 | |
| | | <input type="checkbox"/> | 840/1 Z Hex-Plus 1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25; 1x 8,0x25 | |
| | | <input type="checkbox"/> | 800/1 Z 1x 0,6x4,5x25; 1x 1,0x5,5x25; 1x 1,2x8,0x25 | |

8100 SA 4 Zyklop Speed Ratchet Set, 1/4" drive, imperial

- 41-piece set in a robust metal case

8100 SA 4 Zyklop Speed Ratchet Set, 1/4" drive, imperial



| Code | EAN | | |
|-------------|-------------------|---|---|
| 05003535001 | 4013288 121127 | | 1 |
| | | □ 8000 A 1x 1/4"x152,0 | |
| | | ● 8790 HMA 1x 3/16"x23,0; 1x 7/32"x23,0; 1x 1/4"x23,0; 1x 9/32"x23,0; 1x 5/16"x23,0; 1x 11/32"x23,0; 1x 3/8"x23,0; 1x 7/16"x23,0; 1x 1/2"x23,0; 1x 9/16"x23,0 | |
| | | □ 8789 A 1x 1/4"x110,0 | |
| | | □ 8794 A 1x 1/4"x56,0 | |
| | | □ 8795 A 1x 1/4"x35,5 | |
| | | ● 8784 A1 1x 1/4"x1/4"x37,0 | |
| | | □ 8796 SA 1x 1/4"x75,0 | |
| | | □ 8796 LA 1x 1/4"x150,0 | |
| | | + 851/1 Z PH 1x PH 1x25; 1x PH 2x25; 1x PH 3x25 | |
| | | + 855/1 Z PZ 1x PZ 1x25; 1x PZ 2x25; 1x PZ 3x25 | |
| | | ⊗ 867/1 Z TORX® BO 1x TX 8x25; 1x TX 9x25; 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25; 1x TX 40x25 | |
| | | ○ 840/1 Z Hex-Plus 1x 5/64"x25; 1x 3/32"x25; 1x 1/8"x25; 1x 9/64"x25; 1x 5/32"x25; 1x 3/16"x25; 1x 7/32"x25 | |
| | | ◐ 800/1 Z 1x 0,6x4,5x25; 1x 1,0x5,5x25; 1x 1,2x8,0x25 | |

8100 SA/SC 2 Zyklop Speed Ratchet Set, 1/4" drive and 1/2" drive, metric

- 43-piece set in a robust metal case

8100 SA/SC 2 Zyklop Speed Ratchet Set, 1/4" drive and 1/2" drive, metric



| Code | EAN | | |
|-------------|-------------------|---|---|
| 05160785001 | 4013288 126610 | | 1 |
| | | □ 8000 A 1x 1/4"x152,0 | |
| | | ● 8790 HMA 1x 4,0x23,0; 1x 4,5x23,0; 1x 5,0x23,0; 1x 5,5x23,0; 1x 6,0x23,0; 1x 7,0x23,0; 1x 8,0x23,0; 1x 9,0x23,0; 1x 10,0x23,0; 1x 12,0x23,0; 1x 13,0x23,0 | |
| | | ● 8784 A1 1x 1/4"x1/4"x37,0 | |
| | | □ 8796 LA 1x 1/4"x150,0 | |
| | | □ 8000 C 1x 1/2"x277,0 | |
| | | ● 8790 HMC 1x 13,0x37,0; 1x 14,0x37,0; 1x 15,0x37,0; 1x 16,0x37,0; 1x 17,0x37,0; 1x 18,0x37,0; 1x 19,0x37,0; 1x 21,0x37,0; 1x 22,0x37,0; 1x 24,0x37,0 | |
| | | □ 8796 LC 1x 1/2"x250,0 | |
| | | ● 816 R 1x 1/4"x119 | |
| | | ◐ 800/4 Z 1x 1,0x5,5x89 | |
| | | ○ 840/4 Z Hex-Plus 1x 3,0x89; 1x 4,0x89; 1x 5,0x89; 1x 6,0x89 | |
| | | + 851/4 Z PH 1x PH 1x89; 1x PH 2x89; 1x PH 3x89 | |
| | | + 855/4 Z PZ 1x PZ 1x89; 1x PZ 2x89; 1x PZ 3x89 | |
| | | ⊗ 867/4 Z TORX® BO 1x TX 10x89; 1x TX 15x89; 1x TX 20x89; 1x TX 25x89; 1x TX 30x89 | |

Kraftform Kompakt Zyklus Speed

- Pouch for belt attachment

Kraftform Kompakt Zyklus Speed



| Code | EAN | | |
|-------------|--------|--|---|
| 05051045001 | 155313 | | 1 |
| | | <input type="checkbox"/> 8000 A 1x 1/4"x152,0 | |
| | | <input checked="" type="checkbox"/> 8784 A1 1x 1/4"x1/4"x37,0 | |
| | | <input checked="" type="checkbox"/> 8794 LA 1x 1/4"x150,0 | |
| | | <input checked="" type="checkbox"/> 851/4 TZ PH 1x PH 1x50; 1x PH 2x50; 1x PH 3x50 | |
| | | <input checked="" type="checkbox"/> 855/4 TZ PZ 1x PZ 1x50; 1x PZ 2x50 | |
| | | <input checked="" type="checkbox"/> 867/4 Z TORX® 1x TX 10x50; 1x TX 15x50; 1x TX 20x50; 1x TX 25x50; 1x TX 27x50; 1x TX 30x50 | |
| | | <input checked="" type="checkbox"/> 800/4 Z 1x 1,0x5,5x50 | |
| | | <input checked="" type="checkbox"/> 840/4 Z Hex-Plus 1x 3,0x50; 1x 4,0x50; 1x 5,0x50; 1x 6,0x50 | |
| | | <input checked="" type="checkbox"/> 8790 HMA 1x 5,5x23,0; 1x 6,0x23,0; 1x 7,0x23,0; 1x 8,0x23,0; 1x 10,0x23,0; 1x 12,0x23,0; 1x 13,0x23,0 | |

8000 A Zyklus Speed Ratchet with 1/4" drive

- Combines five different types of a ratchet in one
- Flywheel design and easy-to-grip free-turning sleeve for very high working speeds
- Freely pivoting ratchet head, push button release and left/right switchover
- Fine-tooth design allows a small return angle of 5°
- Can also be used as a screwdriver

8000 A Zyklus Speed Ratchet with 1/4" drive



| Code | EAN | | | | | | |
|-------------|--------|------|-------|--|--|--|---|
| 05003500001 | 121868 | 1/4" | 152,0 | | | | 1 |

8000 A SB Zyklus Speed Ratchet with 1/4" drive



| Code | EAN | | | |
|-------------|--------|--------------------------|-------------------------|---|
| 05073260001 | 128034 | <input type="checkbox"/> | 8000 A 1x 1/4"x152,0 | 3 |

Zyklop Metal with push-through square



Incredibly compact set arrangement with many tools in a minimum of space. A completely new ratchet set feeling thanks to the unique textile boxes that are very robust and durable. They can be positioned upright for tidy storage on the workshop shelf. Additional surface protection due to textile outer material. Low weight and volume for simpler mobility.

Take it easy Tool Finder with colour coding according to sizes.

- Extremely slim ratchet with long lever
- Return angle of only 4.7°
- Absolutely smooth switchover of the non-detachable push-through square
- Take it easy tool finder system

8100 SA 7 Zyklop Metal Ratchet Set with push-through square, 1/4" drive, metric



| Code | EAN | | | |
|-------------|-------------------|------------------|---|---|
| 05004017001 | 4013288 173898 | | | 1 |
| | | 8003 A | 1x 1/4"x141,0 | |
| | | 8790 HMA | 1x 5,0x23,0; 1x 5,5x23,0; 1x 6,0x23,0; 1x 7,0x23,0; 1x 8,0x23,0; 1x 10,0x23,0; 1x 11,0x23,0; 1x 12,0x23,0; 1x 13,0x23,0 | |
| | | 8794 LA | 1x 1/4"x150,0 | |
| | | 8794 A | 1x 1/4"x56,0 | |
| | | 8784 A1 | 1x 1/4"x1/4"x37,0 | |
| | | 851/1 Z PH | 1x PH 1x25; 1x PH 2x25; 1x PH 3x25 | |
| | | 855/1 Z PZ | 1x PZ 1x25; 1x PZ 2x25 | |
| | | 867/1 TORX® | 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 27x25; 1x TX 30x25 | |
| | | 840/1 Z Hex-Plus | 1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25 | |

8100 SA 10 Zyklop Metal Ratchet Set with push-through square, 1/4" drive, imperial



| Code | EAN | | | |
|-------------|-------------------|------------------|---|---|
| 05004020001 | 4013288 173904 | | | 1 |
| | | 8003 A | 1x 1/4"x141,0 | |
| | | 8790 HMA | 1x 3/16"x23,0; 1x 7/32"x23,0; 1x 1/4"x23,0; 1x 9/32"x23,0; 1x 5/16"x23,0; 1x 11/32"x23,0; 1x 3/8"x23,0; 1x 7/16"x23,0; 1x 1/2"x23,0 | |
| | | 8794 LA | 1x 1/4"x150,0 | |
| | | 8794 A | 1x 1/4"x56,0 | |
| | | 8784 A1 | 1x 1/4"x1/4"x37,0 | |
| | | 851/1 Z PH | 1x PH 1x25; 1x PH 2x25; 1x PH 3x25 | |
| | | 855/1 Z PZ | 1x PZ 1x25; 1x PZ 2x25 | |
| | | 867/1 TORX® | 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 27x25; 1x TX 30x25 | |
| | | 840/1 Z Hex-Plus | 1x 5/32"x25; 1x 3/16"x25; 1x 7/32"x25; 1x 1/4"x25 | |

8003 A Zyklop Metal Ratchet with push-through square and 1/4" drive

- For 1/4" square sockets with ball lock
- Forged, full metal ratchet (chrome-molybdenum); slim design to enable work in very confined spaces.
- The dual-ratchet-teeth design means that a 76 fine-toothing division can be achieved from the 38 robust teeth with a return angle of only 4.7°.
- Absolutely smooth switchover of the non-detachable push-through square

8003 A Zyklop Metal Ratchet with push-through square and 1/4" drive



| Code | EAN | Drive | Length | Width | Height | Weight | Volume |
|-------------|--------|-------|--------|-------|--------|--------|--------|
| 05004003001 | 174017 | 1/4" | 141,0 | 21 | 22 | | 3 |

Zyklop Metal with switch lever



Incredibly compact set arrangement with many tools in a minimum of space. A completely new ratchet set feeling thanks to the unique textile boxes that are very robust and durable.

They can be positioned upright for tidy storage on the workshop shelf. Additional surface protection due to textile outer material. Low weight and volume for simpler mobility.

Take it easy Tool Finder with colour coding according to sizes.

- Convenient direction change thanks to switchover lever
- Extremely slim ratchet with long lever
- Return angle of only 5°

8100 SA 8 Zyklop Metal Ratchet Set with switch lever, 1/4" drive, metric



| Code | EAN | Contents | Volume |
|-------------|--------|---|--------|
| 05004018001 | 173836 | 8004 A 1x 1/4"x141,0 | 1 |
| | | 8790 HMA 1x 5,0x23,0; 1x 5,5x23,0; 1x 6,0x23,0; 1x 7,0x23,0; 1x 8,0x23,0; 1x 10,0x23,0; 1x 11,0x23,0; 1x 12,0x23,0; 1x 13,0x23,0 | |
| | | 8794 LA 1x 1/4"x150,0 | |
| | | 8794 A 1x 1/4"x56,0 | |
| | | 8784 A1 1x 1/4"x1/4"x37,0 | |
| | | 851/1 Z PH 1x PH 1x25; 1x PH 2x25; 1x PH 3x25 | |
| | | 855/1 Z PZ 1x PZ 1x25; 1x PZ 2x25 | |
| | | 867/1 TORX® 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 27x25; 1x TX 30x25 | |
| | | 840/1 Z Hex-Plus 1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25 | |

8100 SA 11 Zyklop Metal Ratchet Set with switch lever, 1/4" drive, imperial



| Code | EAN | | | |
|-------------|--------|------------------|---|---|
| 05004021001 | 173850 | | | 1 |
| | | 8004 A | 1x 1/4"x141,0 | |
| | | 8790 HMA | 1x 3/16"x23,0; 1x 7/32"x23,0; 1x 1/4"x23,0; 1x 9/32"x23,0; 1x 5/16"x23,0; 1x 11/32"x23,0; 1x 3/8"x23,0; 1x 7/16"x23,0; 1x 1/2"x23,0 | |
| | | 8794 LA | 1x 1/4"x150,0 | |
| | | 8794 A | 1x 1/4"x56,0 | |
| | | 8784 A1 | 1x 1/4"x1/4"x37,0 | |
| | | 851/1 Z PH | 1x PH 1x25; 1x PH 2x25; 1x PH 3x25 | |
| | | 855/1 Z PZ | 1x PZ 1x25; 1x PZ 2x25 | |
| | | 867/1 TORX® | 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 27x25; 1x TX 30x25 | |
| | | 840/1 Z Hex-Plus | 1x 9/32"x25; 1x 3/16"x25; 1x 7/32"x25; 1x 1/4"x25 | |

8100 SA 12 HF Zyklop Metal Ratchet Set with switch lever, 1/4" drive, metric

- Sockets with holding function for screws/bolts/nuts

8100 SA 12 HF Zyklop Metal Ratchet Set with switch lever, 1/4" drive, metric




| Code | EAN | | | |
|-------------|--------|-------------|---|---|
| 05003756001 | 190987 | | | 1 |
| | | 8004 A | 1x 1/4"x141,0 | |
| | | 8794 LA | 1x 1/4"x150,0 | |
| | | 8794 A | 1x 1/4"x56,0 | |
| | | 8790 HMA HF | 1x 5,0x23,0; 1x 5,5x23,0; 1x 6,0x23,0; 1x 7,0x23,0; 1x 8,0x23,0; 1x 10,0x23,0; 1x 11,0x23,0; 1x 12,0x23,0; 1x 13,0x23,0 | |
| | | ME1 | 1x 14,0x43,0 | |

8004 A Zyklop Metal Ratchet with switch lever and 1/4" drive

- Convenient direction change thanks to switchover lever
- Extremely slim ratchet with long lever
- Return angle of only 5°
- Secure socket locking

8004 A Zyklop Metal Ratchet with switch lever and 1/4" drive



| Code | EAN | | | | | | |
|-------------|--------|------|-------|----|----|--|---|
| 05004004001 | 174024 | 1/4" | 141,0 | 19 | 22 | | 3 |

8790 HMA Zyklop 1/4" socket

- 1/4" Zyklop socket
- For manual and power tool operations (non-impact)
- Knurling at lower end to enable easy gripping when used in manual applications
- Equipped with ball stop groove
- Take it easy tool finder with colour coding according to sizes

8790 HMA Zyklop 1/4" socket



| Code | EAN | | mm | mm | mm | mm | | |
|-------------|--------|--|------|--------|------|------|------|---|
| 05003501001 | 120083 | | 4,0 | 23,0 | 6,9 | 13,0 | 1 | |
| 05003502001 | 120106 | | 4,5 | 23,0 | 7,5 | 13,0 | 1 | |
| 05003503001 | 120113 | | 5,0 | 23,0 | 8,2 | 13,0 | 1 | |
| 05003504001 | 120120 | | 5,5 | 23,0 | 8,8 | 13,0 | 1 | |
| 05003505001 | 120137 | | 6,0 | 23,0 | 9,4 | 13,0 | 1 | |
| 05003506001 | 120144 | | 7,0 | 23,0 | 11,0 | 13,0 | 1 | |
| 05003507001 | 120151 | | 8,0 | 23,0 | 12,0 | 13,0 | 1 | |
| 05003508001 | 120090 | | 9,0 | 23,0 | 13,0 | 14,0 | 1 | |
| 05003509001 | 120168 | | 10,0 | 23,0 | 14,5 | 14,5 | 1 | |
| 05003510001 | 120175 | | 11,0 | 23,0 | 16,0 | 15,0 | 1 | |
| 05003511001 | 120182 | | 12,0 | 23,0 | 17,0 | 16,0 | 1 | |
| 05003512001 | 120199 | | 13,0 | 23,0 | 18,0 | 17,0 | 1 | |
| 05003513001 | 120205 | | 14,0 | 23,0 | 20,0 | 18,0 | 1 | |
| 05003499001 | 206862 | | 15,0 | 23,0 | 21,5 | 19,0 | 1 | |
| 05003514001 | 120212 | | | 3/16" | 23,0 | 7,5 | 13,0 | 1 |
| 05003515001 | 120229 | | | 7/32" | 23,0 | 8,8 | 13,0 | 1 |
| 05003516001 | 120236 | | | 1/4" | 23,0 | 11,0 | 13,0 | 1 |
| 05003517001 | 120243 | | | 9/32" | 23,0 | 11,0 | 13,0 | 1 |
| 05003518001 | 120250 | | | 5/16" | 23,0 | 12,0 | 13,0 | 1 |
| 05003519001 | 120267 | | | 11/32" | 23,0 | 13,0 | 14,0 | 1 |
| 05003520001 | 120274 | | | 3/8" | 23,0 | 14,5 | 14,5 | 1 |
| 05003521001 | 120281 | | | 7/16" | 23,0 | 16,0 | 15,0 | 1 |
| 05003522001 | 120298 | | | 1/2" | 23,0 | 18,0 | 17,0 | 1 |
| 05003523001 | 120304 | | | 9/16" | 23,0 | 20,0 | 18,0 | 1 |

8790 HMA HF Zyklop socket with 1/4" drive with holding function

- Socket (non-impact) for manual or power tool operations
- The holding function holds screws securely on the tool
- Take it easy tool finder with colour coding according to sizes
- Chrome vanadium steel, matt chrome-plated
- Equipped with ball stop groove, knurling at lower end for better gripping

8790 HMA HF Zyklop socket with 1/4" drive with holding function



| Code | EAN | | mm | mm | mm | mm | |
|-------------|--------|--|------|------|------|------|---|
| 05003717001 | 185631 | | 4,0 | 23,0 | 7,0 | 11,0 | 1 |
| 05003718001 | 185648 | | 4,5 | 23,0 | 7,8 | 11,0 | 1 |
| 05003719001 | 185655 | | 5,0 | 23,0 | 8,9 | 11,0 | 1 |
| 05003720001 | 185662 | | 5,5 | 23,0 | 9,2 | 11,0 | 1 |
| 05003721001 | 185679 | | 6,0 | 23,0 | 10,5 | 11,0 | 1 |
| 05003722001 | 185686 | | 7,0 | 23,0 | 11,9 | 11,0 | 1 |
| 05003723001 | 185693 | | 8,0 | 23,0 | 12,9 | 11,0 | 1 |
| 05003724001 | 185709 | | 9,0 | 23,0 | 14,1 | 12,0 | 1 |
| 05003725001 | 185716 | | 10,0 | 23,0 | 15,6 | 12,5 | 1 |
| 05003726001 | 185723 | | 11,0 | 23,0 | 17,4 | 13,0 | 1 |
| 05003727001 | 185730 | | 12,0 | 23,0 | 18,4 | 14,0 | 1 |
| 05003728001 | 185747 | | 13,0 | 23,0 | 19,5 | 15,0 | 1 |
| 05003729001 | 185754 | | 14,0 | 23,0 | 20,8 | 16,0 | 1 |
| 05003010001 | 206855 | | 15,0 | 23,0 | 21,5 | 18,5 | 1 |

Belt A 1 Zyklop socket set with holding function, 1/4" drive

Typically Wera designed robust textile belt with 9 sockets taking up minimal space. A smooth Twist to Unlock mechanism ensures a secure fit and simple removal of the sockets.

Comes with Take it easy Tool Finder with colour coding according to size to enable the right tool to be selected easily and quickly. Includes a snap hook for secure fastening to a belt loop or pocket.

Sockets with holding function for particularly convenient screw-driving with reduced risk of losing the screw when approaching the workpiece.

Supplied with a non-woven reverse side and hook and loop strips for simple attachment e.g. to a wall, shelf, tool trolley and to the Wera 2go tool transport system.

- 10-piece socket set on a robust textile belt, 1/4"
- Sockets with holding function for screws/bolts/nuts
- Smooth Twist to Unlock mechanism for a secure fit and simple removal of the sockets
- Take it easy tool finder with colour coding according to sizes
- Suitable for attachment to a wall, shelf, tool trolley and to the Wera 2go System

Belt A 1 Zyklop socket set with holding function, 1/4" drive



| Code | EAN | | |
|-------------|-------------------|---|---|
| 05003880001 | 4013288 190758 | | 1 |
| | | ● 8790 HMA HF 1x 4,0x23,0; 1x 4,5x23,0; 1x 5,0x23,0; 1x 5,5x23,0; 1x 6,0x23,0; 1x 7,0x23,0; 1x 8,0x23,0; 1x 10,0x23,0; 1x 13,0x23,0 | |
| | | ● ME1 1x 14,0x43,0 | |
| | | ● Belt A 0/9 1x 39,0x238,0 | |
| | | ● K30 1x 30,0x200,0 | |

Nut Extractor

- Simple removal of nuts contained within Wera HF sockets
- For the simple removal of nuts from 1/4", 3/8", 1/2" sockets with holding function
- Hexagonal anti-roll feature against rolling away

Nut Extractor



| | EAN | | | | | | | |
|-------------|---------|------|------|--|--|--|--|---|
| Code | 4013288 | mm | mm | | | | | |
| 05050005001 | 192554 | 14,0 | 43,0 | | | | | 1 |

Belt A 4 Zyklop socket set, 1/4" drive

- 9-piece socket set on a robust textile belt, 1/4"
- For manual and power tool operations (non-impact)
- Smooth Twist to Unlock mechanism for a secure fit and simple removal of the sockets
- Take it easy tool finder with colour coding according to sizes
- Suitable for attachment to a wall, shelf, tool trolley and to the Wera 2go System

Belt A 4 Zyklop socket set, 1/4" drive



| Code | EAN | | |
|-------------|-------------------|--|---|
| 05003883001 | 4013288 190789 | | 1 |
| | | ● 8790 HMA 1x 5,0x23,0; 1x 5,5x23,0; 1x 6,0x23,0; 1x 7,0x23,0; 1x 8,0x23,0; 1x 10,0x23,0; 1x 11,0x23,0; 1x 12,0x23,0; 1x 13,0x23,0 | |
| | | ● Belt A 0/9 1x 39,0x238,0 | |
| | | ● K30 1x 30,0x200,0 | |

Magnetic socket rail A 4 Zyklop socket set, 1/4" drive

Socket rail with 9 manual and machine sockets (non-impact), 1/4". A smooth rotary mechanism allows a secure hold and easy access of the sockets.

With Take it easy tool finder with colour coding by size - to help you find the required tool quickly and easily.

The rail allows temporary attachment to metallic surfaces and, with its twist-to-unlock function, ensures secure locking and unlocking of the sockets.

- 9-piece socket set on socket rail, 1/4"
- Rail with secure bit mounting and yet easy removal (twist-to-unlock) for temporary attachment on wall, shelf or workshop trolley
- Smooth Twist to Unlock mechanism for a secure fit and simple removal of the sockets
- With Take it easy tool finder: colour coding by size

Magnetic socket rail A 4 Zyklop socket set, 1/4" drive



| Code | EAN | | |
|-------------|-------------------|---|---|
| 05005400001 | 4013288 223197 | | 1 |
| | | <ul style="list-style-type: none"> ● 8790 HMA 1x 5,0x23,0; 1x 5,5x23,0; 1x 6,0x23,0; 1x 7,0x23,0; 1x 8,0x23,0; 1x 10,0x23,0; 1x 11,0x23,0; 1x 12,0x23,0; 1x 13,0x23,0 | |
| | | <ul style="list-style-type: none"> 9600 1x 30,0x270,0 | |

Belt A Imperial 1 Zyklop In-Hex-Plus bit socket set with holding function, 1/4" drive



| Code | EAN | | |
|-------------|-------------------|---|---|
| 05003884001 | 4013288 194992 | | 1 |
| | | <ul style="list-style-type: none"> ○ 8740 A 1x 5/64"x28,0; 1x 3/32"x28,0; 1x 7/64"x28,0 | |
| | | <ul style="list-style-type: none"> ○ 8740 A HF 1x 1/8"x28,0; 1x 9/64"x28,0; 1x 5/32"x28,0; 1x 3/16"x28,0; 1x 7/32"x28,0; 1x 1/4"x28,0 | |
| | | Belt A 0/9 1x 39,0x238,0 | |
| | | K30 1x 30,0x200,0 | |

Magnetic socket rail A Imperial 1 Zyklop socket set, 1/4" drive, imperial

Socket rail with 9 manual and machine sockets (non-impact), 1/4". A smooth rotary mechanism allows a secure hold and easy access of the sockets.

With Take it easy tool finder with colour coding by size - to help you find the required tool quickly and easily.

The rail allows temporary attachment to metallic surfaces and, with its twist-to-unlock function, ensures secure locking and unlocking of the sockets.

- 9-piece socket set on socket rail, 1/4"
- Rail with secure bit mounting and yet easy removal (twist-to-unlock) for temporary attachment on wall, shelf or workshop trolley
- Smooth Twist to Unlock mechanism for a secure fit and simple removal of the sockets
- With Take it easy tool finder: colour coding by size

Magnetic socket rail A Imperial 1 Zyklop socket set, 1/4" drive, imperial



| Code | EAN | | |
|-------------|-------------------|---|---|
| 05005420001 | 4013288 223227 | | 1 |
| | | <ul style="list-style-type: none"> ● 8790 HMA 1x 3/16"x23,0; 1x 7/32"x23,0; 1x 1/4"x23,0; 1x 9/32"x23,0; 1x 5/16"x23,0; 1x 11/32"x23,0; 1x 3/8"x23,0; 1x 7/16"x23,0; 1x 1/2"x23,0 | |
| | | 9600 1x 30,0x270,0 | |

8790 HMA Deep 1/4" socket

Long 1/4" hand and machine socket (ISO 2725 part 3) with ball intercept ring; for external hexagonal bolts and sockets.

For use in manual and machine operation (non-impact), even with low-lying screwdriving and protruding threaded rods.

With Take it easy tool finder with colour coding by size - for easy and fast location of the required tool. Easy to grasp even with oily hands.

The hexagon profile allows the transmission of high forces and puts less strain on the edges of bolts or screw heads than a double hexagon profile.

Fine-toothed ratchets also make the use of a double hexagon profile superfluous, even in confined spaces, thanks to their small back-pivoting angle.

- Long sockets for low-lying screwdriving, often even with protruding threaded rods in small spaces
- Hexagonal profile enables precise bolting with high power transmission and preserves the profile
- Take it easy tool finder with colour coding according to sizes
- Knurling on lower end for more grip when used manually
- For manual and machine operation (non-impact), ball intercept ring
- Made of matt chromed chrome-vanadium

8790 HMA Deep 1/4" socket



| Code | EAN | | mm | mm | mm | mm | |
|-------------|--------|--|------|------|------|------|---|
| 05004500001 | 210258 | | 4,0 | 50,0 | 6,7 | 11,8 | 1 |
| 05004501001 | 210128 | | 5,0 | 50,0 | 8,0 | 11,8 | 1 |
| 05004502001 | 210241 | | 5,5 | 50,0 | 8,6 | 11,8 | 1 |
| 05004503001 | 210265 | | 6,0 | 50,0 | 9,2 | 11,8 | 1 |
| 05004504001 | 210272 | | 7,0 | 50,0 | 10,8 | 11,8 | 1 |
| 05004505001 | 210289 | | 8,0 | 50,0 | 11,8 | 11,0 | 1 |
| 05004506001 | 210296 | | 9,0 | 50,0 | 12,8 | 12,0 | 1 |
| 05004507001 | 210302 | | 10,0 | 50,0 | 14,7 | 12,8 | 1 |
| 05004508001 | 210319 | | 11,0 | 50,0 | 15,8 | 14,0 | 1 |
| 05004509001 | 210326 | | 12,0 | 50,0 | 16,8 | 15,0 | 1 |
| 05004510001 | 210333 | | 13,0 | 50,0 | 17,8 | 16,0 | 1 |
| 05004511001 | 210340 | | 14,0 | 50,0 | 19,8 | 17,0 | 1 |
| 05004512001 | 210357 | | 15,0 | 50,0 | 20,8 | 18,0 | 1 |

Belt A Deep 1 socket set, 1/4" drive

Robust textile belt in the typical Wera design with 9 long 1/4" manual and machine socket inserts (non-impacting) in a confined space. A smoother turning mechanism ensures a secure holding and easy removal of sockets. Includes snap hook for attaching to belt loops or bags.

With fleece backing and hook and loop fastener strips for easy attachment e.g. on wall, shelf, workshop trolley or the Wera 2go tool transport system.

Long 1/4" manual and mechanical socket wrench inserts (ISO 2725 part 3) from Wera for use in manual and machine operation (non-impacting) even with low-lying screwdriving and protruding threaded rods.

With Take it easy tool finder with colour coding by size - for easy and fast location of the required tool. Easy to grasp even with oily hands. With hexagonal profile and ball-catching groove. The hexagon profile allows the transmission of high forces and puts less strain on the edges of bolts or screw heads than a double hexagon profile.

Fine-toothed ratchets also make the use of a double hexagon profile superfluous, even in confined spaces, thanks to their small back-pivoting angle. For external hexagonal bolts and sockets.

- 9-piece socket set on a robust textile belt, 1/4"
- Smooth Twist to Unlock mechanism for a secure fit and simple removal of the sockets
- Long 1/4" socket for low-profile-fitting screw connections in tight construction spaces and for protruding threaded rods
- Hexagonal profile enables precise and profile-preserving screw-driving with high power transmission
- Take it easy tool finder with colour coding according to sizes

Belt A Deep 1 socket set, 1/4" drive



| Code | EAN | | |
|-------------|--------|---|---|
| 05004525001 | 210371 | | 1 |
| | | 8790 HMA Deep 1x 5,0x50,0; 1x 5,5x50,0; 1x 6,0x50,0; 1x 7,0x50,0; 1x 8,0x50,0; 1x 10,0x50,0; 1x 11,0x50,0; 1x 12,0x50,0; 1x 13,0x50,0 | |
| | | Belt A 0/9 1x 39,0x238,0 | |
| | | K30 1x 30,0x200,0 | |

Magnetic socket rail A Deep 1 socket set, 1/4" drive

Socket rail with 9 long manual and machine sockets (non-impact), 1/4". A smooth rotary mechanism allows a secure hold and easy access of the sockets.

Long 1/4" manual and machine sockets (ISO 2725 part 3) by Wera for manual and (non-impact) machine use even at low lying couplings and protruding thread rods. With Take it easy tool finder with colour coding by size - to help you find the required tool quickly and easily.

Slip-proof for easy grip even with oily hands. With hexagon profile and ball stop groove.


The hexagon profile enables the transmission of high forces and loads the edges of the bolt or the screw head less than a double hexagon profile.

Fine-teethed ratchets also make use of a double hexagon profile superfluous, even in confined spaces, thanks to their small return angle.

For external hexagon bolts and screws. The rail allows temporary attachment to metallic surfaces and, with its twist-to-unlock function, ensures secure locking and unlocking of the sockets.

- 9-piece socket set on socket rail, 1/4"
- Rail with secure bit mounting and yet easy removal (twist-to-unlock) for temporary attachment on wall, shelf or workshop trolley
- Smooth Twist to Unlock mechanism for a secure fit and simple removal of the sockets
- Long 1/4" socket for low-profile-fitting screw connections in tight construction spaces and for protruding threaded rods
- Hexagonal profile enables precise and profile-preserving screwdriving with high power transmission

Magnetic socket rail A Deep 1 socket set, 1/4" drive



| Code | EAN | | |
|-------------|--------|---|---|
| 05005410001 | 223210 | | 1 |
| | | 8790 HMA Deep 1x 5,0x50,0; 1x 5,5x50,0; 1x 6,0x50,0; 1x 7,0x50,0; 1x 8,0x50,0; 1x 10,0x50,0; 1x 11,0x50,0; 1x 12,0x50,0; 1x 13,0x50,0 | |
| | | 9600 1x 30,0x270,0 | |

8767 A TORX® Zyklop bit socket with holding function, 1/4" drive



| | EAN | | | | | | | |
|-------------|---------|--|-------|------|------|------|------|---|
| Code | 4013288 | | | | | | | |
| 05003390001 | 219602 | | TX 10 | 28,0 | 12,0 | 12,5 | 11,0 | 1 |
| 05003391001 | 219619 | | TX 20 | 28,0 | 12,0 | 12,5 | 11,0 | 1 |
| 05003392001 | 219626 | | TX 25 | 28,0 | 12,0 | 12,5 | 11,0 | 1 |
| 05003393001 | 219633 | | TX 30 | 28,0 | 12,0 | 12,5 | 11,0 | 1 |

8767 A HF TORX® Zyklop bit socket with holding function, 1/4" drive

- Bit socket (non-impact) for manual or machine tool operations
- The holding function holds screws securely on the tool
- Take it easy tool finder with colour coding according to sizes
- Knurling on lower end for more grip when used manually
- Chrome vanadium steel, matt chrome-plated

8767 A HF TORX® Zyklop bit socket with holding function, 1/4" drive



| | EAN | | | | | | | |
|-------------|---------|--|-------|-------|------|------|------|---|
| Code | 4013288 | | | | | | | |
| 05003360001 | 186829 | | TX 8 | 28,0 | 12,0 | 12,5 | 11,0 | 1 |
| 05003361001 | 186843 | | TX 9 | 28,0 | 12,0 | 12,5 | 11,0 | 1 |
| 05003362001 | 186836 | | TX 10 | 28,0 | 12,0 | 12,5 | 11,0 | 1 |
| 05003363001 | 186850 | | TX 15 | 28,0 | 12,0 | 12,5 | 11,0 | 1 |
| 05003364001 | 186867 | | TX 20 | 28,0 | 12,0 | 12,5 | 11,0 | 1 |
| 05003365001 | 186874 | | TX 25 | 28,0 | 12,0 | 12,5 | 11,0 | 1 |
| 05003366001 | 186881 | | TX 25 | 100,0 | 12,0 | 12,5 | 83,0 | 1 |
| 05003367001 | 186898 | | TX 27 | 28,0 | 12,0 | 12,5 | 11,0 | 1 |
| 05003368001 | 186904 | | TX 27 | 100,0 | 12,0 | 12,5 | 83,0 | 1 |
| 05003369001 | 186911 | | TX 30 | 28,0 | 12,0 | 12,5 | 11,0 | 1 |
| 05003370001 | 186928 | | TX 30 | 100,0 | 12,0 | 12,5 | 83,0 | 1 |
| 05003371001 | 186935 | | TX 40 | 28,0 | 12,0 | 12,5 | 11,0 | 1 |
| 05003372001 | 186942 | | TX 40 | 100,0 | 12,0 | 12,5 | 83,0 | 1 |

Belt A 3 TORX® HF Zyklop bit socket set with holding function, 1/4" drive

Typically Wera designed robust textile belt with 9 sockets taking up minimal space. A smooth Twist to Unlock mechanism ensures a secure fit and simple removal of the sockets.

Comes with Take it easy Tool Finder with colour coding according to size to enable the right tool to be selected easily and quickly. Includes a snap hook for secure fastening to a belt loop or pocket. Especially short, stable bit-sockets with all the advantages of the Wera bit technology.

Bit sockets with holding function for particularly convenient screwdriving with reduced risk of losing the screw when approaching the workpiece. Supplied with a nonwoven reverse side and hook and loop strips for simple attachment e.g. to a wall, shelf, tool trolley and to the Wera 2go tool transport system.

- 9-piece bit-socket set on a robust textile belt, 1/4"
- Bit-sockets with all the advantages of the Wera bit technology
- Bit-sockets with holding function for screws/bolts
- Smooth Twist to Unlock mechanism for a secure fit and simple removal of the sockets
- Suitable for attachment to a wall, shelf, tool trolley and to the Wera 2go System
- Take it easy tool finder with colour coding according to sizes

Belt A 3 TORX® HF Zyklop bit socket set with holding function, 1/4" drive



| Code | EAN | | |
|-------------|--------|--|---|
| 05003882001 | 190772 | | 1 |
| | | 8767 A HF 1x TX 8x28,0; 1x TX 9x28,0; 1x TX 10x28,0; 1x TX 15x28,0; 1x 3,7x3,7xTX 20x28,0; 1x 4,1x4,1xTX 25x28,0; 1x 4,8x4,8xTX 27x28,0; 1x 5,4x5,4xTX 30x28,0; 1x 6,5x6,5xTX 40x28,0 | |
| | | Belt A 0/9 1x 39,0x238,0 | |
| | | K30 1x 30,0x200,0 | |

8767 A TORX® HF 1 Zyklop bit socket set with holding function, 1/4" drive

- Compact textile box with high robustness, low weight and volume
- Bit socket (non-impact) for manual or power tool operations
- The holding function holds screws securely on the tool
- Take it easy tool finder with colour coding according to sizes
- Knurling on lower socket end for more grip when used manually
- Long design

8767 A TORX® HF 1 Zyklop bit socket set with holding function, 1/4" drive



| Code | EAN | | |
|-------------|--------|---|---|
| 05003375001 | 191014 | | 1 |
| | | 8767 A HF 1x TX 25x100,0; 1x TX 27x100,0; 1x TX 30x100,0; 1x TX 40x100,0 | |
| | | K70 1x 50,0x70,0 | |

8740 A HF Zyklop bit socket with holding function, 1/4" drive

- Bit socket (non-impact) for manual or machine tool operations
- The holding function holds screws securely on the tool
- Hex-Plus allows socket head screws to live longer

8740 A HF Zyklop bit socket with holding function, 1/4" drive




| Code | EAN | | mm | mm | mm | mm | | |
|-------------|--------|--|-----|-------|------|------|------|---|
| 05003332001 | 187123 | | 3,0 | 28,0 | 12,0 | 12,5 | 1 | |
| 05003333001 | 187178 | | 4,0 | 28,0 | 12,0 | 12,5 | 1 | |
| 05003334001 | 187185 | | 4,0 | 100,0 | 12,0 | 12,5 | 1 | |
| 05003335001 | 187192 | | 5,0 | 28,0 | 12,0 | 12,5 | 1 | |
| 05003336001 | 187208 | | 5,0 | 100,0 | 12,0 | 12,5 | 1 | |
| 05003337001 | 187215 | | 6,0 | 28,0 | 12,0 | 12,5 | 1 | |
| 05003338001 | 187222 | | 6,0 | 100,0 | 12,0 | 12,5 | 1 | |
| 05003341001 | 189547 | | 7,0 | 28,0 | 12,0 | 12,5 | 1 | |
| 05003342001 | 189554 | | 7,0 | 100,0 | 12,0 | 12,5 | 1 | |
| 05003339001 | 187239 | | 8,0 | 28,0 | 12,0 | 12,5 | 1 | |
| 05003340001 | 187246 | | 8,0 | 100,0 | 12,0 | 12,5 | 1 | |
| 05003383001 | 189868 | | | 1/8" | 28,0 | 12,0 | 12,5 | 1 |
| 05003384001 | 189875 | | | 9/64" | 28,0 | 12,0 | 12,5 | 1 |
| 05003385001 | 189882 | | | 5/32" | 28,0 | 12,0 | 12,5 | 1 |
| 05003386001 | 189899 | | | 3/16" | 28,0 | 12,0 | 12,5 | 1 |
| 05003387001 | 189905 | | | 7/32" | 28,0 | 12,0 | 12,5 | 1 |
| 05003388001 | 189912 | | | 1/4" | 28,0 | 12,0 | 12,5 | 1 |
| 05003389001 | 189844 | | | 5/16" | 28,0 | 12,0 | 12,5 | 1 |

8740 A Zyklop bit socket, 1/4" drive

- Bit socket (non-impact) for manual or machine tool operations
- Hex-Plus allows socket head screws to live longer

8740 A Zyklop bit socket, 1/4" drive



| Code | EAN | | mm | mm | mm | mm | | |
|-------------|--------|--|-----|-------|------|------|------|---|
| 05003330001 | 187154 | | 2,0 | 28,0 | 12,0 | 12,5 | 1 | |
| 05003331001 | 187161 | | 2,5 | 28,0 | 12,0 | 12,5 | 1 | |
| 05003380001 | 189820 | | | 5/64" | 28,0 | 12,0 | 12,5 | 1 |
| 05003381001 | 189837 | | | 3/32" | 28,0 | 12,0 | 12,5 | 1 |
| 05003382001 | 189851 | | | 7/64" | 28,0 | 12,0 | 12,5 | 1 |

Belt A 2 Zyklop In-Hex-Plus bit socket set with holding function, 1/4" drive

Typically Wera designed robust textile belt with 8 in-hex bit-sockets taking up minimal space.

A smooth Twist to Unlock mechanism ensures a secure fit and simple removal of the sockets.

Comes with Take it easy Tool Finder with colour coding according to size to enable the right tool to be selected easily and quickly. Includes a snap hook for secure fastening to a belt loop or pocket.

Supplied with a nonwoven reverse side and hook and loop strips for simple attachment e.g. to a wall, shelf, tool trolley and to the Wera 2go tool transport system.

- 8-piece bit socket set on a robust textile belt, 1/4"
- Bit-sockets with all the advantages of the Wera bit technology
- Bit sockets with retaining function for hexagon socket screws
- Take it easy tool finder with colour coding according to sizes
- Smooth Twist to Unlock mechanism for a secure fit and simple removal of the sockets
- Suitable for attachment to a wall, shelf, tool trolley and to the Wera 2go System

Belt A 2 Zyklop In-Hex-Plus bit socket set with holding function, 1/4" drive



| Code | EAN | | |
|-------------|--------|------------|--|
| 05003881001 | 190765 | | 1 |
| | | 8740 A | 1x 2,0x28,0; 1x 2,5x28,0 |
| | | 8740 A HF | 1x 3,0x28,0; 1x 4,0x28,0; 1x 5,0x28,0; 1x 6,0x28,0; 1x 7,0x28,0; 1x 8,0x28,0 |
| | | Belt A 0/8 | 1x 39,0x220,0 |
| | | K30 | 1x 30,0x200,0 |

8740 A HF 1 Zyklop bit socket set with holding function, 1/4" drive

- Compact textile box with high robustness, low weight and volume
- Bit socket (non-impact) for manual or power tool operations
- The holding function holds screws securely on the tool
- Take it easy tool finder with colour coding according to sizes
- Knurling on lower socket end for more grip when used manually
- Long design

8740 A HF 1 Zyklop bit socket set with holding function, 1/4" drive



| Code | EAN | | | |
|-------------|--------|---|--|---|
| 05003345001 | 191007 | | | 1 |
| | | ○ | 8740 A HF 1x 4,0x100,0; 1x 5,0x100,0; 1x 6,0x100,0; 1x 7,0x100,0; 1x 8,0x100,0 | |
| | | | K70 1x 50,0x70,0 | |

8751 A Phillips Zyklop bit socket, 1/4" drive

- Extremely short

8751 A Phillips Zyklop bit socket, 1/4" drive



| Code | EAN | | | | | | | |
|-------------|--------|------|------|------|------|------|--|---|
| 05003350001 | 187253 | PH 1 | 28,0 | 12,0 | 11,0 | 12,5 | | 1 |
| 05003351001 | 187260 | PH 2 | 28,0 | 12,0 | 11,0 | 12,5 | | 1 |
| 05003352001 | 187277 | PH 3 | 28,0 | 12,0 | 11,0 | 12,5 | | 1 |

8755 A Pozidriv Zyklop bit socket, 1/4" drive

- Extremely short

8755 A Pozidriv Zyklop bit socket, 1/4" drive



| Code | EAN | | | | | | | |
|-------------|--------|------|------|------|------|------|--|---|
| 05003353001 | 187284 | PZ 1 | 28,0 | 12,0 | 11,0 | 12,5 | | 1 |
| 05003354001 | 187291 | PZ 2 | 28,0 | 12,0 | 11,0 | 12,5 | | 1 |
| 05003355001 | 187307 | PZ 3 | 28,0 | 12,0 | 11,0 | 12,5 | | 1 |

8700 A FL Slotted screws Zyklop bit socket, 1/4" drive

- Extremely short

8700 A FL Slotted screws Zyklop bit socket, 1/4" drive




| Code | EAN | | | | | | | |
|-------------|--------|-----|-----|------|------|------|------|---|
| 05003320001 | 187314 | 0,8 | 5,5 | 28,0 | 12,0 | 11,0 | 11,0 | 1 |
| 05003321001 | 187321 | 1,0 | 5,5 | 28,0 | 12,0 | 11,0 | 11,0 | 1 |
| 05003322001 | 187338 | 1,2 | 6,5 | 28,0 | 12,0 | 11,0 | 11,0 | 1 |

8796 LA Zyklop "flexible-lock" extension with free-turning sleeve, long, 1/4"

- For 1/4" square sockets with ball lock
- Flexible lock system for either locking or rapid exchange of the attached tool
- With free-turning sleeve for rapid tightening and loosening of screws and nuts

8796 LA Zyklop "flexible-lock" extension with free-turning sleeve, long, 1/4"



| Code | EAN | | | | | | | |
|-------------|--------|------|-------|--|--|--|--|---|
| 05003531001 | 121059 | 1/4" | 150,0 | | | | | 1 |

8796 SA Zyklop "flexible-lock" extension with free-turning sleeve, short, 1/4"

- For 1/4" square sockets with ball lock
- Flexible lock system for either locking or rapid exchange of the attached tool
- With free-turning sleeve for rapid tightening and loosening of screws and nuts

8796 SA Zyklop "flexible-lock" extension with free-turning sleeve, short, 1/4"



| Code | EAN | □ | ⌀ | | | | | | |
|-------------|--------|------|------|--|--|--|--|--|---|
| 05003530001 | 121042 | 1/4" | 75,0 | | | | | | 1 |

8794 LA Zyklop extension with free-turning sleeve, long, 1/4"

Wera Zyklop extension with easy-to-grip free-turning sleeve for rapid tightening and loosening of screws and nuts. Out of high quality chrome vanadium steel, matt chrome-plated.

8794 LA Zyklop extension with free-turning sleeve, long, 1/4"



| Code | EAN | □ | ⌀ | | | | | | |
|-------------|--------|------|-------|--|--|--|--|--|---|
| 05003526001 | 121073 | 1/4" | 150,0 | | | | | | 1 |

8794 SA Zyklop extension with free-turning sleeve, short, 1/4"

Wera Zyklop extension with easy-to-grip free-turning sleeve for rapid tightening and loosening of screws and nuts. Out of high quality chrome vanadium steel, matt chrome-plated.

8794 SA Zyklop extension with free-turning sleeve, short, 1/4"



| Code | EAN | □ | ⌀ | | | | | | |
|-------------|--------|------|------|--|--|--|--|--|---|
| 05003525001 | 121066 | 1/4" | 75,0 | | | | | | 1 |

8789 A Zyklop sliding T-handle, 1/4"

Wera Zyklop T-handle for higher torque transfer. For 1/4" square sockets with ball lock. Adjustable drive, therefore more flexible usage. Out of high quality chrome vanadium steel, matt chrome-plated.

8789 A Zyklop sliding T-handle, 1/4"



| Code | EAN | □ | ⌀ | | | | | | |
|-------------|--------|------|-------|--|--|--|--|--|---|
| 05003524001 | 121493 | 1/4" | 110,0 | | | | | | 3 |

8795 A Zyklop universal joint, 1/4"

Wera Zyklop universal joint for 1/4" square sockets with ball lock.

8795 A Zyklop universal joint, 1/4"



| Code | EAN | □ | ⌀ | | | | | | |
|-------------|--------|------|------|--|--|--|--|--|---|
| 05003528001 | 121509 | 1/4" | 35,5 | | | | | | 1 |

8784 A1 Zyklop bit adaptor, 1/4"

- 1/4" Zyklop adaptor with quick-release chuck for rapid bit change

8784 A1 Zyklop bit adaptor, 1/4"



| Code | EAN | | | | | | | |
|-------------|--------|------|------|------|--|--|--|---|
| 05003529001 | 121035 | 1/4" | 1/4" | 37,0 | | | | 1 |

8794 A Zyklop wobble extension, 1/4"

Wobble extension for the Wera Zyklop. Swivel angle of 15° in all directions. This ensures rapid and precise work even in confined working situations.

8794 A Zyklop wobble extension, 1/4"



| Code | EAN | | | | | | | |
|-------------|--------|------|------|--|--|--|--|---|
| 05003527001 | 121080 | 1/4" | 56,0 | | | | | 1 |

Socket rail A (textile belt), 9 location, unloaded



| Code | EAN | | | | | | | |
|-------------|--------|--|--|--|--|--|-----------------------------|---|
| 05003891001 | 192424 | | | | | | | 1 |
| | | | | | | | Belt A 0/9 1x 39,0x238,0 | |
| | | | | | | | K30 1x 30,0x200,0 | |

Socket rail A (textile belt), 8 location, unloaded



| Code | EAN | | | | | | |
|-------------|--------|--|--|--|--|--|-----------------------------|
| 05003890001 | 192417 | | | | | | 1 |
| | | | | | | | Belt A 0/8 1x 39,0x220,0 |
| | | | | | | | K30 1x 30,0x200,0 |


9600 Magnetic socket rail, 1/4", empty

1 socket rail, empty. For up to 10 sockets and/or bit sockets with 1/4" drive.

The rail allows temporary attachment to metallic surfaces and, with its twist-to-unlock function, ensures secure locking and unlocking of the sockets.


- Rail with secure bit mounting and yet easy removal (twist-to-unlock) for temporary attachment on wall, shelf or workshop trolley
- Smooth Twist to Unlock mechanism for a secure fit and simple removal of the sockets
- Empty, for up to 10 sockets, 1/4"

9600 Magnetic socket rail, 1/4", empty



| Code | EAN | | | | | | |
|-------------|--------|------|-------|--|--|--|---|
| 05136420001 | 223326 | 30,0 | 270,0 | | | | 1 |

Zyklop Speed - incredibly fast and incredibly flexible



Incredibly compact set arrangement with many tools in a minimum of space. A completely new ratchet set feeling thanks to the unique textile boxes that are very robust and durable.

They can be positioned upright for tidy storage on the workshop shelf. Additional surface protection due to textile outer material. Low weight and volume for simpler mobility.


Take it easy Tool Finder with colour coding according to sizes.

- Freely pivoting ratchet head with 5 predefined locking positions
- Fine toothing with 72 teeth
- Small return angle of only 5°
- Free-turning sleeve for high working speeds
- Take it easy tool finder with colour coding according to sizes
- Compact textile box with high robustness, low weight and volume

8100 SB All-in Zyklop Speed ratchet set, 3/8" drive

- Easy removal of the ratchet thanks to Twist-to-unlock system

8100 SB All-in Zyklop Speed ratchet set, 3/8" drive



| Code | EAN | | |
|-------------|---------|--|---|
| | 4013288 | | |
| 05003536001 | 225573 | | 1 |
| | | 8000 B 1x 3/8"x199,0 | |
| | | 8794 B 1x 3/8"x76,0 | |
| | | 8796 LB 1x 3/8"x200,0 | |
| | | 8790 HMB HF 1x 6,0x29,0; 1x 7,0x29,0; 1x 8,0x29,0; 1x 9,0x29,0; 1x 10,0x29,0; 1x 11,0x29,0; 1x 12,0x29,0; 1x 13,0x29,0; 1x 14,0x29,0; 1x 15,0x29,0; 1x 16,0x29,0; 1x 17,0x29,0; 1x 18,0x29,0; 1x 19,0x29,0 | |
| | | 8767 B HF 1x TX 10x35,0; 1x TX 15x35,0; 1x TX 20x35,0; 1x TX 25x35,0; 1x TX 27x35,0; 1x TX 30x35,0; | |
| | | 8740 B HF 1x 3,0x35,0; 1x 4,0x35,0; 1x 5,0x35,0; 1x 6,0x35,0; 1x 7,0x38,5; 1x 8,0x38,5; | |
| | | Nut Extractor 1x 14,0x43,0 | |
| | | Hook and Loop Fastener Strip 240 1x 50,0x240,0 | |

8100 SB 6 Zyklop Speed Ratchet Set, 3/8" drive, metric



| Code | EAN | | |
|-------------|-------------------|--|---|
| 05004046001 | 4013288 173911 | | 1 |
| | | <input type="checkbox"/> 8000 B 1x 3/8"x199,0 | |
| | | <input checked="" type="checkbox"/> 8790 HMB 1x 8,0x29,0; 1x 10,0x29,0; 1x 12,0x29,0; 1x 13,0x29,0; 1x 15,0x29,0; 1x 16,0x30,0; 1x 17,0x30,0; 1x 18,0x30,0; 1x 19,0x30,0 | |
| | | <input checked="" type="checkbox"/> <input type="checkbox"/> 8794 LB 1x 3/8"x200,0 | |
| | | <input checked="" type="checkbox"/> <input type="checkbox"/> 8794 B 1x 3/8"x76,0 | |
| | | <input checked="" type="checkbox"/> <input type="checkbox"/> 8784 B1 1x 1/4"x3/8"x44,0 | |
| | | <input checked="" type="checkbox"/> 851/4 TZ PH 1x PH 1x50; 1x PH 2x50; 1x PH 3x50 | |
| | | <input checked="" type="checkbox"/> 855/4 TZ PZ 1x PZ 1x50; 1x PZ 2x50; 1x PZ 3x50 | |
| | | <input checked="" type="checkbox"/> 867/4 Z TORX® 1x TX 20x50; 1x TX 25x50; 1x TX 27x50; 1x TX 30x50; 1x TX 40x50 | |
| | | <input type="checkbox"/> 840/4 Z Hex-Plus 1x 4,0x50; 1x 5,0x50; 1x 6,0x50; 1x 8,0x50 | |
| | | <input type="checkbox"/> 800/4 Z 1x 1,0x5,5x50 | |

8100 SB 9 Zyklop Speed Ratchet Set, 3/8" drive, imperial



| Code | EAN | | |
|-------------|-------------------|--|---|
| 05004049001 | 4013288 173980 | | 1 |
| | | <input type="checkbox"/> 8000 B 1x 3/8"x199,0 | |
| | | <input checked="" type="checkbox"/> 8790 HMB 1x 1/4"x29,0; 1x 5/16"x29,0; 1x 3/8"x29,0; 1x 7/16"x29,0; 1x 1/2"x29,0; 1x 9/16"x29,0; 1x 5/8"x30,0; 1x 11/16"x30,0; 1x 3/4"x30,0 | |
| | | <input checked="" type="checkbox"/> <input type="checkbox"/> 8794 LB 1x 3/8"x200,0 | |
| | | <input checked="" type="checkbox"/> <input type="checkbox"/> 8794 B 1x 3/8"x76,0 | |
| | | <input checked="" type="checkbox"/> <input type="checkbox"/> 8784 B1 1x 1/4"x3/8"x44,0 | |
| | | <input checked="" type="checkbox"/> 851/4 TZ PH 1x PH 1x50; 1x PH 2x50; 1x PH 3x50 | |
| | | <input checked="" type="checkbox"/> 855/4 TZ PZ 1x PZ 1x50; 1x PZ 2x50; 1x PZ 3x50 | |
| | | <input checked="" type="checkbox"/> 867/4 Z TORX® 1x TX 20x50; 1x TX 25x50; 1x TX 27x50; 1x TX 30x50; 1x TX 40x50 | |
| | | <input type="checkbox"/> 840/4 Z Hex-Plus 1x 3/16"x50; 1x 7/32"x50; 1x 1/4"x50; 1x 5/16"x50 | |
| | | <input type="checkbox"/> 800/4 Z 1x 1,0x5,5x50 | |

8100 SB 2 Zyklop Speed Ratchet Set, 3/8" drive, metric

- 43-piece set in a robust metal case

8100 SB 2 Zyklop Speed Ratchet Set, 3/8" drive, metric




| Code | EAN | | |
|-------------|-------------------|--|---|
| 05003594001 | 4013288 121141 | | 1 |
| | | <input type="checkbox"/> 8000 B 1x 3/8"x199,0 | |
| | | <input checked="" type="checkbox"/> 8790 HMB 1x 6,0x29,0; 1x 7,0x29,0; 1x 8,0x29,0; 1x 9,0x29,0; 1x 10,0x29,0; 1x 11,0x29,0; 1x 12,0x29,0; 1x 13,0x29,0; 1x 14,0x29,0; 1x 15,0x29,0; 1x 16,0x30,0; 1x 17,0x30,0; 1x 18,0x30,0; 1x 19,0x30,0; 1x 20,0x30,0; 1x 21,0x30,0; 1x 22,0x30,0; 1x 24,0x32,0 | |
| | | <input type="checkbox"/> 8789 B 1x 3/8"x165,0 | |
| | | <input checked="" type="checkbox"/> 8794 B 1x 3/8"x76,0 | |
| | | <input checked="" type="checkbox"/> 8795 B 1x 3/8"x50,0 | |
| | | <input checked="" type="checkbox"/> 8784 B1 1x 1/4"x3/8"x44,0 | |
| | | <input checked="" type="checkbox"/> 8796 SB 1x 3/8"x125,0 | |
| | | <input checked="" type="checkbox"/> 8796 LB 1x 3/8"x200,0 | |
| | | <input checked="" type="checkbox"/> 851/1 Z PH 1x PH 2x25; 1x PH 3x25 | |
| | | <input checked="" type="checkbox"/> 855/1 Z PZ 1x PZ 2x25; 1x PZ 3x25 | |
| | | <input checked="" type="checkbox"/> 867/1 Z TORX® BO 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 27x25; 1x TX 30x25; 1x TX 40x25 | |
| | | <input type="checkbox"/> 840/1 Z Hex-Plus 1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25; 1x 8,0x25; 1x 10,0x25 | |
| | | <input type="checkbox"/> 800/1 Z 1x 1,0x5,5x25 | |

8100 SB 4 Zyklop Speed Ratchet Set, 3/8" drive, imperial


- 38-piece set in a robust metal case

8100 SB 4 Zyklop Speed Ratchet Set, 3/8" drive, imperial



| Code | EAN | | |
|-------------|-------------------|---|---|
| 05003596001 | 4013288 121165 | | 1 |
| | | <input type="checkbox"/> 8000 B 1x 3/8"x199,0 | |
| | | <input checked="" type="checkbox"/> 8790 HMB 1x 1/4"x29,0; 1x 5/16"x29,0; 1x 11/32"x29,0; 1x 3/8"x29,0; 1x 7/16"x29,0; 1x 1/2"x29,0; 1x 9/16"x29,0; 1x 5/8"x30,0; 1x 11/16"x30,0; 1x 3/4"x30,0; 1x 13/16"x30,0; 1x 7/8"x30,0 | |
| | | <input type="checkbox"/> 8789 B 1x 3/8"x165,0 | |
| | | <input checked="" type="checkbox"/> 8794 B 1x 3/8"x76,0 | |
| | | <input checked="" type="checkbox"/> 8795 B 1x 3/8"x50,0 | |
| | | <input checked="" type="checkbox"/> 8784 B1 1x 1/4"x3/8"x44,0 | |
| | | <input checked="" type="checkbox"/> 8796 SB 1x 3/8"x125,0 | |
| | | <input checked="" type="checkbox"/> 8796 LB 1x 3/8"x200,0 | |
| | | <input checked="" type="checkbox"/> 851/1 Z PH 1x PH 2x25; 1x PH 3x25 | |
| | | <input checked="" type="checkbox"/> 855/1 Z PZ 1x PZ 2x25; 1x PZ 3x25 | |
| | | <input checked="" type="checkbox"/> 867/1 Z TORX® BO 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 27x25; 1x TX 30x25; 1x TX 40x25 | |
| | | <input type="checkbox"/> 800/1 Z 1x 1,0x5,5x25 | |
| | | <input type="checkbox"/> 840/1 Z Hex-Plus 1x 5/64"x25; 1x 3/32"x25; 1x 1/8"x25; 1x 9/64"x25; 1x 5/32"x25; 1x 3/16"x25; 1x 7/32"x25 | |

Zyklop Speed - incredibly fast and incredibly flexible



27-piece $\frac{3}{8}$ " ratchet set for typical bicycle operations with extensive accessories:

1 Zyklop Speed ratchet with $\frac{3}{8}$ " drive, 10 Zyklop sockets, 2 Zyklop bit sockets with 30mm and extra slim profile area for better accessibility in tight workspaces.


With Take it easy tool finder: Colour coding by size. 1 Zyklop extension (short) with fast-rotating sleeve, 1 Wobble extension, 1 bit adapter, 1 connection part $\frac{3}{8}$ " external square head to $\frac{1}{2}$ " external square head, 10 bits, tough, for universal use.

Incredibly compact set arrangement for many tools in a tight space thanks to the highly robust and durable textile box.

Can be placed in an upright position for clearly arranged storage in the workshop shelf. Additional surface protection due to textile outer material. Low weight and small size for better mobility.

- 27-piece $\frac{3}{8}$ " ratchet set including fine-toothed Zyklop Speed ratchet with swivelling ratchet head, push-button release and right/left switching
- Low return angle of only 5° for working in a small space
- Sockets and bits for the most popular screw profiles for road bikes, mountain bikes and e-bikes
- Assortment in robust textile box with low weight for easy transport
- With adapter from $\frac{3}{8}$ " square head socket to $\frac{1}{2}$ " external square head for mounting special bicycle tools

Bicycle set 7



| Code | EAN | | |
|-------------|-------------------|--|---|
| 05004175001 | 4013288 220608 | | 1 |
| | | 8000 B 1x $\frac{3}{8}$ "x199,0 | |
| | | 8790 HMB 1x 6,0x29,0; 1x 7,0x29,0; 1x 8,0x29,0; 1x 9,0x29,0; 1x 10,0x29,0; 1x 11,0x29,0; 1x 12,0x29,0; 1x 13,0x29,0; 1x 14,0x29,0 | |
| | | 8790 HMB Deep 1x 15,0x64,0 | |
| | | 8740 B 1x 8,0x100,0; 1x 10,0x100,0 | |
| | | 8794 B 1x $\frac{3}{8}$ "x76,0 | |
| | | 8784 B1 1x $\frac{1}{4}$ "x $\frac{3}{8}$ "x44,0 | |
| | | 8794 SB 1x $\frac{3}{8}$ "x125,0 | |
| | | 781 B 1x 781 B/C, $\frac{1}{2}$ "x36,0x $\frac{3}{8}$ " | |
| | | 840/4 Z Hex-Plus 1x 3,0x50; 1x 4,0x50; 1x 5,0x50; 1x 6,0x50 | |
| | | 867/4 Z TORX® 1x TX 10x50; 1x TX 15x50; 1x TX 20x50; 1x TX 25x50; 1x TX 27x50; 1x TX 30x50 | |

8000 B Zyklop Speed Ratchet with $\frac{3}{8}$ " drive

- Combines five different types of a ratchet in one
- Flywheel design and easy-to-grip free-turning sleeve for very high working speeds
- Freely pivoting ratchet head, push button release and left/right switchover
- Fine-tooth design allows a small return angle of 5°
- Can also be used as a screwdriver

8000 B Zyklop Speed Ratchet with $\frac{3}{8}$ " drive



| Code | EAN | | | | | |
|-------------|-------------------|-----------------|-------|--|--|---|
| 05003550001 | 4013288 121875 | $\frac{3}{8}$ " | 199,0 | | | 1 |

8000 B SB Zyklop Speed Ratchet with 3/8" drive



| | | | | |
|--|-------------|-------------------|--------------------------------|---|
| | Code | EAN | | |
| | 05073261001 | 4013288 128041 | 8000 B 1x 3/8"x199,0 | 3 |

Zyklop Metal with push-through square



Incredibly compact set arrangement with many tools in a minimum of space. A completely new ratchet set feeling thanks to the unique textile boxes that are very robust and durable.

They can be positioned upright for tidy storage on the workshop shelf. Additional surface protection due to textile outer material. Low weight and volume for simpler mobility. Take it easy Tool Finder with colour coding according to sizes.

- Extremely slim ratchet with long lever
- Return angle of only 4.7°
- Absolutely smooth switchover of the non-detachable push-through square

8100 SB 7 Zyklop Metal Ratchet Set with push-through square, 3/8" drive, metric



| | | | | |
|--|-------------|-------------------|--|---|
| | Code | EAN | | |
| | 05004047001 | 4013288 173867 | | 1 |
| | | | 8003 B 1x 3/8"x222,0 | |
| | | | 8790 HMB 1x 8,0x29,0; 1x 10,0x29,0; 1x 12,0x29,0; 1x 13,0x29,0; 1x 15,0x29,0; 1x 16,0x30,0; 1x 17,0x30,0; 1x 18,0x30,0; 1x 19,0x30,0 | |
| | | | 8794 LB 1x 3/8"x200,0 | |
| | | | 8794 B 1x 3/8"x76,0 | |
| | | | 8784 B1 1x 1/4"x3/8"x44,0 | |
| | | | 851/1 Z PH 1x PH 1x25; 1x PH 2x25; 1x PH 3x25 | |
| | | | 855/1 Z PZ 1x PZ 1x25; 1x PZ 2x25 | |
| | | | 867/1 TORX® 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 27x25; 1x TX 30x25; 1x TX 40x25 | |
| | | | 840/1 Z Hex-Plus 1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25; 1x 8,0x25 | |

8100 SB 10 Zyklop Metal Ratchet Set with push-through square, 3/8" drive, imperial



| Code | EAN | | | |
|-------------|-------------------|--|--|---|
| 05004050001 | 4013288 173935 | | | 1 |
| | | 8003 B 1x 3/8"x222,0 | | |
| | | 8790 HMB 1x 1/4"x29,0; 1x 5/16"x29,0; 1x 3/8"x29,0; 1x 7/16"x29,0; 1x 1/2"x29,0; 1x 9/16"x29,0; 1x 5/8"x30,0; 1x 11/16"x30,0; 1x 3/4"x30,0 | | |
| | | 8794 LB 1x 3/8"x200,0 | | |
| | | 8794 B 1x 3/8"x76,0 | | |
| | | 8784 B1 1x 1/4"x3/8"x44,0 | | |
| | | 851/1 Z PH 1x PH 1x25; 1x PH 2x25; 1x PH 3x25 | | |
| | | 855/1 Z PZ 1x PZ 1x25; 1x PZ 2x25 | | |
| | | 867/1 TORX® 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 27x25; 1x TX 30x25; 1x TX 40x25 | | |
| | | 840/1 Z Hex-Plus 1x 5/32"x25; 1x 3/16"x25; 1x 7/32"x25; 1x 1/4"x25; 1x 5/16"x25 | | |

8003 B Zyklop Metal Ratchet with push-through square and 3/8" drive

- Forged, full metal ratchet (chrome-molybdenum); slim design to enable work in very confined spaces.
- The dual-ratchet-teeth design means that a 76 fine-toothing division can be achieved from the 38 robust teeth with a return angle of only 4.7°.
- Absolutely smooth switchover of the non-detachable push-through square
- For 3/8" square sockets with ball lock

8003 B Zyklop Metal Ratchet with push-through square and 3/8" drive



| Code | EAN | | | | | | |
|-------------|-------------------|------|-------|----|----|--|---|
| 05004033001 | 4013288 174031 | 3/8" | 222,0 | 27 | 29 | | 3 |

Zyklop Metal with switch lever



Incredibly compact set arrangement with many tools in a minimum of space. A completely new ratchet set feeling thanks to the unique textile boxes that are very robust and durable.

They can be positioned upright for tidy storage on the workshop shelf. Additional surface protection due to textile outer material. Low weight and volume for simpler mobility. Take it easy Tool Finder with colour coding according to sizes.

- Convenient direction change thanks to switchover lever
- Extremely slim ratchet with long lever
- Return angle of only 5°
- Compact textile box with high robustness, low weight and volume

8100 SB 8 Zyklop Metal Ratchet Set with switch lever, 3/8" drive, metric



| Code | EAN | | |
|-------------|-------------------|--|---|
| 05004048001 | 4013288 173928 | | 1 |
| | | 8004 B 1x 3/8"x222,0 | |
| | | 8790 HMB 1x 8,0x29,0; 1x 10,0x29,0; 1x 12,0x29,0; 1x 13,0x29,0; 1x 15,0x29,0; 1x 16,0x30,0; 1x 17,0x30,0; 1x 18,0x30,0; 1x 19,0x30,0 | |
| | | 8794 LB 1x 3/8"x200,0 | |
| | | 8794 B 1x 3/8"x76,0 | |
| | | 8784 B1 1x 1/4"x3/8"x44,0 | |
| | | 851/1 Z PH 1x PH 1x25; 1x PH 2x25; 1x PH 3x25 | |
| | | 855/1 Z PZ 1x PZ 1x25; 1x PZ 2x25 | |
| | | 867/1 TORX® 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 27x25; 1x TX 30x25; 1x TX 40x25 | |
| | | 840/1 Z Hex-Plus 1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25; 1x 8,0x25 | |

8100 SB 11 Zyklop Metal Ratchet Set with switch lever, 3/8" drive, imperial



| Code | EAN | | | |
|-------------|--------|-----|--|---|
| 05004051001 | 173959 | | | 1 |
| | | □ | 8004 B 1x 3/8"x222,0 | |
| | | ● | 8790 HMB 1x 1/4"x29,0; 1x 5/16"x29,0; 1x 3/8"x29,0; 1x 7/16"x29,0; 1x 1/2"x29,0; 1x 9/16"x29,0; 1x 5/8"x30,0; 1x 11/16"x30,0; 1x 3/4"x30,0 | |
| | | ● □ | 8794 LB 1x 3/8"x200,0 | |
| | | ● □ | 8794 B 1x 3/8"x76,0 | |
| | | ● □ | 8784 B1 1x 1/4"x3/8"x44,0 | |
| | | + | 851/1 Z PH 1x PH 1x25; 1x PH 2x25; 1x PH 3x25 | |
| | | + | 855/1 Z PZ 1x PZ 1x25; 1x PZ 2x25 | |
| | | + | 867/1 TORX® 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 27x25; 1x TX 30x25; 1x TX 40x25 | |
| | | ○ | 840/1 Z Hex-Plus 1x 5/32"x25; 1x 3/16"x25; 1x 7/32"x25; 1x 1/4"x25; 1x 5/16"x25 | |

8100 SB HF 1 Zyklop Metal Ratchet Set with switch lever, 3/8" drive, with holding function, metric

- Colour coding of the sockets according to size

8100 SB HF 1 Zyklop Metal Ratchet Set with switch lever, 3/8" drive, with holding function, metric




| Code | EAN | | | |
|-------------|--------|-----|---|---|
| 05003785001 | 195081 | | | 1 |
| | | □ | 8004 B 1x 3/8"x222,0 | |
| | | ● | 8790 HMB HF 1x 8,0x29,0; 1x 10,0x29,0; 1x 12,0x29,0; 1x 13,0x29,0; 1x 15,0x29,0; 1x 16,0x29,0; 1x 17,0x29,0; 1x 18,0x29,0; 1x 19,0x29,0 | |
| | | ● □ | 8794 LB 1x 3/8"x200,0 | |
| | | ● □ | 8794 B 1x 3/8"x76,0 | |
| | | | ME1 1x 14,0x43,0 | |

The Zyklop Metal Ratchets Switch, 3/8"

- Convenient direction change thanks to switchover lever
- Extremely slim ratchet with long lever
- Return angle of only 5°
- Secure socket locking

8004 B Zyklop Metal Ratchet with switch lever and 3/8" drive



| Code | EAN | □ | mm | mm | mm | | |
|-------------|--------|------|-------|----|----|--|---|
| 05004034001 | 174048 | 3/8" | 222,0 | 26 | 29 | | 3 |

8790 HMB Zyklop 3/8" socket

- 3/8" Zyklop socket
- For manual and power tool operations (non-impact)
- Knurling at lower end to enable easy gripping when used in manual applications
- Take it easy tool finder with colour coding according to sizes

8790 HMB Zyklop 3/8" socket



| Code | EAN | | mm | mm | mm | mm | mm | |
|-------------|--------|--|------|--------|------|------|------|---|
| 05003551001 | 120311 | | 6,0 | | 29,0 | 10,5 | 18,0 | 1 |
| 05003552001 | 120328 | | 7,0 | | 29,0 | 11,0 | 18,0 | 1 |
| 05003553001 | 120335 | | 8,0 | | 29,0 | 12,2 | 18,0 | 1 |
| 05003554001 | 120342 | | 9,0 | | 29,0 | 13,5 | 18,0 | 1 |
| 05003555001 | 120359 | | 10,0 | | 29,0 | 14,5 | 18,0 | 1 |
| 05003556001 | 120366 | | 11,0 | | 29,0 | 16,0 | 18,0 | 1 |
| 05003557001 | 120373 | | 12,0 | | 29,0 | 17,0 | 18,0 | 1 |
| 05003558001 | 120380 | | 13,0 | | 29,0 | 18,5 | 20,0 | 1 |
| 05003559001 | 120397 | | 14,0 | | 29,0 | 19,5 | 22,0 | 1 |
| 05003560001 | 120403 | | 15,0 | | 29,0 | 21,0 | 24,0 | 1 |
| 05003561001 | 120410 | | 16,0 | | 30,0 | 22,0 | 24,0 | 1 |
| 05003562001 | 120427 | | 17,0 | | 30,0 | 23,5 | 24,0 | 1 |
| 05003563001 | 120434 | | 18,0 | | 30,0 | 24,5 | 24,0 | 1 |
| 05003564001 | 120441 | | 19,0 | | 30,0 | 26,0 | 24,0 | 1 |
| 05003565001 | 120458 | | 20,0 | | 30,0 | 28,0 | 25,0 | 1 |
| 05003566001 | 120465 | | 21,0 | | 30,0 | 28,0 | 25,0 | 1 |
| 05003567001 | 120472 | | 22,0 | | 30,0 | 32,0 | 25,0 | 1 |
| 05003568001 | 120489 | | 24,0 | | 32,0 | 32,0 | 25,0 | 1 |
| 05003569001 | 120496 | | | 1/4" | 29,0 | 11,0 | 18,0 | 1 |
| 05003570001 | 120502 | | | 5/16" | 29,0 | 12,2 | 18,0 | 1 |
| 05003571001 | 120519 | | | 11/32" | 29,0 | 13,5 | 18,0 | 1 |
| 05003572001 | 120526 | | | 3/8" | 29,0 | 14,5 | 18,0 | 1 |
| 05003573001 | 120533 | | | 7/16" | 29,0 | 16,0 | 18,0 | 1 |
| 05003574001 | 120649 | | | 1/2" | 29,0 | 18,5 | 20,0 | 1 |
| 05003575001 | 120557 | | | 9/16" | 29,0 | 19,5 | 22,0 | 1 |
| 05003576001 | 120564 | | | 5/8" | 30,0 | 22,0 | 24,0 | 1 |
| 05003577001 | 120571 | | | 11/16" | 30,0 | 23,0 | 24,0 | 1 |
| 05003578001 | 120588 | | | 3/4" | 30,0 | 26,0 | 24,0 | 1 |
| 05003579001 | 120595 | | | 13/16" | 30,0 | 28,0 | 25,0 | 1 |
| 05003580001 | 120601 | | | 7/8" | 30,0 | 32,0 | 25,0 | 1 |

8790 HMB HF Zyklop socket with 3/8" drive with holding function

- Socket (non-impact) for manual or power tool operations
- The holding function holds screws securely on the tool
- Take it easy tool finder with colour coding according to sizes
- Chrome vanadium steel, matt chrome-plated
- Equipped with ball stop groove, knurling at lower end for better gripping

8790 HMB HF Zyklop socket with 3/8" drive with holding function



| Code | EAN | | mm | mm | mm | mm | mm | mm | |
|-------------|--------|--|------|------|------|------|------|----|--|
| 05003740001 | 193919 | | 6,0 | 29,0 | 12,7 | 17,5 | 6,5 | 1 | |
| 05003741001 | 193926 | | 7,0 | 29,0 | 13,2 | 17,5 | 6,5 | 1 | |
| 05003742001 | 193933 | | 8,0 | 29,0 | 14,2 | 17,5 | 6,5 | 1 | |
| 05003743001 | 193940 | | 9,0 | 29,0 | 15,7 | 17,5 | 6,5 | 1 | |
| 05003744001 | 193957 | | 10,0 | 29,0 | 17,0 | 17,5 | 8,0 | 1 | |
| 05003745001 | 193964 | | 11,0 | 29,0 | 18,2 | 17,5 | 9,5 | 1 | |
| 05003746001 | 193971 | | 12,0 | 29,0 | 19,0 | 17,5 | 9,5 | 1 | |
| 05003747001 | 193988 | | 13,0 | 29,0 | 20,4 | 19,5 | 9,5 | 1 | |
| 05003748001 | 193995 | | 14,0 | 29,0 | 21,5 | 21,5 | 12,5 | 1 | |
| 05003749001 | 194008 | | 15,0 | 29,0 | 23,5 | 23,5 | 12,5 | 1 | |
| 05003750001 | 194015 | | 16,0 | 29,0 | 24,2 | 23,5 | 12,5 | 1 | |
| 05003751001 | 194022 | | 17,0 | 29,0 | 26,0 | 23,5 | 12,5 | 1 | |
| 05003752001 | 194039 | | 18,0 | 29,0 | 26,5 | 23,5 | 12,5 | 1 | |
| 05003753001 | 194046 | | 19,0 | 29,0 | 28,0 | 23,5 | 12,5 | 1 | |

Belt B 1 Zyklop socket set with holding function, 3/8" drive

Typically Wera designed robust textile belt with 9 sockets taking up minimal space. A smooth Twist to Unlock mechanism ensures a secure fit and simple removal of the sockets. Comes with Take it easy Tool Finder with colour coding according to size to enable the right tool to be selected easily and quickly. Includes a snap hook for secure fastening to a belt loop or pocket.

Sockets with holding function for particularly convenient screw-driving with reduced risk of losing the screw when approaching the workpiece. Supplied with a non-woven reverse side and hook and loop strips for simple attachment e.g. to a wall, shelf, tool trolley and to the Wera 2go tool transport system.

- 10-piece socket set on a robust textile belt, 1/4"
- Sockets with holding function for screws/bolts/nuts
- Smooth Twist to Unlock mechanism for a secure fit and simple removal of the sockets
- Take it easy tool finder with colour coding according to sizes
- Suitable for attachment to a wall, shelf, tool trolley and to the Wera 2go System

Belt B 1 Zyklop socket set with holding function, 3/8" drive



| Code | EAN | | |
|-------------|--------|---|---|
| 05003970001 | 194947 | | 1 |
| | | ● 8790 HMB HF 1x 8,0x29,0; 1x 10,0x29,0; 1x 12,0x29,0; 1x 13,0x29,0; 1x 15,0x29,0; 1x 16,0x29,0; 1x 17,0x29,0; 1x 18,0x29,0; 1x 19,0x29,0 | |
| | | ME1 1x 14,0x43,0 | |
| | | Belt B 0/9 1x 45,0x310,0 | |
| | | K30 1x 30,0x200,0 | |

Belt B 4 Zyklop socket set, 3/8" drive

- 9-piece socket set on a robust textile belt, 3/8"
- For manual and power tool operations (non-impact)
- Smooth Twist to Unlock mechanism for a secure fit and simple removal of the sockets
- Take it easy tool finder with colour coding according to sizes
- Suitable for attachment to a wall, shelf, tool trolley and to the Wera 2go System

Belt B 4 Zyklop socket set, 3/8" drive



| Code | EAN | | |
|-------------|--------|--|---|
| 05003973001 | 194978 | | 1 |
| | | ● 8790 HMB 1x 8,0x29,0; 1x 10,0x29,0; 1x 12,0x29,0; 1x 13,0x29,0; 1x 15,0x29,0; 1x 16,0x30,0; 1x 17,0x30,0; 1x 18,0x30,0; 1x 19,0x30,0 | |
| | | Belt B 0/9 1x 45,0x310,0 | |
| | | K30 1x 30,0x200,0 | |

Magnetic socket rail B 4 Zyklop socket set, 3/8" drive

Socket rail with 9 manual and machine sockets (non-impact), 3/8". A smooth rotary mechanism allows a secure hold and easy access of the sockets.

With Take it easy tool finder with colour coding by size - to help you find the required tool quickly and easily.

The rail allows temporary attachment to metallic surfaces and, with its twist-to-unlock function, ensures secure locking and unlocking of the sockets.

- 9-piece socket set on socket rail, 3/8"
- Rail with secure bit mounting and yet easy removal (twist-to-unlock) for temporary attachment on wall, shelf or workshop trolley
- Smooth Twist to Unlock mechanism for a secure fit and simple removal of the sockets
- With Take it easy tool finder: colour coding by size

Magnetic socket rail B 4 Zyklop socket set, 3/8" drive



| Code | EAN | | |
|-------------|-------------------|--|---|
| 05005430001 | 4013288 223234 | | 1 |
| | | ● 8790 HMB 1x 8,0x29,0; 1x 10,0x29,0; 1x 12,0x29,0; 1x 13,0x29,0; 1x 15,0x29,0; 1x 16,0x30,0; 1x 17,0x30,0; 1x 18,0x30,0; 1x 19,0x30,0 | |
| | | 9601 1x 30,0x340,0 | |

Magnetic socket rail B Imperial 1 Zyklop socket set 3/8" drive, imperial

Socket rail with 9 manual and machine sockets (non-impact), 3/8". A smooth rotary mechanism allows a secure hold and easy access of the sockets.

With Take it easy tool finder with colour coding by size - to help you find the required tool quickly and easily. The rail allows temporary attachment to metallic surfaces and, with its twist-to-unlock function, ensures secure locking and unlocking of the sockets.

- 9-piece socket set on socket rail, 3/8"
- Rail with secure bit mounting and yet easy removal (twist-to-unlock) for temporary attachment on wall, shelf or workshop trolley
- Smooth Twist to Unlock mechanism for a secure fit and simple removal of the sockets
- With Take it easy tool finder: colour coding by size

Magnetic socket rail B Imperial 1 Zyklop socket set 3/8" drive, imperial



| Code | EAN | | |
|-------------|-------------------|--|---|
| 05005450001 | 4013288 223258 | | 1 |
| | | ● 8790 HMB 1x 1/4"x29,0; 1x 5/16"x29,0; 1x 11/32"x29,0; 1x 3/8"x29,0; 1x 7/16"x29,0; 1x 1/2"x29,0; 1x 9/16"x29,0; 1x 5/8"x30,0; 1x 3/4"x30,0 | |
| | | 9601 1x 30,0x340,0 | |

8790 HMB Deep 3/8" socket

Long 3/8" hand and machine socket (ISO 2725 part 3) with ball intercept ring; for external hexagonal bolts and sockets. For use in manual and machine operation (non-impact), even with low-lying screwdriving and protruding threaded rods.

With Take it easy tool finder with colour coding by size - for easy and fast location of the required tool. Easy to grasp even with oily hands. The hexagon profile allows the transmission of high forces and puts less strain on the edges of bolts or screw heads than a double hexagon profile.

Fine-toothed ratchets also make the use of a double hexagon profile superfluous, even in confined spaces, thanks to their small back-pivoting angle.

- Long sockets for low-lying screwdriving, often even with protruding threaded rods in small spaces
- Hexagonal profile enables precise bolting with high power transmission and preserves the profile
- Take it easy tool finder with colour coding according to sizes
- Knurling at lower end to enable easy gripping when used in manual applications
- For manual and machine operation (non-impact), ball intercept ring
- Made of matt chromed chrome-vanadium

8790 HMB Deep 3/8" socket



| Code | EAN | | mm | mm | mm | mm | |
|-------------|--------|--|------|------|------|------|---|
| 05004530001 | 210388 | | 8,0 | 64,0 | 12,2 | 17,0 | 1 |
| 05004531001 | 210395 | | 9,0 | 64,0 | 13,5 | 17,0 | 1 |
| 05004532001 | 210401 | | 10,0 | 64,0 | 14,5 | 17,0 | 1 |
| 05004533001 | 210418 | | 11,0 | 64,0 | 15,7 | 17,0 | 1 |
| 05004534001 | 210425 | | 12,0 | 64,0 | 16,5 | 18,0 | 1 |
| 05004535001 | 210432 | | 13,0 | 64,0 | 19,0 | 17,0 | 1 |
| 05004536001 | 210449 | | 14,0 | 64,0 | 20,0 | 18,0 | 1 |
| 05004537001 | 210456 | | 15,0 | 64,0 | 22,0 | 20,0 | 1 |
| 05004538001 | 210463 | | 16,0 | 64,0 | 22,0 | 20,0 | 1 |
| 05004539001 | 210470 | | 17,0 | 64,0 | 24,0 | 22,0 | 1 |
| 05004540001 | 210487 | | 18,0 | 64,0 | 26,0 | 23,0 | 1 |
| 05004541001 | 210494 | | 19,0 | 64,0 | 26,0 | 23,0 | 1 |
| 05004542001 | 210500 | | 20,0 | 64,0 | 28,0 | 25,0 | 1 |
| 05004543001 | 210517 | | 21,0 | 64,0 | 28,0 | 25,0 | 1 |
| 05004544001 | 210524 | | 22,0 | 64,0 | 30,0 | 26,0 | 1 |

Belt B Deep 1 socket set, 3/8" drive

Robust textile belt in the typical Wera design with 9 long 3/8" manual and machine socket inserts (non-impacting) in a confined space. A smoother turning mechanism ensures a secure holding and easy removal of sockets. Includes snap hook for attaching to belt loops or bags. With fleece backing and hook and loop fastener strips for easy attachment e.g. on wall, shelf, workshop trolley or the Wera 2go tool transport system.

Long 3/8" manual and mechanical socket wrench inserts (ISO 2725 part 3) from Wera for use in manual and machine operation (non-impacting) even with low-lying screwdriving and protruding threaded rods.

With Take it easy tool finder with colour coding by size - for easy and fast location of the required tool. Easy to grasp even with oily hands. With hexagonal profile and ball-catching groove. The hexagon profile allows the transmission of high forces and puts less strain on the edges of bolts or screw heads than a double hexagon profile.

Fine-toothed ratchets also make the use of a double hexagon profile superfluous, even in confined spaces, thanks to their small back-pivoting angle. For external hexagonal bolts and sockets.

- 9-piece socket set on robust textile belt 3/8"
- Smooth Twist to Unlock mechanism for a secure fit and simple removal of the sockets
- Long 3/8" socket for low-profile-fitting screw connections in tight construction spaces and for protruding threaded rods
- Hexagonal profile enables precise and profile-preserving screwdriving with high power transmission
- Take it easy tool finder with colour coding according to sizes

Belt B Deep 1 socket set, 3/8" drive



| Code | EAN | | |
|-------------|--------|---|---|
| 05004545001 | 210555 | | 1 |
| | | 8790 HMB Deep 1x 8,0x64,0; 1x 10,0x64,0; 1x 12,0x64,0; 1x 13,0x64,0; 1x 15,0x64,0; 1x 16,0x64,0; 1x 17,0x64,0; 1x 18,0x64,0; 1x 19,0x64,0 | |
| | | Belt B 0/9 1x 45,0x310,0 | |
| | | K30 1x 30,0x200,0 | |

Magnetic socket rail B Deep 1 socket set, 3/8" drive

Socket rail with 9 long manual and machine sockets (non-impact), 3/8". A smooth rotary mechanism allows a secure hold and easy access of the sockets.

Long 3/8" manual and machine sockets (ISO 2725 part 3) by Wera for manual and (non-impact) machine use even at low lying couplings and protruding thread rods.

With Take it easy tool finder with colour coding by size - to help you find the required tool quickly and easily.

Slip-proof for easy grip even with oily hands. With hexagon profile and ball stop groove. The hexagon profile enables the transmission of high forces and loads the edges of the bolt or the screw head less than a double hexagon profile.

Fine-teethed ratchets also make use of a double hexagon profile superfluous, even in confined spaces, thanks to their small return angle. For external hexagon bolts and screws.

The rail allows temporary attachment to metallic surfaces and, with its twist-to-unlock function, ensures secure locking and unlocking of the sockets.

- 9-piece socket set on socket rail, 3/8"
- Rail with secure bit mounting and yet easy removal (twist-to-unlock) for temporary attachment on wall, shelf or workshop trolley
- Smooth Twist to Unlock mechanism for a secure fit and simple removal of the sockets
- Long 3/8" socket for low-profile-fitting screw connections in tight construction spaces and for protruding threaded rods
- Hexagonal profile enables precise and profile-preserving screw-driving with high power transmission

Magnetic socket rail B Deep 1 socket set, 3/8" drive



| Code | EAN | | |
|-------------|-------------------|---|---|
| 05005440001 | 4013288 223241 | | 1 |
| | | ● 8790 HMB Deep 1x 8,0x64,0; 1x 10,0x64,0; 1x 12,0x64,0; 1x 13,0x64,0; 1x 15,0x64,0; 1x 16,0x64,0; 1x 17,0x64,0; 1x 18,0x64,0; 1x 19,0x64,0 | |
| | | 9601 1x 30,0x340,0 | |

8767 B HF TORX® Zyklop bit socket with holding function, 3/8" drive

- Bit socket (non-impact) for manual or machine tool operations
- The holding function holds screws securely on the tool
- Take it easy tool finder with colour coding according to sizes
- Knurling on lower end for more grip when used manually
- Chrome vanadium steel, matt chrome-plated

8767 B HF TORX® Zyklop bit socket with holding function, 3/8" drive



| | EAN | | | | | | |
|-------------|---------|-------|-------|------|------|--|---|
| Code | 4013288 | | mm | mm | mm | | |
| 05003059001 | 189097 | TX 10 | 35,0 | 12,0 | 17,5 | | 1 |
| 05003060001 | 188830 | TX 15 | 35,0 | 12,0 | 17,5 | | 1 |
| 05003061001 | 188847 | TX 20 | 35,0 | 12,0 | 17,5 | | 1 |
| 05003062001 | 188854 | TX 25 | 35,0 | 12,0 | 17,5 | | 1 |
| 05003063001 | 188861 | TX 25 | 107,0 | 12,0 | 17,5 | | 1 |
| 05003064001 | 188878 | TX 27 | 35,0 | 12,0 | 17,5 | | 1 |
| 05003065001 | 188885 | TX 27 | 107,0 | 12,0 | 17,5 | | 1 |
| 05003066001 | 188892 | TX 30 | 35,0 | 12,0 | 17,5 | | 1 |
| 05003067001 | 188908 | TX 30 | 107,0 | 12,0 | 17,5 | | 1 |
| 05003068001 | 188915 | TX 40 | 35,0 | 12,0 | 17,5 | | 1 |
| 05003069001 | 188922 | TX 40 | 107,0 | 12,0 | 17,5 | | 1 |
| 05003070001 | 188939 | TX 45 | 38,5 | 12,0 | 17,5 | | 1 |
| 05003071001 | 188946 | TX 45 | 100,0 | 12,0 | 17,5 | | 1 |
| 05003072001 | 188953 | TX 50 | 38,5 | 12,0 | 17,5 | | 1 |
| 05003073001 | 188960 | TX 50 | 100,0 | 12,0 | 17,5 | | 1 |

8767 B TORX® Zyklop Bit socket with 3/8" drive, with extra slim profile area

- Bit socket (non-impact) for manual or machine tool operations
- The holding function holds screws securely on the tool
- With Take it easy tool finder: colour coding by size
- Knurling on lower end for more grip when used manually.
- Chrome vanadium steel, matt chrome-plated

8767 B TORX® Zyklop Bit socket with 3/8" drive, with extra slim profile area



| Code | EAN | | | | | | | |
|-------------|---------|--|-------|-------|------|------|------|---|
| | 4013288 | | | mm | mm | mm | mm | |
| 05003074001 | 227102 | | TX 25 | 107,0 | 12,0 | 17,5 | 81,5 | 1 |
| 05003075001 | 227119 | | TX 30 | 107,0 | 12,0 | 17,5 | 81,5 | 1 |

Belt B 3 TORX® HF Zyklop bit socket set with holding function, 3/8" drive


Typically Wera designed robust textile belt with 9 sockets taking up minimal space. A smooth Twist to Unlock mechanism ensures a secure fit and simple removal of the sockets.

Comes with Take it easy Tool Finder with colour coding according to size to enable the right tool to be selected easily and quickly. Includes a snap hook for secure fastening to a belt loop or pocket. Especially short, stable bit-sockets with all the advantages of the Wera bit technology.

Bit sockets with holding function for particularly convenient screwdriving with reduced risk of losing the screw when approaching the workpiece. Supplied with a nonwoven reverse side and hook and loop strips for simple attachment e.g. to a wall, shelf, tool trolley and to the Wera 2go tool transport system.

- 9-piece bit-socket set on a robust textile belt, 3/8"
- Bit-sockets with all the advantages of the Wera bit technology
- Bit-sockets with holding function for screws/bolts
- Smooth Twist to Unlock mechanism for a secure fit and simple removal of the sockets
- Suitable for attachment to a wall, shelf, tool trolley and to the Wera 2go System

Belt B 3 TORX® HF Zyklop bit socket set with holding function, 3/8" drive



| Code | EAN | | |
|-------------|---------|---|---|
| | 4013288 | | |
| 05003972001 | 194961 | | 1 |
| | | 8767 B HF 1x TX 10x35,0; 1x TX 15x35,0; 1x TX 20x35,0; 1x TX 25x35,0; 1x TX 27x35,0; 1x TX 30x35,0; 1x TX 40x35,0; 1x TX 45x38,5; 1x TX 50x38,5 | |
| | | Belt B 0/9 1x 45,0x310,0 | |
| | | K30 1x 30,0x200,0 | |

8767 B TORX® HF 1 Zyklop bit socket set with holding function, 3/8" drive

- Bit sockets with holding function for TORX® screws
- The holding function holds screws securely on the tool
- Take it easy tool finder with colour coding according to sizes
- Knurling on lower socket end for more grip when used manually

8767 B TORX® HF 1 Zyklop bit socket set with holding function, 3/8" drive




| Code | EAN | | |
|-------------|--------|--|---|
| 05003185001 | 195074 | | 1 |
| | | 8767 B HF 1x TX 25x107,0; 1x TX 27x107,0; 1x TX 30x107,0; 1x TX 40x107,0; 1x TX 45x100,0; 1x TX 50x100,0 | |

8740 B HF Zyklop bit socket with holding function, 3/8" drive

- Bit socket (non-impact) for manual or machine tool operations
- The holding function holds screws securely on the tool
- Take it easy tool finder with colour coding according to sizes

8740 B HF Zyklop bit socket with holding function, 3/8" drive




| Code | EAN | | | | | | | |
|-------------|---------|--|------|-------|-------|------|------|---|
| Code | 4013288 | | mm | mm | mm | mm | mm | |
| 05003030001 | 188557 | | 3,0 | | 35,0 | 12,0 | 17,5 | 1 |
| 05003031001 | 188564 | | 4,0 | | 35,0 | 12,0 | 17,5 | 1 |
| 05003032001 | 188571 | | 4,0 | | 107,0 | 12,0 | 17,5 | 1 |
| 05003033001 | 188649 | | 5,0 | | 35,0 | 12,0 | 17,5 | 1 |
| 05003034001 | 188656 | | 5,0 | | 107,0 | 12,0 | 17,5 | 1 |
| 05003035001 | 188663 | | 6,0 | | 35,0 | 12,0 | 17,5 | 1 |
| 05003036001 | 188731 | | 6,0 | | 107,0 | 12,0 | 17,5 | 1 |
| 05003037001 | 188748 | | 7,0 | | 38,5 | 12,0 | 17,5 | 1 |
| 05003038001 | 188755 | | 7,0 | | 100,0 | 12,0 | 17,5 | 1 |
| 05003039001 | 188779 | | 8,0 | | 38,5 | 12,0 | 17,5 | 1 |
| 05003040001 | 188786 | | 8,0 | | 100,0 | 12,0 | 17,5 | 1 |
| 05003041001 | 188793 | | 9,0 | | 38,5 | 12,0 | 17,5 | 1 |
| 05003042001 | 188809 | | 9,0 | | 100,0 | 12,0 | 17,5 | 1 |
| 05003043001 | 188816 | | 10,0 | | 38,5 | 12,0 | 17,5 | 1 |
| 05003044001 | 188823 | | 10,0 | | 100,0 | 12,0 | 17,5 | 1 |
| 05003080001 | 193407 | | | 1/8" | 35,0 | 12,0 | 17,5 | 1 |
| 05003081001 | 193414 | | | 1/8" | 107,0 | 12,0 | 17,5 | 1 |
| 05003082001 | 193421 | | | 9/64" | 35,0 | 12,0 | 17,5 | 1 |
| 05003083001 | 193438 | | | 5/32" | 35,0 | 12,0 | 17,5 | 1 |
| 05003084001 | 193445 | | | 5/32" | 107,0 | 12,0 | 17,5 | 1 |
| 05003085001 | 193452 | | | 3/16" | 35,0 | 12,0 | 17,5 | 1 |
| 05003086001 | 193551 | | | 3/16" | 107,0 | 12,0 | 17,5 | 1 |
| 05003087001 | 193568 | | | 7/32" | 35,0 | 12,0 | 17,5 | 1 |
| 05003088001 | 193575 | | | 7/32" | 107,0 | 12,0 | 17,5 | 1 |
| 05003089001 | 193612 | | | 1/4" | 35,0 | 12,0 | 17,5 | 1 |
| 05003090001 | 193629 | | | 1/4" | 107,0 | 12,0 | 17,5 | 1 |
| 05003091001 | 193636 | | | 5/16" | 38,5 | 12,0 | 17,5 | 1 |
| 05003092001 | 193643 | | | 5/16" | 100,0 | 12,0 | 17,5 | 1 |
| 05003093001 | 193650 | | | 3/8" | 38,5 | 12,0 | 17,5 | 1 |
| 05003094001 | 193667 | | | 3/8" | 100,0 | 12,0 | 17,5 | 1 |

8740 B Zyklop Bit socket with $\frac{3}{8}$ " drive, with extra slim profile area

- Bit socket (non-impact) for manual or machine tool operations
- The holding function holds screws securely on the tool
- With Take it easy tool finder: colour coding by size

8740 B Zyklop Bit socket with $\frac{3}{8}$ " drive, with extra slim profile area



| Code | EAN | | | | | | | |
|-------------|---------|--|------|-------|------|------|------|---|
| Code | 4013288 | | mm | mm | mm | mm | mm | |
| 05003050001 | 227058 | | 4,0 | 107,0 | 12,0 | 17,5 | 81,5 | 1 |
| 05003051001 | 227065 | | 5,0 | 107,0 | 12,0 | 17,5 | 81,5 | 1 |
| 05003052001 | 227072 | | 6,0 | 107,0 | 12,0 | 17,5 | 81,5 | 1 |
| 05003054001 | 227089 | | 8,0 | 100,0 | 12,0 | 17,5 | 74,5 | 1 |
| 05003056001 | 227096 | | 10,0 | 100,0 | 12,0 | 17,5 | 74,5 | 1 |

Belt B 2 Zyklop In-Hex-Plus bit socket set with holding function, $\frac{3}{8}$ " drive

Typically Wera designed robust textile belt with 8 in-hex bit-sockets taking up minimal space. A smooth Twist to Unlock mechanism ensures a secure fit and simple removal of the sockets.

Comes with Take it easy Tool Finder with colour coding according to size to enable the right tool to be selected easily and quickly.

Includes a snap hook for secure fastening to a belt loop or pocket. Supplied with a nonwoven reverse side and hook and loop strips for simple attachment e.g. to a wall, shelf, tool trolley and to the Wera 2go tool transport system.

- 8-piece bit socket set on a robust textile belt, $\frac{3}{8}$ "
- Bit-sockets with all the advantages of the Wera bit technology
- Bit-sockets with holding function for screws/bolts
- Smooth Twist to Unlock mechanism for a secure fit and simple removal of the sockets
- Suitable for attachment to a wall, shelf, tool trolley and to the Wera 2go System

Belt B 2 Zyklop In-Hex-Plus bit socket set with holding function, $\frac{3}{8}$ " drive



| Code | EAN | | |
|-------------|---------|---|---|
| Code | 4013288 | | |
| 05003971001 | 194954 | | 1 |
| | | 8740 B HF 1x 3,0x35,0; 1x 4,0x35,0; 1x 5,0x35,0; 1x 6,0x35,0; 1x 7,0x38,5; 1x 8,0x38,5; 1x 9,0x38,5; 1x 10,0x38,5 | |
| | | Belt B 0/8 1x 45,0x275,0 | |
| | | K30 1x 30,0x200,0 | |

8740 B HF 1 Zyklop bit socket set with holding function, 3/8" drive

- Compact textile box with high robustness, low weight and volume
- Bit socket (non-impact) for manual or power tool operations
- The holding function holds screws securely on the tool
- Take it easy tool finder with colour coding according to sizes
- Knurling on lower socket end for more grip when used manually
- Long design

8740 B HF 1 Zyklop bit socket set with holding function, 3/8" drive



| | | | | |
|--|-------------|-------------------|---|---|
| | Code | EAN | | |
| | 05003180001 | 4013288 195050 | | 1 |
| | | | 8740 B HF 1x 4,0x107,0; 1x 5,0x107,0; 1x 6,0x107,0; 1x 7,0x100,0; 1x 8,0x100,0; 1x 9,0x100,0; 1x 10,0x100,0 | |

8740 B HF Imperial 1 Zyklop bit socket set with holding function, 3/8" drive

- Long version
- Imperial

8740 B HF Imperial 1 Zyklop bit socket set with holding function, 3/8" drive



| | | | | |
|--|-------------|-------------------|---|---|
| | Code | EAN | | |
| | 05003181001 | 4013288 195067 | | 1 |
| | | | 8740 B HF 1x 1/8"x107,0; 1x 5/32"x107,0; 1x 3/16"x107,0; 1x 7/32"x107,0; 1x 1/4"x107,0; 1x 5/16"x100,0; 1x 3/8"x100,0 | |

Belt B Imperial 1 Zyklus In-Hex-Plus bit socket set with holding function, 3/8" drive

Typically Wera designed robust textile belt with 8 in-hex bit-sockets taking up minimal space. A Smooth Twist to Unlock mechanism ensures a secure fit and simple removal of the sockets.

Comes with Take it easy Tool Finder with colour coding by size to enable the right tool to be selected easily and quickly.

Includes a snap hook for secure fastening to a belt loop or pocket. Supplied with a nonwoven reverse side and hook and loop strips for simple attachment e.g. to a wall, shelf, tool trolley and to the Wera 2go tool transport system.

- 8-piece bit socket set on a robust textile belt, 3/8"
- Bit-sockets with all the advantages of the Wera bit technology
- Bit-sockets with holding function for screws/bolts
- Smooth Twist to Unlock mechanism for a secure fit and simple removal of the sockets
- Suitable for attachment to a wall, shelf, tool trolley and to the Wera 2go System
- Imperial

Belt B Imperial 1 Zyklus In-Hex-Plus bit socket set with holding function, 3/8" drive



| Code | EAN | | |
|-------------|--------|---|---|
| 05003974001 | 194985 | | 1 |
| | | ○ 8740 B HF 1x 1/8"x35,0; 1x 9/64"x35,0; 1x 5/32"x35,0; 1x 3/16"x35,0; 1x 7/32"x35,0; 1x 1/4"x35,0; 1x 5/16"x38,5; 1x 3/8"x38,5 | |
| | | Belt B 0/8 1x 45,0x275,0 | |
| | | K30 1x 30,0x200,0 | |

Bicycle set 8

7-piece bit socket set with 3/8" drive for typical bicycle operations. Bit sockets with 30mm long and extra slim profile area for better accessibility in tight workspaces. The knurling facilitates manual screwdriving without slipping.

With Take it easy tool finder with colour coding by size - to help you find the required tool quickly and easily.

- Bit sockets with holding function for the most common TORX® and Hex screws
- The holding function holds screws securely on the tool
- With Take it easy tool finder: colour coding by size
- Knurling on lower socket end for more grip when used manually
- In a robust folding bag for easy transport



Bicycle set 8



| Code | EAN | | |
|-------------|--------|---|---|
| 05004176001 | 220622 | | 1 |
| | | ○ 8767 B 1x TX 25x107,0; 1x TX 30x107,0 | |
| | | ○ 8740 B 1x 4,0x107,0; 1x 5,0x107,0; 1x 6,0x107,0; 1x 8,0x100,0; 1x 10,0x100,0 | |
| | | K120 1x 50,0x70,0 | |

8796 LB Zyklop „flexible-lock“ extension with free-turning sleeve, long, 3/8"

- For 3/8" square sockets with ball lock
- Flexible lock system for either locking or rapid exchange of the attached tool
- With free-turning sleeve for rapid tightening and loosening of screws and nuts

8796 LB Zyklop „flexible-lock“ extension with free-turning sleeve, long, 3/8"



| Code | EAN | □ | ⌋ | | | | | | |
|-------------|--------|------|-------|--|--|--|--|--|---|
| 05003592001 | 121325 | 3/8" | 200,0 | | | | | | 1 |

8796 SB Zyklop „flexible-lock“ extension with free-turning sleeve, short, 3/8"

- Flexible lock system for either locking or rapid exchange of the attached tool
- For 3/8" square sockets with ball lock
- With free-turning sleeve for rapid tightening and loosening of screws and nuts

8796 SB Zyklop „flexible-lock“ extension with free-turning sleeve, short, 3/8"



| Code | EAN | □ | ⌋ | | | | | | |
|-------------|--------|------|-------|--|--|--|--|--|---|
| 05003591001 | 121318 | 3/8" | 125,0 | | | | | | 1 |

8794 LB Zyklop extension with free-turning sleeve, long, 3/8"

Wera Zyklop extension with easy-to-grip free-turning sleeve for rapid tightening and loosening of screws and nuts. Out of high quality chrome vanadium steel, matt chrome-plated.

8794 LB Zyklop extension with free-turning sleeve, long, 3/8"



| Code | EAN | □ | ⌋ | | | | | | |
|-------------|--------|------|-------|--|--|--|--|--|---|
| 05003583001 | 121288 | 3/8" | 200,0 | | | | | | 1 |

8794 SB Zyklop extension with free-turning sleeve, short, 3/8"

Wera Zyklop extension with easy-to-grip free-turning sleeve for rapid tightening and loosening of screws and nuts. Out of high quality chrome vanadium steel, matt chrome-plated.

8794 SB Zyklop extension with free-turning sleeve, short, 3/8"



| Code | EAN | □ | ⌋ | | | | | | |
|-------------|--------|------|-------|--|--|--|--|--|---|
| 05003582001 | 121271 | 3/8" | 125,0 | | | | | | 1 |

8789 B Zyklop sliding T-handle, 3/8"

Wera ZyklopT-handle for higher torque transfer. For 3/8" square sockets with ball lock. Adjustable drive for more flexible usage. Out of high quality chrome vanadium steel, matt chrome-plated.

8789 B Zyklop sliding T-handle, 3/8"



| Code | EAN | □ | ⌋ | | | | | | |
|-------------|--------|------|-------|--|--|--|--|--|---|
| 05003581001 | 121516 | 3/8" | 165,0 | | | | | | 3 |

8795 B Zyklop universal joint, 3/8"

Wera Zyklop universal joint for 3/8" square sockets with ball lock.

8795 B Zyklop universal joint, 3/8"



| Code | EAN | □ | ⌋ | | | | | | |
|-------------|--------|------|------|--|--|--|--|--|---|
| 05003585001 | 121523 | 3/8" | 50,0 | | | | | | 1 |

8794 B Zyklop wobble extension, 3/8"

Wobble extension for the Wera Zyklop. Swivel angle of 15° in all directions. This ensures rapid and precise work even in confined working situations.

8794 B Zyklop wobble extension, 3/8"



| Code | EAN | Icon | Unit | mm | | | | | |
|-------------|--------|------|------|----|--|--|--|--|---|
| 05003584001 | 121295 | 3/8" | 76,0 | | | | | | 1 |

8784 B1 Zyklop bit adaptor, 3/8"

- 3/8" Zyklop adaptor with quick-release chuck for rapid bit change

8784 B1 Zyklop bit adaptor, 3/8"



| Code | EAN | Icon 1 | Icon 2 | Unit | mm | | | | |
|-------------|--------|--------|--------|------|----|--|--|--|---|
| 05003590001 | 121301 | 1/4" | 3/8" | 44,0 | | | | | 1 |

Socket rail B (textile belt), 9 location, unloaded



| Code | EAN | | | | | | | | |
|-------------|--------|---------------|--|--|--|--|--|--|---|
| 05003981001 | 195012 | | | | | | | | 1 |
| | | Belt B 0/9 | | | | | | | |
| | | 1x 45,0x310,0 | | | | | | | |
| | | K30 | | | | | | | |
| | | 1x 30,0x200,0 | | | | | | | |

Socket rail B (textile belt), 8 location, unloaded



| Code | EAN | | | | | | | | |
|-------------|--------|---------------|--|--|--|--|--|--|---|
| 05003980001 | 195005 | | | | | | | | 1 |
| | | Belt B 0/8 | | | | | | | |
| | | 1x 45,0x275,0 | | | | | | | |
| | | K30 | | | | | | | |
| | | 1x 30,0x200,0 | | | | | | | |


9601 Magnetic socket rail, 3/8", empty

1 socket rail, empty. For up to 10 sockets and/or bit sockets with 3/8" drive.

The rail allows temporary attachment to metallic surfaces and, with its twist-to-unlock function, ensures secure locking and unlocking of the sockets.


- Rail with secure bit mounting and yet easy removal (twist-to-unlock) for temporary attachment on wall, shelf or workshop trolley
- Smooth Twist to Unlock mechanism for a secure fit and simple removal of the sockets
- Empty, for up to 10 sockets, 3/8"

9601 Magnetic socket rail, 3/8", empty



| Code | EAN | mm | mm | | | | | | |
|-------------|--------|------|-------|--|--|--|--|--|---|
| 05136421001 | 223333 | 30,0 | 340,0 | | | | | | 1 |

Zyklop Speed - incredibly fast and incredibly flexible



Incredibly compact set arrangement with many tools in a minimum of space. A completely new ratchet set feeling thanks to the unique textile boxes that are very robust and durable.

They can be positioned upright for tidy storage on the workshop shelf. Additional surface protection due to textile outer material. Low weight and volume for simpler mobility. Take it easy Tool Finder with colour coding according to sizes.

- Freely pivoting ratchet head with 5 predefined locking positions
- Fine toothing with 72 teeth
- Small return angle of only 5°
- Free-turning sleeve for high working speeds
- Take it easy tool finder with colour coding according to sizes
- Compact textile box with high robustness, low weight and volume

8100 SC 6 Zyklop Speed Ratchet Set, 1/2" drive, metric



| Code | EAN | | |
|-------------|-------------------|--|---|
| 05004076001 | 4013288 173874 | | 1 |
| | | 8000 C 1x 1/2"x277,0 | |
| | | 8790 HMC 1x 10,0x37,0; 1x 11,0x37,0; 1x 12,0x37,0; 1x 13,0x37,0; 1x 14,0x37,0; 1x 15,0x37,0; 1x 16,0x37,0; 1x 17,0x37,0; 1x 18,0x37,0; 1x 19,0x37,0 | |
| | | 8794 LC 1x 1/2"x250,0 | |
| | | 8794 C 1x 1/2"x52,0 | |
| | | 8784 C2 1x 9/16"x1/2"x50,0 | |
| | | 851/2 Z PH 1x PH 2x32; 1x PH 3x32 | |
| | | 855/2 Z PZ 1x PZ 2x32; 1x PZ 3x32 | |
| | | 867/2 Z TORX® 1x TX 20x35; 1x TX 25x35; 1x TX 30x35; 1x TX 40x35; 1x TX 45x35; 1x TX 50x35 | |
| | | 840/2 Z 1x 5x30; 1x 6x30; 1x 8x30; 1x 10x30 | |

8100 SC 9 Zyklop Speed Ratchet Set, 1/2" drive, imperial




| Code | EAN | | | |
|-------------|--------|--|--|---|
| 05004079001 | 173997 | | | 1 |
| | | <input type="checkbox"/> 8000 C 1x 1/2"x277,0 | | |
| | | <input checked="" type="checkbox"/> 8790 HMC 1x 3/8"x37,0; 1x 7/16"x37,0; 1x 1/2"x37,0; 1x 9/16"x37,0; 1x 19/32"x37,0; 1x 5/8"x37,0; 1x 11/16"x37,0; 1x 3/4"x37,0; 1x 25/32"x37,0; 1x 13/16"x37,0 | | |
| | | <input checked="" type="checkbox"/> <input type="checkbox"/> 8794 LC 1x 1/2"x250,0 | | |
| | | <input checked="" type="checkbox"/> <input type="checkbox"/> 8794 C 1x 1/2"x52,0 | | |
| | | <input checked="" type="checkbox"/> <input type="checkbox"/> 8784 C2 1x 5/16"x1/2"x50,0 | | |
| | | <input checked="" type="checkbox"/> 851/2 Z PH 1x PH 2x32; 1x PH 3x32 | | |
| | | <input checked="" type="checkbox"/> 855/2 Z PZ 1x PZ 2x32; 1x PZ 3x32 | | |
| | | <input checked="" type="checkbox"/> 867/2 Z TORX® 1x TX 20x35; 1x TX 25x35; 1x TX 30x35; 1x TX 40x35; 1x TX 45x35; 1x TX 50x35 | | |
| | | <input type="checkbox"/> 840/2 Z 1x 7/32"x30; 1x 1/4"x30; 1x 5/16"x30; 1x 3/8"x30 | | |

8100 SC 2 Zyklop Speed Ratchet Set, 1/2" drive, metric

- 37-piece set in a robust metal case

8100 SC 2 Zyklop Speed Ratchet Set, 1/2" drive, metric



| Code | EAN | | | |
|-------------|--------|--|--|---|
| 05003645001 | 121189 | | | 1 |
| | | <input type="checkbox"/> 8000 C 1x 1/2"x277,0 | | |
| | | <input checked="" type="checkbox"/> 8790 HMC 1x 10,0x37,0; 1x 11,0x37,0; 1x 12,0x37,0; 1x 13,0x37,0; 1x 14,0x37,0; 1x 15,0x37,0; 1x 16,0x37,0; 1x 17,0x37,0; 1x 18,0x37,0; 1x 19,0x37,0; 1x 20,0x37,0; 1x 21,0x37,0; 1x 22,0x37,0; 1x 24,0x37,0; 1x 27,0x40,0; 1x 30,0x42,0; 1x 32,0x42,0 | | |
| | | <input type="checkbox"/> 8789 C 1x 1/2"x250,0 | | |
| | | <input checked="" type="checkbox"/> <input type="checkbox"/> 8794 C 1x 1/2"x52,0 | | |
| | | <input checked="" type="checkbox"/> <input type="checkbox"/> 8795 C 1x 1/2"x69,0 | | |
| | | <input checked="" type="checkbox"/> <input type="checkbox"/> 8784 C2 1x 5/16"x1/2"x50,0 | | |
| | | <input checked="" type="checkbox"/> <input type="checkbox"/> 8796 SC 1x 1/2"x125,0 | | |
| | | <input checked="" type="checkbox"/> <input type="checkbox"/> 8796 LC 1x 1/2"x250,0 | | |
| | | <input checked="" type="checkbox"/> 851/2 Z PH 1x PH 3x32 | | |
| | | <input checked="" type="checkbox"/> 855/2 Z PZ 1x PZ 3x32 | | |
| | | <input checked="" type="checkbox"/> 867/2 Z TORX® 1x TX 20x35; 1x TX 25x35; 1x TX 30x35; 1x TX 40x35; 1x TX 45x35; 1x TX 50x35; 1x TX 55x35 | | |
| | | <input type="checkbox"/> 840/2 Z 1x 5x30; 1x 6x30; 1x 8x30; 1x 10x30 | | |

8100 SC 4 Zyklop Speed Ratchet Set, 1/2" drive, imperial

- 38-piece set in a robust metal case

8100 SC 4 Zyklop Speed Ratchet Set, 1/2" drive, imperial



| Code | EAN | | |
|-------------|-------------------|--|---|
| 05003647001 | 4013288 121202 | | 1 |
| | | <input type="checkbox"/> 8000 C 1x 1/2"x277,0 | |
| | | <input checked="" type="checkbox"/> 8790 HMC 1x 3/8"x37,0; 1x 7/16"x37,0; 1x 1/2"x37,0; 1x 9/16"x37,0; 1x 19/32"x37,0; 1x 5/8"x37,0; 1x 11/16"x37,0; 1x 3/4"x37,0; 1x 25/32"x37,0; 1x 13/16"x37,0; 1x 7/8"x37,0; 1x 15/16"x37,0; 1x 31/32"x37,0; 1x 1"x40,0; 1x 1 1/16"x40,0; 1x 1 1/8"x40,0; 1x 1 3/16"x42,0; 1x 1 1/4"x42,0 | |
| | | <input type="checkbox"/> 8789 C 1x 1/2"x250,0 | |
| | | <input checked="" type="checkbox"/> <input type="checkbox"/> 8794 C 1x 1/2"x52,0 | |
| | | <input checked="" type="checkbox"/> <input type="checkbox"/> 8795 C 1x 1/2"x69,0 | |
| | | <input checked="" type="checkbox"/> <input type="checkbox"/> 8784 C2 1x 5/16"x1/2"x50,0 | |
| | | <input checked="" type="checkbox"/> <input type="checkbox"/> 8796 SC 1x 1/2"x125,0 | |
| | | <input checked="" type="checkbox"/> <input type="checkbox"/> 8796 LC 1x 1/2"x250,0 | |
| | | <input checked="" type="checkbox"/> 851/2 Z PH 1x PH 3x32 | |
| | | <input checked="" type="checkbox"/> 855/2 Z PZ 1x PZ 3x32 | |
| | | <input checked="" type="checkbox"/> 867/2 Z TORX® 1x TX 20x35; 1x TX 25x35; 1x TX 30x35; 1x TX 40x35; 1x TX 45x35; 1x TX 50x35; 1x TX 55x35 | |
| | | <input type="checkbox"/> 840/2 Z 1x 7/32"x30; 1x 1/4"x30; 1x 5/16"x30; 1x 3/8"x30 | |

8000 C Zyklop Speed Ratchet with 1/2" drive

- Combines five different types of a ratchet in one
- Flywheel design and easy-to-grip free-turning sleeve for very high working speeds
- Freely pivoting ratchet head, push button release and left/right switchover
- Fine-tooth design allows a small return angle of 5°
- Can also be used as a screwdriver

8000 C Zyklop Speed Ratchet with 1/2" drive




| Code | EAN | | | | | | |
|-------------|-------------------|------|-------|--|--|--|---|
| 05003600001 | 4013288 121882 | 1/2" | 277,0 | | | | 1 |

8000 C SB Zyklop Speed Ratchet with 1/2" drive



| Code | EAN | | | |
|-------------|-------------------|---|--|---|
| 05073262001 | 4013288 128058 | <input type="checkbox"/> 8000 C 1x 1/2"x277,0 | | 3 |


Zyklop Hybrid - longer for more torque



Zyklop Hybrid ratchet set, 1/2" drive, metric. Including Zyklop Hybrid ratchet and Hybrid handle extension.

- Switchover lever for convenient direction change
- Fine-pitched with 72 teeth for a return angle of only 5°
- Compact textile box with high robustness, low weight and volume
- Colour coding of the sockets according to size
- Smooth Twist to Unlock mechanism for a secure fit and simple removal of the sockets

8006 SC 1 Zyklop Hybrid Ratchet Set, 1/2" drive, metric



| Code | EAN | | | |
|-------------|-------------------|-------------|---|---|
| 05004090001 | 4013288 182159 | | | 1 |
| | | 8006 C | 1x 1/2"x281,0 | |
| | | 8797 C | 1x 271,0 | |
| | | 8794 LC | 1x 1/2"x250,0 | |
| | | 8790 HMC HF | 1x 10,0x37,0; 1x 11,0x37,0; 1x 12,0x37,0; 1x 13,0x37,0; 1x 14,0x37,0; 1x 15,0x37,0; 1x 16,0x37,0; 1x 17,0x37,0; 1x 18,0x37,0; 1x 19,0x37,0 | |

Zyklop Hybrid Set

Zyklop Hybrid ratchet set, 1/2" drive, metric. Including Zyklop Hybrid ratchet and Hybrid handle extension, extension and 10 sockets.

- Zyklop Hybrid ratchet with long overall length (leverage effect) and slim ratchet head
- Fine-pitched with 72 teeth for a return angle of only 5°
- Extension with unlocking pin

Zyklop Hybrid Set



| Code | EAN | | | |
|-------------|-------------------|--------|---------------|---|
| 05004095001 | 4013288 184320 | | | 1 |
| | | 8006 C | 1x 1/2"x281,0 | |
| | | 8797 C | 1x 271,0 | |

8006 C Zyklop Hybrid Ratchet with switch lever and 1/2" drive

Zyklop Hybrid ratchet with switchover lever and 1/2" drive, low weight, ergonomic Kraftform handle with slim head design, long lever and with an extension option.

8006 C Zyklop Hybrid Ratchet with switch lever and 1/2" drive



| Code | EAN | | | | | | |
|-------------|-------------------|------|-------|----|----|--|---|
| 05003780001 | 4013288 184214 | 1/2" | 281,0 | 34 | 37 | | 3 |

8797 C Zyklop Hybrid extension

- Can be used with Zyklop Hybrid 8006 C
- To increase the torque to be applied
- Multi-component Kraftform handle optimised to withstand pressure and tensile loads
- With unlocking pin
- Blade out of tough, tempered chrome-molybdenum steel

8797 C Zyklop Hybrid extension



| | EAN | ⌀ | ℓ | | | | | | |
|-------------|---------|-------|-------|--|--|--|--|--|---|
| Code | 4013288 | mm | mm | | | | | | |
| 05003781001 | 183200 | 271,0 | 134,0 | | | | | | 1 |

Zyklop Metal with push-through square



Incredibly compact set arrangement with many tools in a minimum of space. A completely new ratchet set feeling thanks to the unique textile boxes that are very robust and durable.

They can be positioned upright for tidy storage on the workshop shelf. Additional surface protection due to textile outer material. Low weight and volume for simpler mobility.

Take it easy Tool Finder with colour coding according to sizes.

- Extremely slim ratchet with long lever
- Return angle of only 4.7°
- Absolutely smooth switchover of the non-detachable push-through square
- Take it easy tool finder system

8100 SC 7 Zyklop Metal Ratchet Set with push-through square, 1/2" drive, metric



| Code | EAN | | |
|-------------|--------|---|---|
| 05004077001 | 173942 | | 1 |
| | | 8003 C 1x 1/2"x281,0 | |
| | | 8790 HMC 1x 10,0x37,0; 1x 11,0x37,0; 1x 12,0x37,0; 1x 13,0x37,0; 1x 14,0x37,0; 1x 15,0x37,0; 1x 16,0x37,0; 1x 17,0x37,0; 1x 18,0x37,0; 1x 19,0x37,0 | |
| | | 8794 LC 1x 1/2"x250,0 | |
| | | 8794 C 1x 1/2"x52,0 | |
| | | 8784 C2 1x 9/16"x1/2"x50,0 | |
| | | 851/2 Z PH 1x PH 2x32; 1x PH 3x32 | |
| | | 867/2 Z TORX® 1x TX 20x35; 1x TX 25x35; 1x TX 27x35; 1x TX 30x35; 1x TX 40x35; 1x TX 45x35; 1x TX 50x35; 1x TX 55x35 | |
| | | 840/2 Z 1x 5x30; 1x 6x30; 1x 8x30; 1x 10x30 | |

8100 SC 10 Zyklop Metal Ratchet Set with push-through square, 1/2" drive, imperial



| Code | EAN | | | |
|-------------|-------------------|---|---|---|
| 05004080001 | 4013288 173966 | | | 1 |
| | | □ | 8003 C 1x 1/2"x281,0 | |
| | | ● | 8790 HMC 1x 3/8"x37,0; 1x 7/16"x37,0; 1x 1/2"x37,0; 1x 9/16"x37,0; 1x 19/32"x37,0; 1x 5/8"x37,0; 1x 11/16"x37,0; 1x 3/4"x37,0; 1x 25/32"x37,0; 1x 19/16"x37,0 | |
| | | ■ | 8794 LC 1x 1/2"x250,0 | |
| | | ■ | 8794 C 1x 1/2"x52,0 | |
| | | ● | 8784 C2 1x 5/16"x1/2"x50,0 | |
| | | + | 851/2 Z PH 1x PH 2x32; 1x PH 3x32 | |
| | | + | 867/2 Z TORX® 1x TX 20x35; 1x TX 25x35; 1x TX 27x35; 1x TX 30x35; 1x TX 40x35; 1x TX 45x35; 1x TX 50x35; 1x TX 55x35 | |
| | | ○ | 840/2 Z 1x 7/32"x30; 1x 1/4"x30; 1x 5/16"x30; 1x 3/8"x30 | |

8003 C Zyklop Metal Ratchet with push-through square and 1/2" drive

- Forged, full metal ratchet (chrome-molybdenum); slim design to enable work in very confined spaces.
- The dual-ratchet-teeth design means that a 76 fine-toothing division can be achieved from the 38 robust teeth with a return angle of only 4.7°.
- Absolutely smooth switchover of the non-detachable push-through square
- For 1/2" square sockets with ball lock

8003 C Zyklop Metal Ratchet with push-through square and 1/2" drive



| Code | EAN | □ | mm | mm | mm | |
|-------------|-------------------|------|-------|----|----|---|
| 05004063001 | 4013288 174055 | 1/2" | 281,0 | 36 | 37 | 3 |

Zyklop Metal with switch lever



Incredibly compact set arrangement with many tools in a minimum of space. A completely new ratchet set feeling thanks to the unique textile boxes that are very robust and durable.

They can be positioned upright for tidy storage on the workshop shelf. Additional surface protection due to textile outer material. Low weight and volume for simpler mobility.

Take it easy Tool Finder with colour coding according to sizes.

- Convenient direction change thanks to switchover lever
- Extremely slim ratchet with long lever
- Return angle of only 5°

8100 SC 8 Zyklop Metal Ratchet Set with switch lever, 1/2" drive, metric



| Code | EAN | | | |
|-------------|-------------------|---|---|---|
| 05004078001 | 4013288 173881 | | | 1 |
| | | □ | 8004 C 1x 1/2"x281,0 | |
| | | ● | 8790 HMC 1x 10,0x37,0; 1x 11,0x37,0; 1x 12,0x37,0; 1x 13,0x37,0; 1x 14,0x37,0; 1x 15,0x37,0; 1x 16,0x37,0; 1x 17,0x37,0; 1x 18,0x37,0; 1x 19,0x37,0 | |
| | | ■ | 8794 LC 1x 1/2"x250,0 | |
| | | ■ | 8794 C 1x 1/2"x52,0 | |
| | | ● | 8784 C2 1x 5/16"x1/2"x50,0 | |
| | | + | 851/2 Z PH 1x PH 2x32; 1x PH 3x32 | |
| | | + | 867/2 Z TORX® 1x TX 20x35; 1x TX 25x35; 1x TX 27x35; 1x TX 30x35; 1x TX 40x35; 1x TX 45x35; 1x TX 50x35; 1x TX 55x35 | |
| | | ○ | 840/2 Z 1x 5x30; 1x 6x30; 1x 8x30; 1x 10x30 | |

8100 SC 11 Zyklop Metal Ratchet Set with switch lever, 1/2" drive, imperial



| Code | EAN | | | |
|-------------|--------|---------------|---|---|
| 05004081001 | 173973 | | | 1 |
| | | 8004 C | 1x 1/2"x281,0 | |
| | | 8790 HMC | 1x 3/8"x37,0; 1x 7/16"x37,0; 1x 1/2"x37,0; 1x 9/16"x37,0; 1x 19/32"x37,0; 1x 5/8"x37,0; 1x 11/16"x37,0; 1x 3/4"x37,0; 1x 25/32"x37,0; 1x 13/16"x37,0 | |
| | | 8794 LC | 1x 1/2"x250,0 | |
| | | 8794 C | 1x 1/2"x52,0 | |
| | | 8784 C2 | 1x 5/16"x1/2"x50,0 | |
| | | 851/2 Z PH | 1x PH 2x32; 1x PH 3x32 | |
| | | 867/2 Z TORX® | 1x TX 20x35; 1x TX 25x35; 1x TX 27x35; 1x TX 30x35; 1x TX 40x35; 1x TX 45x35; 1x TX 50x35; 1x TX 55x35 | |
| | | 840/2 Z | 1x 7/32"x30; 1x 1/4"x30; 1x 5/16"x30; 1x 3/8"x30 | |

8004 C Zyklop Metal Ratchet with switch lever and 1/2" drive

- Convenient direction change thanks to switchover lever
- Extremely slim ratchet with long lever
- Return angle of only 5°
- Secure socket locking

8004 C Zyklop Metal Ratchet with switch lever and 1/2" drive



| Code | EAN | | | | | |
|-------------|--------|------|-------|----|----|---|
| 05004064001 | 174062 | 1/2" | 281,0 | 34 | 37 | 3 |

8790 C Impaktor socket with 1/2" drive

Impaktor socket for use with electric or pneumatic impact wrenches with 12.5mm = 1/2" drive. The Impaktor technology ensures above-average service life even under extreme conditions.

With Take it easy tool finder with colour coding by size - for easy and fast location of the required tool. With hexagonal profile and grooved socket.

The hexagon profile allows the transmission of high forces and puts less strain on the edges of bolts or screw heads than a double hexagon profile. For hexagon headed bolts, screws and nuts.

- For use with electric or pneumatic powered impact wrenches with 12.5mm = 1/2" drive
- Impaktor technology for above-average service life
- Hexagonal profile enables precise and profile-preserving screwdriving with high power transmission
- With Take it easy tool finder: colour coding by size
- With cross-bore and ring socket for securing locking pin and locking ring of machine-operated tools

8790 C Impaktor socket with 1/2" drive



| Code | EAN | | | | | | |
|-------------|--------|--|------|------|------|------|---|
| 05004570001 | 210012 | | 13,0 | 38,0 | 21,0 | 24,0 | 1 |
| 05004571001 | 210029 | | 14,0 | 38,0 | 22,0 | 24,0 | 1 |
| 05004572001 | 210036 | | 15,0 | 38,0 | 24,0 | 24,0 | 1 |
| 05004573001 | 210043 | | 16,0 | 38,0 | 24,0 | 24,0 | 1 |
| 05004574001 | 210050 | | 17,0 | 38,0 | 26,0 | 26,0 | 1 |
| 05004575001 | 210067 | | 18,0 | 38,0 | 28,0 | 28,0 | 1 |
| 05004576001 | 210074 | | 19,0 | 38,0 | 28,0 | 28,0 | 1 |
| 05004577001 | 210081 | | 20,0 | 38,0 | 26,0 | 30,0 | 1 |
| 05004578001 | 210098 | | 21,0 | 38,0 | 26,0 | 30,0 | 1 |

Belt C Impaktor 1 socket set, 1/2" drive

Robust textile belt in the typical Wera design with nine Impaktor socket wrench plug-ins for missions in confined spaces. A smooth Twist to Unlock mechanism ensures a secure fit and simple removal of the sockets. Including snap hook for attachment on belt loops or bags.

With fleece backing and hook and loop fastener strips for easy attachment e.g. on wall, shelf, workshop trolley and Wera 2go tool transport system. Impaktor sockets for use with electric or pneumatic powered impact wrenches with 12.5mm = 1/2" drive.

Impaktor technology ensures above-average service life, even under extreme conditions. With Take it easy tool finder with colour coding by size - for easy and fast location of the required tool. With hexagonal profile and grooved socket.

The hexagon profile allows the transmission of high forces and puts less strain on the edges of bolts or screw heads than a double hexagon profile. For external hexagonal bolts and sockets.

- 9-piece socket set on robust textile belt 1/2"
- Smooth Twist to Unlock mechanism for a secure fit and simple removal of the sockets
- Particularly suitable for use with customary impact drivers
- With Take it easy tool finder: colour coding by size
- Suitable for attachment to a wall, shelf, tool trolley and to the Wera 2go System

Magnetic socket rail C Impaktor 1 socket set, 1/2" drive

Socket rail with 9 Impaktor sockets for use with electric or pneumatic wrenches with 12.5 mm = 1/2" drive.

The Impaktor technology ensures a higher-than-average service life even at extreme requirements.

The hexagon profile used allows a high power transmission while simultaneously being precise and protecting the profile.

With Take it easy tool finder with colour coding by size - to help you find the required tool quickly and easily.

The rail allows temporary attachment to metallic surfaces and, with its twist-to-unlock function, ensures secure locking and unlocking of the sockets.

- 9-piece socket set on socket rail, 1/2"
- For use with electric or pneumatic powered impact wrenches with 12.5mm = 1/2" drive
- Impaktor technology for above-average service life
- Hexagonal profile enables precise and profile-preserving screwdriving with high power transmission
- With cross-bore and ring socket for securing locking pin and locking ring of machine-operated tools

Belt C Impaktor 1 socket set, 1/2" drive



| Code | EAN | | |
|-------------|--------|---|---|
| 05004580001 | 210104 | | 1 |
| | | ● 8790 C Impaktor 1x 13,0x38,0; 1x 14,0x38,0; 1x 15,0x38,0; 1x 16,0x38,0; 1x 17,0x38,0; 1x 18,0x38,0; 1x 19,0x38,0; 1x 20,0x38,0; 1x 21,0x38,0 | |
| | | Belt C Impaktor 0/9 1x 71,0x210,0 | |
| | | K30 1x 30,0x200,0 | |

Magnetic socket rail C Impaktor 1 socket set, 1/2" drive



| Code | EAN | | |
|-------------|--------|---|---|
| 05005490001 | 223289 | | 1 |
| | | ● 8790 C Impaktor 1x 13,0x38,0; 1x 14,0x38,0; 1x 15,0x38,0; 1x 16,0x38,0; 1x 17,0x38,0; 1x 18,0x38,0; 1x 19,0x38,0; 1x 20,0x38,0; 1x 21,0x38,0 | |
| | | 9602 1x 30,0x370,0 | |

8790 C Impaktor Deep socket with 1/2" drive

Long Impaktor socket for use with electric or pneumatic wrenches with 12.5 mm = 1/2" drive. For use even at low lying couplings and protruding thread rods.

The Impaktor technology ensures a higher-than-average service life even at extreme requirements. With Take it easy tool finder with colour coding by size – to help you find the required tool quickly and easily.

With hexagon profile with socket and well. With hexagon profile with socket and well. The hexagon profile enables the transmission of high forces and loads the edges of the bolt or the screw head less than a double hexagon profile. For external hexagon bolts and screws.

- Robust Impaktor sockets for extremely high stress; for use with electric or pneumatic wrenches with 12.5 mm = 1/2" drive
- Long socket wrenches for low lying couplings, also suitable for fitting, protruding thread rods in confined spaces
- With cross-bore and ring socket for securing locking pin and locking ring of machine-operated tools

8790 C Impaktor Deep Set 1

Set with 11 Impaktor Deep sockets for use with electric or pneumatic wrenches with 12.5 mm = 1/2" drive. Long design for low-lying couplings and protruding thread rods.

The Impaktor technology ensures a higher-than-average service life even at extreme requirements.

The hexagon profile used allows a high power transmission while simultaneously being precise and protecting the profile. With Take it easy tool finder with colour coding by size - for quick and easy identification of the required tool .

- Long 1/2" sockets for low-profile-fitting screw connections in tight construction spaces and for protruding threaded rods
- For use with electric or pneumatic powered impact wrenches with 12.5mm = 1/2" drive
- Impaktor technology for above-average service life
- Hexagonal profile enables precise and profile-preserving screwdriving with high power transmission
- With cross-bore and ring socket for securing locking pin and locking ring of machine-operated tools
- With Take it easy tool finder: colour coding by size
- In a robust textile box

8790 C Impaktor Deep socket with 1/2" drive



| Code | EAN | | mm | mm | mm | mm | |
|-------------|--------|--|------|------|------|------|---|
| 05004830001 | 221926 | | 13,0 | 83,0 | 21,0 | 24,0 | 1 |
| 05004831001 | 221933 | | 14,0 | 83,0 | 22,0 | 24,0 | 1 |
| 05004832001 | 221940 | | 15,0 | 83,0 | 24,0 | 24,0 | 1 |
| 05004833001 | 221957 | | 16,0 | 83,0 | 24,0 | 24,0 | 1 |
| 05004834001 | 221964 | | 17,0 | 83,0 | 26,0 | 26,0 | 1 |
| 05004835001 | 221995 | | 18,0 | 83,0 | 28,0 | 28,0 | 1 |
| 05004836001 | 222008 | | 19,0 | 83,0 | 28,0 | 28,0 | 1 |
| 05004837001 | 222015 | | 21,0 | 83,0 | 30,0 | 27,0 | 1 |
| 05004838001 | 222107 | | 22,0 | 83,0 | 32,0 | 28,0 | 1 |
| 05004839001 | 222114 | | 24,0 | 83,0 | 34,0 | 30,0 | 1 |
| 05004840001 | 222121 | | 27,0 | 83,0 | 38,0 | 33,0 | 1 |

8790 C Impaktor Deep Set 1



| Code | EAN | | |
|-------------|--------|---|---|
| 05004841001 | 224088 | | 1 |
| | | <ul style="list-style-type: none"> ● 8790 C Impaktor Deep 1x 13,0x83,0; 1x 14,0x83,0; 1x 15,0x83,0; 1x 16,0x83,0; 1x 17,0x83,0; 1x 18,0x83,0; 1x 19,0x83,0; 1x 21,0x83,0; 1x 22,0x83,0; 1x 24,0x83,0; 1x 27,0x83,0 | |

8790 HMC Zyklop socket with 1/2" drive

- 1/2" inch Zyklop socket
- For manual and power tool operations (non-impact)
- Knurling at lower end to enable easy gripping when used in manual applications
- Equipped with ball stop groove
- Take it easy tool finder with colour coding according to sizes

8790 HMC Zyklop socket with 1/2" drive



| Code | EAN | | mm | mm | mm | mm | mm | |
|-------------|--------|--|------|------|------|------|----|---------|
| 05003601001 | 120618 | | 10,0 | 37,0 | 15,5 | 24,0 | 1 | |
| 05003602001 | 120625 | | 11,0 | 37,0 | 16,5 | 24,0 | 1 | |
| 05003603001 | 120656 | | 12,0 | 37,0 | 17,5 | 24,0 | 1 | |
| 05003604001 | 120663 | | 13,0 | 37,0 | 19,0 | 24,0 | 1 | |
| 05003605001 | 120670 | | 14,0 | 37,0 | 20,0 | 24,0 | 1 | |
| 05003606001 | 120687 | | 15,0 | 37,0 | 21,0 | 24,0 | 1 | |
| 05003607001 | 120694 | | 16,0 | 37,0 | 22,5 | 24,0 | 1 | |
| 05003608001 | 120700 | | 17,0 | 37,0 | 24,0 | 26,0 | 1 | |
| 05003609001 | 120717 | | 18,0 | 37,0 | 25,0 | 26,0 | 1 | |
| 05003610001 | 120724 | | 19,0 | 37,0 | 26,5 | 26,0 | 1 | |
| 05003611001 | 120731 | | 20,0 | 37,0 | 28,0 | 26,0 | 1 | |
| 05003612001 | 120748 | | 21,0 | 37,0 | 29,0 | 26,0 | 1 | |
| 05003613001 | 120755 | | 22,0 | 37,0 | 30,5 | 26,0 | 1 | |
| 05003614001 | 120762 | | 24,0 | 37,0 | 33,0 | 28,0 | 1 | |
| 05003615001 | 120779 | | 27,0 | 40,0 | 36,5 | 32,0 | 1 | |
| 05003616001 | 120786 | | 30,0 | 42,0 | 40,0 | 34,0 | 1 | |
| 05003617001 | 120793 | | 32,0 | 42,0 | 42,0 | 36,0 | 1 | |
| 05003618001 | 120809 | | | 37,0 | 15,5 | 24,0 | 1 | 3/8" |
| 05003619001 | 120816 | | | 37,0 | 16,5 | 24,0 | 1 | 7/16" |
| 05003620001 | 120823 | | | 37,0 | 19,0 | 24,0 | 1 | 1/2" |
| 05003621001 | 120830 | | | 37,0 | 20,0 | 24,0 | 1 | 9/16" |
| 05003622001 | 120847 | | | 37,0 | 21,0 | 24,0 | 1 | 19/32" |
| 05003623001 | 120854 | | | 37,0 | 22,5 | 24,0 | 1 | 5/8" |
| 05003624001 | 120861 | | | 37,0 | 25,5 | 26,0 | 1 | 11/16" |
| 05003625001 | 120878 | | | 37,0 | 26,5 | 26,0 | 1 | 3/4" |
| 05003626001 | 120885 | | | 37,0 | 28,0 | 26,0 | 1 | 25/32" |
| 05003627001 | 120892 | | | 37,0 | 29,0 | 26,0 | 1 | 13/16" |
| 05003628001 | 120908 | | | 37,0 | 30,5 | 26,0 | 1 | 7/8" |
| 05003629001 | 120915 | | | 37,0 | 33,0 | 28,0 | 1 | 15/16" |
| 05003630001 | 120922 | | | 37,0 | 33,0 | 28,0 | 1 | 31/32" |
| 05003631001 | 120939 | | | 40,0 | 36,5 | 32,0 | 1 | 1" |
| 05003632001 | 120946 | | | 40,0 | 36,5 | 32,0 | 1 | 1 1/16" |
| 05003633001 | 120953 | | | 40,0 | 40,0 | 34,0 | 1 | 1 1/8" |
| 05003634001 | 120960 | | | 42,0 | 40,0 | 34,0 | 1 | 1 3/16" |
| 05003635001 | 120977 | | | 42,0 | 42,0 | 36,0 | 1 | 1 1/4" |

8790 HMC HF Zyklop socket with 1/2" drive with holding function

- Socket (non-impact) for manual or power tool operations
- The holding function holds screws securely on the tool
- Take it easy tool finder with colour coding according to sizes
- Chrome vanadium steel, matt chrome-plated
- Equipped with ball stop groove, knurling at lower end for better gripping

8790 HMC HF Zyklop socket with 1/2" drive with holding function



| Code | EAN | | mm | mm | mm | mm | mm | mm | |
|-------------|--------|--|------|------|------|------|------|----|--|
| 05003730001 | 180957 | | 10,0 | 37,0 | 17,8 | 23,5 | 10,4 | 1 | |
| 05003731001 | 180964 | | 11,0 | 37,0 | 18,8 | 23,5 | 10,4 | 1 | |
| 05003732001 | 180971 | | 12,0 | 37,0 | 20,4 | 23,5 | 11,4 | 1 | |
| 05003733001 | 181022 | | 13,0 | 37,0 | 21,4 | 23,5 | 11,4 | 1 | |
| 05003734001 | 181039 | | 14,0 | 37,0 | 22,6 | 23,5 | 11,4 | 1 | |
| 05003735001 | 181046 | | 15,0 | 37,0 | 23,6 | 23,5 | 12,0 | 1 | |
| 05003736001 | 181053 | | 16,0 | 37,0 | 25,0 | 23,5 | 12,0 | 1 | |
| 05003737001 | 181060 | | 17,0 | 37,0 | 26,8 | 23,5 | 12,5 | 1 | |
| 05003738001 | 181077 | | 18,0 | 37,0 | 28,0 | 23,5 | 12,5 | 1 | |
| 05003739001 | 181084 | | 19,0 | 37,0 | 29,2 | 23,5 | 14,0 | 1 | |

Belt C 1 Zyklop socket set with holding function, 1/2" drive

Typically Wera designed robust textile belt with 6 sockets taking up minimal space. A smooth Twist to Unlock mechanism ensures a secure fit and simple removal of the sockets.

Comes with Take it easy Tool Finder with colour coding according to size to enable the right tool to be selected easily and quickly.

Includes a snap hook for secure fastening to a belt loop or pocket. Sockets with holding function for particularly convenient screwdriving with reduced risk of losing the screw when approaching the workpiece.

Supplied with a non-woven reverse side and hook and loop strips for simple attachment e.g. to a wall, shelf, tool trolley and to the Wera 2go tool transport system.

- 7-piece socket set on a robust textile belt, 1/2"
- Sockets with holding function for screws/bolts/nuts
- Smooth Twist to Unlock mechanism for a secure fit and simple removal of the sockets
- Take it easy tool finder with colour coding according to sizes
- Suitable for attachment to a wall, shelf, tool trolley and to the Wera 2go System

Belt C 1 Zyklop socket set with holding function, 1/2" drive



| Code | EAN | | |
|-------------|--------|---|---|
| 05003995001 | 204400 | | 1 |
| | | ● 8790 HMC HF 1x 10,0x37,0; 1x 13,0x37,0; 1x 15,0x37,0; 1x 16,0x37,0; 1x 17,0x37,0; 1x 19,0x37,0 | |
| | | ME1 1x 14,0x43,0 | |
| | | Belt C 0/6 1x 45,0x275,0 | |
| | | K30 1x 30,0x200,0 | |

Magnetic socket rail C Imperial 1 Zyklop socket set, 1/2" drive, imperial


Socket rail with 9 manual and machine socket wrench inserts (non-impact), 1/2". A smooth rotary mechanism allows a secure hold and easy access of the sockets.

With Take it easy tool finder with colour coding by size - to help you find the required tool quickly and easily.

The rail allows temporary attachment to metallic surfaces and, with its twist-to-unlock function, ensures secure locking and unlocking of the sockets.

- 9-piece socket set on socket rail, 1/2"
- Rail with secure bit mounting and yet easy removal (twist-to-unlock) for temporary attachment on wall, shelf or workshop trolley
- Smooth Twist to Unlock mechanism for a secure fit and simple removal of the sockets
- With Take it easy tool finder: colour coding by size

Magnetic socket rail C Imperial 1 Zyklop socket set, 1/2" drive, imperial



| Code | EAN | | |
|-------------|--------|---|---|
| 05005480001 | 223296 | | 1 |
| | | ● 8790 HMC 1x 3/8"x37,0; 1x 7/16"x37,0; 1x 1/2"x37,0; 1x 9/16"x37,0; 1x 5/8"x37,0; 1x 11/16"x37,0; 1x 3/4"x37,0; 1x 7/8"x37,0; 1x 1"x40,0 | |
| | | 9602 1x 30,0x370,0 | |

8790 HMC HF 1 Zyklop socket set with 1/2" drive, with holding function

Socket set with holding function for particularly convenient screwdriving with reduced risk of losing the screw when addressing the workpiece.

- Compact textile box with high robustness, low weight and volume
- Bit socket (non-impact) for manual or power tool operations
- The holding function holds screws securely on the tool
- Take it easy tool finder with colour coding according to sizes
- Knurling on lower socket end for more grip when used manually

8790 HMC HF 1 Zyklop socket set with 1/2" drive, with holding function



| Code | EAN | | | |
|-------------|--------|---|--|---|
| 05004203001 | 184238 | | | 1 |
| | | 8790 HMC HF 1x 10,0x37,0; 1x 11,0x37,0; 1x 12,0x37,0; 1x 13,0x37,0; 1x 14,0x37,0; 1x 15,0x37,0; 1x 16,0x37,0; 1x 17,0x37,0; 1x 18,0x37,0; 1x 19,0x37,0 | | |

8790 C Wheel Impaktor Socket with 1/2" drive

Impaktor socket, 1/2", for use with impact wrenches, with rotating smooth plastic sleeve for higher working speed, better accuracy during screwdriving and additional rim protection.

- For use with electric or pneumatic impact wrenches with 12.5mm = 1/2" drive
- Robust Impaktor design for extremely high stresses
- Hexagonal profile enables precise and profile-preserving screwdriving with high power transmission
- Take it easy tool finder with colour coding according to sizes

8790 C Wheel Impaktor Socket with 1/2" drive



| Code | EAN | | | | | | | |
|-------------|--------|--|------|------|------|--|--|---|
| 05004590001 | 210739 | | 17,0 | 85,0 | 30,0 | | | 1 |
| 05004591001 | 210746 | | 19,0 | 85,0 | 30,0 | | | 1 |
| 05004592001 | 210753 | | 21,0 | 85,0 | 32,0 | | | 1 |

Wheel Impaktor C Set 1 Socket set, 1/2" drive

Three 1/2" Impaktor socket wrench plug-ins, for use with impact wrenches; with rotating smooth plastic sleeve for higher working speed and additional rim protection. Internal plastic insert to protect the wheel bolt surface.

Wheel Impaktor C Set 1 Socket set, 1/2" drive



| | | | | |
|-------------|--|--------|---|---|
| Code | | EAN | | |
| 05004595001 | | 210760 | 4013288 | 1 |
| | | ● | 8790 C Wheel Impaktor 1x 17,0x85,0x30,0; 1x 19,0x85,0x30,0; 1x 21,0x85,0x32,0 | |

8790 HMC Deep socket with 1/2" drive

Long 1/2" hand and machine socket (ISO 2725 part 3) with ball intercept ring; for external hexagonal bolts and sockets. For use in manual and machine operation (non-impact), even with low-lying screwdriving and protruding threaded rods.

With Take it easy tool finder with colour coding by size - for easy and fast location of the required tool. Easy to grasp even with oily hands.

The hexagon profile allows the transmission of high forces and puts less strain on the edges of bolts or screw heads than a double hexagon profile. Fine-toothed ratchets also make the use of a double hexagon profile superfluous, even in confined spaces, thanks to their small back-pivoting angle.

- Long sockets for low-lying screwdriving, often even with protruding threaded rods in small spaces
- Hexagonal profile enables precise bolting with high power transmission and preserves the profile
- Knurling at lower end to enable easy gripping when used in manual applications
- Made of matt chromed chrome-vanadium

8790 HMC Deep socket with 1/2" drive



| Code | EAN | | mm | mm | mm | mm | |
|-------------|--------|--|------|------|------|------|---|
| 05004550001 | 210562 | | 10,0 | 83,0 | 15,5 | 21,8 | 1 |
| 05004551001 | 210579 | | 11,0 | 83,0 | 16,7 | 22,0 | 1 |
| 05004552001 | 210586 | | 12,0 | 83,0 | 18,0 | 22,0 | 1 |
| 05004553001 | 210593 | | 13,0 | 83,0 | 19,2 | 22,0 | 1 |
| 05004554001 | 210609 | | 14,0 | 83,0 | 20,5 | 22,0 | 1 |
| 05004555001 | 210616 | | 15,0 | 83,0 | 22,0 | 20,7 | 1 |
| 05004556001 | 210623 | | 16,0 | 83,0 | 22,0 | 20,7 | 1 |
| 05004557001 | 210630 | | 17,0 | 83,0 | 24,0 | 22,2 | 1 |
| 05004558001 | 210647 | | 18,0 | 83,0 | 26,0 | 23,2 | 1 |
| 05004559001 | 210654 | | 19,0 | 83,0 | 26,0 | 23,2 | 1 |
| 05004560001 | 210661 | | 20,0 | 83,0 | 28,0 | 25,2 | 1 |
| 05004561001 | 210678 | | 21,0 | 83,0 | 28,0 | 25,2 | 1 |
| 05004562001 | 210685 | | 22,0 | 83,0 | 30,0 | 27,2 | 1 |
| 05004563001 | 210692 | | 24,0 | 83,0 | 32,0 | 28,2 | 1 |

Belt C Deep 1 socket set, 1/2" drive

- 6-piece socket set on robust textile belt, 1/2"
- Smooth Twist to Unlock mechanism for a secure fit and simple removal of the sockets
- Long 1/2" socket for low-profile-fitting screw connections in tight construction spaces and for protruding threaded rods
- Hexagonal profile enables precise and profile-preserving screwdriving with high power transmission
- Take it easy tool finder with colour coding according to sizes

Belt C Deep 1 socket set, 1/2" drive



| Code | EAN | | |
|-------------|--------|---|---|
| 05004565001 | 210708 | | 1 |
| | | ● 8790 HMC Deep 1x 10,0x83,0; 1x 13,0x83,0; 1x 15,0x83,0; 1x 16,0x83,0; 1x 17,0x83,0; 1x 19,0x83,0 | |
| | | Belt C 0/6 1x 45,0x275,0 | |
| | | K30 1x 30,0x200,0 | |

Magnetic socket rail C Deep 1 socket set, 1/2" drive

Socket rail with 6 long manual and machine sockets (non-impact), 1/2". A smooth rotary mechanism allows a secure hold and easy access of the sockets.

Long 1/2" manual and machine sockets (ISO 2725 part 3) by Wera for manual and (non-impact) machine use even at low lying couplings and protruding thread rods.

With Take it easy tool finder with colour coding by size - to help you find the required tool quickly and easily.

Slip-proof for easy grip even with oily hands. With hexagon profile and ball stop groove.

The hexagon profile enables the transmission of high forces and loads the edges of the bolt or the screw head less than a double hexagon profile.

Fine-teethed ratchets also make use of a double hexagon profile superfluous, even in confined spaces, thanks to their small return angle.

For external hexagon bolts and screws. The rail allows temporary attachment to metallic surfaces and, with its twist-to-unlock function, ensures secure locking and unlocking of the sockets.

- 6-piece socket set on socket rail, 1/2"
- Rail with secure bit mounting and yet easy removal (twist-to-unlock) for temporary attachment on wall, shelf or workshop trolley
- Smooth Twist to Unlock mechanism for a secure fit and simple removal of the sockets
- Long 1/2" socket for low-profile-fitting screw connections in tight construction spaces and for protruding threaded rods
- Hexagonal profile enables precise and profile-preserving screwdriving with high power transmission

Magnetic socket rail C Deep 1 socket set, 1/2" drive



| Code | EAN | | |
|-------------|--------|---|---|
| 05005470001 | 223272 | | 1 |
| | | ● 8790 HMC Deep 1x 10,0x83,0; 1x 13,0x83,0; 1x 15,0x83,0; 1x 16,0x83,0; 1x 17,0x83,0; 1x 19,0x83,0 | |
| | | 9602 1x 30,0x370,0 | |

8767 C HF TORX® Zyklop bit socket with 1/2" drive with holding function

- Bit socket (non-impact) for manual or machine tool operations
- The holding function holds screws securely on the tool
- Take it easy tool finder with colour coding according to sizes
- Knurling on lower end for more grip when used manually
- Chrome vanadium steel, matt chrome-plated

8767 C HF TORX® Zyklop bit socket with 1/2" drive with holding function



| Code | EAN | | | | | | | |
|-------------|--------|--|-------|-------|------|------|-------|---|
| | | | | mm | mm | mm | mm | |
| 05003830001 | 183316 | | TX 20 | 60,0 | 16,4 | 23,5 | 21,5 | 1 |
| 05003850001 | 183545 | | TX 20 | 140,0 | 16,4 | 23,5 | 101,5 | 1 |
| 05003831001 | 183323 | | TX 25 | 60,0 | 16,4 | 23,5 | 21,5 | 1 |
| 05003851001 | 183552 | | TX 25 | 140,0 | 16,4 | 23,5 | 101,5 | 1 |
| 05003832001 | 183330 | | TX 27 | 60,0 | 16,4 | 23,5 | 21,5 | 1 |
| 05003852001 | 183569 | | TX 27 | 140,0 | 16,4 | 23,5 | 101,5 | 1 |
| 05003833001 | 183347 | | TX 30 | 60,0 | 16,4 | 23,5 | 21,5 | 1 |
| 05003853001 | 183576 | | TX 30 | 140,0 | 16,4 | 23,5 | 101,5 | 1 |
| 05003834001 | 183354 | | TX 40 | 60,0 | 16,4 | 23,5 | 21,5 | 1 |
| 05003854001 | 183583 | | TX 40 | 140,0 | 16,4 | 23,5 | 101,5 | 1 |
| 05003835001 | 183361 | | TX 45 | 60,0 | 16,4 | 23,5 | 21,5 | 1 |
| 05003855001 | 184443 | | TX 45 | 140,0 | 16,4 | 23,5 | 101,5 | 1 |
| 05003836001 | 183378 | | TX 50 | 60,0 | 21,4 | 23,5 | 21,5 | 1 |
| 05003856001 | 183606 | | TX 50 | 140,0 | 21,4 | 23,5 | 101,5 | 1 |
| 05003837001 | 183385 | | TX 55 | 60,0 | 21,4 | 23,5 | 21,5 | 1 |
| 05003857001 | 183613 | | TX 55 | 140,0 | 21,4 | 23,5 | 101,5 | 1 |
| 05003838001 | 183392 | | TX 60 | 60,0 | 21,4 | 23,5 | 21,5 | 1 |
| 05003858001 | 183620 | | TX 60 | 140,0 | 21,4 | 23,5 | 101,5 | 1 |

Belt C 3 TORX® HF Zyklop bit socket set with holding function, 1/2" drive

Typically Wera designed robust textile belt with 6 in-hex bit-sockets taking up minimal space. A smooth Twist to Unlock mechanism ensures a secure fit and simple removal of the sockets.

Comes with Take it easy Tool Finder with colour coding according to size to enable the right tool to be selected easily and quickly. Includes a snap hook for secure fastening to a belt loop or pocket.

Supplied with a nonwoven reverse side and hook and loop strips for simple attachment e.g. to a wall, shelf, tool trolley and to the Wera 2go tool transport system.

- 6-piece socket set on robust textile belt, 1/2"
- Bit-sockets with all the advantages of the Wera bit technology
- Bit-sockets with holding function for screws/bolts
- Smooth Twist to Unlock mechanism for a secure fit and simple removal of the sockets
- Suitable for attachment to a wall, shelf, tool trolley and to the Wera 2go System

Belt C 3 TORX® HF Zyklop bit socket set with holding function, 1/2" drive



| Code | EAN | | |
|-------------|--------|--|---|
| 05003997001 | 204882 | | 1 |
| | | 8767 C HF 1x TX 25x60,0; 1x TX 30x60,0; 1x TX 40x60,0; 1x TX 45x60,0; 1x TX 50x60,0; 1x TX 55x60,0 | |
| | | Belt C 0/6 1x 45,0x275,0 | |
| | | K30 1x 30,0x200,0 | |

Magnetic socket rail C 4 Zyklop socket set, 1/2" drive
 Socket rail with 9 manual and machine sockets (non-impact), 1/2". A smooth rotary mechanism allows a secure hold and easy access of the sockets.

With Take it easy tool finder with colour coding by size - to help you find the required tool quickly and easily.

The rail allows temporary attachment to metallic surfaces and, with its twist-to-unlock function, ensures secure locking and unlocking of the sockets.

- 9-piece socket set on socket rail, 1/2"
- Rail with secure bit mounting and yet easy removal (twist-to-unlock) for temporary attachment on wall, shelf or workshop trolley
- Smooth Twist to Unlock mechanism for a secure fit and simple removal of the sockets
- With Take it easy tool finder: colour coding by size

Magnetic socket rail C 4 Zyklop socket set, 1/2" drive



| Code | EAN | | |
|-------------|-------------------|---|---|
| 05005460001 | 4013288 223265 | | 1 |
| | | 8790 HMC 1x 10,0x37,0; 1x 12,0x37,0; 1x 13,0x37,0; 1x 14,0x37,0; 1x 15,0x37,0; 1x 16,0x37,0; 1x 17,0x37,0; 1x 18,0x37,0; 1x 19,0x37,0 | |
| | | 9602 1x 30,0x370,0 | |

8767 C TORX® HF 1 Zyklop bit socket set with 1/2" drive, with holding function

- Compact textile box with high robustness, low weight and volume

8767 C TORX® HF 1 Zyklop bit socket set with 1/2" drive, with holding function



| Code | EAN | | |
|-------------|-------------------|---|---|
| 05004202001 | 4013288 184276 | | 1 |
| | | 8767 C HF 1x TX 20x60,0; 1x TX 25x60,0; 1x TX 27x60,0; 1x TX 30x60,0; 1x TX 40x60,0; 1x TX 45x60,0; 1x TX 50x60,0; 1x TX 55x60,0; 1x TX 60x60,0 | |

8767 C TORX® HF 2 Zyklop bit socket set with 1/2" drive, with holding function

- Compact textile box with high robustness, low weight and volume
- Long version

8767 C TORX® HF 2 Zyklop bit socket set with 1/2" drive, with holding function



| Code | EAN | | |
|-------------|-------------------|--|---|
| 05004211001 | 4013288 185464 | | 1 |
| | | 8767 C HF 1x TX 20x140,0; 1x TX 25x140,0; 1x TX 27x140,0; 1x TX 30x140,0; 1x TX 40x140,0; 1x TX 45x140,0 | |

8767 C TORX® HF 3 Zyklop bit socket set with 1/2" drive, with holding function

- Compact textile box with high robustness, low weight and volume
- Long version

8767 C TORX® HF 3 Zyklop bit socket set with 1/2" drive, with holding function




| Code | EAN | | |
|-------------|--------|---|---|
| 05004212001 | 185471 | | 1 |
| | | 8767 C HF 1x TX 20x140,0; 1x TX 25x140,0; 1x TX 27x140,0; 1x TX 30x140,0; 1x TX 40x140,0; 1x TX 45x140,0; 1x TX 50x140,0; 1x TX 55x140,0; 1x TX 60x140,0 | |

8740 C HF Zyklop bit socket with 1/2" drive with holding function

- Bit socket (non-impact) for manual or machine tool operations
- The holding function holds screws securely on the tool
- Take it easy tool finder with colour coding according to sizes
- Knurling on lower end for more grip when used manually
- Chrome vanadium steel, matt chrome-plated

8740 C HF Zyklop bit socket with 1/2" drive with holding function



| Code | EAN | | mm | mm | mm | mm | mm | |
|-------------|--------|--|------|-------|------|------|-------|---|
| 05003820001 | 183217 | | 4,0 | 60,0 | 14,0 | 21,5 | 21,5 | 1 |
| 05003840001 | 183484 | | 4,0 | 140,0 | 14,0 | 21,5 | 101,5 | 1 |
| 05003821001 | 183224 | | 5,0 | 60,0 | 14,0 | 21,5 | 21,5 | 1 |
| 05003841001 | 183491 | | 5,0 | 140,0 | 14,0 | 21,5 | 101,5 | 1 |
| 05003822001 | 183231 | | 6,0 | 60,0 | 14,0 | 21,5 | 21,5 | 1 |
| 05003842001 | 183507 | | 6,0 | 140,0 | 14,0 | 21,5 | 101,5 | 1 |
| 05003823001 | 183248 | | 7,0 | 60,0 | 14,0 | 23,5 | 21,5 | 1 |
| 05003843001 | 183514 | | 7,0 | 140,0 | 14,0 | 23,5 | 101,5 | 1 |
| 05003824001 | 183255 | | 8,0 | 60,0 | 16,0 | 23,5 | 21,5 | 1 |
| 05003844001 | 183521 | | 8,0 | 140,0 | 16,0 | 23,5 | 101,5 | 1 |
| 05003825001 | 183262 | | 10,0 | 60,0 | 16,0 | 23,5 | 21,5 | 1 |
| 05003845001 | 183538 | | 10,0 | 140,0 | 16,0 | 23,5 | 101,5 | 1 |
| 05003826001 | 183279 | | 12,0 | 60,0 | 21,0 | 23,5 | 23,0 | 1 |
| 05003827001 | 183286 | | 14,0 | 60,0 | 22,0 | 23,5 | 23,0 | 1 |
| 05003828001 | 183293 | | 17,0 | 60,0 | 24,5 | 25,5 | 23,0 | 1 |
| 05003829001 | 183309 | | 19,0 | 60,0 | 26,5 | 27,5 | 23,0 | 1 |

Belt C 2 Zyklop In-Hex-Plus bit socket set with holding function, 1/2" drive

Typically Wera designed robust textile belt with 6 in-hex bit-sockets taking up minimal space.

A smooth Twist to Unlock mechanism ensures a secure fit and simple removal of the sockets.

Comes with Take it easy Tool Finder with colour coding according to size to enable the right tool to be selected easily and quickly. Includes a snap hook for secure fastening to a belt loop or pocket.

Supplied with a nonwoven reverse side and hook and loop strips for simple attachment e.g. to a wall, shelf, tool trolley and to the Wera 2go tool transport system.

- 6-piece socket set on robust textile belt, 1/2"
- Bit-sockets with all the advantages of the Wera bit technology
- Bit-sockets with holding function for screws/bolts
- Smooth Twist to Unlock mechanism for a secure fit and simple removal of the sockets
- Suitable for attachment to a wall, shelf, tool trolley and to the Wera 2go System

Belt C 2 Zyklop In-Hex-Plus bit socket set with holding function, 1/2" drive



| | | | |
|-------------|-------------------|--|---|
| | | | |
| Code | EAN | | |
| 05003996001 | 4013288 204424 | | 1 |
| | | ○ 8740 C HF 1x 4,0x60,0; 1x 5,0x60,0; 1x 6,0x60,0; 1x 7,0x60,0; 1x 8,0x60,0; 1x 10,0x60,0 | |
| | | Belt C 0/6 1x 45,0x275,0 | |
| | | K30 1x 30,0x200,0 | |

8740 C HF 1 Zyklop bit socket set with 1/2" drive, with holding function

- Compact textile box with high robustness, low weight and volume

8740 C HF 1 Zyklop bit socket set with 1/2" drive, with holding function



| | | | |
|-------------|-------------------|---|---|
| | | | |
| Code | EAN | | |
| 05004201001 | 4013288 184283 | | 1 |
| | | ○ 8740 C HF 1x 4,0x60,0; 1x 5,0x60,0; 1x 6,0x60,0; 1x 7,0x60,0; 1x 8,0x60,0; 1x 10,0x60,0; 1x 12,0x60,0; 1x 14,0x60,0; 1x 17,0x60,0 | |

8740 C HF 2 Zyklop bit socket set with 1/2" drive, with holding function

- Compact textile box with high robustness, low weight and volume
- Long version

8740 C HF 2 Zyklop bit socket set with 1/2" drive, with holding function



| | | | |
|-------------|-------------------|--|---|
| | | | |
| Code | EAN | | |
| 05004210001 | 4013288 185457 | | 1 |
| | | ○ 8740 C HF 1x 4,0x140,0; 1x 5,0x140,0; 1x 6,0x140,0; 1x 7,0x140,0; 1x 8,0x140,0; 1x 10,0x140,0 | |

8796 LC Zyklop „flexible-lock“ extension with free-turning sleeve, long, 1/2"

- For 1/2" square sockets with ball lock
- Flexible lock system for either locking or rapid exchange of the attached tool
- With free-turning sleeve for rapid tightening and loosening of screws and nuts

8796 LC Zyklop „flexible-lock“ extension with free-turning sleeve, long, 1/2"



| Code | EAN | □ | ⌀ | | | | | | |
|-------------|--------|------|-------|--|--|--|--|--|---|
| 05003643001 | 121462 | 1/2" | 250,0 | | | | | | 1 |

8796 SC Zyklop „flexible-lock“ extension with free-turning sleeve, short, 1/2"

- For 1/2" square sockets with ball lock
- Flexible lock system for either locking or rapid exchange of the attached tool
- With free-turning sleeve for rapid tightening and loosening of screws and nuts

8796 SC Zyklop „flexible-lock“ extension with free-turning sleeve, short, 1/2"



| Code | EAN | □ | ⌀ | | | | | | |
|-------------|--------|------|-------|--|--|--|--|--|---|
| 05003642001 | 121455 | 1/2" | 125,0 | | | | | | 1 |

8794 LC Zyklop extension with free-turning sleeve, long, 1/2"

Wera Zyklop extension with easy-to-grip free-turning sleeve for rapid tightening and loosening of screws and nuts. Out of high quality chrome vanadium steel, matt chrome-plated.

8794 LC Zyklop extension with free-turning sleeve, long, 1/2"



| Code | EAN | □ | ⌀ | | | | | | |
|-------------|--------|------|-------|--|--|--|--|--|---|
| 05003638001 | 121431 | 1/2" | 250,0 | | | | | | 1 |

8794 SC Zyklop extension with free-turning sleeve, short, 1/2"

Wera Zyklop extension with easy-to-grip free-turning sleeve for rapid tightening and loosening of screws and nuts. Out of high quality chrome vanadium steel, matt chrome-plated.

8794 SC Zyklop extension with free-turning sleeve, short, 1/2"



| Code | EAN | □ | ⌀ | | | | | | |
|-------------|--------|------|-------|--|--|--|--|--|---|
| 05003637001 | 121424 | 1/2" | 125,0 | | | | | | 1 |

8789 C Zyklop sliding T-handle, 1/2"

Wera Zyklop T-handle for higher torque transfer. For 1/2" square sockets with ball lock. Adjustable drive for more flexible usage. Out of high quality chrome vanadium steel, matt chrome-plated.

8789 C Zyklop sliding T-handle, 1/2"



| Code | EAN | □ | ↓ | | | | | | |
|-------------|--------|------|-------|--|--|--|--|--|---|
| 05003636001 | 121530 | 1/2" | 250,0 | | | | | | 3 |

8795 C Zyklop universal joint, 1/2"

Wera Zyklop universal joint for 1/2" square sockets with ball lock.

8795 C Zyklop universal joint, 1/2"



| Code | EAN | □ | ↓ | | | | | | |
|-------------|--------|------|------|--|--|--|--|--|---|
| 05003640001 | 121547 | 1/2" | 69,0 | | | | | | 1 |

8794 C Zyklop wobble extension, 1/2"

Wobble extension for the Wera Zyklop. Swivel angle of 15° in all directions. This ensures rapid and precise work even in confined working situations.

8794 C Zyklop wobble extension, 1/2"



| Code | EAN | □ | ↓ | | | | | | |
|-------------|--------|------|------|--|--|--|--|--|---|
| 05003639001 | 121448 | 1/2" | 52,0 | | | | | | 1 |

8784 C2 Zyklop bit adaptor, 1/2", 5/16"

Adaptor from square to hex. For 5/16" hex bits as per DIN ISO 1173-C 8 and Wera connecting series 2; with quick-release chuck.

8784 C2 Zyklop bit adaptor, 1/2", 5/16"



| Code | EAN | □ | □ | ↓ | | | | | |
|-------------|--------|-------|------|------|--|--|--|--|---|
| 05003641001 | 119353 | 5/16" | 1/2" | 50,0 | | | | | 1 |

8009 Zyklop Pocket Set 1

Compact Zyklop ratchet with bit magazine for the pocket. Magnetic direct mounting for 1/4" bits and 3/8" sockets. Rapid tool change thanks to the non-locking mounting.

As the head is lockable at 0°, 15° and 90°, the tool can be used as a ratchet and as a ratchet screwdriver. The fine tooththing with 72 teeth allows for a low return angle of 5°.

Wide range of applications thanks to 12 bits integrated in the handle. The robust ratchet mechanism allows for ample torque. Perfect combination of a Zyklop ratchet with a 12-piece screwdriver set.

- Compact Zyklop ratchet with integrated bit magazine
- Thanks to it's clever design the ratchet head doubles up as both a 3/8" square drive ratchet for sockets, and integral 1/4" hexagon drive for screwdriver bits
- Freely pivoting ratchet head with 5 predefined locking positions
- Fine tooth reversible ratchet (72 teeth) for a low return angle of only 5°
- Captive and freely swivelling bit magazine for easy removal and secure storage of the bits

8009 Zyklop Pocket Set 1



| Code | EAN | | |
|-------------|-------------------|---|---|
| 05004280001 | 4013288 221834 | | 1 |
| | | <input type="checkbox"/> 8009 1x 3/8"x1/4"x133,0 | |
| | | <input checked="" type="checkbox"/> 851/1 BTZ 1x PH 1x25; 1x PH 2x25 | |
| | | <input checked="" type="checkbox"/> 855/1 BTZ 1x PZ 1x25; 1x PZ 2x25 | |
| | | <input checked="" type="checkbox"/> 867/1 TORX® BTZ 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25 | |
| | | <input type="checkbox"/> 840/1 BTZ 1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25 | |

8009 Zyklop Pocket Imperial Set 1



| Code | EAN | | |
|-------------|-------------------|---|---|
| 05004282001 | 4013288 221841 | | 1 |
| | | <input type="checkbox"/> 8009 1x 3/8"x1/4"x133,0 | |
| | | <input checked="" type="checkbox"/> 851/1 BTZ 1x PH 1x25; 1x PH 2x25 | |
| | | <input checked="" type="checkbox"/> 867/1 TORX® BTZ 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25 | |
| | | <input type="checkbox"/> 840/1 Z 1x 1/8"x25; 1x 5/32"x25; 1x 3/16"x25; 1x 1/4"x25 | |
| | | <input type="checkbox"/> 868/1 Z 1x # 1x25; 1x # 2x25 | |

8009 Zyklop Pocket Set 2

Compact Zyklop ratchet with bit magazine for the pocket. Magnetic direct mounting for 1/4" bits and 3/8" sockets. Rapid tool change thanks to the non-locking mounting. As the head is lockable at 0°, 15° and 90°, the tool can be used as a ratchet and as a ratchet screwdriver.








The fine toothing with 72 teeth allows for a low return angle of 5°. Wide range of applications thanks to 12 bits integrated in the handle. The robust ratchet mechanism allows for ample torque. Perfect combination of a Zyklop ratchet with a 12-piece screwdriver set.

The 75 mm long universal holder for 1/4" bits can be used as an extension. Including sockets in the commonest dimensions. One robust textile holster 9468 to be attached to the belt and docked onto the Wera 2go system.

- Compact Zyklop ratchet with integrated bit magazine
- The magnetic direct mounting simultaneously turns the 3/8" ratchet into a bit ratchet screwdriver with 1/4" bit mounting
- Freely pivoting ratchet head with 5 predefined locking positions
- Fine tooth reversible ratchet (72 teeth) for a low return angle of only 5°
- Captive and freely swivelling bit magazine for easy removal and secure storage of the bits
- Universal holder with stainless steel sleeve and strong permanent magnet, can be used as extension
- Robust textile holster to be attached to the belt and docked onto the Wera 2go system

8009 Zyklop Pocket Set 2



| Code | EAN | | |
|-------------|-------------------|--|---|
| 05004281001 | 4013288 223050 | | 1 |
| | |  8009 1x 3/8"x1/4"x133,0 | |
| | |  893/1/1 1x 1/4"x75 | |
| | |  851/1 BTZ 1x PH 1x25; 1x PH 2x25 | |
| | |  855/1 BTZ 1x PZ 1x25; 1x PZ 2x25 | |
| | |  867/1 TORX® BTZ 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25 | |
| | |  840/1 BTZ 1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25 | |
| | |  8790 HMB 1x 8,0x29,0; 1x 10,0x29,0; 1x 13,0x29,0 | |
| | | 9468 1x 155,0x65,0 | |
| | | Hook and Loop Fastener Strip 70 1x 50,0x70,0 | |

8009 Zyklop Pocket Imperial Set 2



| Code | | EAN | | 1 |
|-------------|---------------------------------|--|--|---|
| | | 4013288 | | |
| 05004283001 | | 223067 | | |
| | 8009 | 1x 3/8"x1/4"x133,0 | | |
| | 893/1/1 | 1x 1/4"x75 | | |
| | 851/1 BTZ | 1x PH 1x25; 1x PH 2x25 | | |
| | 867/1 TORX® BTZ | 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25 | | |
| | 840/1 Z | 1x 1/8"x25; 1x 5/32"x25; 1x 3/16"x25; 1x 1/4"x25 | | |
| | 868/1 Z | 1x # 1x25; 1x # 2x25 | | |
| | 8790 HMB | 1x 5/16"x29,0; 1x 3/8"x29,0; 1x 1/2"x29,0 | | |
| | 9468 | 1x 155,0x65,0 | | |
| | Hook and Loop Fastener Strip 70 | 1x 50,0x70,0 | | |

Koloss - this ratchet is the best!



The ratchet that can also be safely and officially used as a hammer. The Koloss is a reversible, heavy-duty ratchet that can be used with a load of at least 600 Newton metres. The dual ratchet teeth and the minimum return angle of only 6° ensure rapid and precise screwdriving even in confined situations.

And the best thing: absolutely no impact on the hammer faces, however hard, can destroy the ratchet mechanism.

Multi-component Kraftform handle optimised to withstand pressure, impact and tensile loads; take-up for Koloss extension 8780 C and Koloss centring pin 8781 C at end of handle. Also included in the set: 1 pad to protect materials and surface areas, 1 Koloss extension for the transfer of even more torque, 1 unlocking pin and 1 holster – so the Koloss can always be at hand.

- For loads of at least 600 Newton metres
- Push-through square drive for right/left switchover
- Including hammer function
- Multi-component Kraftform handle optimised to withstand pressure, impact and tensile loads
- Fine-pitched ratchet mechanism, small return angle of 6°

8002 C Koloss All Inclusive Set with 1/2" drive



| Code | | EAN | | 1 |
|-------------|----------|---------------|--|---|
| | | 4013288 | | |
| 05133862001 | | 162403 | | |
| | 8002 C | 1x 1/2"x341,0 | | |
| | 8782 C | 1x 2x50,0 | | |
| | 8780 C | 1x 341,0x137 | | |
| | 8000 E | 1x 40,5 | | |
| | 8000 HLF | 1x 175,0x75,0 | | |


9602 Magnetic socket rail, 1/2", empty

1 socket rail, empty. For up to 10 sockets and/or bit sockets with 1/2" drive.

The rail allows temporary attachment to metallic surfaces and, with its twist-to-unlock function, ensures secure locking and unlocking of the sockets.

- Rail with secure bit mounting and yet easy removal (twist-to-unlock) for temporary attachment on wall, shelf or workshop trolley
- Smooth Twist to Unlock mechanism for a secure fit and simple removal of the sockets
- Empty, for up to 10 sockets, 1/2"

9602 Magnetic socket rail, 1/2", empty



| Code | EAN | mm | mm | | | | | | |
|-------------|--------|------|-------|--|--|--|--|--|---|
| 05136422001 | 223340 | 30,0 | 370,0 | | | | | | 1 |

Socket rail C Impaktor (textile belt), 9 location, unloaded



| Code | EAN | | | |
|-------------|--------|---------------------|---------------|---|
| 05003893001 | 211484 | | | 1 |
| | | Belt C Impaktor 0/9 | 1x 71,0x210,0 | |
| | | K30 | 1x 30,0x200,0 | |

Zyklop Mini - beauty in strength

Zyklop Mini 1 & 2
Fine tooth mechanism (60 teeth), small return angle of only 6° – ideal for precision work.

Zyklop Mini 1 & 2
Its slim design makes it ideal for all particularly confined working situations.

Zyklop Mini 1
Thumbwheel for rapid fastening.

Zyklop Mini 1 & 2
Easy switching between left/right operations.



Mini 1 Mini 2

Zyklop Mini 2
The Zyklop Mini 2 is suitable for the direct attachment of the special Wera Zyklop sockets 8790 FA. These sockets feature a very low height, ideal for confined working spaces.

Wera Zyklop Mini 1: a symbiosis of strength and stylishness. Incredibly robust due to its drop-forged, full-steel design. Can withstand torque forces up to 65 Nm.

The petite sizing is particularly suited for work in confined spaces. The thumbwheel allows fast screwdriving. Comes in a set in the proven Wera Bit-Check with socket adaptor and belt clip. Simple tool removal and reinsertion is ensured, very robust and durable.

- Bit-Checks convince due to their functionality in a minimum of space
- Wera Mini ratchet for particularly fast screwdriving even in confined spaces
- Ideal for working in confined spaces
- Tough viscous bits for universal use
- In handy and robust Bit-Check

Bit-Check 30 Zyklus Mini 1



| Code | EAN | | | |
|-------------|---------|---|--|---|
| | 4013288 | | | |
| 05073640001 | 144652 | | | 1 |
| | | 8001 A | | |
| | | 1x 1/4"x87,0 | | |
| | | 870/1 | | |
| | | 1x 1/4"x25 ¹⁾ | | |
| | | 889/4/1 K | | |
| | | 1x 1/4"x50 | | |
| | | 851/1 TZ PH | | |
| | | 2x PH 1x25; 3x PH 2x25; 1x PH 3x25 | | |
| | | 855/1 TH PZ | | |
| | | 1x PZ 1x25; 3x PZ 2x25; 1x PZ 3x25 | | |
| | | 867/1 TZ TORX® | | |
| | | 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; | | |
| | | 1x TX 25x25; 1x TX 30x25; 1x TX 40x25 | | |
| | | 867/1 Z TORX® B0 | | |
| | | 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; | | |
| | | 1x TX 25x25; 1x TX 30x25 | | |
| | | 800/1 TZ | | |
| | | 1x 1,0x5,5x25 | | |
| | | 840/1 Z Hex-Plus | | |
| | | 1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25; | | |
| | | 1x 8,0x25 | | |

¹⁾With friction ball; for manual nut spinner sockets

Bit-Check 30 Zyklus Mini 2



| Code | EAN | | | |
|-------------|---------|--|--|---|
| | 4013288 | | | |
| 05346293001 | 145765 | | | 1 |
| | | 8001 A | | |
| | | 1x 1/4"x87,0 | | |
| | | 889/4/1 K | | |
| | | 1x 1/4"x50 | | |
| | | 870/1 | | |
| | | 1x 1/4"x25 ¹⁾ | | |
| | | 851/1 TZ PH | | |
| | | 2x PH 1x25; 3x PH 2x25; 1x PH 3x25 | | |
| | | 867/1 TZ TORX® | | |
| | | 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; | | |
| | | 1x TX 25x25; 1x TX 30x25; 1x TX 40x25 | | |
| | | 867/1 Z TORX® B0 | | |
| | | 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; | | |
| | | 1x TX 25x25; 1x TX 30x25 | | |
| | | 840/1 Z Hex-Plus | | |
| | | 1x 3/32"x25; 1x 1/8"x25; 1x 5/32"x25; 1x 3/16"x25; | | |
| | | 1x 1/4"x25 | | |
| | | 800/1 TZ | | |
| | | 1x 1,0x5,5x25 | | |
| | | 868/1 Z | | |
| | | 1x # 1x25; 3x # 2x25; 1x # 3x25 | | |

¹⁾With friction ball; for manual nut spinner sockets

Kraftform Kompakt Zyklus Mini 2

Ratchets and screws in a Kraftform Kompakt format. These drop-forged, full-steel ratchets, Zyklus Mini 1 and 2, combine filigree design with incredible robustness.

For particularly rapid screwdriving in confined working situations. Zyklus Mini 1 or Zyklus Mini 2 can be used whenever screwdriving with power tools or conventional hand tools is unfeasible for lack of space. 1 bit ratchet Zyklus Mini 1; suitable for the take-up of bits with 1/4" hexagon head drive as per DIN ISO 1173-C 6.3 and E 6.3 and Wera connecting series 1 and 4; also possible to use 1/4" sockets by attaching the Wera adaptor 870/1. 1 socket ratchet Zyklus Mini 2; suitable for the direct attachment of Wera Zyklus special sockets 8790 FA.

Kraftform Kompakt Zyklus Mini 2



| Code | | EAN | | |
|-------------|--------|---------|---|---|
| | | 4013288 | | |
| 05135918001 | 182180 | | | 1 |
| | | | 8001 A 1x 1/4"x87,0 | |
| | | | 8005 1x 107 | |
| | | | 813 1x 1/4"x78 | |
| | | | 870/1 1x 1/4"x25 ¹⁾ | |
| | | | 851/1 Z PH 1x PH 1x25; 1x PH 2x25 | |
| | | | 855/1 Z PZ 1x PZ 1x25; 1x PZ 2x25 | |
| | | | 867/1 TORX® 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25; 1x TX 40x25 | |
| | | | 840/1 Z Hex-Plus 1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25 | |
| | | | 8790 FA 1x 4,0; 1x 5,0; 1x 5,5; 1x 6,0; 1x 7,0; 1x 8,0; 1x 10,0; 1x 12,0; 1x 13,0 | |

¹⁾With friction ball; for manual nut spinner sockets

Tool-Check PLUS

Combination tool consisting of a ratchet, bits, sockets and holder in a minimum of space. Ideal as a universal companion for a whole host of screwdriving applications. High quality bit holder with Kraftform Plus handle for pleasant, ergonomic working that prevents blisters and calluses. Hard gripping zones for high working speeds whereas soft zones ensure high torque transfer. Mini ratchet for rapid working when fastening jobs with a power tool or conventional hand tools are not feasible due to insufficient space. Rapid changeover from left to right direction and vice versa by using the switchover lever. Fast work possible by turning the thumbwheel (with the thumb) on the ratchet head. Simplest operation even with just one hand. Ergonomic ratchet head/lever: Kraftform geometry with perfectly shaped contact areas for the fingers.

The direct bit take-up in the ratchet head makes for a mini tool design and is ideal for low working heights. The small return angle of 6° allows for precise work. Robust drop-forged, full steel design. Torque of over 65 Nm.

The Rapidaptor bit holder with free-turning sleeve: can be used as an extension; for rapid bit change without any special tools – even the very smallest bits with just a single hand. Tough viscous bits for universal use. Sockets for both manual as well as power tool operations for almost all applications.

Take it easy Tool Finder with colour coding according to size - for simple and rapid accessing of the required tool. Featuring a good grip to allow easy pick-up even with oily hands. Ball stop groove, for hex head bolts and nuts; chrome vanadium steel, matt chrome-plated.

Tool-Check PLUS



| Code | EAN | | | |
|-------------|-------------------|---|--|---|
| 05056490001 | 4013288 173003 | | | 1 |
| | | 8001 A 1x 1/4"x87,0 | | |
| | | 813 1x 1/4"x78 | | |
| | | 889/4/1 K 1x 1/4"x50 | | |
| | | 870/1 1x 1/4"x25 ¹⁾ | | |
| | | 8790 HMA 1x 5,5x23,0; 1x 6,0x23,0; 1x 7,0x23,0; 1x 8,0x23,0; 1x 10,0x23,0; 1x 12,0x23,0; 1x 13,0x23,0 | | |
| | | 851/1 TZ PH 2x PH 1x25; 3x PH 2x25; 1x PH 3x25 | | |
| | | 855/1 TH PZ 1x PZ 1x25; 3x PZ 2x25; 1x PZ 3x25 | | |
| | | 867/1 TZ TORX® 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25; 1x TX 40x25 | | |
| | | 867/1 Z TORX® B0 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25 | | |
| | | 840/1 Z Hex-Plus 1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25; 1x 8,0x25 | | |
| | | 800/1 TZ 1x 1,0x5,5x25 | | |

¹⁾With friction ball; for manual nut spinner sockets

Tool-Check PLUS Imperial



| Code | EAN | | | |
|-------------|-------------------|--|--|---|
| 05056491001 | 4013288 178756 | | | 1 |
| | | 8001 A 1x 1/4"x87,0 | | |
| | | 813 1x 1/4"x78 | | |
| | | 889/4/1 K 1x 1/4"x50 | | |
| | | 870/1 1x 1/4"x25 ¹⁾ | | |
| | | 8790 HMA 1x 3/16"x23,0; 1x 1/4"x23,0; 1x 5/16"x23,0; 1x 11/32"x23,0; 1x 3/8"x23,0; 1x 7/16"x23,0; 1x 1/2"x23,0 | | |
| | | 851/1 TZ PH 2x PH 1x25; 3x PH 2x25; 1x PH 3x25 | | |
| | | 800/1 TZ 1x 1,0x5,5x25 | | |
| | | 867/1 TZ TORX® 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25; 1x TX 40x25 | | |
| | | 867/1 Z TORX® B0 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25 | | |
| | | 840/1 Z Hex-Plus 1x 3/32"x25; 1x 1/8"x25; 1x 5/32"x25; 1x 3/16"x25; 1x 5/16"x25 | | |
| | | 868/1 V 1x # 1x25; 3x # 2x25; 1x # 3x25 | | |

¹⁾With friction ball; for manual nut spinner sockets

Tool-Check 1 SB

- 1/4" bit ratchet, tough-absorbing bits, Rapidaptor holder, adaptor and 1/4" sockets
- Ideal for working in confined spaces
- Tough viscous bits for universal use
- Use of 1/4" sockets also possible with the Wera adaptor 870/1
- Take it easy tool finder: colour coding according to profile and size

Tool-Check 1 SB



| Code | EAN | | |
|-------------|--------|---|---|
| 05073220001 | 162526 | | 1 |
| | | 8001 A 1x 1/4"x87,0 | |
| | | 870/1 1x 1/4"x25 ¹⁾ | |
| | | 889/4/1 K 1x 1/4"x50 | |
| | | 851/1 TZ PH 2x PH 1x25; 3x PH 2x25; 1x PH 3x25 | |
| | | 855/1 TH PZ 1x PZ 1x25; 3x PZ 2x25; 1x PZ 3x25 | |
| | | 867/1 TZ TORX® 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25; 1x TX 40x25 | |
| | | 867/1 Z TORX® BO 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25 | |
| | | 800/1 TZ 1x 1,0x5,5x25 | |
| | | 840/1 Z Hex-Plus 1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25; 1x 8,0x25 | |
| | | 8790 HMA 1x 5,5x23,0; 1x 6,0x23,0; 1x 7,0x23,0; 1x 8,0x23,0; 1x 10,0x23,0; 1x 12,0x23,0; 1x 13,0x23,0 | |

¹⁾With friction ball; for manual nut spinner sockets

Tool-Check Automotive 1



| Code | EAN | | |
|-------------|--------|---|---|
| 05200995001 | 165343 | | 1 |
| | | 8001 A 1x 1/4"x87,0 | |
| | | 870/1 1x 1/4"x25 ¹⁾ | |
| | | 889/4/1 K 1x 1/4"x50 | |
| | | 851/1 TZ PH 1x PH 1x25; 1x PH 2x25; 1x PH 3x25 | |
| | | 867/1 TZ TORX® 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25; 1x TX 40x25 | |
| | | 867/1 Z TORX® BO 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25 | |
| | | 800/1 TZ 1x 1,0x5,5x25 | |
| | | 840/1 Z Hex-Plus 1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25; 1x 8,0x25 | |
| | | 860/1 XZN 1x M 4x25; 1x M 5x25; 1x M 6x25; 1x M 8x25 | |
| | | 873/1 Five Lobe 1x 20x25; 1x 25x25; 1x 27x25; 1x 30x25 | |
| | | 8790 HMA 1x 5,5x23,0; 1x 6,0x23,0; 1x 7,0x23,0; 1x 8,0x23,0; 1x 10,0x23,0; 1x 12,0x23,0; 1x 13,0x23,0 | |

¹⁾With friction ball; for manual nut spinner sockets

Bit-Check 10 Zyklop Mini BiTorsion 1

Many tools in a minimum of space. The sorting according to drive and size allows rapid accessing of the bits.

The Wera Mini ratchet: drop-forged, full-steel design. Fine-pitched mechanism with 60 teeth that allows a small return angle of only 6° for precise work. Simple left/right switchover. Ergonomically-designed ratchet head and lever.

- 1/4" Mini ratchet and tough viscous bits

Bit-Check 10 Zyklop Mini BiTorsion 1



| Code | EAN | | |
|-------------|-------------------|---|---|
| 05057418001 | 4013288 195951 | | 1 |
| | | 8001 A 1x 1/4"x87,0 | |
| | | 851/1 BTZ PH 1x PH 1x25; 1x PH 2x25 | |
| | | 855/1 BTZ PZ 1x PZ 1x25; 1x PZ 2x25 | |
| | | 867/1 TORX® BTZ 1x TX 15x25; 1x TX 20x25; 1x TX 25x25 | |
| | | 840/1 BTZ Hex-Plus 1x 4,0x25; 1x 5,0x25 | |

Bit-Check 10 Zyklop Mini 1

Many tools in a minimum of space. The sorting according to drive and size allows rapid accessing of the bits. The Wera Mini ratchet: drop-forged, full-steel design.

Fine-pitched mechanism with 60 teeth that allows a small return angle of only 6° for precise work. Simple left/right switchover. Ergonomically-designed ratchet head and lever.

- Tough viscous bits for universal use

Bit-Check 10 Zyklop Mini 1



| Code | EAN | | |
|-------------|-------------------|---|---|
| 05073645001 | 4013288 168115 | | 1 |
| | | 8001 A 1x 1/4"x87,0 | |
| | | 851/1 Z PH 1x PH 1x25; 1x PH 2x25 | |
| | | 855/1 Z PZ 1x PZ 1x25; 1x PZ 2x25 | |
| | | 867/1 TORX® 1x TX 15x25; 1x TX 20x25; 1x TX 25x25 | |
| | | 840/1 Z Hex-Plus 1x 4,0x25; 1x 5,0x25 | |

Bicycle Set 1

Bicycle repair shops and passionate cyclists love screwdriving on a bicycle. With their Bicycle Set 1, the screwdriving tool specialist Wera offers an assortment of tools that is very mobile thanks to its compact and design-oriented textile folding bag, and offers solutions for the most common screwdriving situations when working with bicycles.

The sturdy bag contains the bit ratchet Zyklop Mini 1 and 10 bits with all the benefits of Wera-Bit technology, specially adapted to the most common screw connections on a bicycle.

With the glass fibre reinforced plastic tyre levers, the tyres can be safely levered off the rim without damaging the rim.

- Compact 14-piece screwdriving tool set for bicycle applications, also for mobile use
- Practical range for DIY assembly work and repairs
- Suitable tools for the most common bolt profiles on road bikes, mountain bikes and e-bikes
- Robust, surface-friendly, compact textile folding bag
- Set including Mini bit ratchet, extension and two tyre levers with additional functions

Bicycle Set 1



| Code | EAN | | |
|-------------|-------------------|--|---|
| 05004170001 | 4013288 207623 | | 1 |
| | | □ 8001 A 1x 1/4"x87,0 | |
| | | ● 3899/4/1 1x 1/4"x100 | |
| | | ⊕ 851/1 Z PH 1x PH 2x25 | |
| | | ⊗ 867/1 TORX® 1x TX 10x25; 1x TX 25x25 | |
| | | ○ 840/1 Z Hex-Plus 1x 2,0x25; 1x 2,5x25; 1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25; 1x 8,0x25 | |
| | | 9502 1x 105.0 | |
| | | 9503 1x 105.0 | |
| | | K70 1x 50,0x70,0 | |

Bicycle Set 3

Bicycle tool set with ratchet, bit, sockets and a bit hand holder in a compact space. Perfect as a universal companion with a variety of screwdriving challenges.

High quality bit hand-holder with Kraftform Plus handle for comfortably ergonomic work, which avoids blisters and calluses. Hard grip zones for high working speed, soft grip zones for high torque transmission.

Bit ratchet for quick work when bolting by machine or by conventional hand tool is not possible due to lack of space. Fast switching from left to right and vice versa via the switching lever.

Quick turning (by thumb) over the grooved ratchet head. Simplest operation even with just one hand.

Ergonomic ratchet head/lever: Kraftform geometry with perfectly shaped contact surfaces for fingers.

The direct bit holder in the ratchet head and the smallest tool design allow for low working heights. Small return angle of 6° for precise work. Robust drop forged full steel design.

Torques of over 65 Nm. The Rapidaptor bit holder with quick-turn coating can be used as an extension, for lightning-fast bit changes with only one hand without auxiliary tools of even the smallest bit sizes.

Tough bits, for universal use. Hand and machine sockets for almost all applications.

With "Take it easy" tool finder with colour coding by size - for easy and fast location of the required tool. Easy to grasp even with oily hands. With ball-catching groove.

For external hexagonal bolts and sockets. Made of matt-chromed chrome-vanadium.

- Compact 41-piece screwdriving tool set for bicycle operations, also for mobile use
- Practical range for DIY assembly work and repairs
- Tools for the most popular screw profiles on road bikes, mountain bikes and e-bikes
- With Take it easy tool finder: colour coding by size
- Robust, surface-friendly, compact low weight textile pouch
- Including two tyre levers with additional functions

Bicycle Set 3



| Code | EAN | | |
|-------------|-------------------|---|---|
| 05004172001 | 4013288 211248 | | 1 |
| | | 8001 A 1x 1/4"x87,0 | |
| | | 813 1x 1/4"x78 | |
| | | 889/4/1 K 1x 1/4"x50 | |
| | | 870/1 1x 1/4"x25 ¹⁾ | |
| | | 8790 HMA 1x 5,5x23,0; 1x 6,0x23,0; 1x 7,0x23,0; 1x 8,0x23,0; 1x 10,0x23,0; 1x 13,0x23,0; 1x 15,0x23,0 | |
| | | 851/1 TZ PH 1x PH 1x25; 2x PH 2x25; 1x PH 3x25 | |
| | | 867/1 TZ TORX® 1x TX 10x25; 1x TX 15x25; 2x TX 20x25; 2x TX 25x25; 1x TX 27x25; 1x TX 30x25; 1x TX 40x25 | |
| | | 800/1 TZ 1x 0,5x4,0x25; 1x 0,6x4,5x25; 1x 1,0x5,5x25 | |
| | | 840/1 Z Hex-Plus 1x 2,0x25; 1x 2,5x25; 1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25; 1x 8,0x25 | |
| | | 842/1 Z 1x 2,5x25; 1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25 | |
| | | 9502 1x 105.0 | |
| | | 9503 1x 105.0 | |
| | | K120 1x 50,0x120,0 | |

¹⁾With friction ball; for manual nut spinner sockets

Bicycle Set 9

A lot of bicycle tools in a small space. The sorting of the 9 stainless steel bits by profile and size allows quick access to the right tool. With one Wera Zyklop Mini 1 bit ratchet in a drop-forged solid steel design.

The fine toothing mechanism with 60 teeth allows a small return angle of 6° for precise working. The knurl allows fast screwdriving in cramped situations, when there is no space for ratcheting. Easy left/right switching.

Ergonomically shaped ratchet head and lever. With Take it easy tool finder with colour coding by size - to help you find the required tool quickly and easily.

- 10-piece Zyklop Mini set
- Mini ratchet suitable for direct mounting of 1/4" nuts
- Drop-forged full steel design for torques exceeding 65 Nm
- Fine-pitched ratchet mechanism and small return angle of 6°
- Stainless Steel Bits



Bicycle Set 9



| Code | EAN | | |
|-------------|-------------------|--|---|
| 05004177001 | 4013288 220646 | | 1 |
| | | 8001 A 1x 1/4"x87,0 | |
| | | 3851/1 TS PH 1x PH 2x25 | |
| | | 3867/1 TS TORX® 1x TX 10x25; 1x TX 25x25 | |
| | | 3840/1 TS 1x 2,0x25; 1x 2,5x25; 1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25 | |

8008 A Zyklop Mini 3 Ratchet with 1/4" drive

The Wera Zyklop Mini 3 ratchet for 1/4" sockets. Simplest operation even with just one hand in confined screwdriving challenges. Drop-forged full steel design.

Fine tooth mechanism with 60 teeth allows a small return angle of 6° for precise work.

The knurled wheel allows fast screwdriving in tight spaces when there is no room for ratcheting. Simple left/right switching. Ergonomically shaped ratchet head and lever.

- Mini ratchet suitable for direct mounting of 1/4" nuts
- Drop-forged full steel design for torques exceeding 65 Nm
- Fine-pitched ratchet mechanism and small return angle of 6°
- Simple left/right switchover
- Ideal for working in confined spaces

8008 A Zyklop Mini 3 Ratchet with 1/4" drive



| | EAN | | | | | | | | |
|-------------|---------|------|------|--|--|--|--|--|---|
| Code | 4013288 | | mm | | | | | | |
| 05003793001 | 211699 | 1/4" | 87,0 | | | | | | 1 |

8790 FA Zyklop socket with 1/4" and Hexagon 11 drive

Zyklop socket with 1/4" and hex drive for manual jobs with a 1/4" ratchet.

8790 FA Zyklop socket with 1/4" and Hexagon 11 drive



| | EAN | | | | | | |
|-------------|---------|------|-----|------|------|------|---|
| Code | 4013288 | mm | mm | mm | mm | mm | |
| 05003665001 | 179623 | 4,0 | 9,5 | 6,4 | 11,8 | 18,0 | 1 |
| 05003666001 | 179630 | 4,5 | 9,5 | 7,0 | 11,8 | 18,0 | 1 |
| 05003667001 | 179647 | 5,0 | 9,5 | 7,6 | 11,8 | 18,0 | 1 |
| 05003668001 | 179654 | 5,5 | 9,5 | 8,2 | 11,8 | 18,0 | 1 |
| 05003669001 | 179661 | 6,0 | 9,5 | 9,2 | 11,8 | 18,0 | 1 |
| 05003670001 | 183408 | 7,0 | 9,5 | 10,4 | 11,8 | 18,0 | 1 |
| 05003675001 | 179678 | 8,0 | 9,5 | 11,5 | 11,8 | 18,0 | 1 |
| 05003690001 | 179685 | 10,0 | 9,5 | 13,8 | 11,8 | 18,0 | 1 |
| 05003684001 | 183415 | 12,0 | 9,5 | 16,8 | 11,8 | 18,0 | 1 |
| 05003685001 | 179692 | 13,0 | 9,5 | 17,8 | 11,8 | 18,0 | 1 |





Joker Wrenches & Spanners

Joker - Can.Do.Everything.Better.



High quality, metric, combination ratchet wrench by Wera. Everything that a wrench has to be able to do. And a whole lot more. Faster, better, stylish. Yes, a real Joker. The new generation of combination ratchet wrenches.

Suitable for hexagon socket screws, bolts or nuts. Comes with holding function, thanks to the metal plate in the jaw, which reduces the risk of dropping nuts and bolts. The replaceable metal plate in the jaw secures nuts and bolts with its extra hard teeth and reduces the danger of slipping.

The integrated limit stop prevents any slipping around the bolt head and allows higher torque to be applied. The double-hex geometry makes for a positive connection with nuts or bolts and reduces the risk of slipping. A return angle of only 30° at the open end prevents any time consuming flipping of the wrench. The ratchet mechanism at the ring end, with an exceptional, fine-tooth mechanism – 80 teeth in all – enables flexibility even in very confined working spaces.

The specially forged geometry ensures high torque transfer and strength. The ratchet is manufactured out of high performance chrome molybdenum steel with nickel-chrome coating for high corrosion protection. Take it easy Tool Finder with colour coding according to sizes.

- Practical holding function thanks to the metal plate in the jaw
- Limit stop prevents any slipping
- The double-hex geometry reduces the risk of slipping
- Return angle of only 30°
- Take it easy tool finder with colour coding according to sizes

6000 Joker Ratcheting combination wrenches



| Code | EAN | | | | | | | |
|-------------|--------|--|----|-------|------|-----|------|---|
| Code | EAN | | mm | mm | mm | mm | mm | |
| 05073268001 | 167309 | | 8 | 144 | 20 | 5,5 | 18 | 3 |
| 05073270001 | 164360 | | 10 | 159 | 22 | 5,5 | 21 | 3 |
| 05073271001 | 167316 | | 11 | 165 | 25 | 6,3 | 22 | 3 |
| 05073272001 | 167323 | | 12 | 170,7 | 26,3 | 6,6 | 25 | 3 |
| 05073273001 | 164377 | | 13 | 177 | 27,3 | 7 | 25 | 3 |
| 05073274001 | 167330 | | 14 | 188 | 29,3 | 7,5 | 28 | 3 |
| 05073275001 | 167347 | | 15 | 200 | 32,3 | 7,8 | 28,5 | 3 |
| 05073276001 | 167392 | | 16 | 212 | 35 | 8,2 | 32,7 | 3 |
| 05073277001 | 164384 | | 17 | 224 | 37,2 | 8,5 | 32,7 | 3 |
| 05073278001 | 167408 | | 18 | 235 | 39 | 9 | 33,8 | 3 |
| 05073279001 | 164391 | | 19 | 246 | 42 | 9,5 | 34,8 | 3 |

6000 Joker Ratcheting combination wrenches, Imperial



| Code | EAN | | | | | | | |
|-------------|--------|--|--------|-----|------|-----|------|---|
| Code | EAN | | | mm | mm | mm | mm | |
| 05073280001 | 167354 | | 5/16" | 144 | 20 | 5,5 | 18 | 3 |
| 05073281001 | 167361 | | 3/8" | 159 | 22 | 5,5 | 21 | 3 |
| 05073282001 | 167378 | | 7/16" | 165 | 25 | 6,3 | 22 | 3 |
| 05073283001 | 167385 | | 1/2" | 177 | 27,3 | 7 | 25 | 3 |
| 05073284001 | 167415 | | 9/16" | 188 | 29,3 | 7,5 | 28 | 3 |
| 05073285001 | 167422 | | 5/8" | 212 | 35 | 8,2 | 32,7 | 3 |
| 05073286001 | 167439 | | 11/16" | 235 | 39 | 9 | 33,8 | 3 |
| 05073287001 | 167446 | | 3/4" | 246 | 42 | 9,5 | 34,8 | 3 |

6000 Joker 11 Set 1 of ratcheting combination wrenches

- In robust pouch

6000 Joker 11 Set 1 of ratcheting combination wrenches



| Code | EAN | | |
|---|--------|---------|---|
| 05020013001 | 167521 | 4013288 | 1 |
| 6000 Joker 1x 8x144; 1x 10x159; 1x 11x165; 1x 12x170,7; 1x 13x177; 1x 14x188; 1x 15x200; 1x 16x212; 1x 17x224; 1x 18x235; 1x 19x246 | | | |

6000 Joker 8 Imperial Set 1 Set of ratcheting combination wrenches, Imperial

- In robust pouch

6000 Joker 8 Imperial Set 1 Set of ratcheting combination wrenches, Imperial



| Code | EAN | | |
|---|--------|---------|---|
| 05020012001 | 167514 | 4013288 | 1 |
| 6000 Joker Imperial 1x 5/16"x144; 1x 3/8"x159; 1x 7/16"x165; 1x 1/2"x177; 1x 9/16"x188; 1x 5/8"x212; 1x 11/16"x235; 1x 3/4"x246 | | | |

6000/6002 Joker 6 Set 1 Set of ratcheting combination / double open-ended wrenches

- The Joker double open-ended wrench is ideally suited for locking down nuts and bolts.
- In robust pouch

6000/6002 Joker 6 Set 1 Set of ratcheting combination / double open-ended wrenches



| Code | EAN | | |
|---|--------|---------|---|
| 05020022001 | 173034 | 4013288 | 1 |
| 6000 Joker 1x 10x159; 1x 13x177; 1x 17x224; 1x 19x246 | | | |
| 6002 Joker Double 1x 10x13x167; 1x 17x19x235 | | | |

6000 Joker 4 Set 1 Set of ratcheting combination wrenches

- In robust pouch

6000 Joker 4 Set 1 Set of ratcheting combination wrenches



| Code | EAN | | |
|---|--------|---------|---|
| 05073290001 | 164407 | 4013288 | 1 |
| 6000 Joker 1x 10x159; 1x 13x177; 1x 17x224; 1x 19x246 | | | |

6000 Joker 4 Imperial Set 1 Set of ratcheting combination wrenches, Imperial

- In robust pouch

6000 Joker 4 Imperial Set 1 Set of ratcheting combination wrenches, Imperial



| | | | | |
|-------------|--|---|--|---|
| Code | | EAN | | |
| 05073295001 | | 4013288 | | |
| | | 167460 | | 1 |
| | | 6000 Joker Imperial 1x 7/16"x165; 1x 1/2"x177; 1x 9/16"x188; 1x 3/4"x246 | | |

6001 Joker Switch

Joker ratcheting combination wrenches with angled ratchet head and switch lever. The metal plate in the jaw provides for the holding function which reduces the risk of losing nuts and bolts.

The integrated limit stop can prevent any slipping from the bolt head downwards and enables higher torque to be applied.

The exchangeable metal plate in the jaw securely holds nuts and bolts with its extra hard teeth and reduces the risk of slipping.

The double-hex geometry delivers a very positive connection with nuts or bolts and again provides for a lower risk of any slipping. The low return angle of only 30° at the jaw end avoids any time-consuming flipping of the wrench when fastening.

The reversible ratchet mechanism at the ring end with its fine toothing (80 teeth) ensures great flexibility even in confined spaces. Audibly precise ratchet mechanism.

Additionally, the robust two-piece locking element provides for an extreme stability. Comes with a 15° angled ratchet end for secure work even at high torque. The special forged geometry allows for high torque transfer and high flexural rigidity. Manufactured out of high-performance chrome-molybdenum steel with a nickel-chromium coating for high corrosion protection.

With Take it easy tool finder: colour coding according to size.

- Practical holding function thanks to the metal plate in the jaw
- Limit stop prevents any slipping
- Very fine toothing and robust locking element
- Ratchet end angled by 15°
- Take it easy tool finder with colour coding according to sizes

6001 Joker Switch Ratcheting combination wrenches, with switch lever



| | EAN | | | | | | | |
|-------------|---------|--|----|-----|------|-----|------|---|
| Code | 4013288 | | mm | mm | mm | mm | mm | |
| 05020064001 | 184696 | | 8 | 144 | 20,3 | 5,5 | 18 | 3 |
| 05020065001 | 183903 | | 10 | 159 | 23 | 5,5 | 21,5 | 3 |
| 05020066001 | 183910 | | 11 | 165 | 24,3 | 6,3 | 22 | 3 |
| 05020067001 | 183927 | | 12 | 171 | 26,3 | 6,6 | 25 | 3 |
| 05020068001 | 184702 | | 13 | 179 | 27,3 | 7 | 26 | 3 |
| 05020069001 | 184719 | | 14 | 187 | 30 | 7,5 | 28 | 3 |
| 05020070001 | 184726 | | 15 | 199 | 32 | 7,8 | 28,8 | 3 |
| 05020071001 | 184733 | | 16 | 213 | 35 | 8,2 | 31,7 | 3 |
| 05020072001 | 184740 | | 17 | 225 | 37 | 8,5 | 33 | 3 |
| 05020073001 | 184757 | | 18 | 234 | 39,5 | 9 | 34 | 3 |
| 05020074001 | 184764 | | 19 | 246 | 42 | 9,5 | 34,7 | 3 |

6001 Joker Switch Ratcheting combination wrenches, with switch lever, imperial



| Code | EAN | | | | | | | |
|-------------|--------|--|--------|-----|------|-----|------|---|
| 05020075001 | 184788 | | 5/16" | 144 | 20,3 | 5,5 | 18 | 3 |
| 05020076001 | 184795 | | 3/8" | 159 | 23 | 5,5 | 21,5 | 3 |
| 05020077001 | 184801 | | 7/16" | 165 | 24,3 | 6,3 | 22 | 3 |
| 05020078001 | 184818 | | 1/2" | 171 | 26,3 | 6,6 | 25 | 3 |
| 05020079001 | 184825 | | 9/16" | 187 | 30 | 7,5 | 28 | 3 |
| 05020080001 | 184832 | | 5/8" | 213 | 35 | 8,2 | 31,7 | 3 |
| 05020081001 | 184849 | | 11/16" | 234 | 39,5 | 9 | 34 | 3 |
| 05020082001 | 184771 | | 3/4" | 246 | 42 | 9,5 | 34,7 | 3 |

6002 Joker Double open-ended wrenches

- Practical holding function thanks to the metal plate in the jaw
- Limit stop prevents any slipping
- The double-hex geometry reduces the risk of slipping
- Return angle of only 30°
- Take it easy tool finder with colour coding according to sizes

6002 Joker Double open-ended wrenches



| Code | EAN | | | | | | | |
|-------------|--------|--|----|----|----|----|-----|---|
| 05020259001 | 219015 | | 8 | 20 | 10 | 23 | 5,5 | 3 |
| 05003760001 | 173010 | | 10 | 23 | 13 | 27 | 5,5 | 3 |
| 05003765001 | 173027 | | 17 | 37 | 19 | 42 | 8,5 | 3 |
| 05020260001 | 212764 | | 20 | 48 | 22 | 51 | 10 | 3 |
| 05020261001 | 212771 | | 22 | 48 | 24 | 51 | 10 | 3 |
| 05020262001 | 212788 | | 24 | 51 | 27 | 60 | 11 | 3 |
| 05020263001 | 212795 | | 27 | 63 | 32 | 66 | 12 | 3 |
| 05020264001 | 212801 | | 30 | 63 | 32 | 66 | 12 | 3 |

6001 Joker Switch 11 Set 1 Set of ratcheting combination wrenches

- Compact textile box with high robustness, low weight and volume

6001 Joker Switch 11 Set 1 Set of ratcheting combination wrenches



| Code | EAN | | |
|-------------|--------|--|---|
| 05020091001 | 184160 | | 1 |
| | | 6001 Joker Switch 1x 8x144; 1x 10x159; 1x 11x165; 1x 12x171; 1x 13x179; 1x 14x187; 1x 15x199; 1x 16x213; 1x 17x225; 1x 18x234; 1x 19x246 | |

6001 Joker Switch 8 Imperial Set 1 Set of ratcheting combination wrenches, Imperial

- Compact textile box with high robustness, low weight and volume

6001 Joker Switch 8 Imperial Set 1 Set of ratcheting combination wrenches, Imperial



| Code | EAN | | |
|-------------|--------|--|---|
| 05020093001 | 184153 | | 1 |
| | | 6001 Joker Switch Imperial 1x 5/16"x144; 1x 3/8"x159; 1x 7/16"x165; 1x 1/2"x171; 1x 9/16"x187; 1x 5/8"x213; 1x 11/16"x234; 1x 3/4"x246 | |

6001 Joker Switch 4 Set 1 Set of ratcheting combination wrenches

- In robust pouch

6001 Joker Switch 4 Set 1 Set of ratcheting combination wrenches



| Code | EAN | | |
|-------------|--------|--|---|
| 05020090001 | 184139 | | 1 |
| | | 6001 Joker Switch 1x 10x159; 1x 13x179; 1x 17x225; 1x 19x246 | |

6001 Joker Switch 4 Imperial Set 1 Set of ratcheting combination wrenches, Imperial

- In robust pouch

6001 Joker Switch 4 Imperial Set 1 Set of ratcheting combination wrenches, Imperial



| Code | EAN | | |
|-------------|--------|--|---|
| 05020092001 | 184146 | | 1 |
| | | 6001 Joker Switch Imperial 1x 7/16"x165; 1x 1/2"x171; 1x 9/16"x187; 1x 5/8"x246 | |

6003 Joker ring spanner

As the installation space becomes increasingly tight during screwdriving, it remains necessary that tools enable users to work successfully.

Narrow spaces require additional placement points of the tool. Can spanners be modified so that the placement possibilities of the tool increase?

The combination of the 7.5° pivoted mouth and the double hexagon geometry doubles the placement points. A repeated 180° turn of the wrench around the longitudinal axis during screwdriving provides four placement possibilities, and bolts or screw heads can be "taken" every 15°.

The Joker 6003 with its smart mouth geometry significantly expands the range of uses in confined spaces. The Joker 6003 will automatically find the respective placement point after every turn.

The slim yet robust ring side is angled by 15° to the tool axis. The high-quality surface treatment achieves a high and long-lasting corrosion protection. With Take it easy tool finder: colour coding by size.


- Especially suitable for tight spaces
- The special mouth geometry expands the placement possibilities of the tool
- The low return angle in the mouth "takes" the screw every 15°
- Slim ring side angled by 15°
- Take it easy tool finder with colour coding according to sizes

6003 Joker ring spanner



| Code | EAN | | | | | | | |
|-------------|---------|--|-----|-----|------|-----|------|---|
| Code | 4013288 | | mm | mm | mm | mm | mm | |
| 05020190001 | 219039 | | 5,5 | 105 | 16 | 4 | 10 | 3 |
| 05020198001 | 218780 | | 6 | 105 | 16 | 4 | 10 | 3 |
| 05020199001 | 218773 | | 7 | 110 | 17,7 | 4,2 | 11,5 | 3 |
| 05020200001 | 212528 | | 8 | 115 | 19 | 4,5 | 12,5 | 3 |
| 05020219001 | 220097 | | 9 | 120 | 21 | 4,8 | 13,5 | 3 |
| 05020201001 | 212542 | | 10 | 125 | 22 | 5 | 15 | 3 |
| 05020202001 | 212559 | | 11 | 135 | 24,5 | 5 | 17 | 3 |
| 05020203001 | 212566 | | 12 | 148 | 26 | 5,5 | 18 | 3 |
| 05020204001 | 212696 | | 13 | 160 | 27 | 6 | 19 | 3 |
| 05020205001 | 212702 | | 14 | 167 | 29 | 6 | 20 | 3 |
| 05020206001 | 212719 | | 15 | 174 | 32 | 6 | 22 | 3 |
| 05020207001 | 212726 | | 16 | 182 | 35 | 6,5 | 23 | 3 |
| 05020208001 | 212733 | | 17 | 190 | 38 | 6,5 | 24,5 | 3 |
| 05020209001 | 212740 | | 18 | 210 | 39 | 7,5 | 26 | 3 |
| 05020210001 | 212757 | | 19 | 230 | 42 | 7,5 | 27,5 | 3 |
| 05020500001 | 218797 | | 20 | 230 | 45 | 7,5 | 29 | 3 |
| 05020501001 | 218803 | | 21 | 260 | 47 | 7,5 | 30 | 3 |
| 05020502001 | 218841 | | 22 | 260 | 49 | 7,5 | 31,5 | 3 |
| 05020503001 | 218858 | | 24 | 280 | 53 | 8 | 36 | 3 |
| 05020504001 | 218865 | | 27 | 300 | 60 | 8,5 | 40 | 3 |
| 05020505001 | 218872 | | 30 | 330 | 66 | 9 | 43 | 3 |
| 05020506001 | 218889 | | 32 | 360 | 70 | 9,5 | 45,5 | 3 |
| 05020507001 | 218896 | | 36 | 460 | 80 | 10 | 50,5 | 3 |

6003 Joker ring spanner, imperial



| Code | EAN | | | | | | | |
|-------------|---------|--|--------|-----|------|-----|------|---|
| Code | 4013288 | | | mm | mm | mm | mm | |
| 05020220001 | 219046 | | 1/4" | 105 | 16 | 4 | 10 | 3 |
| 05020211001 | 212979 | | 5/16" | 115 | 19 | 4,5 | 12,5 | 3 |
| 05020212001 | 212986 | | 3/8" | 125 | 22 | 5 | 15 | 3 |
| 05020213001 | 212993 | | 7/16" | 135 | 24,5 | 5 | 17 | 3 |
| 05020214001 | 213006 | | 1/2" | 160 | 26 | 6 | 19 | 3 |
| 05020215001 | 213013 | | 9/16" | 167 | 29 | 6 | 20 | 3 |
| 05020216001 | 213020 | | 5/8" | 182 | 35 | 6,5 | 23 | 3 |
| 05020217001 | 213037 | | 11/16" | 210 | 40 | 7,5 | 26 | 3 |
| 05020218001 | 213044 | | 3/4" | 230 | 42 | 7,5 | 27,5 | 3 |

6003 Joker Pedal ring spanner

The extra thin pedal wrench 6003 Joker Pedal is ideal for narrow installation spaces.

- Especially suitable for tight spaces
- The special mouth geometry expands the placement possibilities of the tool
- The low return angle in the mouth "takes" the screw every 15°
- Slim ring side angled by 15°
- Joker 6003 pedal size 15 with flat mouth to mount and dismount pedals
- With Take it easy tool finder: colour coding by size

6003 Joker Pedal ring spanner



| Code | EAN | | | | | | | |
|-------------|---------|--|----|-----|----|-----|----|---|
| Code | 4013288 | | mm | mm | mm | mm | mm | |
| 05020221001 | 220677 | | 15 | 174 | 32 | 4,5 | 22 | 1 |

6003 Joker 22 Set 1 ring spanner set

As the installation space becomes increasingly tight during screwdriving, tools are necessary that enable users to work successfully even in such situations. Narrow spaces require additional placement points of the tool.

Can spanners be modified so that the placement possibilities of the tool increase? The combination of the 7.5° pivoted mouth and the double hexagon geometry doubles the placement points.

A repeated 180° turn of the wrench around the longitudinal axis during screwdriving provides four placement possibilities, and bolts or screw heads can be engaged every 15°. The Joker 6003 with its smart mouth geometry significantly expands the range of uses in confined spaces.

The Joker 6003 will automatically find the respective placement point after every turn. The slim yet robust ring side is angled by 15° to the tool axis. The high-quality surface treatment achieves a high and long-lasting corrosion protection. With tool finder Take it easy: colour coding by size.

- 22-piece ring spanner set - particularly suitable for narrow installation spaces
- The special mouth geometry expands the placement possibilities of the tool
- The low return angle in the mouth "takes" the screw every 15°
- Slim ring side angled by 15°

6003 Joker 22 Set 1 ring spanner set



| Code | EAN | | |
|-------------|-------------------|---|---|
| 05020232001 | 4013288 221087 | | 1 |
| | | 6003 Joker 1x 5,5x105; 1x 6x105; 1x 7x110; 1x 8x115; 1x 9x120; 1x 10x125; 1x 11x135; 1x 12x148; 1x 13x160; 1x 14x167; 1x 15x174; 1x 16x182; 1x 17x190; 1x 18x210; 1x 19x230; 1x 20x230; 1x 21x260; 1x 22x260; 1x 24x280; 1x 27x300; 1x 30x330; 1x 32x360 | |

6003 Joker 15 Set 1 combination wrench set

- In robust pouch

6003 Joker 15 Set 1 combination wrench set



| Code | EAN | | |
|-------------|-------------------|--|---|
| 05020302001 | 4013288 222657 | | 1 |
| | | 6003 Joker 1x 5,5x105; 1x 6x105; 1x 7x110; 1x 8x115; 1x 9x120; 1x 10x125; 1x 11x135; 1x 12x148; 1x 13x160; 1x 14x167; 1x 15x174; 1x 16x182; 1x 17x190; 1x 18x210; 1x 19x230 | |
| | | K240 1x 50,0x240,0 | |

6003 Joker 11 Set 1 ring spanner set

- In robust pouch

6003 Joker 11 Set 1 ring spanner set



| Code | EAN | | |
|-------------|-------------------|---|---|
| 05020231001 | 4013288 214195 | | 1 |
| | | 6003 Joker 1x 8x115; 1x 10x125; 1x 11x135; 1x 12x148; 1x 13x160; 1x 14x167; 1x 15x174; 1x 16x182; 1x 17x190; 1x 18x210; 1x 19x230 | |

6003 Joker 8 Imperial Set 1 ring spanner set, Imperial

- In robust pouch

6003 Joker 8 Imperial Set 1 ring spanner set, Imperial



| | | | |
|-------------|------------|---|---|
| | | | |
| Code | EAN | | |
| 05020241001 | 214201 | | 1 |
| | | 6003 Joker Imperial 1x 9/16"x115; 1x 9/8"x125; 1x 7/16"x135; 1x 1/2"x160; 1x 9/16"x167; 1x 5/8"x182; 1x 11/16"x210; 1x 3/4"x230 | |

6003 Joker 5 Set 1 ring spanner set

- In robust pouch

6003 Joker 5 Set 1 ring spanner set



| | | | |
|-------------|------------|--|---|
| | | | |
| Code | EAN | | |
| 05020230001 | 214171 | | 1 |
| | | 6003 Joker 1x 8x115; 1x 10x125; 1x 13x160; 1x 17x190; 1x 19x230 | |

Bicycle set 10

5-piece Joker 6003 spanner set; size 15 in an extra-slim design. As the working space is very narrow when working on your bike, tools are necessary that enable users to work successfully even in such situations. Narrow spaces require additional placement points of the tool.

Can spanners be modified so that the placement possibilities of the tool increase? The combination of the 7.5° pivoted mouth and the double hexagon geometry doubles the placement points. A repeated 180° turn of the wrench around the longitudinal axis during screwdriving provides four placement possibilities, and bolts or screw heads can be engaged every 15°.

The Joker 6003 with its smart mouth geometry significantly expands the range of uses in confined spaces. The Joker 6003 will automatically find the respective placement point after every turn.

The slim yet robust ring side is angled by 15° to the tool axis. The high-quality surface treatment achieves a high and long-lasting corrosion protection. With tool finder Take it easy: colour coding by size.

The Joker bags are suitable for attachment to walls, shelves, workshop trolleys and the Wera 2go system thanks to the hook and loop fastener system on the back.

- Particularly suitable for narrow screwdriving situations on the bike
- The special mouth geometry expands the placement possibilities of the tool
- The low return angle in the mouth "takes" the screw every 15°
- Slim ring side angled by 15°
- Joker 6003 pedal size 15 with flat mouth to mount and dismount pedals



Bicycle set 10



| | | | |
|-------------|------------|---|---|
| | | | |
| Code | EAN | | |
| 05004178001 | 220653 | | 1 |
| | | 6003 Joker 1x 8x115; 1x 9x120; 1x 10x125; 1x 13x160 | |
| | | 6003 Joker Pedal 1x 15x174 | |
| | | K120 1x 50,0x70,0 | |

Bicycle set 12

12-piece Joker 6003 spanner set; size 15 in an extra-slim design. As the working space is very narrow when working on your bike, tools are necessary that enable users to work successfully even in such situations.

Narrow spaces require additional placement points of the tool. Can spanners be modified so that the placement possibilities of the tool increase?


The combination of the 7.5° pivoted mouth and the double hexagon geometry doubles the placement points. A repeated 180° turn of the wrench around the longitudinal axis during screw-driving provides four placement possibilities, and bolts or screw heads can be engaged every 15°.

The Joker 6003 with its smart mouth geometry significantly expands the range of uses in confined spaces. The Joker 6003 will automatically find the respective placement point after every turn. The slim yet robust ring side is angled by 15° to the tool axis. The high-quality surface treatment achieves a high and long-lasting corrosion protection. With tool finder Take it easy: colour coding by size.

The Joker bags are suitable for attachment to walls, shelves, workshop trolleys and the Wera 2go system thanks to the hook and loop fastener system on the back.

- Especially suitable for tight spaces
- The special mouth geometry expands the placement possibilities of the tool
- The low return angle in the mouth “takes” the screw every 15°
- Slim ring side angled by 15°
- Joker 6003 pedal size 15 with flat mouth to mount and dismount pedals
- With Take it easy tool finder: colour coding by size
- In robust pouch

Bicycle set 12



| Code | EAN | | |
|-------------|-------------------|--|---|
| 05004181001 | 4013288 220721 | | 1 |
| | | 6003 Joker 1x 6x105; 1x 7x110; 1x 8x115; 1x 9x120; 1x 10x125; 1x 11x135; 1x 12x148; 1x 13x160; 1x 14x167; 1x 16x182; 1x 17x190 | |
| | | 6003 Joker Pedal 1x 15x174 | |

6003 Joker 5 Imperial Set 1 ring spanner set, Imperial

- In robust pouch

6003 Joker 5 Imperial Set 1 ring spanner set, Imperial



| Code | EAN | | |
|-------------|-------------------|--|---|
| 05020240001 | 4013288 214188 | | 1 |
| | | 6003 Joker Imperial 1x 5/16"x115; 1x 3/8"x125; 1x 1/2"x160; 1x 9/16"x167; 1x 3/4"x230 | |

6003 Joker 4 Set 1 Ring spanner set

As the installation space becomes increasingly tight during screwdriving, it is necessary that tools enable users to work successfully even in such situations. Narrow spaces require additional placement points of the tool.

Can spanners be modified to increase the placement possibilities of the tool? The combination of the 7.5° pivoted mouth and the double hexagon geometry doubles the placement points.

A repeated 180° turn of the wrench around the longitudinal axis during screwdriving provides four placement possibilities, and bolts or screw heads can be engaged every 15°.

The Joker 6003 with its smart mouth geometry significantly expands the range of uses in confined spaces.

The Joker 6003 will automatically find the respective placement point after every turn. The slim yet robust ring side is angled by 15° to the tool axis.



The high-quality surface treatment achieves a high and long-lasting corrosion protection.

With Take it easy tool finder: Colour coding by size. The wear-free material of the clip guarantees easy removal and a secure hold of the spanners.

- Joker open-ended and combination wrenches and in a new clip for space-saving storage in the tool bag

6003 Joker 4 Set 1 Ring spanner set





|  | | | |
|---|--------|--|---|
| Code | EAN | |  |
| 05020228001 | 225665 | | 1 |
| | | 6003 Joker 1x 8x115; 1x 10x125; 1x 12x148; 1x 13x160 | |

6003 Joker 4 Set Imperial 1 Ring spanner set

- Joker open-ended and combination wrenches and in a new clip for space-saving storage in the tool bag

6003 Joker 4 Set Imperial 1 Ring spanner set



|  | | | |
|---|--------|---|---|
| Code | EAN | |  |
| 05020229001 | 225672 | | 1 |
| | | 6003 Joker Imperial 1x 7/16"x115; 1x 3/8"x125; 1x 7/16"x135; 1x 1/2"x160 | |



6004 Joker self-setting spanner

Many users wish to have a universal screwdriving tool with the widest possible range of applications. It should be a single tool for multiple metric and imperial dimensions.

It should automatically adjust to the different screw sizes. It should be safe to grab without damaging anything and allow for a high working speed. The continuous and parallel jaws replace several single spanner dimensions.

The required size is automatically and continuously set when attaching the tool to the hexagon bolt or screw. The integrated lever mechanism securely clamps the hexagon screw or bolt between the jaws, which significantly reduces the risk of slipping or damage.

The ratchet function ensures fast and consistent screwdriving without removing the tool. Thanks to the corner-width rectangular prisms, a back-pivoting angle of only 30° can be realized.

The single-arm design in conjunction with the ratchet function and the corner-width prism make it possible to work even in confined spaces.

The adjustable Joker 6004 is the universal screwdriving tool. Self-setting. Gripping. Spanning.

- The adjustable Joker 6004 covers all metric and imperial dimensions in the respective field of application
- Automatic and continuous grip of hexagon screws and bolts
- Lever mechanism when gripping avoids slipping and damage
- Fast and consistent screwdriving without removing the wrench thanks to mechanical ratchet function
- Back-pivoting angle of only 30° through placement in the corner-width rectangular prisms in the mouth

6004 Joker XS self-setting spanner



| | EAN | | | | | |
|-------------|---------|------|-----------|-----|-----|---|
| Code | 4013288 | mm | | mm | mm | |
| 05020099001 | 216892 | 7-10 | 1/4"-3/8" | 117 | 7,7 | 3 |

6004 Joker S self-setting spanner



| | EAN | | | | | |
|-------------|---------|-------|------------|-----|----|---|
| Code | 4013288 | mm | | mm | mm | |
| 05020100001 | 211729 | 10-13 | 7/16"-1/2" | 154 | 10 | 3 |

6004 Joker M self-setting spanner



| | EAN | | | | | |
|-------------|---------|-------|-----------|-----|------|---|
| Code | 4013288 | mm | | mm | mm | |
| 05020103001 | 216908 | 13-16 | 1/2"-5/8" | 188 | 12,4 | 3 |

6004 Joker L self-setting spanner



| | EAN | | | | | |
|-------------|---------|-------|-----------|-----|----|---|
| Code | 4013288 | mm | | mm | mm | |
| 05020101001 | 214706 | 16-19 | 5/8"-3/4" | 224 | 14 | 3 |

6004 Joker XL self-setting spanner



| | EAN | | | | | |
|-------------|---------|-------|-------------|-----|----|---|
| Code | 4013288 | mm | | mm | mm | |
| 05020104001 | 216915 | 19-24 | 3/4"-15/16" | 256 | 16 | 2 |

6004 Joker XXL self-setting spanner



| Code | EAN | mm | mm | mm | mm | mm | mm |
|-------------|--------|-------|---------------|-----|----|----|----|
| 05020102001 | 214713 | 24-32 | 15/16"-1 1/4" | 322 | 20 | | 3 |

6004 Joker 4 set 1 self-setting spanner set

- The compact folding pouch with four adjustable Joker 6004 spanners covers all metric and imperial dimensions in applications from 7 to 19 mm or 1/4" to 3/4"

6004 Joker 4 set 1 self-setting spanner set




| Code | EAN | | | | | | |
|-------------|--------|---------------------------|--|--|--|--|---|
| 05020110001 | 217516 | | | | | | 1 |
| | | 6004 Joker XS | | | | | |
| | | 1x 7-10 (1/4"-3/8")x117 | | | | | |
| | | 6004 Joker S | | | | | |
| | | 1x 10-13 (7/16"-1/2")x154 | | | | | |
| | | 6004 Joker M | | | | | |
| | | 1x 13-16 (1/2"-5/8")x188 | | | | | |
| | | 6004 Joker L | | | | | |
| | | 1x 16-19 (5/8"-3/4")x224 | | | | | |

6005 Joker Double open-ended wrenches

- Double open-ended wrench
- Especially suitable for tight spaces
- The special mouth geometry expands the placement possibilities of the tool
- The low return angle in the mouth "takes" the screw every 15°
- With Take it easy tool finder: colour coding by size

6005 Joker Double open-ended wrenches




| Code | EAN | mm | mm | mm | mm | mm | mm |
|-------------|--------|----|----|----|------|-----|----|
| 05020310001 | 224873 | 6 | 16 | 7 | 17,7 | 4 | 3 |
| 05020311001 | 224880 | 8 | 19 | 9 | 21 | 4,5 | 3 |
| 05020312001 | 224897 | 10 | 23 | 11 | 25 | 5 | 3 |
| 05020313001 | 224903 | 12 | 26 | 13 | 27 | 5,5 | 3 |

6005 Joker 4 Set 1 Double open-ended wrench set

- Joker open-ended and combination wrenches and in a new clip for space-saving storage in the tool bag

6005 Joker 4 Set 1 Double open-ended wrench set




| Code | EAN | | | | | | |
|-------------|--------|---|--|--|--|--|---|
| 05020314001 | 224750 | | | | | | 1 |
| | | 6005 Joker Double | | | | | |
| | | 1x 6x7x111,8; 1x 8x9x122,2; 1x 10x11x137,3; | | | | | |
| | | 1x 12x13x166 | | | | | |






L-Keys

Hex-Plus - lets hexagon socket screws last longer



Kraftform Stainless - stainless steel to prevent rust



High quality L-key set out of stainless steel for hexagon socket screws by Wera. Stainless steel prevents the transfer of extraneous rust. The Hex-Plus profile offers a greater contact surface in the head of the screw.

The notching effect is therefore reduced to a minimum and damage to the screw head more or less eliminated. Come with hex ballpoint on the long arm: the ballpoint drive profile means that it is possible to swivel the tool axis away from the screwdriving axis, thus enabling "round the corner" screwdriving. Take it easy Tool Finder: colour coding according to size. In an almost wear-free L-key clip fastener.

- Solution to the extraneous rust problem: fasten stainless screws with stainless tools
- Hex-Plus allows socket head screws to live longer
- Take it easy tool finder with colour coding according to sizes
- Wear-resistant clip material for enhanced durability
- Colour coded, easy-to-grip plastic sleeve, even at low temperatures

3950/9 Hex-Plus Multicolour HF Stainless 1 L-key set, metric, stainless steel, with holding function

- From size 3.0, the holding function on the long arm will hold screws securely on the tool

3950/9 Hex-Plus Multicolour HF Stainless 1 L-key set, metric, stainless steel, with holding function



| Code | EAN | | |
|-------------|-------------------|---|---|
| 05022699001 | 4013288 224477 | | 1 |
| | | <ul style="list-style-type: none"> ○ 3950 SPKL Multicolour 1x 1,5x90; 1x 2,0x101; 1x 2,5x112 ○ 3950 SPKL Multicolour HF 1x 3,0x123; 1x 4,0x137; 1x 5,0x154; 1x 6,0x172; 1x 8,0x195; 1x 10,0x224 | |

3950/9 Hex-Plus Multicolour Stainless 1 L-key set, metric, stainless



| Code | EAN | | |
|-------------|-------------------|--|---|
| 05022669001 | 4013288 185211 | | 1 |
| | | <ul style="list-style-type: none"> ○ 3950 SPKL Multicolour 1x 1,5x90; 1x 2,0x101; 1x 2,5x112; 1x 3,0x123; 1x 4,0x137; 1x 5,0x154; 1x 6,0x172; 1x 8,0x195; 1x 10,0x224 | |

3950/9 Hex-Plus Stainless 1 L-key set, metric, stainless



| Code | EAN | | |
|-------------|-------------------|--|----|
| 05022720001 | 4013288 111364 | | 10 |
| | | ○ 3950 PKL 1x 1,5x90; 1x 2,0x101; 1x 2,5x112; 1x 3,0x123; 1x 4,0x137; 1x 5,0x154; 1x 6,0x172; 1x 8,0x195; 1x 10,0x224 | |

3950/9 Hex-Plus Stainless 1 SB L-key set, metric, stainless



| Code | EAN | | |
|-------------|-------------------|--|---|
| 05073544001 | 4013288 180377 | | 1 |
| | | ○ 3950 PKL 1x 1,5x90; 1x 2,0x101; 1x 2,5x112; 1x 3,0x123; 1x 4,0x137; 1x 5,0x154; 1x 6,0x172; 1x 8,0x195; 1x 10,0x224 | |

3950/9 Hex-Plus Imperial Stainless 1 L-key set, Imperial, stainless

- In robust pouch

3950/9 Hex-Plus Imperial Stainless 1 L-key set, imperial, stainless



| Code | EAN | | |
|-------------|-------------------|--|---|
| 05022721001 | 4013288 117281 | | 1 |
| | | ○ 3950 PKL inch 1x 3/32"x112; 1x 7/64"x119; 1x 1/8"x123; 1x 9/64"x130; 1x 3/32"x137; 1x 3/16"x154; 1x 1/4"x185; 1x 5/16"x195; 1x 3/8"x224 | |

950/9 Hex-Plus Multicolour HF 1 L-key set, metric, BlackLaser, with holding function

- L-keys with retaining function for hexagon socket screws
- Hexagonal ballpoint on the long arm
- Colour coded, easy-to-grip plastic sleeve, even at low temperatures

950/9 Hex-Plus Multicolour HF 1 L-key set, metric, BlackLaser, with holding function



| Code | EAN | | |
|-------------|-------------------|---|---|
| 05022210001 | 4013288 188403 | | 1 |
| | | ○ 950 SPKL Multicolour 1x 1,5x90; 1x 2,0x101; 1x 2,5x112 | |
| | | ○ 950 SPKL HF Multicolour 1x 3,0x123; 1x 4,0x137; 1x 5,0x154; 1x 6,0x172; 1x 8,0x195; 1x 10,0x224 | |

950/9 Hex-Plus Multicolour 1 L-key set, metric, BlackLaser



| | | | |
|-------------|-------------------|---|---|
| Code | EAN | | |
| 05022089001 | 4013288 180841 | | 5 |
| | | 950 SPKL Multicolour 1x 1,5x90; 1x 2,0x101; 1x 2,5x112; 1x 3,0x123; 1x 4,0x137; 1x 5,0x154; 1x 6,0x172; 1x 8,0x195; 1x 10,0x224 | |

950/9 Hex-Plus Multicolour 1 SB L-key set, metric, BlackLaser



| | | | |
|-------------|-------------------|---|---|
| Code | EAN | | |
| 05073593001 | 4013288 165688 | | 1 |
| | | 950 SPKL Multicolour 1x 1,5x90; 1x 2,0x101; 1x 2,5x112; 1x 3,0x123; 1x 4,0x137; 1x 5,0x154; 1x 6,0x172; 1x 8,0x195; 1x 10,0x224 | |

L-keys in a two-component clip

L-keys fit securely into the clip

Solid rubber material for great durability

Easy-to-use opening and closing mechanism

Sizes marked on the clip



950/9 Hex-Plus Multicolour 2 L-key set, metric, BlackLaser



| | | | |
|-------------|-------------------|--|---|
| Code | EAN | | |
| 05133164001 | 4013288 207517 | | 1 |
| | | 950 SPKS Multicolour 1x 1,5x50; 1x 2,0x56; 1x 2,5x63; 1x 3,0x71; 1x 4,0x80; 1x 5,0x90; 1x 6,0x100; 1x 8,0x112; 1x 10,0x125 | |

3950/9 Hex-Plus Multicolour Imperial Stainless 1, imperial, stainless steel

Premium L-key set made of stainless steel for imperial hexagonal socket screws by Wera. Stainless steel prevents transmission of extraneous rust.

The Hex-Plus profile offers larger contact surfaces in the screw head. The notch effect is reduced to a minimum and the destruction of the screw head is almost eliminated.

With hexagonal ball tip at the long arm: The ball-shaped tip profiles enable the tool shaft to be moved and pivoted relative to the screw axis which allows screwdriving "around the corner".

Take it easy tool finder with colour coding by size. In an almost wear-free L-key clip.

3950/9 Hex-Plus Multicolour Imperial Stainless 1, imperial, stainless steel



| | | | |
|-------------|-------------------|--|---|
| Code | EAN | | |
| 05022860001 | 4013288 221360 | | 1 |
| | | 3950 SPKL Multicolour Imperial 1x 5/64"x101; 1x 3/32"x112; 1x 1/8"x123; 1x 5/32"x137; 1x 3/16"x154; 1x 7/32"x172; 1x 1/4"x185; 1x 5/16"x195; 1x 3/8"x224 | |

950/9 Hex-Plus Multicolour Imperial 1 L-key set, imperial, BlackLaser

- In robust pouch

950/9 Hex-Plus Multicolour Imperial 1 L-key set, imperial, BlackLaser



| Code | EAN | | |
|-------------|-------------------|--|---|
| 05022639001 | 4013288 182593 | | 1 |
| | | ○ 950 SPKL inch 1x 5/64"x101; 1x 3/32"x112; 1x 1/8"x123; 1x 5/32"x137; 1x 3/16"x154; 1x 7/32"x172; 1x 1/4"x185; 1x 5/16"x195; 1x 3/8"x224 | |

950/9 Hex-Plus Multicolour imperial 2 L-key set, imperial, BlackLaser



| Code | EAN | | |
|-------------|-------------------|--|---|
| 05022640001 | 4013288 219107 | | 1 |
| | | ○ 950 SPKL inch 1x 5/64"x101; 1x 3/32"x112; 1x 1/8"x123; 1x 5/32"x137; 1x 3/16"x154; 1x 7/32"x172; 1x 1/4"x185; 1x 5/16"x195; 1x 3/8"x224 | |

950/7 Hex-Plus Multicolour Magnet 1 L-key set, metric, BlackLaser

- For recessed screws, it's often advantageous for the screw to be held on the L-key by magnetic force. The Wera clips with magnetiser/demagnetiser enable a magnetisation/demagnetisation of L-keys in a flash.

950/7 Hex-Plus Multicolour Magnet 1 L-key set, metric, BlackLaser



| Code | EAN | | |
|-------------|-------------------|--|---|
| 05022534001 | 4013288 183750 | | 5 |
| | | ○ 950 SPKL Multicolour 1x 1,5x90; 1x 2,0x101; 1x 2,5x112; 1x 3,0x123; 1x 4,0x137; 1x 5,0x154; 1x 6,0x172 | |

950/9 L Hex-Plus HF 1 L-key set, metric, chrome-plated, with holding function

- The holding function on the long arm keeps screws securely on the tool
- High corrosion protection thanks to chrome-plating

950/9 L Hex-Plus HF 1 L-key set, metric, chrome-plated, with holding function



| Code | EAN | | |
|-------------|-------------------|--|---|
| 05022130001 | 4013288 207227 | | 1 |
| | | ○ 950 L 1x 1,5x90 ¹⁾ ; 1x 2,0x100; 1x 2,5x112 | |
| | | ○ 950 L HF 1x 3,0x126; 1x 4,0x140; 1x 5,0x160; 1x 6,0x180; 1x 8,0x200; 1x 10,0x219 | |

¹⁾Regular hexagon

950/9 Hex-Plus 1 L-key set, metric, chrome-plated



| Code | EAN | | |
|-------------|-------------------|--|----|
| 05022087001 | 4013288 104816 | | 10 |
| | | ○ 950 PKL 1x 1,5x90 ¹⁾ ; 1x 2,0x100; 1x 2,5x112; 1x 3,0x126; 1x 4,0x140; 1x 5,0x160; 1x 6,0x180; 1x 8,0x200; 1x 10,0x219 | |

¹⁾Regular hexagon

950/9 Hex-Plus 1 SB L-key set, metric, chrome-plated



| Code | EAN | | |
|-------------|-------------------|--|---|
| 05073391001 | 4013288 030160 | | 1 |
| | | ○ 950 PKL 1x 1,5x90 ¹⁾ ; 1x 2,0x100; 1x 2,5x112; 1x 3,0x126; 1x 4,0x140; 1x 5,0x160; 1x 6,0x180; 1x 8,0x200; 1x 10,0x219 | |

¹⁾Regular hexagon

950/9 Hex-Plus 2 L-key set, metric, chrome-plated



| Code | EAN | | |
|-------------|---------|---|----|
| | 4013288 | | |
| 05021909001 | 111937 | | 10 |
| | | ○ 950 L 1x 1,5x90 ¹⁾ ; 1x 2,0x100; 1x 2,5x112; 1x 3,0x126; 1x 4,0x140; 1x 5,0x160; 1x 6,0x180; 1x 8,0x200; 1x 10,0x219 | |

¹⁾Regular hexagon

950/9 Hex-Plus 3 L-key set, metric, chrome-plated

- Short version
- Hexagonal ballpoint on the long arm

950/9 Hex-Plus 3 L-key set, metric, chrome-plated



| Code | EAN | | |
|-------------|---------|--|----|
| | 4013288 | | |
| 05133163001 | 112255 | | 10 |
| | | ○ 950 PKS 1x 1,5x50 ¹⁾ ; 1x 2,0x56; 1x 2,5x63; 1x 3,0x71; 1x 4,0x80; 1x 5,0x90; 1x 6,0x100; 1x 8,0x112; 1x 10,0x125 | |

¹⁾Regular hexagon

950/9 Hex-Plus 4 L-key set, metric, chrome-plated

- Extra-short arm for use on difficult-to-access screws
- Hexagonal ballpoint on the long arm

950/9 Hex-Plus 4 L-key set, metric, chrome-plated



| Code | EAN | | |
|-------------|---------|--|---|
| | 4013288 | | |
| 05073594001 | 139177 | | 1 |
| | | ○ 950 PKLS 1x 1,5x90 ¹⁾ ; 1x 2,0x100; 1x 2,5x112; 1x 3,0x126; 1x 4,0x140; 1x 5,0x160; 1x 6,0x180; 1x 8,0x200; 1x 10,0x219 | |

¹⁾Regular hexagon

950/9 Hex-Plus 5 L-key set, metric, chrome-plated



| Code | EAN | | |
|-------------|---------|---|----|
| | 4013288 | | |
| 05021406001 | 111890 | | 10 |
| | | ○ 950 1x 1,5x45 ¹⁾ ; 1x 2,0x50; 1x 2,5x56; 1x 3,0x63; 1x 4,0x70; 1x 5,0x80; 1x 6,0x90; 1x 8,0x100; 1x 10,0x112 | |

¹⁾Regular hexagon.

950/9 Hex-Plus 6 L-key set, metric, BlackLaser

- BlackLaser for high corrosion protection and long service life

950/9 Hex-Plus 6 L-key set, metric, BlackLaser



| Code | EAN | | |
|-------------|---------|--|----|
| | 4013288 | | |
| 05022086001 | 104809 | | 10 |
| | | ○ 950 PKL BM 1x 1,5x90 ¹⁾ ; 1x 2,0x100; 1x 2,5x112; 1x 3,0x126; 1x 4,0x140; 1x 5,0x160; 1x 6,0x180; 1x 8,0x200; 1x 10,0x219 | |

¹⁾Regular hexagon

950/9 Hex-Plus 6 SB L-key set, metric, BlackLaser



| Code | EAN | | |
|-------------|---------|--|---|
| | 4013288 | | |
| 05073596001 | 106414 | ○ | 1 |
| | | 950 PKL BM 1x 1,5x90 ¹⁾ ; 1x 2,0x100; 1x 2,5x112; 1x 3,0x126; 1x 4,0x140; 1x 5,0x160; 1x 6,0x180; 1x 8,0x200; 1x 10,0x219 | |

¹⁾Regular hexagon

950/9 Hex-Plus 7 L-key set, metric, BlackLaser

- Short version

950/9 Hex-Plus 7 L-key set, metric, BlackLaser



| Code | EAN | | |
|-------------|-------------------|--|----|
| 05021737001 | 4013288 112286 | | 10 |
| | | ○ 950 BM 1x 1,5x45 ¹⁾ ; 1x 2,0x50; 1x 2,5x56; 1x 3,0x63; 1x 4,0x70; 1x 5,0x80; 1x 6,0x90; 1x 8,0x100; 1x 10,0x112 | |

¹⁾Regular hexagon

950/7 Hex-Plus Magnet 1 Magnetic L-key set, metric, chrome-plated

- For recessed screws, it's often advantageous for the screw to be held on the L-key by magnetic force. The Wera clips with magnetiser/demagnetiser enable a magnetisation/demagnetisation of L-keys in a flash.

950/7 Hex-Plus Magnet 1 Magnetic L-key set, metric, chrome-plated



| Code | EAN | | |
|-------------|-------------------|---|----|
| 05022101001 | 4013288 111968 | | 10 |
| | | ○ 950 PKL 1x 1,5x90 ¹⁾ ; 1x 2,0x100; 1x 2,5x112; 1x 3,0x126; 1x 4,0x140; 1x 5,0x160; 1x 6,0x180 | |

¹⁾Regular hexagon

950/7 Hex-Plus 1 L-key set, metric, chrome-plated

- Hexagonal ballpoint on the long arm

950/7 Hex-Plus 1 L-key set, metric, chrome-plated



| Code | EAN | | |
|-------------|-------------------|---|----|
| 05022181001 | 4013288 111883 | | 10 |
| | | ○ 950 PKL 1x 1,5x90 ¹⁾ ; 1x 2,0x100; 1x 2,5x112; 1x 3,0x126; 1x 4,0x140; 1x 5,0x160; 1x 6,0x180 | |

¹⁾Regular hexagon

950/13 Hex-Plus Imperial 1 L-key set, imperial, BlackLaser

- BlackLaser for high corrosion protection and long service life
- Hexagonal ballpoint on the long arm

950/13 Hex-Plus Imperial 1 L-key set, imperial, BlackLaser



| Code | EAN | | |
|-------------|-------------------|--|----|
| 05021728001 | 4013288 111982 | | 10 |
| | | ○ 950 PKL inch 1x 0,05"x83 ¹⁾ ; 1x 1/16"x91 ¹⁾ ; 1x 5/64"x100; 1x 3/32"x112; 1x 7/64"x119; 1x 1/8"x126; 1x 9/64"x132; 1x 5/32"x140; 1x 3/16"x160; 1x 7/32"x180; 1x 1/4"x190; 1x 5/16"x200; 1x 3/8"x212 | |

¹⁾Regular hexagon

950/13 Hex-Plus Imperial 1 SB L-key set, imperial, BlackLaser

Premium L-key set made of stainless steel for imperial hexagonal socket screws in convenient clip made of wear-free material for a permanently secure hold of the L-keys while also being easily accessible. L-keys with Hex-Plus profile which offers larger contact surfaces in the screw head.

The notch effect is reduced to a minimum and the destruction of the screw head is almost eliminated. The ball at the long arm allows safe working even in difficult installation positions.

The BlackLaser surface treatment makes for excellent surface protection, even from corrosion, and for long durability.

Lasered and therefore abrasion-proof size marking on the L-keys for quick access.

950/13 Hex-Plus Imperial 1 SB L-key set, imperial, BlackLaser



| Code | EAN | | |
|-------------|---------|---|---|
| 05021721001 | 4013288 | 950 PKL inch | 1 |
| | 221315 | 1x 0.05"x83 ¹⁾ ; 1x 1/16"x91 ¹⁾ ; 1x 5/64"x100; 1x 3/32"x112; 1x 7/64"x119; 1x 1/8"x126; 1x 9/64"x132; 1x 5/32"x140; 1x 3/16"x160; 1x 7/32"x180; 1x 1/4"x190; 1x 5/16"x200; 1x 3/8"x212 | |

¹⁾Regular hexagon

950/9 Hex-Plus Imperial 1 L-key set, imperial, BlackLaser



| Code | EAN | | |
|-------------|---------|---|----|
| 05022171001 | 4013288 | 950 PKL inch | 10 |
| | 111975 | 1x 5/64"x100; 1x 3/32"x112; 1x 1/8"x126; 1x 5/32"x140; 1x 3/16"x160; 1x 7/32"x180; 1x 1/4"x190; 1x 5/16"x200; 1x 3/8"x212 | |

950/9 Hex-Plus Imperial 1 SB L-key set, imperial, BlackLaser



| Code | EAN | | |
|-------------|---------|---|---|
| 05133180001 | 4013288 | 950 PKL inch | 1 |
| | 154118 | 1x 5/64"x100; 1x 3/32"x112; 1x 1/8"x126; 1x 5/32"x140; 1x 3/16"x160; 1x 7/32"x180; 1x 1/4"x190; 1x 5/16"x200; 1x 3/8"x212 | |

Bicycle Set 4

L-keys made from circular material with plastic sleeve for use on bicycles. The plastic sleeve makes working comfortable even at low temperatures and is easy on the fingers.

All L-keys are easily accessible due to their colour coding and size markings. For hexagonal socket screws and TORX® screws. In a robust and lightweight folding pouch.

- In a practical, lightweight folding pouch for easy carrying

Bicycle Set 4



| Code | EAN | | |
|-------------|---------|--|---|
| 05004173001 | 4013288 | 950 SPKL Multicolour | 1 |
| | 211446 | 1x 2,0x101; 1x 2,5x112 950 SPKL HF Multicolour 1x 3,0x123; 1x 4,0x137; 1x 5,0x154; 1x 6,0x172; 1x 8,0x195 967 SXL TORX® HF Multicolour 1x TX 10x112; 1x TX 25x154 | |

3950 SPKL Multicolour HF L-key, metric, stainless steel, with holding function

High quality L-keys out of stainless steel for hexagonal socket screws by Wera. Stainless steel prevents the transfer of extraneous rust. The Hex-Plus profile offers a greater contact surface in the head of the screw.

The notching effect is therefore reduced to a minimum and damage to the screw head more or less eliminated. Come with hex ballpoint on the long arm: the ballpoint drive profile means that it is possible to swivel the tool axis away from the screwdriving axis, thus enabling "round the corner" screwdriving. Take it easy Tool Finder: colour coding according to size.

- Solution to the extraneous rust problem: fasten stainless screws with stainless tools
- Stainless L-keys prevent extraneous rust on stainless screws
- Hex-Plus allows socket head screws to live longer
- With holding function (HF) on the long arm to securely hold the screw on the tool
- The ball head on the long arm also allows offset use
- With Take it easy tool finder: colour coding by size
- All L-keys have a colour-coded, easy-grip hose sleeve for ergonomic and comfortable operation even at low temperatures
- With Take it easy tool finder: colour coding by size

3950 SPKL Multicolour HF L-key, metric, stainless steel, with holding function



| Code | EAN | | ⊙ | L ₁ | L ₂ | L ₃ | L ₄ | |
|-------------|---------|--|------|----------------|----------------|----------------|----------------|----|
| | 4013288 | | mm | mm | mm | | | |
| 05022693001 | 224415 | | 3,0 | 123 | 21 | 4 7/8" | 27/32" | 10 |
| 05022694001 | 224422 | | 4,0 | 137 | 24 | 5 3/8" | 1" | 10 |
| 05022695001 | 224439 | | 5,0 | 154 | 27 | 6 1/16" | 1 1/16" | 10 |
| 05022696001 | 224446 | | 6,0 | 172 | 31 | 6 3/4" | 1 1/4" | 10 |
| 05022697001 | 224453 | | 8,0 | 195 | 37 | 7 11/16" | 1 7/16" | 10 |
| 05022698001 | 224460 | | 10,0 | 224 | 42 | 9" | 1 11/16" | 10 |

3950 SPKL Multicolour L-key, metric, stainless

High quality L-keys out of stainless steel for hexagonal socket screws by Wera. Stainless steel prevents the transfer of extraneous rust. The Hex-Plus profile offers a greater contact surface in the head of the screw.

The notching effect is therefore reduced to a minimum and damage to the screw head more or less eliminated.

Come with hex ballpoint on the long arm: the ballpoint drive profile means that it is possible to swivel the tool axis away from the screwdriving axis, thus enabling "round the corner" screwdriving.

Take it easy Tool Finder: colour coding according to size. In an almost wear-free L-key clip fastener.

- Solution to the extraneous rust problem: fasten stainless screws with stainless tools
- Hex-Plus allows socket head screws to live longer
- Stainless L-keys prevent extraneous rust on stainless screws
- Take it easy tool finder with colour coding according to sizes
- Wear-resistant clip material for enhanced durability



3950 SPKL Multicolour L-key, metric, stainless




| | EAN | | ⊙ | L ₁ | L ₂ | L ₃ | L ₄ | |
|-------------|---------|--|------|----------------|----------------|----------------|----------------|----|
| | 4013288 | | mm | mm | mm | | | |
| 05022660001 | 185792 | | 1,5 | 90 | 14 | 3 1/2" | 9/16" | 10 |
| 05022661001 | 185808 | | 2,0 | 101 | 16 | 4" | 5/8" | 10 |
| 05022662001 | 185815 | | 2,5 | 112 | 19 | 4 7/16" | 3/4" | 10 |
| 05022663001 | 185822 | | 3,0 | 123 | 21 | 4 7/8" | 27/32" | 10 |
| 05022664001 | 185839 | | 4,0 | 137 | 24 | 5 3/8" | 1" | 10 |
| 05022665001 | 185846 | | 5,0 | 154 | 27 | 6 1/16" | 1 1/16" | 10 |
| 05022666001 | 185860 | | 6,0 | 172 | 31 | 6 3/4" | 1 1/4" | 10 |
| 05022667001 | 185877 | | 8,0 | 195 | 37 | 7 11/16" | 1 7/16" | 10 |
| 05022668001 | 185884 | | 10,0 | 224 | 42 | 9" | 1 11/16" | 10 |

3950 SPKL Multicolour L-keys, imperial, stainless



| Code | EAN | Ø | L ₁ | L ₂ | L ₃ | L ₄ | Box |
|-------------|--------|-------|----------------|----------------|----------------|----------------|-----|
| | | mm | mm | mm | mm | mm | |
| 05022850001 | 221384 | 5/64" | 101 | 16 | 4" | 5/8" | 10 |
| 05022851001 | 221469 | 3/32" | 112 | 19 | 4 7/16" | 3/32" | 10 |
| 05022852001 | 221452 | 1/8" | 123 | 21 | 4 7/8" | 1/8" | 10 |
| 05022853001 | 221445 | 5/32" | 137 | 24 | 5 3/8" | 5/32" | 10 |
| 05022854001 | 221438 | 3/16" | 154 | 27 | 6 1/16" | 3/16" | 10 |
| 05022855001 | 221377 | 7/32" | 172 | 31 | 6 3/4" | 7/32" | 10 |
| 05022856001 | 221421 | 1/4" | 185 | 34 | 7 1/4" | 1/4" | 10 |
| 05022857001 | 221414 | 5/16" | 195 | 37 | 7 11/16" | 5/16" | 10 |
| 05022858001 | 221407 | 3/8" | 224 | 42 | 9" | 3/8" | 10 |

3950 PKL L-key, metric, stainless



| Code | EAN | Ø | L ₁ | L ₂ | L ₃ | L ₄ | Box |
|-------------|--------|------|----------------|----------------|----------------|----------------|-----|
| | | mm | mm | mm | mm | mm | |
| 05022700001 | 111265 | 1,5 | 90 | 14 | 3 1/2" | 9/16" | 10 |
| 05022701001 | 111272 | 2,0 | 101 | 16 | 4" | 5/8" | 10 |
| 05022702001 | 111289 | 2,5 | 112 | 19 | 4 7/16" | 3/4" | 10 |
| 05022703001 | 111296 | 3,0 | 123 | 21 | 4 7/8" | 27/32" | 10 |
| 05022704001 | 111302 | 4,0 | 137 | 24 | 5 3/8" | 1" | 10 |
| 05022705001 | 111319 | 5,0 | 154 | 27 | 6 1/16" | 1 1/16" | 10 |
| 05022706001 | 111326 | 6,0 | 172 | 31 | 6 3/4" | 1 1/4" | 10 |
| 05022708001 | 111340 | 8,0 | 195 | 37 | 7 11/16" | 1 7/16" | 10 |
| 05022709001 | 111357 | 10,0 | 224 | 42 | 9" | 1 11/16" | 10 |

3950 PKL L-key, imperial, stainless



| Code | EAN | Ø | L ₁ | L ₂ | L ₃ | L ₄ | Box |
|-------------|--------|-------|----------------|----------------|----------------|----------------|-----|
| | | mm | mm | mm | mm | mm | |
| 05022710001 | 117151 | 3/32" | 112 | 19 | 4 7/16" | 3/4" | 10 |
| 05022711001 | 117168 | 7/64" | 119 | 20 | 4 3/4" | 25/32" | 10 |
| 05022712001 | 117175 | 1/8" | 123 | 21 | 4 7/8" | 27/32" | 10 |
| 05022713001 | 117182 | 9/64" | 130 | 22 | 5 3/16" | 29/32" | 10 |
| 05022714001 | 117199 | 5/32" | 137 | 24 | 5 3/8" | 1" | 10 |
| 05022715001 | 117205 | 3/16" | 154 | 27 | 6 1/16" | 1 1/16" | 10 |
| 05022716001 | 117212 | 1/4" | 185 | 34 | 7 1/4" | 1 5/16" | 10 |
| 05022717001 | 117229 | 5/16" | 195 | 37 | 7 11/16" | 1 7/16" | 10 |
| 05022718001 | 117236 | 3/8" | 224 | 42 | 9" | 1 11/16" | 5 |

950 SPKL HF L-key Multicolour, metric, with holding function


- The holding function holds screws securely on the tool

950 SPKL HF L-key Multicolour, metric, with holding function



| Code | EAN | Ø | L ₁ | L ₂ | L ₃ | L ₄ | Box |
|-------------|--------|------|----------------|----------------|----------------|----------------|-----|
| | | mm | mm | mm | mm | mm | |
| 05022200001 | 188342 | 3,0 | 123 | 21 | 4 7/8" | 27/32" | 10 |
| 05022201001 | 188359 | 4,0 | 137 | 24 | 5 3/8" | 1" | 10 |
| 05022202001 | 188366 | 5,0 | 154 | 27 | 6 1/16" | 1 1/16" | 10 |
| 05022203001 | 188373 | 6,0 | 172 | 31 | 6 3/4" | 1 1/4" | 10 |
| 05022204001 | 188380 | 8,0 | 195 | 37 | 7 11/16" | 1 7/16" | 10 |
| 05022205001 | 188397 | 10,0 | 224 | 42 | 9" | 1 11/16" | 10 |

950 SPKL L-key Multicolour, metric



| | EAN | | ⊙ | L ₁ | L ₂ | L ₃ | L ₄ | |
|-------------|---------|--|------|----------------|----------------|----------------|----------------|----|
| Code | 4013288 | | mm | mm | mm | | | |
| 05022600001 | 167842 | | 1,5 | 90 | 14 | 3 1/2" | 9/16" | 10 |
| 05022602001 | 167934 | | 2,0 | 101 | 16 | 4" | 5/8" | 10 |
| 05022604001 | 167859 | | 2,5 | 112 | 19 | 4 7/16" | 3/4" | 10 |
| 05022606001 | 167866 | | 3,0 | 123 | 21 | 4 7/8" | 27/32" | 10 |
| 05022608001 | 167873 | | 4,0 | 137 | 24 | 5 3/8" | 1" | 10 |
| 05022610001 | 167880 | | 5,0 | 154 | 27 | 6 1/16" | 1 1/16" | 10 |
| 05022612001 | 167897 | | 6,0 | 172 | 31 | 6 3/4" | 1 1/4" | 10 |
| 05022614001 | 167903 | | 8,0 | 195 | 37 | 7 11/16" | 1 7/16" | 10 |
| 05022616001 | 167910 | | 10,0 | 224 | 42 | 9" | 1 11/16" | 10 |

950 SPKL L-key Multicolour, imperial



| | EAN | | ⊙ | L ₁ | L ₂ | L ₃ | L ₄ | |
|-------------|---------|--|-------|----------------|----------------|----------------|----------------|----|
| Code | 4013288 | | | mm | mm | | | |
| 05022630001 | 182500 | | 5/64" | 101 | 16 | 4" | 5/8" | 10 |
| 05022631001 | 182517 | | 3/32" | 112 | 19 | 4 7/16" | 3/4" | 10 |
| 05022632001 | 182524 | | 1/8" | 123 | 21 | 4 7/8" | 27/32" | 10 |
| 05022633001 | 182531 | | 5/32" | 137 | 24 | 5 3/8" | 1" | 10 |
| 05022634001 | 182548 | | 3/16" | 154 | 27 | 6 1/16" | 1 1/16" | 10 |
| 05022635001 | 182555 | | 7/32" | 172 | 31 | 6 3/4" | 1 1/4" | 10 |
| 05022636001 | 182562 | | 1/4" | 185 | 34 | 7 1/4" | 1 5/16" | 10 |
| 05022637001 | 182579 | | 5/16" | 195 | 37 | 7 11/16" | 1 7/16" | 10 |
| 05022638001 | 182586 | | 3/8" | 224 | 42 | 9" | 1 11/16" | 10 |

950 SPKS L-key Multicolour, metric

- Short version

950 SPKS L-key Multicolour, metric




| | EAN | | ⊙ | L ₁ | L ₂ | L ₃ | L ₄ | |
|-------------|---------|--|------|----------------|----------------|----------------|----------------|----|
| Code | 4013288 | | mm | mm | mm | | | |
| 05022678001 | 211910 | | 1,5 | 50 | 14 | 2" | 9/16" | 10 |
| 05022670001 | 211934 | | 2,0 | 56 | 16 | 2 7/32" | 5/8" | 10 |
| 05022671001 | 211927 | | 2,5 | 63 | 19 | 2 1/2" | 3/4" | 10 |
| 05022672001 | 211941 | | 3,0 | 71 | 21 | 2 3/4" | 27/32" | 10 |
| 05022673001 | 211958 | | 4,0 | 80 | 24 | 3 1/8" | 1" | 10 |
| 05022674001 | 211965 | | 5,0 | 90 | 27 | 3 1/2" | 1 1/16" | 10 |
| 05022675001 | 211972 | | 6,0 | 100 | 31 | 4" | 1 1/4" | 10 |
| 05022676001 | 211989 | | 8,0 | 112 | 37 | 4 7/16" | 1 7/16" | 10 |
| 05022677001 | 211996 | | 10,0 | 125 | 42 | 5" | 1 11/16" | 10 |



950 PKL L-key, metric, chrome-plated

- High corrosion protection thanks to chrome-plating
- Hexagonal ballpoint on the long arm

950 PKL L-key, metric, chrome-plated



| | EAN | ⊘ | L ₁ | L ₂ | L ₃ | L ₄ | | |
|---------------------------|---------|------|----------------|----------------|----------------|----------------|--|----|
| Code | 4013288 | mm | mm | mm | | | | |
| 05022050001 ¹⁾ | 018779 | 1,5 | 90 | 14 | 3 1/2" | 9/16" | | 10 |
| 05022052001 | 018786 | 2,0 | 100 | 16 | 4" | 5/8" | | 10 |
| 05022054001 | 018793 | 2,5 | 112 | 18 | 4 7/16" | 23/32" | | 10 |
| 05022056001 | 018809 | 3,0 | 126 | 20 | 5" | 25/32" | | 10 |
| 05022058001 | 018816 | 4,0 | 140 | 25 | 5 1/2" | 1" | | 10 |
| 05022060001 | 018823 | 5,0 | 160 | 28 | 6 5/16" | 1 3/32" | | 10 |
| 05022062001 | 018830 | 6,0 | 180 | 32 | 7 1/16" | 1 1/4" | | 10 |
| 05022063001 | 037718 | 7,0 | 190 | 34 | 7 1/2" | 1 5/16" | | 10 |
| 05022064001 | 018847 | 8,0 | 200 | 36 | 8" | 1 7/16" | | 10 |
| 05022066001 | 018854 | 10,0 | 219 | 40 | 8 11/16" | 1 9/16" | | 10 |
| 05022067001 | 038708 | 12,0 | 248 | 45 | 10" | 1 3/4" | | 5 |

¹⁾Regular hexagon

950 PKL BM L-key, metric, BlackLaser

- BlackLaser for high corrosion protection and long service life
- Hexagonal ballpoint on the long arm

950 PKL BM L-key, metric, BlackLaser



| | EAN | ⊘ | L ₁ | L ₂ | L ₃ | L ₄ | | |
|---------------------------|---------|------|----------------|----------------|----------------|----------------|--|----|
| Code | 4013288 | mm | mm | mm | | | | |
| 05027101001 ¹⁾ | 094988 | 1,5 | 90 | 14 | 3 1/2" | 9/16" | | 10 |
| 05027102001 | 094995 | 2,0 | 100 | 16 | 4" | 5/8" | | 10 |
| 05027103001 | 095008 | 2,5 | 112 | 18 | 4 7/16" | 23/32" | | 10 |
| 05027104001 | 095015 | 3,0 | 126 | 19 | 5" | 3/4" | | 10 |
| 05027105001 | 095022 | 4,0 | 140 | 25 | 5 1/2" | 1" | | 10 |
| 05027106001 | 095039 | 5,0 | 160 | 28 | 6 5/16" | 1 3/32" | | 10 |
| 05027107001 | 095046 | 6,0 | 180 | 32 | 7 1/16" | 1 1/4" | | 10 |
| 05027110001 | 095053 | 7,0 | 190 | 34 | 7 1/2" | 1 5/16" | | 10 |
| 05027108001 | 095060 | 8,0 | 200 | 36 | 8" | 1 7/16" | | 10 |
| 05027109001 | 095077 | 10,0 | 219 | 40 | 8 11/16" | 1 9/16" | | 10 |
| 05027111001 | 095084 | 12,0 | 248 | 45 | 10" | 1 3/4" | | 5 |

¹⁾Regular hexagon

950 PKL L-key, imperial, BlackLaser



| | EAN | ⊘ | L ₁ | L ₂ | L ₃ | L ₄ | | |
|---------------------------|---------|-------|----------------|----------------|----------------|----------------|--|----|
| Code | 4013288 | mm | mm | mm | | | | |
| 05022079001 ¹⁾ | 041203 | 0,05" | 83 | 14 | 3 1/4" | 9/16" | | 10 |
| 05022081001 ¹⁾ | 041210 | 1/16" | 91 | 15 | 3 1/2" | 19/32" | | 10 |
| 05022068001 | 018861 | 5/64" | 100 | 16 | 4" | 5/8" | | 10 |
| 05022070001 | 018878 | 3/32" | 112 | 18 | 4 7/16" | 23/32" | | 10 |
| 05022071001 | 041227 | 7/64" | 119 | 19 | 4 3/4" | 3/4" | | 10 |
| 05022072001 | 018885 | 1/8" | 126 | 20 | 5" | 25/32" | | 10 |
| 05022073001 | 041234 | 9/64" | 132 | 23 | 5 3/16" | 29/32" | | 10 |
| 05022074001 | 018892 | 5/32" | 140 | 25 | 5 1/2" | 1" | | 10 |
| 05022076001 | 018908 | 3/16" | 160 | 25 | 6 5/16" | 1" | | 10 |
| 05022078001 | 018915 | 7/32" | 180 | 27 | 7 1/16" | 1 1/16" | | 10 |
| 05022080001 | 018922 | 1/4" | 190 | 34 | 7 1/2" | 1 5/16" | | 10 |
| 05022082001 | 018939 | 5/16" | 200 | 36 | 8" | 1 7/16" | | 10 |
| 05022095001 | 038739 | 3/8" | 212 | 38 | 8 3/8" | 1 1/2" | | 5 |
| 05022096001 | 038746 | 1/2" | 224 | 40 | 9" | 1 9/16" | | 5 |

¹⁾Regular hexagon

950 PKLS Long Arm Ballpoint Hex Key, metric, chrome plated

- Extra-short arm for use on difficult-to-access screws

950 PKLS Long Arm Ballpoint Hex Key, metric, chrome plated



| | EAN | ⊘ | L ₁ | L ₂ | L ₃ | L ₄ | | |
|---------------------------|---------|------|----------------|----------------|----------------|----------------|--|----|
| Code | 4013288 | mm | mm | mm | | | | |
| 05022040001 ¹⁾ | 139429 | 1,5 | 90 | 4,5 | 3 1/2" | 11/64" | | 10 |
| 05022041001 | 139283 | 2,0 | 100 | 5,5 | 4" | 7/32" | | 10 |
| 05022042001 | 139290 | 2,5 | 112 | 6,5 | 4 7/16" | 1/4" | | 10 |
| 05022043001 | 139306 | 3,0 | 126 | 7,5 | 5" | 19/64" | | 10 |
| 05022044001 | 139313 | 4,0 | 140 | 10,0 | 5 1/2" | 25/64" | | 10 |
| 05022045001 | 139320 | 5,0 | 160 | 12 | 6 5/16" | 15/32" | | 10 |
| 05022046001 | 139337 | 6,0 | 180 | 15 | 7 1/16" | 19/32" | | 10 |
| 05022047001 | 139344 | 8,0 | 200 | 19 | 8" | 3/4" | | 10 |
| 05022048001 | 139351 | 10,0 | 219 | 22 | 8 5/8" | 7/8" | | 10 |

¹⁾Regular hexagon

950 PKS L-key, metric, chrome-plated

- Short design for particularly confined screwdriving situations

950 PKS L-key, metric, chrome-plated



| | EAN | ⊘ | L ₁ | L ₂ | L ₃ | L ₄ | | |
|---------------------------|---------|------|----------------|----------------|----------------|----------------|--|----|
| Code | 4013288 | mm | mm | mm | | | | |
| 05133150001 ¹⁾ | 098047 | 1,5 | 50 | 14 | 2" | 9/16" | | 10 |
| 05133151001 | 098054 | 2,0 | 56 | 16 | 2 7/32" | 5/8" | | 10 |
| 05133152001 | 098061 | 2,5 | 63 | 18 | 2 1/2" | 23/32" | | 10 |
| 05133153001 | 098078 | 3,0 | 71 | 20 | 2 3/4" | 25/32" | | 10 |
| 05133154001 | 098085 | 4,0 | 80 | 22 | 3" | 29/32" | | 10 |
| 05133155001 | 098092 | 5,0 | 90 | 25 | 3 1/2" | 1" | | 10 |
| 05133156001 | 098108 | 6,0 | 100 | 28 | 4" | 1 3/32" | | 10 |
| 05133157001 | 098115 | 8,0 | 112 | 32 | 4 7/16" | 1 1/4" | | 10 |
| 05133158001 | 098122 | 10,0 | 125 | 36 | 5" | 1 5/16" | | 10 |

¹⁾Regular hexagon

950 L HF L-key, metric, chrome-plated, with holding function

- The holding function on the long arm keeps screws securely on the tool

950 L HF L-key, metric, chrome-plated, with holding function



| | EAN | ⊘ | L ₁ | L ₂ | L ₃ | L ₄ | | |
|-------------|---------|------|----------------|----------------|----------------|----------------|--|----|
| Code | 4013288 | mm | mm | mm | | | | |
| 05022120001 | 207258 | 3,0 | 126 | 20 | 5" | 25/32" | | 10 |
| 05022121001 | 207265 | 4,0 | 140 | 25 | 5 1/2" | 1" | | 10 |
| 05022122001 | 207319 | 5,0 | 160 | 28 | 6 3/16" | 1 3/32" | | 10 |
| 05022123001 | 207326 | 6,0 | 180 | 32 | 7 1/16" | 1 1/4" | | 10 |
| 05022124001 | 207340 | 8,0 | 200 | 36 | 8" | 1 7/16" | | 10 |
| 05022125001 | 207333 | 10,0 | 219 | 40 | 8 11/16" | 1 9/16" | | 5 |

950 L-key, metric, chrome-plated



| | EAN | ⊘ | L ₁ | L ₂ | L ₃ | L ₄ | | |
|---------------------------|---------|------|----------------|----------------|----------------|----------------|--|----|
| Code | 4013288 | mm | mm | mm | | | | |
| 05021600001 ¹⁾ | 038722 | 1,5 | 90 | 14 | 3 1/2" | 9/16" | | 10 |
| 05021605001 | 018656 | 2,0 | 100 | 16 | 4" | 5/8" | | 10 |
| 05021610001 | 018663 | 2,5 | 112 | 18 | 4 7/16" | 23/32" | | 10 |
| 05021615001 | 018670 | 3,0 | 126 | 20 | 5" | 25/32" | | 10 |
| 05021620001 | 018687 | 4,0 | 140 | 25 | 5 1/2" | 1" | | 10 |
| 05021625001 | 018694 | 5,0 | 160 | 28 | 6 5/16" | 1 3/32" | | 10 |
| 05021630001 | 018700 | 6,0 | 180 | 32 | 7 1/16" | 1 1/4" | | 10 |
| 05021632001 | 037701 | 7,0 | 190 | 30 | 7 1/2" | 1 1/4" | | 10 |
| 05021635001 | 018717 | 8,0 | 200 | 36 | 8" | 1 7/16" | | 10 |
| 05021640001 | 018724 | 10,0 | 219 | 40 | 8 11/16" | 1 9/16" | | 5 |
| 05021645001 | 018731 | 12,0 | 250 | 45 | 10" | 1 3/4" | | 5 |

¹⁾Regular hexagon.

950 L-key, metric, chrome-plated



| | EAN | ⊘ | L ₁ | L ₂ | L ₃ | L ₄ | | |
|---------------------------|---------|------|----------------|----------------|----------------|----------------|--|----|
| Code | 4013288 | mm | mm | mm | | | | |
| 05021005001 ¹⁾ | 018267 | 1,5 | 45 | 14 | 1 3/4" | 9/16" | | 10 |
| 05021010001 | 018274 | 2,0 | 50 | 16 | 2" | 5/8" | | 10 |
| 05021015001 | 018281 | 2,5 | 56 | 18 | 2 7/32" | 23/32" | | 10 |
| 05021020001 | 018298 | 3,0 | 63 | 20 | 2 1/2" | 25/32" | | 10 |
| 05021025001 | 018304 | 3,5 | 66 | 23 | 2 5/8" | 29/32" | | 10 |
| 05021030001 | 018311 | 4,0 | 70 | 25 | 2 3/4" | 1" | | 10 |
| 05021035001 | 018328 | 4,5 | 75 | 26 | 3" | 1 1/32" | | 10 |
| 05021040001 | 018335 | 5,0 | 80 | 28 | 3 1/8" | 1 3/32" | | 10 |
| 05021045001 | 018342 | 6,0 | 90 | 32 | 3 1/2" | 1 1/4" | | 10 |
| 05021050001 | 018359 | 7,0 | 95 | 34 | 3 3/4" | 1 5/16" | | 10 |
| 05021055001 | 018366 | 8,0 | 100 | 36 | 4" | 1 7/16" | | 10 |
| 05021060001 | 018373 | 9,0 | 106 | 38 | 4 3/16" | 1 1/2" | | 10 |
| 05021065001 | 018380 | 10,0 | 112 | 40 | 4 7/16" | 1 9/16" | | 10 |
| 05021070001 | 018397 | 11,0 | 120 | 43 | 4 3/4" | 1 11/16" | | 10 |
| 05021075001 | 018403 | 12,0 | 125 | 45 | 5" | 1 3/4" | | 10 |
| 05021080001 | 018410 | 13,0 | 132 | 50 | 5 3/16" | 2" | | 10 |
| 05021085001 ¹⁾ | 018427 | 14,0 | 140 | 56 | 5 1/2" | 2 7/32" | | 10 |
| 05021090001 ¹⁾ | 018434 | 17,0 | 160 | 63 | 6 5/16" | 2 1/2" | | 5 |
| 05021095001 ¹⁾ | 018441 | 19,0 | 180 | 70 | 7 1/16" | 2 3/4" | | 5 |

¹⁾Regular hexagon.


950 BM L-key, metric, BlackLaser



| | EAN | ⌀ | L ₁ | L ₂ | L ₃ | L ₄ | | |
|---------------------------|---------|------|----------------|----------------|----------------|----------------|--|----|
| Code | 4013288 | mm | mm | mm | | | | |
| 05027201001 ¹⁾ | 095381 | 1,5 | 45 | 14 | 1 3/4" | 9/16" | | 10 |
| 05027202001 | 095398 | 2,0 | 50 | 16 | 2" | 5/8" | | 10 |
| 05027203001 | 095541 | 2,5 | 56 | 18 | 2 7/32" | 23/32" | | 10 |
| 05027204001 | 095404 | 3,0 | 63 | 20 | 2 1/2" | 25/32" | | 10 |
| 05027205001 | 095411 | 3,5 | 66 | 23 | 2 5/8" | 29/32" | | 10 |
| 05027206001 | 095428 | 4,0 | 70 | 25 | 2 3/4" | 1" | | 10 |
| 05027207001 | 095435 | 4,5 | 75 | 26 | 3" | 1 1/32" | | 10 |
| 05027208001 | 095442 | 5,0 | 80 | 28 | 3 1/8" | 1 3/32" | | 10 |
| 05027209001 | 095459 | 6,0 | 90 | 32 | 3 1/2" | 1 1/4" | | 10 |
| 05027210001 | 095466 | 7,0 | 95 | 34 | 3 3/4" | 1 5/16" | | 10 |
| 05027211001 | 095473 | 8,0 | 100 | 36 | 4" | 1 7/16" | | 10 |
| 05027213001 | 095480 | 9,0 | 106 | 38 | 4 11/64" | 1 1/2" | | 10 |
| 05027212001 | 095497 | 10,0 | 112 | 40 | 4 7/16" | 1 9/16" | | 10 |
| 05027214001 | 095503 | 11,0 | 120 | 43 | 4 23/32" | 1 11/16" | | 10 |
| 05027215001 | 095510 | 12,0 | 125 | 45 | 5" | 1 49/64" | | 10 |

¹⁾Regular hexagon

Kraftform Stainless - stainless steel to prevent rust



Stainless steel material to prevent extraneous rust

Shop floor-proof thanks to vacuum ice hardening

Set of high quality stainless steel L-keys for internal TORX® screws. Very corrosion-resistant due to ice-hardened stainless steel material of the L-key, avoiding the transmission of extraneous rust in stainless steel screw connections.

With holding function on the long arm: The clamping force resulting from the surface pressure between the output tip and the screw profile holds the screws securely on the tool.

With extra long arm for working in a low position.


The grip-friendly hose jacket facilitates screwdriving even at low temperatures. Take it easy tool finder with colour coding by size.

With a practical clip made of durable material for secure holding of the L-key while at the same time allowing easy removal.

- The holding function on the long arm keeps screws securely on the tool
- Extremely high corrosion protection thanks to ice-hardened stainless steel design
- Compact and easy to remove - stored in a 2-component plastic clip
- Handle-friendly hose jacket with tool finder Take it easy: Colour coding according to size

TORX® Tools with holding function

Clamping force holds TORX® screw tight.



3967/9 TX SXL Multicolour HF Stainless 1 L-key set with holding function, stainless




| | | | |
|-------------|-------------------|---|---|
| Code | EAN | | |
| 05022689001 | 4013288 207128 | | 1 |
| | | 3967 SXL HF TORX® Multicolour 1x TX 8x90; 1x TX 9x101; 1x TX 10x112; 1x TX 15x123; 1x TX 20x137; 1x TX 25x154; 1x TX 27x172; 1x TX 30x195; 1x TX 40x224 | |

967/9 TX XL Multicolour HF 1 L-key set with holding function, long

- Holding function for recessed TORX® screws
- Long version
- Take it easy tool finder with colour coding according to sizes

967/9 TX XL Multicolour HF 1 L-key set with holding function, long




| | | | |
|-------------|-------------------|--|---|
| Code | EAN | | |
| 05024470001 | 4013288 193537 | | 1 |
| | | 967 SXL TORX® HF Multicolour 1x TX 8x90; 1x TX 9x101; 1x TX 10x112; 1x TX 15x123; 1x TX 20x137; 1x TX 25x154; 1x TX 27x172; 1x TX 30x195; 1x TX 40x224 | |

967/9 TX Multicolour HF 1 L-key set with holding function

- Holding function for recessed TORX® screws
- Take it easy tool finder with colour coding according to sizes

967/9 TX Multicolour HF 1 L-key set with holding function



| | | | |
|-------------|-------------------|---|---|
| Code | EAN | | |
| 05024179001 | 4013288 185228 | | 1 |
| | | 967 SL TORX® HF 1x TX 8x76; 1x TX 9x79; 1x TX 10x85; 1x TX 15x90; 1x TX 20x96; 1x TX 25x104; 1x TX 27x112; 1x TX 30x122; 1x TX 40x132 | |

967/9 TX XL HF 1 L-key set with holding function, long

- Holding function for recessed TORX® screws
- Long version

967/9 TX XL HF 1 L-key set with holding function, long



| | | | |
|-------------|-------------------|---|---|
| Code | EAN | | |
| 05024450001 | 4013288 193513 | | 1 |
| | | 967 XL HF TORX® 1x TX 8x90; 1x TX 9x101; 1x TX 10x112; 1x TX 15x123; 1x TX 20x137; 1x TX 25x154; 1x TX 27x172; 1x TX 30x195; 1x TX 40x224 | |

967/9 TX HF 1 L-key set with holding function, BlackLaser

- Holding function for recessed TORX® screws

967/9 TX HF 1 L-key set with holding function, BlackLaser



| | | | |
|-------------|-------------------|--|----|
| Code | EAN | | |
| 05024244001 | 4013288 104953 | | 10 |
| | | 967 L TORX® HF 1x TX 8x76; 1x TX 9x79; 1x TX 10x85; 1x TX 15x90; 1x TX 20x96; 1x TX 25x104; 1x TX 27x112; 1x TX 30x122; 1x TX 40x132 | |

967/9 TX XL Multicolour 1 Multicolour L-key set for TORX® screws, long



| | | | |
|-------------|-------------------|---|---|
| Code | EAN | | |
| 05024480001 | 4013288 193544 | | 1 |
| | | 967 SXL TORX® Multicolour 1x TX 8x90; 1x TX 9x101; 1x TX 10x112 | |
| | | 967 SPKXL TORX® Multicolour 1x TX 15x123; 1x TX 20x137; 1x TX 25x154; 1x TX 27x172; 1x TX 30x195; 1x TX 40x224 | |

967/9 TX BO Multicolour 1 L-key set for tamper-proof TORX® screws, BlackLaser

- L-keys for TORX® BO screws to loosen safety connections


967/9 TX BO Multicolour 1 L-key set for tamper-proof TORX® screws, BlackLaser



| Code | EAN | | |
|-------------|---------|---|----|
| | 4013288 | | |
| 05024335001 | 180858 | | 10 |
| | | 967 SPKL TORX® BO Multicolour 1x TX 8x76 ¹⁾ ; 1x TX 9x79 ¹⁾ ; 1x TX 10x85 ²⁾ ; 1x TX 15x90; 1x TX 20x96; 1x TX 25x104; 1x TX 27x112; 1x TX 30x122; 1x TX 40x132 | |

¹⁾Product without bore hole at the short end and without ball-end at the long arm.
²⁾Product without ball-end at the long arm.

967/9 TX BO Multicolour 1 SB L-key set for tamper-proof TORX® screws, BlackLaser



| Code | EAN | | |
|-------------|---------|---|---|
| | 4013288 | | |
| 05073599001 | 170125 | 967 SPKL TORX® BO Multicolour 1x TX 8x76 ¹⁾ 1x TX 9x79 ¹⁾ 1x TX 10x85 ²⁾ 1x TX 15x90 1x TX 20x96 1x TX 25x104 1x TX 27x112 1x TX 30x122 1x TX 40x132 | 1 |

¹⁾Product without bore hole at the short end and without ball-end at the long arm.
²⁾Product without ball-end at the long arm.

967/9 TX XL 1 TORX® L-key set, long

- Long version

967/9 TX XL 1 TORX® L-key set, long



| Code | EAN | | |
|-------------|---------|--|---|
| | 4013288 | | |
| 05024460001 | 193520 | | 1 |
| | | 967 XL TORX® 1x TX 8x90; 1x TX 9x101; 1x TX 10x112 | |
| | | 967 PKXL TORX® 1x TX 15x123; 1x TX 20x137; 1x TX 25x154; 1x TX 27x172; 1x TX 30x195; 1x TX 40x224 | |

967/9 TX 1 L-key set, BlackLaser



| Code | EAN | | |
|-------------|---------|---|----|
| | 4013288 | | |
| 05024242001 | 104946 | | 10 |
| | | 967 PKL TORX® 1x TX 8x76 ¹⁾ ; 1x TX 9x79 ¹⁾ ; 1x TX 10x85 ¹⁾ ; 1x TX 15x90; 1x TX 20x96; 1x TX 25x104; 1x TX 27x112; 1x TX 30x122; 1x TX 40x132 | |

¹⁾Product without ball-end at the long arm.


967/9 TX 1 SB L-key set, BlackLaser



| Code | EAN | | |
|-------------|---------|---|---|
| | 4013288 | | |
| 05073598001 | 106438 | 967 PKL TORX® 1x TX 8x76 ¹⁾ 1x TX 9x79 ¹⁾ 1x TX 10x85 ¹⁾ 1x TX 15x90 1x TX 20x96 1x TX 25x104 1x TX 27x112 1x TX 30x122 1x TX 40x132 | 1 |

¹⁾Product without ball-end at the long arm.

Kraftform Stainless - stainless steel to prevent rust



3967 SXL HF TORX® L-key Multicolour with holding function, long, stainless



| Code | EAN | | | | | | | |
|-------------|--------|--|-------|-----|----|----------|----------|----|
| Code | EAN | | | mm | mm | | | |
| 05022680001 | 207135 | | TX 8 | 90 | 16 | 3 1/2" | 5/8" | 10 |
| 05022681001 | 207142 | | TX 9 | 101 | 16 | 4" | 5/8" | 10 |
| 05022682001 | 207159 | | TX 10 | 112 | 19 | 4 7/16" | 3/4" | 10 |
| 05022683001 | 207166 | | TX 15 | 123 | 21 | 4 7/8" | 27/32" | 10 |
| 05022684001 | 207173 | | TX 20 | 137 | 24 | 5 3/8" | 1" | 10 |
| 05022685001 | 207180 | | TX 25 | 154 | 27 | 6 1/16" | 1 1/16" | 10 |
| 05022686001 | 207197 | | TX 27 | 172 | 31 | 6 3/4" | 1 1/4" | 10 |
| 05022687001 | 207203 | | TX 30 | 195 | 37 | 7 11/16" | 1 7/16" | 10 |
| 05022688001 | 207210 | | TX 40 | 224 | 42 | 9" | 1 11/16" | 10 |

967 SXL HF TORX® L-key Multicolour with holding function, long

- Holding function for recessed TORX® screws

967 SXL HF TORX® L-key Multicolour with holding function, long



| Code | EAN | | | | | | | |
|-------------|--------|--|-------|-----|----|----------|----------|----|
| Code | EAN | | | mm | mm | | | |
| 05024471001 | 194145 | | TX 8 | 90 | 16 | 3 1/2" | 5/8" | 10 |
| 05024472001 | 194152 | | TX 9 | 101 | 16 | 4" | 5/8" | 10 |
| 05024473001 | 194169 | | TX 10 | 112 | 19 | 4 7/16" | 3/4" | 10 |
| 05024474001 | 194176 | | TX 15 | 123 | 21 | 4 7/8" | 27/32" | 10 |
| 05024475001 | 194183 | | TX 20 | 137 | 24 | 5 3/8" | 1" | 10 |
| 05024476001 | 194190 | | TX 25 | 154 | 27 | 6 1/16" | 1 1/16" | 10 |
| 05024477001 | 194206 | | TX 27 | 172 | 31 | 6 3/4" | 1 1/4" | 10 |
| 05024478001 | 194213 | | TX 30 | 195 | 37 | 7 11/16" | 1 7/16" | 10 |
| 05024479001 | 194220 | | TX 40 | 224 | 42 | 9" | 1 11/16" | 10 |

967 SPKXL TORX® L-key Multicolour, long

- Long design

967 SPKXL TORX® L-key Multicolour, long



| Code | EAN | | | | | | | |
|-------------|--------|--|-------|-----|----|----------|----------|----|
| Code | EAN | | | mm | mm | | | |
| 05024484001 | 194305 | | TX 15 | 123 | 21 | 4 7/8" | 27/32" | 10 |
| 05024485001 | 194312 | | TX 20 | 137 | 24 | 5 3/8" | 1" | 10 |
| 05024486001 | 194329 | | TX 25 | 154 | 27 | 6 1/16" | 1 1/16" | 10 |
| 05024487001 | 194336 | | TX 27 | 172 | 31 | 6 3/4" | 1 1/4" | 10 |
| 05024488001 | 194343 | | TX 30 | 195 | 37 | 7 11/16" | 1 7/16" | 10 |
| 05024489001 | 194350 | | TX 40 | 224 | 42 | 9" | 1 11/16" | 10 |

967 SL TORX® HF L-key Multicolour with holding function

- Holding function for recessed TORX® screws

967 SL TORX® HF L-key Multicolour with holding function



| Code | EAN | | | | | | | |
|-------------|--------|--|-------|-----|----|----------|---------|---|
| Code | EAN | | | mm | mm | | | |
| 05024170001 | 185235 | | TX 8 | 76 | 16 | 3" | 5/8" | 5 |
| 05024171001 | 185242 | | TX 9 | 79 | 16 | 3 1/8" | 5/8" | 5 |
| 05024172001 | 185259 | | TX 10 | 85 | 17 | 3 1/4" | 21/32" | 5 |
| 05024173001 | 185266 | | TX 15 | 90 | 18 | 3 1/2" | 23/32" | 5 |
| 05024174001 | 185273 | | TX 20 | 96 | 19 | 3 3/4" | 3/4" | 5 |
| 05024175001 | 185280 | | TX 25 | 104 | 21 | 4 1/8" | 27/32" | 5 |
| 05024176001 | 185297 | | TX 27 | 112 | 22 | 4 7/16" | 29/32" | 5 |
| 05024177001 | 185303 | | TX 30 | 122 | 24 | 4 13/16" | 1" | 5 |
| 05024178001 | 185310 | | TX 40 | 132 | 27 | 5 3/16" | 1 1/16" | 5 |

967 SPKL TORX® BO L-key Multicolour

- L-key for TORX® socket screws with safety pin

967 SPKL TORX® BO L-key Multicolour



| Code | EAN | | ⊕ | L ₁ | L ₂ | L ₃ | L ₄ | |
|---------------------------|--------|--|-------|----------------|----------------|----------------|----------------|----|
| | | | | mm | mm | | | |
| 05024350001 ¹⁾ | 172679 | | TX 8 | 76 | 16 | 3" | 5/8" | 10 |
| 05024351001 ¹⁾ | 172686 | | TX 9 | 79 | 16 | 3 1/8" | 5/8" | 10 |
| 05024352001 ²⁾ | 172693 | | TX 10 | 85 | 17 | 3 3/8" | 21/32" | 10 |
| 05024353001 | 172709 | | TX 15 | 90 | 18 | 3 1/2" | 23/32" | 10 |
| 05024354001 | 172716 | | TX 20 | 96 | 19 | 3 3/4" | 3/4" | 10 |
| 05024355001 | 172723 | | TX 25 | 104 | 21 | 4 1/8" | 27/32" | 10 |
| 05024356001 | 172730 | | TX 27 | 112 | 22 | 4 7/16" | 29/32" | 10 |
| 05024357001 | 172747 | | TX 30 | 122 | 24 | 4 13/16" | 1" | 10 |
| 05024358001 | 172754 | | TX 40 | 132 | 27 | 5 3/16" | 1 1/16" | 10 |

¹⁾Product without bore hole at the short end and without ball-end at the long arm.

²⁾Product without ball-end at the long arm.

967 SXL TORX® L-key Multicolour, long

- Long version

967 SXL TORX® L-key Multicolour, long



| Code | EAN | | ⊕ | L ₁ | L ₂ | L ₃ | L ₄ | |
|-------------|--------|--|-------|----------------|----------------|----------------|----------------|----|
| | | | | mm | mm | | | |
| 05024481001 | 194275 | | TX 8 | 90 | 16 | 3 1/2" | 5/8" | 10 |
| 05024482001 | 194282 | | TX 9 | 101 | 16 | 4" | 5/8" | 10 |
| 05024483001 | 194299 | | TX 10 | 112 | 19 | 4 7/16" | 3/4" | 10 |

967 XL HF TORX® L-key with holding function, long

- Holding function for recessed TORX® screws

967 XL HF TORX® L-key with holding function, long



| Code | EAN | ⊕ | L ₁ | L ₂ | L ₃ | L ₄ | |
|-------------|--------|-------|----------------|----------------|----------------|----------------|----|
| | | | mm | mm | | | |
| 05024451001 | 193674 | TX 8 | 90 | 16 | 3 1/2" | 5/8" | 10 |
| 05024452001 | 193681 | TX 9 | 101 | 16 | 4" | 5/8" | 10 |
| 05024453001 | 193698 | TX 10 | 112 | 19 | 4 7/16" | 3/4" | 10 |
| 05024454001 | 193704 | TX 15 | 123 | 21 | 4 7/8" | 27/32" | 10 |
| 05024455001 | 193711 | TX 20 | 137 | 24 | 5 3/8" | 1" | 10 |
| 05024456001 | 193728 | TX 25 | 154 | 27 | 6 1/16" | 1 1/16" | 10 |
| 05024457001 | 193735 | TX 27 | 172 | 31 | 6 3/4" | 1 1/4" | 10 |
| 05024458001 | 193742 | TX 30 | 195 | 37 | 7 11/16" | 1 7/16" | 10 |
| 05024459001 | 193759 | TX 40 | 224 | 42 | 9" | 1 11/16" | 10 |

967 PKXL TORX® L-key, long

- TORX® ballpoint on the long arm

967 PKXL TORX® L-key, long



| Code | EAN | ⊕ | L ₁ | L ₂ | L ₃ | L ₄ | |
|-------------|--------|-------|----------------|----------------|----------------|----------------|----|
| | | | mm | mm | | | |
| 05024464001 | 194084 | TX 15 | 123 | 21 | 4 7/8" | 27/32" | 10 |
| 05024465001 | 194091 | TX 20 | 137 | 24 | 5 3/8" | 1" | 10 |
| 05024466001 | 194107 | TX 25 | 154 | 27 | 6 1/16" | 1 1/16" | 10 |
| 05024467001 | 194114 | TX 27 | 172 | 31 | 6 3/4" | 1 1/4" | 10 |
| 05024468001 | 194121 | TX 30 | 195 | 37 | 7 11/16" | 1 7/16" | 10 |
| 05024469001 | 194138 | TX 40 | 224 | 42 | 9" | 1 11/16" | 10 |

967 XL TORX® L-key, long

- Long design

967 XL TORX® L-key, long



| | EAN | | | | | | |
|-------------|---------|-------|-----|----|---------|------|----|
| Code | 4013288 | | mm | mm | | | |
| 05024461001 | 194053 | TX 8 | 90 | 16 | 3 1/2" | 5/8" | 10 |
| 05024462001 | 194060 | TX 9 | 101 | 16 | 4" | 5/8" | 10 |
| 05024463001 | 194077 | TX 10 | 112 | 19 | 4 7/16" | 3/4" | 10 |

967 PKL TORX® L-key, BlackLaser

- TORX® ballpoint on the long arm

967 PKL TORX® L-key, BlackLaser



| | EAN | | | | | | |
|---------------------------|---------|-------|-----|----|----------|---------|---|
| Code | 4013288 | | mm | mm | | | |
| 05024199001 ¹⁾ | 104939 | TX 8 | 76 | 16 | 3" | 5/8" | 5 |
| 05024100001 ¹⁾ | 035035 | TX 9 | 79 | 16 | 3 1/8" | 5/8" | 5 |
| 05024105001 ¹⁾ | 019431 | TX 10 | 85 | 17 | 3 3/8" | 21/32" | 5 |
| 05024200001 | 019547 | TX 15 | 90 | 18 | 3 1/2" | 23/32" | 5 |
| 05024202001 | 019554 | TX 20 | 96 | 19 | 3 3/4" | 3/4" | 5 |
| 05024204001 | 019561 | TX 25 | 104 | 21 | 4 1/8" | 27/32" | 5 |
| 05024206001 | 019578 | TX 27 | 112 | 22 | 4 7/16" | 29/32" | 5 |
| 05024208001 | 019585 | TX 30 | 122 | 24 | 4 13/16" | 1" | 5 |
| 05024210001 | 019592 | TX 40 | 132 | 27 | 5 3/16" | 1 1/16" | 5 |

¹⁾Product without ball-end at the long arm.

967 L TORX® HF L-key with holding function, BlackLaser

- Holding function for recessed TORX® screws

967 L TORX® HF L-key with holding function, BlackLaser



| | EAN | | | | | | |
|-------------|---------|-------|-----|----|----------|---------|---|
| Code | 4013288 | | mm | mm | | | |
| 05024160001 | 104847 | TX 8 | 76 | 16 | 3" | 5/8" | 5 |
| 05024161001 | 104922 | TX 9 | 79 | 16 | 3 1/8" | 5/8" | 5 |
| 05024162001 | 104854 | TX 10 | 85 | 17 | 3 1/4" | 21/32" | 5 |
| 05024163001 | 104861 | TX 15 | 90 | 18 | 3 1/2" | 23/32" | 5 |
| 05024164001 | 104878 | TX 20 | 96 | 19 | 3 3/4" | 3/4" | 5 |
| 05024165001 | 104885 | TX 25 | 104 | 21 | 4 1/8" | 27/32" | 5 |
| 05024166001 | 104892 | TX 27 | 112 | 22 | 4 7/16" | 29/32" | 5 |
| 05024167001 | 104908 | TX 30 | 122 | 24 | 4 13/16" | 1" | 5 |
| 05024168001 | 104915 | TX 40 | 132 | 27 | 5 3/16" | 1 1/16" | 5 |

967 TORX® L-key, BlackLaser



| | EAN | | | | | | |
|-------------|---------|-------|----|----|--------|---------|---|
| Code | 4013288 | | mm | mm | | | |
| 05024001001 | 019257 | TX 6 | 42 | 16 | 1 5/8" | 5/8" | 5 |
| 05024002001 | 019264 | TX 7 | 48 | 16 | 1 7/8" | 5/8" | 5 |
| 05024003001 | 019271 | TX 8 | 48 | 16 | 1 7/8" | 5/8" | 5 |
| 05024004001 | 019288 | TX 9 | 48 | 16 | 1 7/8" | 5/8" | 5 |
| 05024005001 | 019295 | TX 10 | 51 | 17 | 2" | 21/32" | 5 |
| 05024008001 | 019301 | TX 15 | 54 | 18 | 2 1/8" | 23/32" | 5 |
| 05024010001 | 019318 | TX 20 | 57 | 19 | 2 1/4" | 3/4" | 5 |
| 05024012001 | 019325 | TX 25 | 60 | 20 | 2 3/8" | 25/32" | 5 |
| 05024013001 | 019332 | TX 27 | 64 | 21 | 2 1/2" | 27/32" | 5 |
| 05024015001 | 019349 | TX 30 | 70 | 24 | 2 3/4" | 1" | 5 |
| 05024020001 | 019356 | TX 40 | 76 | 26 | 3" | 1 1/32" | 5 |



Kraftform Kompakt



Kraftform Kompakt Turbo 1

Many users would like to be able to carry out screwdriving processes faster without compromise. With a screwdriver that is precise, allows powerful screwdriving, and is much faster than a conventional screwdriver.

A part-time universal gear is the solution: Integrated in the screwdriver handle, it quadruples the working speed with smooth couplings - purely mechanically.

One hand holds the front part of the handle, the other hand turns the rear part of the handle. The turbo function can be switched on or off at the push of a button.

Turning it off is recommended for tightening and loosening with high torque, e.g. for screw connections in wood, as well as for fine adjustments. Robust, maintenance-free gear made of steel with a maximum torque of 14Nm when the turbo function is deactivated.

Thanks to the Rapidaptor bit holder, the Kraftform Turbo can be used with all conventional 1/4" hexagon bits for a wide variety of screw profiles.

With the Rapidaptor function the bits can be inserted directly and can be easily removed by pushing the sleeve forward.

- 4 times the screwdriving speed thanks to the turbo function (purely mechanical - without battery)
- Activate and deactivate the turbo function by a simple push of a button
- Turbo function especially for smooth couplings
- Can be used without the turbo function like a normal screwdriver, e.g. for timber couplings with steadily increasing torque
- Robust, maintenance-free gear made of steel

Kraftform Kompakt Turbo 1



| Code | EAN | | |
|-------------|---------|--|---|
| | 4013288 | | |
| 05057482001 | 214614 | | 1 |
| | | 826 T Kraftform Turbo 1x 1/4"x146 | |
| | | 851/4 Z PH 1x PH 1x89; 1x PH 2x89; 1x PH 3x89 | |
| | | 855/4 Z PZ 1x PZ 1x89; 1x PZ 2x89; 1x PZ 3x89 | |
| | | 867/4 Z TORX® 1x TX 10x89; 1x TX 15x89; 1x TX 20x89; 1x TX 25x89; 1x TX 30x89 | |
| | | 840/4 Z Hex-Plus 1x 3,0x89; 1x 4,0x89; 1x 5,0x89; 1x 6,0x89 | |
| | | 800/4 Z 1x 0,8x4,0x89; 1x 1,0x5,5x89; 1x 1,2x6,5x89 | |

Kraftform Kompakt Turbo Imperial 1



| Code | EAN | | |
|-------------|---------|--|---|
| | 4013288 | | |
| 05057483001 | 214621 | | 1 |
| | | 826 T Kraftform Turbo 1x 1/4"x146 | |
| | | 851/4 Z PH 1x PH 1x89; 1x PH 2x89; 1x PH 3x89 | |
| | | 867/4 Z TORX® 1x TX 10x89; 1x TX 15x89; 1x TX 20x89; 1x TX 25x89; 1x TX 30x89 | |
| | | 840/4 Z Hex-Plus 1x 3/32"x89; 1x 1/8"x89; 1x 5/32"x89; 1x 3/16"x89 | |
| | | 868/4 Square-Plus 1x # 1x89; 1x # 2x89; 1x # 3x89 | |
| | | 800/4 Z 1x 0,8x4,0x89; 1x 1,0x5,5x89; 1x 1,2x6,5x89 | |

826 T Kraftform Turbo bits handholder with Rapidaptor quick-release chuck

- 4 times the screwdriving speed thanks to the turbo function (purely mechanical - without battery)
- Activate and deactivate the turbo function by a simple push of a button
- Turbo function especially for smooth couplings
- Can be used without the turbo function like a normal screwdriver, e.g. for timber couplings with steadily increasing torque
- Robust, maintenance-free gear made of steel

826 T Kraftform Turbo bits handholder with Rapidaptor quick-release chuck



| Code | EAN | ⊕ | ⌚ | | | | | | |
|-------------|--------|------|-----|--|--|--|--|--|---|
| 05057480001 | 214591 | 1/4" | 146 | | | | | | 1 |

Kraftform Kompakt 10, 12

9 tough viscous Wera bits for universal use. Torsion design to combat premature wear.

1 holder 813 R Kraftform with Rapidaptor quick-release chuck; multi-component for high working speeds and particularly ergonomic screwdriving.

- Kraftform holder with Rapidaptor quick-release chuck
- Torsion design of the bits against premature wear
- Tough viscous bits for universal use
- Convenient and robust storage

Kraftform Kompakt 10



| Code | EAN | | | |
|-------------|-------------------|---|--|---|
| 05056653001 | 4013288 041647 | | | 1 |
| | | ⊕ | 813 R 1x 1/4"x90 | |
| | | ⊕ | 851/1 TZ PH 1x PH 1x25; 1x PH 2x25 | |
| | | ⊕ | 855/1 TZ PZ 1x PZ 1x25; 1x PZ 2x25 | |
| | | ⊕ | 867/1 TZ TORX® 1x TX 10x25; 1x TX 15x25; 1x TX 20x25 | |
| | | ⊕ | 800/1 TZ 1x 0,5x4,0x25; 1x 1,0x5,5x25 | |

Kraftform Kompakt 12




| Code | EAN | | | |
|-------------|-------------------|---|---|---|
| 05135942001 | 4013288 155887 | | | 1 |
| | | ⊕ | 813 R 1x 1/4"x90 | |
| | | ⊕ | 851/1 J 1x PH 00x25x2,0 ¹⁾ ; 1x PH 0x25x2,5 ²⁾ ; 1x PH 1x25x3,0 | |
| | | ⊕ | 851/1 TZ PH 1x PH 2x25 | |
| | | ⊕ | 867/1 TZ TORX® 1x TX 5x25; 1x TX 6x25; 1x TX 7x25; 1x TX 8x25; 1x TX 9x25 | |

¹⁾Size 00 modified according to JCIS 00 (Japanese Camera Industrial Standard)

²⁾Size 0 modified according to JCIS 0 (Japanese Camera Industrial Standard)

Kraftform Kompakt 20 - the right tool for machine or hand



Wera compact tools enable the simultaneous use for the two types of fastening “manual” and “power tool”. The handle/interchangeable system in a compact design with various blade tips in a minimum of space make the user mobile and flexible.

Suitable for bits with 1/4" hexagon head drive as per DIN ISO 1173-C 6.3 und E 6.3 (ISO 1173) and Wera connecting series 1 and 4. Comes with an extension, bayonet, Rapidaptor technology.

Kraftform handle with non-roll feature, multi-component for particularly ergonomic screwdriving. Integrated magazine for the storage of the bits. In this way, this set replaces a 6-piece screwdriver set and reduces the equipment required to a minimum.

The profile and size of the bits are easy to recognise thanks to the Wera Take it easy Tool Finder with its colour coding and clearly visible imprint.

- Kraftform holder with bayonet blade and Rapidaptor quick-release chuck
- Kraftform handle with anti-roll feature, multi-component and integrated magazine
- Retractable bayonet blade
- Take it easy tool finder: colour coding according to profile and size
- In robust pouch

Take it easy tool finder with color markings - for quick tool identification



Kraftform Kompakt 20 Tool Finder 1 with pouch



| Code | EAN | | |
|-------------|-------------------|--|---|
| 05051016001 | 4013288 185327 | | 1 |
| | | 889/4 R 1x 1/4"x100 | |
| | | 851/1 BTZ PH 1x PH 1x25; 1x PH 2x25 | |
| | | 855/1 BTZ PZ 1x PZ 1x25; 1x PZ 2x25 | |
| | | 867/1 TORX® BTZ 1x TX 25x25 | |
| | | 800/1 BTZ 1x 0,8x5,5x25 | |

Kraftform Kompakt 20 Tool Finder 2 with pouch

13-piece Kraftform Kompakt set with 6x 25mm long and 6x 89mm long bits. Wera's compact tools allow the simultaneous use of both types of screw connections; “hand” or “machine”.

The handle blade-change system in a compact design with different compact blade tips makes the user mobile and flexible. Suitable for bits with 1/4" hexagonal drive as per DIN ISO 1173-C 6.3 and E 6.3 (ISO 1173) and Wera connection series 1 and 4.

With connecting adapter, bayonet, Rapidaptor technology, Kraftform handle with anti-roll protection, multi-components allow for particularly ergonomic screwdriving. Integrated magazine for storing 25mm long bits.

This set replaces a 12-piece screwdriver set and reduces the necessary equipment to a minimum.

Profile and size of the bits are easily recognizable due to the Wera Take it easy tool finder with its colour coding and easily visible labels.

- 6x25mm bits with Take it easy tool finder: colour coding by profile and size stamping and 6x89mm bits

Kraftform Kompakt 20 Tool Finder 2 with pouch




| Code | EAN | | |
|-------------|-------------------|--|---|
| 05051017001 | 4013288 211224 | | 1 |
| | | 889/4 R 1x 1/4"x100 | |
| | | 851/1 BTZ PH 1x PH 1x25; 1x PH 2x25 | |
| | | 855/1 BTZ PZ 1x PZ 1x25; 1x PZ 2x25 | |
| | | 867/1 TORX® BTZ 1x TX 20x25; 1x TX 25x25 | |
| | | 851/4 Z PH 1x PH 1x89; 1x PH 2x89 | |
| | | 855/4 Z PZ 1x PZ 1x89; 1x PZ 2x89 | |
| | | 867/4 Z TORX® 1x TX 20x89; 1x TX 25x89 | |

Kraftform Kompakt 20 A

- Tough viscous bits for universal use

Kraftform Kompakt 20 A



| Code | EAN | | |
|-------------|-------------------|--|---|
| 05051019001 | 4013288 100528 | | 1 |
| | | 889/4 R 1x 1/4"x100 | |
| | | 851/1 Z PH 1x PH 1x25; 1x PH 2x25 | |
| | | 855/1 Z PZ 1x PZ 1x25; 1x PZ 2x25 | |
| | | 800/1 Z 1x 1,0x5,5x25; 1x 1,2x6,5x25 | |

Kraftform Kompakt 20 with pouch



| Code | EAN | | |
|-------------|-------------------|--|---|
| 05051021001 | 4013288 098917 | | 1 |
| | | 889/4 R 1x 1/4"x100 | |
| | | 851/1 Z PH 1x PH 1x25; 1x PH 2x25 | |
| | | 855/1 Z PZ 1x PZ 1x25; 1x PZ 2x25 | |
| | | 800/1 Z 1x 1,0x5,5x25; 1x 1,2x6,5x25 | |

Kraftform Kompakt 22 with pouch



| Code | EAN | | |
|-------------|-------------------|---|---|
| 05051023001 | 4013288 098924 | | 1 |
| | | 889/4 R 1x 1/4"x100 | |
| | | 855/1 Z PZ 1x PZ 1x25; 2x PZ 2x25 | |
| | | 867/1 TORX® 1x TX 15x25; 1x TX 20x25; 1x TX 25x25 | |

Kraftform Kompakt 25 with pouch



| Code | EAN | | |
|-------------|-------------------|--|---|
| 05051024001 | 4013288 098931 | | 1 |
| | | 889/4 R 1x 1/4"x100 | |
| | | 851/1 Z PH 1x PH 1x25; 1x PH 2x25; 1x PH 3x25 | |
| | | 800/1 Z 1x 0,6x4,5x25; 1x 1,0x5,5x25; 1x 1,2x6,5x25 | |

Kraftform Kompakt 26 with pouch



| Code | EAN | | |
|-------------|-------------------|---|---|
| 05051025001 | 4013288 098948 | | 1 |
| | | 889/4 R 1x 1/4"x100 | |
| | | 851/1 Z PH 1x PH 1x25; 1x PH 2x25 | |
| | | 800/1 Z 1x 1,0x5,5x25; 1x 1,2x6,5x25 | |
| | | 868/1 Z 1x # 1x25; 1x # 2x25 | |

Kraftform Kompakt 27 Set 1

Wera compact tools with multi-component Kraftform handle for high working speeds and particularly ergonomic screwdriving. Bit magazine integrated in the handle, 6 bits with Torsion zone to prevent the bit tip from twisting at high loads. This significantly increases product life.

With Take it easy tool finder: Colour coding by profile and size stamping. Bit holder with strong permanent magnet for secure seating of the bit.

- Bit-holding handle with bit magazine
- Bit holder with strong permanent magnet which holds bits firmly
- With 6 BiTorsion bits in the magazine: Phillips-head Phillips and Pozidriv, TORX® and slotted; tough
- Take it easy tool finder: colour coding according to profile and size

Kraftform Kompakt 27 Set 1



| Code | EAN | | |
|-------------|-------------------|---|---|
| 05051510001 | 4013288 226556 | | 1 |
| | | 828/1 1x 1/4" | |
| | | 851/1 BTZ 1x PH 1x25; 1x PH 2x25 | |
| | | 855/1 BTZ 1x PZ 2x25 | |
| | | 867/1 TORX® BTZ 1x TX 20x25; 1x TX 25x25 | |
| | | 800/1 BTZ 1x 0,8x5,5x25 | |

Kraftform Kompakt 27 Set 2

- With 6 bits in the magazine: Phillips-head Phillips and slotted; tough

Kraftform Kompakt 27 Set 2



| Code | EAN | | | |
|-------------|-------------------|--|--|---|
| 05051511001 | 4013288 226587 | | | 1 |
| | | 828/1 1x 1/4" | | |
| | | 851/1 Z 1x PH 1x25; 1x PH 2x25; 1x PH 3x25 | | |
| | | 800/1 Z 1x 0,6x4,5x25; 1x 1,0x5,5x25; 1x 1,2x6,5x25 | | |

Kraftform Kompakt 27 Imperial Set 1

- With 6 bits in the magazine: Phillips-head Phillips, slotted and square head (Robertson); tough

Kraftform Kompakt 27 Imperial Set 1



| Code | EAN | | | |
|-------------|-------------------|---|--|---|
| 05051512001 | 4013288 226594 | | | 1 |
| | | 828/1 1x 1/4" | | |
| | | 851/1 Z 1x PH 1x25; 1x PH 2x25 | | |
| | | 800/1 Z 1x 1,0x5,5x25; 1x 1,2x6,5x25 | | |
| | | 868/1 Z 1x # 1x25; 1x # 2x25 | | |


Kraftform Kompakt 28 SB

Wera compact tool with multi-component Kraftform handle for high working speeds and particularly ergonomic screwdriving. Integrated bit magazine in the handle for the storage of 6 bits.

The bayonet blade can be lowered into the handle in confined screwdriving situations; it can be removed for insertion in a power tool. The retaining ring and the strong permanent magnet ensure a secure fit of the bit.


- Adaptor bayonet with stainless sleeve, retaining ring and strong permanent magnet
- Tough viscous bits for universal use

Kraftform Kompakt 28 SB



| Code | EAN | | | |
|-------------|-------------------|---|--|---|
| 05073240001 | 4013288 138927 | | | 1 |
| | | 851/1 Z PH 1x PH 1x25; 1x PH 2x25 | | |
| | | 855/1 Z PZ 1x PZ 1x25; 1x PZ 2x25 | | |
| | | 800/1 Z 1x 1,0x5,5x25; 1x 1,2x6,5x25 | | |

Kraftform Kompakt 28 Imperial 1



| Code | EAN | | | |
|-------------|-------------------|---|--|---|
| 05073241001 | 4013288 214676 | | | 1 |
| | | 851/1 Z PH 1x PH 1x25; 1x PH 2x25 | | |
| | | 868/1 Z 1x # 1x25; 1x # 2x25 | | |
| | | 800/1 Z 1x 1,0x5,5x25; 1x 1,2x6,5x25 | | |

Kraftform Kompakt 28 with pouch



| | | | | |
|-------------|--------|---------|--|---|
| Code | | EAN | | |
| | | 4013288 | | |
| 05134491001 | 175373 | | | 1 |
| | | | 851/1 Z PH 1x PH 1x25; 1x PH 2x25 | |
| | | | 855/1 Z PZ 1x PZ 1x25; 1x PZ 2x25 | |
| | | | 800/1 Z 1x 1,0x5,5x25; 1x 1,2x6,5x25 | |

Kraftform Kompakt 40 and 41

- Pouch with 89 mm-long bits
- Kraftform holder with Rapidaptor quick-release chuck
- Rapidaptor quick-release chuck allows rapid bit change
- Tough viscous bits for universal use
- Ergonomic Kraftform handle for low-fatigue working

Kraftform Kompakt 40



| | | | | |
|-------------|--------|---------|--|---|
| Code | | EAN | | |
| | | 4013288 | | |
| 05059298001 | 096319 | | | 1 |
| | | | 816 R 1x 1/4"x119 | |
| | | | 851/4 Z PH 1x PH 1x89; 1x PH 2x89 | |
| | | | 855/4 Z PZ 1x PZ 1x89; 1x PZ 2x89 | |
| | | | 800/4 Z 1x 1,0x5,5x89; 1x 1,2x6,5x89 | |

Kraftform Kompakt 41



| | | | | |
|-------------|--------|--|--|---|
| 05059299001 | 096326 | | | 1 |
| | | | 816 R 1x 1/4"x119 | |
| | | | 851/4 Z PH 1x PH 1x89; 1x PH 2x89; 1x PH 3x89 | |
| | | | 855/4 Z PZ 1x PZ 1x89; 1x PZ 2x89; 1x PZ 3x89 | |
| | | | 867/4 Z TORX® B0 1x TX 15x89; 1x TX 20x89; 1x TX 25x89; 1x TX 30x89 | |

Kraftform Kompakt 60 Torque 1.2 - 3.0 Nm

Pouch with bits in a length of 89 mm. Includes torque screwdriver 7441 with Rapidaptor quick-release chuck and multi-component Kraftform handle for low-fatigue working. Suitable for manual and power tool operations. 17-piece; compact handle/interchangeable blade system for torque-controlled tightening. Includes torque holder 7441, settings from 1.2 to 3.0 Nm. Adjustable in 0.10 Nm steps.

Simple setting of the required torque value without any special tools. Easy-to-read scale value. Rapidaptor quick-release technology for rapid bit change. Unlimited torque to loosen seized screws.

Multi-component Kraftform handle with hard and soft zones for high working speeds, whilst being easy on the hand. Includes 16 bits with a length of 89 mm and a practical pouch for tidy storage.


- Adjustable Kraftform torque screwdriver with Rapidaptor quick-release chuck
- Multi-component Kraftform handle for fast and ergonomic screwdriving
- Rapidaptor technology for rapid bit change
- Suitable for manual and power tool operations
- Practical pouch for tidy storage

Kraftform Kompakt 60 Torque 1.2 - 3.0 Nm



| Code | EAN | | |
|-------------|-------------------|---|---|
| 05059293001 | 4013288 169624 | | 1 |
| | | 7400 1x 7441, 1/4", 1,2-3,0 Nm | |
| | | 851/4 Z PH 1x PH 1x89; 1x PH 2x89; 1x PH 3x89 | |
| | | 855/4 Z PZ 1x PZ 1x89; 1x PZ 2x89; 1x PZ 3x89 | |
| | | 867/4 Z TORX® B0 1x TX 10x89; 1x TX 15x89; 1x TX 20x89; 1x TX 25x89; 1x TX 30x89 | |
| | | 800/4 Z 1x 1,0x5,5x89 | |
| | | 840/4 Z Hex-Plus 1x 3,0x89; 1x 4,0x89; 1x 5,0x89; 1x 6,0x89 | |

Kraftform Stainless - stainless steel to prevent rust



Pouch with bits in a length of 89 mm. Includes Kraftform holder 3816 R with Rapidaptor quick-release chuck and multi-component Kraftform handle for low-fatigue working. Stainless design to prevent the formation of extraneous rust.

Kraftform Kompakt 60, stainless



| Code | EAN | | |
|-------------|-------------------|--|---|
| 05071116001 | 4013288 115713 | | 1 |
| | | 3816 R 1x 1/4"x119 | |
| | | 3851/4 1x PH 1x89; 1x PH 2x89; 1x PH 3x89 | |
| | | 3855/4 1x PZ 1x89; 1x PZ 2x89; 1x PZ 3x89 | |
| | | 3867/4 TORX® B0 1x TX 10x89; 1x TX 15x89; 1x TX 20x89; 1x TX 25x89; 1x TX 30x89 | |
| | | 3800/4 1x 1,0x5,5x89 | |
| | | 3840/4 Hex-Plus 1x 3,0x89; 1x 4,0x89; 1x 5,0x89; 1x 6,0x89 | |

Kraftform Kompakt 60, imperial, stainless



| Code | EAN | | | |
|-------------|-------------------|---|--|---|
| 05071117001 | 4013288 115720 | | | 1 |
| | | ● | 3816 R 1x 1/4"x119 | |
| | | + | 3851/4 1x PH 1x89; 1x PH 2x89; 1x PH 3x89 | |
| | | ⊕ | 3867/4 TORX® B0 1x TX 10x89; 1x TX 15x89; 1x TX 20x89; 1x TX 25x89; 1x TX 30x89 | |
| | | ⊖ | 3800/4 1x 1,0x5,5x89 | |
| | | ⊙ | 3840/4 Hex-Plus 1x 3/32"x89; 1x 1/8"x89; 1x 5/32"x89; 1x 3/16"x89 | |
| | | ⊠ | 3868/4 Square-Plus 1x # 1x89; 1x # 2x89; 1x # 3x89 | |

Kraftform Kompakt 60 Tool Finder

Folding pouch with 89 mm long bits. Including 816 R Kraftform bitholding screwdriver with Rapidaptor quick-release chuck and multi-component Kraftform handle for fatigue-free working. Hard handle zones for high working speeds, while soft handle zones guarantee a high torque transfer.

Profile and size of the bits are easily recognized thanks to the Wera Take it easy tool finder with its colour codes and labels. Suitable for manual and machine operated couplings. 17-piece set.

- Take it easy tool finder: colour coding according to profile and size

Kraftform Kompakt 60 Tool Finder



| Code | EAN | | | |
|-------------|-------------------|---|--|---|
| 05059303001 | 4013288 226396 | | | 1 |
| | | ● | 816 R 1x 1/4"x119 | |
| | | + | 851/4 Z PH Take it easy 1x PH 1x89; 1x PH 2x89 | |
| | | + | 851/4 PH Ni 1x PH 3x89 | |
| | | + | 855/4 Z PZ Take it easy 1x PZ 1x89; 1x PZ 2x89 | |
| | | + | 855/4 PZ Ni 1x PZ 3x89 | |
| | | ⊕ | 867/4 Z TORX® B0 Take it easy 1x TX 10x89; 1x TX 15x89; 1x TX 20x89; 1x TX 25x89; 1x TX 30x89 | |
| | | ⊙ | 840/4 Z Hex-Plus Take it easy 1x 3,0x89; 1x 4,0x89; 1x 5,0x89 | |
| | | ⊙ | 840/4 Hex-Plus Ni 1x 6,0x89 | |
| | | ⊖ | 800/4 Z Take it easy 1x 1,0x5,5x89 | |
| | | | Hook and Loop Fastener Strip 70 1x 50,0x70,0 | |

Kraftform Kompakt 62




| Code | | EAN | | |
|-------------|--|------------------------------|---|---|
| 05059297001 | | 4013288 096302 | | 1 |
| | | 816 R | 1x 1/4"x119 | |
| | | 851/4 Z PH | 1x PH 1x89; 1x PH 2x89; 1x PH 3x89 | |
| | | 855/4 Z PZ | 1x PZ 1x89; 1x PZ 2x89; 1x PZ 3x89 | |
| | | 867/4 Z TORX® BO | 1x TX 8x89; 1x TX 10x89; 1x TX 15x89; 1x TX 20x89; 1x TX 25x89; 1x TX 27x89; 1x TX 30x89; 1x TX 40x89 | |
| | | 840/4 Z Hex-Plus BO | 1x 2,0x89; 1x 2,5x89; 1x 3,0x89; 1x 4,0x89; 1x 5,0x89; 1x 6,0x89 | |
| | | 800/4 Z | 1x 1,2x6,5x89 | |
| | | 871/4 TORQ-SET® Mplus | 1x 6x89; 1x 8x89; 1x 10x89 | |
| | | 875/4 TRI-WING® | 1x 1x89; 1x 2x89; 1x 3x89; 1x 4x89 | |
| | | 857/4 Z Spanner | 1x 4x89; 1x 6x89; 1x 8x89; 1x 10x89 | |

Bicycle Set 2

Bicycle tool set in practical pouch with 89 mm long bits. Including 816 R Kraftform bit hand-holder with Rapidaptor quick-release chuck and multi-component Kraftform handle for fatigue-free working.

Bicycle Set 2



| Code | | EAN | | |
|-------------|--|-------------------------|---|---|
| 05004171001 | | 4013288 211439 | | 1 |
| | | 816 R | 1x 1/4"x119 | |
| | | 851/4 Z PH | 1x PH 1x89; 1x PH 2x89 | |
| | | 867/4 Z TORX® | 1x TX 10x89; 1x TX 20x89; 1x TX 25x89; 1x TX 30x89 | |
| | | 840/4 Z Hex-Plus | 1x 2,0x89; 1x 2,5x89; 1x 3,0x89; 1x 4,0x89; 1x 5,0x89; 1x 6,0x89 | |
| | | K70 | 1x 50,0x70,0 | |

Kraftform Kompakt 70 Universal

32-piece set with holder 816 R Kraftform and Rapidaptor quick-release chuck; multi-component Kraftform handle for low-fatigue working. Rapidaptor universal holder with strong permanent magnet that also holds large and heavy screws securely. Together with the 30 bits, the user is equipped for almost every application.

Kraftform Kompakt 70 Universal



| Code | EAN | | |
|-------------|-------------------|---|---|
| 05057110001 | 4013288 038654 | | 1 |
| | | ● 816 R 1x 1/4"x119 | |
| | | ●● 889/4/1 K 1x 1/4"x50 | |
| | | ⊕ 851/1 TZ PH 3x PH 1x25; 3x PH 2x25; 3x PH 3x25 | |
| | | ⊕ 855/1 TZ PZ 3x PZ 1x25; 3x PZ 2x25; 3x PZ 3x25 | |
| | | ⊕ 867/1 Z TORX® B0 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25; 1x TX 40x25 | |
| | | ● 800/1 TZ 1x 0,6x4,5x25; 1x 1,0x5,5x25; 1x 1,2x6,5x25 | |
| | | ○ 840/1 Z Hex-Plus 1x 4,0x25; 1x 5,0x25; 1x 6,0x25 | |

Kraftform Kompakt 71 security



| Code | EAN | | |
|-------------|-------------------|--|---|
| 05057111001 | 4013288 038661 | | 1 |
| | | ● 816 R 1x 1/4"x119 | |
| | | ●● 889/4/1 K 1x 1/4"x50 | |
| | | ⊕ 867/1 Z TORX® B0 1x TX 7x25; 1x TX 8x25; 1x TX 9x25; 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25; 1x TX 40x25 | |
| | | ● 840/1 Z Hex-Plus B0 1x 2,0x25; 1x 2,5x25; 1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25 | |
| | | □ 868/1 Z 1x # 0x25; 1x # 1x25; 1x # 2x25; 1x # 3x25 | |
| | | ⊕ 871/1 TORQ-SET® Mplus 25 mm 1x 6x25; 1x 8x25; 1x 10x25; 1x 1/4"x25 | |
| | | ⊕ 875/1 TRI-WING® 25 mm 1x 1x25; 1x 2x25; 1x 3x25 | |
| | | ● 857/1 Z Spanner 1x 4x25; 1x 6x25; 1x 8x25; 1x 10x25 | |


Kraftform Kompakt 100

52-piece; in surface-protecting, compact textile box which is extremely robust. Low volume and weight for simplified mobility. Compact tool set with 52 screwdriving tools.

1 bit holder Rapidaptor with quick-release chuck; 1 B bit holder Rapidaptor with quick-release chuck for take-up in the power screwdriver or use in the chuck of the power drill; 30 BiTorsion bits with a length of 25 mm for long service life, tough-absorbing (BTZ), for universal use, extra hard (BTH), 12 Impaktor bits with a length of 50 mm for particularly demanding jobs, 8 L-keys with Hex-Plus profile (prevents the rounding of socket head screws) and hexagonal ballpoint on the long arm for working at angles; textile box that is very robust and durable; can be positioned upright for tidy storage on the workshop shelf; additional surface protection thanks to the outer textile material.

- Robust surface-protecting, compact, textile box
- Rapidaptor technology for rapid bit change
- BiTorsion bits in a length of 25 mm for long service life
- Impaktor bits in a length of 50 mm for particularly demanding jobs
- L-keys with Hex-Plus profile (prevents the rounding of hexagon socket screws)

Hex-Plus - lets hexagon socket screws last longer



Kraftform Kompakt 100



| Code | EAN | | |
|-------------|---------|---|---|
| | 4013288 | | |
| 05057460001 | 179968 | | 1 |
| | | ● 813 R 1x 1/4"x90 | |
| | | ● 889/4/1 K 1x 1/4"x50 | |
| | | ⊕ 851/1 BTZ PH 2x PH 1x25; 4x PH 2x25; 2x PH 3x25 | |
| | | ⊕ 851/4 IMP DC 2x PH 2x50; 1x PH 3x50 | |
| | | ⊕ 855/1 BTH PZ 2x PZ 1x25; 4x PZ 2x25; 2x PZ 3x25 | |
| | | ⊕ 855/4 IMP DC 2x PZ 2x50; 1x PZ 3x50 | |
| | | ⊕ 867/1 TORX® BTZ 2x TX 10x25; 2x TX 15x25; 3x TX 20x25; 2x TX 25x25; 2x TX 30x25; 1x TX 40x25 | |
| | | ⊕ 867/4 IMP DC 1x TX 25x50; 1x TX 30x50; 1x TX 40x50 | |
| | | ● 800/1 BTZ 1x 0,8x5,5x25; 1x 1,0x5,5x25 | |
| | | ○ 840/4 IMP DC 1x 4,0x50; 1x 5,0x50; 1x 6,0x50 | |
| | | ○ 950 PKS 1x 1,5x50 ¹⁾ ; 1x 2,0x56; 1x 2,5x63; 1x 3,0x71; 1x 4,0x80; 1x 5,0x90; 1x 6,0x100; 1x 8,0x112 | |

¹⁾Regular hexagon

Kraftform Kompakt 400

T-handle screwdriver: The ideal handle shape to allow high torque transmission in difficult tightening and loosening situations. The ergonomic shape of the handle fills the palm of the hand well, the fingers lie safely in the soft rounded handle recesses.

The whole hand makes contact with the handle and friction losses between the hand and the handle are avoided. Special surface treatment of the blades for high corrosion protection and an optimum fit in the screw head.

- T-handle screwdriver for the transmission of particularly high tightening and loosening moments
- Ergonomic 2-component handle with finger handle recesses and pleasant surface feel for very high power transmission and fatigue-free working.
- With Rapidaptor technology for lightning-fast bit changes
- Bitholders, magnetic, for easier application of the screw
- For bits with 1/4" external hexagon drive as per DIN ISO 1173-C 6.3 and E 6.3

Kraftform Kompakt 400



| Code | EAN | | | |
|-------------|-------------------|--|--|---|
| 05057470001 | 4013288 214546 | | | 1 |
| | | ● 416 R 1x 1/4"x45 | | |
| | | ⊕ 851/4 Z PH 1x PH 2x89; 1x PH 3x89 | | |
| | | ⊕ 855/4 Z PZ 1x PZ 2x89; 1x PZ 3x89 | | |
| | | ⊕ 867/4 Z TORX® 1x TX 10x89; 1x TX 15x89; 1x TX 20x89; 1x TX 25x89; 1x TX 30x89; 1x TX 40x89 | | |
| | | ○ 840/4 Z Hex-Plus 1x 3,0x89; 1x 4,0x89; 1x 5,0x89; 1x 6,0x89; 1x 8,0x89 | | |
| | | ◐ 800/4 Z 1x 1,0x5,5x89 | | |

Kraftform Kompakt 400 RA Set 1

17-piece set in a robust textile box. One 416 RA T-handle bitholding screwdriver with ratchet function and Rapidaptor quick-release chuck for 1/4" bits. The integrated ratchet with fine toothing (80 teeth/return angle 4.5°) eases and accelerates screwdriving without having to reposition the tool. The ratchet mechanism completely embedded in the handle ensures very handy and comfortable work.

With reversing lever for comfortable clockwise/counterclockwise direction change in one-hand operation. The ergonomic shape of the handle fills the ball of the hand well, the fingers lie securely in the softly rounded recessed grips. The whole hand comes into contact with the handle, friction loss between hand and handle is avoided.

Bit holder for bits with 1/4" external hexagon drive as per DIN ISO 1173-C 6.3 and E 6.3. With Rapidaptor technology for lightning-fast bit changes. 16 tough bits, 1/4", 89 mm long, for universal use.

- The integrated ratchet with fine toothing ensures fast and safe working
- Convenient working thanks to the ratchet mechanism fully embedded in the handle
- Rapidaptor bitholding screwdriver with fast-rotating sleeve for lightning-fast bit changes and high working speeds
- Fast-rotating sleeve for extremely high working speed
- Ergonomic 2-component handle with finger handle recesses and pleasant surface feel for very high power transmission and fatigue-free working
- For bits with 1/4" external hexagon drive as per DIN ISO 1173-C 6.3 and E 6.3

Kraftform Kompakt 400 RA Set 1



| Code | EAN | | | |
|-------------|-------------------|--|--|---|
| 05023471001 | 4013288 222879 | | | 1 |
| | | ● 416 RA 1x 1/4"x45 | | |
| | | ⊕ 851/4 Z 1x PH 2x89; 1x PH 3x89 | | |
| | | ⊕ 855/4 Z 1x PZ 2x89; 1x PZ 3x89 | | |
| | | ⊕ 867/4 Z TORX® 1x TX 10x89; 1x TX 15x89; 1x TX 20x89; 1x TX 25x89; 1x TX 30x89; 1x TX 40x89 | | |
| | | ○ 840/4 Z 1x 3,0x89; 1x 4,0x89; 1x 5,0x89; 1x 6,0x89; 1x 8,0x89 | | |
| | | ◐ 800/4 Z 1x 1,0x5,5x89 | | |
| | | Hook and Loop Fastener Strip 120 1x 50,0x120,0 | | |

Kraftform Kompakt 400 RA Imperial Set 1



| Code | EAN | | |
|-------------|-------------------|---|---|
| 05057473001 | 4013288 222930 | | 1 |
| | | 416 RA 1x 1/4"x45 | |
| | | 851/4 Z 1x PH 2x89; 1x PH 3x89 | |
| | | 867/4 Z TORX® 1x TX 10x89; 1x TX 15x89; 1x TX 20x89; 1x TX 25x89; 1x TX 30x89; 1x TX 40x89 | |
| | | 840/4 Z 1x 1/8"x89; 1x 5/32"x89; 1x 3/16"x89; 1x 7/32"x89; 1x 1/4"x89 | |
| | | 868/4 1x # 2x89; 1x # 3x89 | |
| | | 800/4 Z 1x 1,0x5,5x89 | |
| | | Hook and Loop Fastener Strip 120 1x 50,0x120,0 | |

Kraftform Kompakt 400 RA Set 2

9-piece set in a robust textile box. One 411 A RA T-handle adapter screwdriver with ratchet function for 1/4" sockets.

The integrated ratchet with fine toothing (80 teeth/return angle 4.5°) eases and accelerates screwdriving without having to reposition the tool. The ratchet mechanism completely embedded in the handle ensures very handy and comfortable work.


With reversing lever for comfortable clockwise/counterclockwise direction change in one-hand operation. The ergonomic shape of the handle fills the ball of the hand well, the fingers lie securely in the softly rounded recessed grips.

The whole hand comes into contact with the handle, friction loss between hand and handle is avoided. For 1/4" sockets as well as 1/4" connectors with square head drive, with ball lock. 8 Zyklop sockets with 1/4" drive.

Take it easy tool finder: With colour coding by size – for quick and easy identification of the required tool .

- Ergonomic 2-component handle with finger handle recesses and pleasant surface feel for very high power transmission and fatigue-free working
- The integrated ratchet with fine toothing ensures fast and safe working
- Reversing lever for comfortable clockwise/counterclockwise direction change
- Convenient working thanks to the ratchet mechanism fully embedded in the handle
- Fast-rotating sleeve for extremely high working speed
- 1/4" socket mounting with secure ball lock
- With Take it easy tool finder: colour coding by size

Kraftform Kompakt 400 RA Set 2



| Code | EAN | | |
|-------------|-------------------|---|---|
| 05023470001 | 4013288 222862 | | 1 |
| | | 411 A RA 1x 1/4"x45 | |
| | | 8790 HMA 1x 6,0x23,0; 1x 7,0x23,0; 1x 8,0x23,0; 1x 9,0x23,0; 1x 10,0x23,0; 1x 11,0x23,0; 1x 12,0x23,0; 1x 13,0x23,0 | |
| | | Hook and Loop Fastener Strip 120 1x 50,0x120,0 | |

Kraftform Kompakt 400 RA Imperial Set 2



| Code | EAN | | |
|-------------|-------------------|--|---|
| 05057474001 | 4013288 223364 | | 1 |
| | | 411 A RA 1x 1/4"x45 | |
| | | 8790 HMA 1x 3/16"x23,0; 1x 7/32"x23,0; 1x 1/4"x23,0; 1x 9/32"x23,0; 1x 5/16"x23,0; 1x 3/8"x23,0; 1x 7/16"x23,0; 1x 1/2"x23,0 | |
| | | Hook and Loop Fastener Strip 120 1x 50,0x120,0 | |

Kraftform Kompakt 900 Set 1

The impact screwdriver 921 combines the advantages of manual impact wrenches, compact tools and screwdrivers with pound-thru blade. The impact wrench function offers a loosening moment of up to 25 Nm.

The robust bit holder allows the mounting of different specialised bits for various screw profiles. The pound-thru blade ensures complete power transmission (zero loss). The impact wrench function and screwdriver function can be switched as required.

- Compact and robust blade screwdriver set with manually activatable impact wrench function
- For loosening stubborn screw connections
- Hammer blow impulse is converted into a rotary movement with a loosening torque of approx. 25 Nm – without loss via a pound-thru blade
- Reversible functions: impact wrench and screwdriver
- Specially hardened and extra tough bits with 1/4" external hexagon drive
- Combines the advantages of manual impact wrenches, compact tools and screwdrivers with pound-thru blade

Kraftform Kompakt 900 Set 1



| Code | EAN | | |
|-------------|-------------------|--|---|
| 05018110001 | 4013288 222176 | | 1 |
| | | 921 1x 1/4"x163,5 | |
| | | 851 S 1x PH 1x70; 1x PH 2x70; 1x PH 3x70 | |
| | | 855 S 1x PZ 1x70; 1x PZ 2x70; 1x PZ 3x70 | |
| | | 867 S TORX® 1x TX 15x70; 1x TX 20x70; 1x TX 25x70; 1x TX 30x70; 1x TX 40x70 | |
| | | 840 S Hex-Plus 1x 3,0x70; 1x 4,0x70; 1x 5,0x70; 1x 6,0x70 | |
| | | 800 S 1x 0,8x4,0x70; 1x 1,0x5,5x70; 1x 1,2x6,5x70 | |
| | | Hook and Loop Fastener Strip 120 1x 50,0x120,0 | |

855 S Pozidriv bits for impact screwdrivers


Extra tough bit suitable for Pozidriv screws. This prevents the bit from breaking prematurely and extends its service life.

Suitable for use with Wera impact screwdriver 921.

With 1/4" hexagonal drive.

- Suitable for Pozidriv screws
- Extra tough for long durability
- 1/4" hexagon drive
- For use with Wera impact screwdriver 921

855 S Pozidriv bits for impact screwdrivers



| | EAN | | □ | □ | | | |
|-------------|---------|------|----|--------|--|--|---|
| Code | 4013288 | | mm | | | | |
| 05018163001 | 222541 | PZ 1 | 70 | 2 3/4" | | | 5 |
| 05018164001 | 222558 | PZ 2 | 70 | 2 3/4" | | | 5 |
| 05018165001 | 222565 | PZ 3 | 70 | 2 3/4" | | | 5 |

867 S TORX® bits for impact screwdrivers

Extra tough bit for TORX® socket screws. This prevents the bit from breaking prematurely and extends its service life.

Suitable for use with Wera impact screwdriver 921.

With 1/4" hexagonal drive.

- For recessed TORX® screws
- Extra tough for long durability
- 1/4" hexagon drive
- For use with Wera impact screwdriver 921

867 S TORX® bits for impact screwdrivers




| | EAN | | □ | □ | | | |
|-------------|---------|-------|----|--------|--|--|---|
| Code | 4013288 | | mm | | | | |
| 05018166001 | 222572 | TX 15 | 70 | 2 3/4" | | | 5 |
| 05018167001 | 222589 | TX 20 | 70 | 2 3/4" | | | 5 |
| 05018168001 | 222596 | TX 25 | 70 | 2 3/4" | | | 5 |
| 05018169001 | 222602 | TX 30 | 70 | 2 3/4" | | | 5 |
| 05018170001 | 222619 | TX 40 | 70 | 2 3/4" | | | 5 |

Hex-Plus - lets hexagon socket screws last longer

Deformation of the screws is reduced

Above-average service life



Extra tough bit for hexagonal socket screws. This prevents the bit from breaking prematurely and extends its service life.

Suitable for use with Wera impact screwdrivers 921.

With 1/4" hexagonal drive.

- For socket head screws
- Extra tough for long durability
- Hex-Plus allows socket head screws to live longer
- 1/4" hexagon drive
- For use with Wera impact screwdriver 921

840 S Hex-Plus bits for impact screwdrivers



| | EAN | | | □ | □ | | |
|-------------|---------|-----|-------|----|--------|--|---|
| Code | 4013288 | | | mm | | | |
| 05018150001 | 222428 | 3,0 | | 70 | 2 3/4" | | 5 |
| 05018151001 | 222435 | 4,0 | | 70 | 2 3/4" | | 5 |
| 05018152001 | 222442 | 5,0 | | 70 | 2 3/4" | | 5 |
| 05018153001 | 222459 | 6,0 | | 70 | 2 3/4" | | 5 |
| 05018154001 | 222466 | | 1/8" | 70 | 2 3/4" | | 5 |
| 05018155001 | 222473 | | 5/32" | 70 | 2 3/4" | | 5 |
| 05018156001 | 222480 | | 3/16" | 70 | 2 3/4" | | 5 |
| 05018157001 | 222497 | | 1/4" | 70 | 2 3/4" | | 5 |

800 S Slotted bits for impact screwdrivers

Extra tough bit for slotted screws. This prevents the bit from breaking prematurely and extends its service life.

Suitable for use with Wera impact screwdriver 921.
With 1/4" hexagonal drive.

- For slotted screws
- Extra tough for long durability
- 1/4" hexagon drive
- For use with Wera impact screwdriver 921

800 S Slotted bits for impact screwdrivers



| | EAN | | | | | | |
|-------------|---------|-----|-----|----|--------|--|---|
| Code | 4013288 | mm | mm | mm | | | |
| 05018140001 | 222398 | 0,8 | 4,0 | 70 | 2 3/4" | | 5 |
| 05018141001 | 222404 | 1,0 | 5,5 | 70 | 2 3/4" | | 5 |
| 05018142001 | 222411 | 1,2 | 6,5 | 70 | 2 3/4" | | 5 |

868 S Square head socket bits for impact screwdrivers

Extra tough bit for square head socket screws. This prevents the bit from breaking prematurely and extends its service life.

Suitable for use with Wera impact screwdriver 921.
With 1/4" hexagonal drive.

- Suitable for square head socket screws
- Extra tough for long durability
- 1/4" hexagon drive
- For use with Wera impact screwdriver 921

868 S Square head socket bits for impact screwdrivers



| | EAN | | | | | | |
|-------------|---------|-----|----|--------|--|--|---|
| Code | 4013288 | | mm | mm | | | |
| 05018171001 | 222626 | # 1 | 70 | 2 3/4" | | | 5 |
| 05018172001 | 222633 | # 2 | 70 | 2 3/4" | | | 5 |
| 05018173001 | 222640 | # 3 | 70 | 2 3/4" | | | 5 |

Kraftform Kompakt Stubby magazine RA 1

Particularly small bitholding screwdriver with extremely short bit mounting for hard to reach areas. With ratchet function and fine toothing for a low return angle.


Easy-to-operate reversible ring (right, fixed, left). Includes 6 tough, universal bits, which are located in a magazine in the handle. The strong permanent magnet in the bit mounting ensures secure holding of the bit.

The 2-component Kraftform handle with the practical combination of hard and soft zones allows for a firm grip and precise working.

Take it easy tool finder: With size stamping and colour coding by output to help you find the required bit easily.

- Short, compact Stubby shape for working in tight installation spaces, with 6 bits in the integrated magazine
- Ergonomic 2-component Kraftform handle for precise work
- Ratchet function with fine toothing for a low return angle and reversible ring (right, fixed, left)
- Captive and swiveling bit magazine for easy removal and safe storage of bits
- Take it easy tool finder: colour coding according to profile and size

Kraftform Kompakt Stubby magazine RA 1




| Code | EAN | | |
|-------------|---------|---|---|
| 05008883001 | 4013288 | | 1 |
| | 221124 | | |
| | | 851/1 BTZ PH 1x PH 1x25; 1x PH 2x25 | |
| | | 867/1 TORX® BTZ 1x TX 15x25; 1x TX 20x25; 1x TX 25x25 | |
| | | 800/1 BTZ 1x 0,8x5,5x25 | |

Kraftform Kompakt Stubby magazine RA 2



| Code | EAN | | |
|-------------|-------------------|--|---|
| 05008884001 | 4013288 221131 | | 1 |
| | | ⊕ 851/1 BTZ PH 1x PH 1x25; 1x PH 2x25 | |
| | | ⊕ 855/1 BTZ PZ 1x PZ 1x25; 1x PZ 2x25 | |
| | | ⊕ 867/1 TORX® BTZ 1x TX 25x25 | |
| | | ⊖ 800/1 BTZ 1x 0,8x5,5x25 | |

Kraftform Kompakt Stubby magazine RA 3



| Code | EAN | | |
|-------------|-------------------|--|---|
| 05008885001 | 4013288 221148 | | 1 |
| | | ⊕ 851/1 Z PH 1x PH 1x25; 1x PH 2x25; 1x PH 3x25 | |
| | | ⊖ 800/1 Z 1x 0,6x4,5x25; 1x 1,0x5,5x25; 1x 1,2x6,5x25 | |

Kraftform Kompakt Stubby magazine RA 4



| Code | EAN | | |
|-------------|-------------------|---|---|
| 05008886001 | 4013288 221155 | | 1 |
| | | ⊕ 851/1 Z PH 1x PH 1x25; 1x PH 2x25 | |
| | | □ 868/1 Z 1x # 1x25; 1x # 2x25 | |
| | | ⊖ 800/1 Z 1x 1,0x5,5x25; 1x 1,2x6,5x25 | |

Kraftform Kompakt Stubby magazine

Particularly small bitholding screwdriver with short bit mounting for hard to reach areas. Includes 6 bits, which are located in a magazine in the handle.

With only 65mm total length, the Kraftform Kompakt Stubby is a real mini screwdriving workshop. The strong permanent magnet in the bit mounting ensures secure holding of the bit.

The 2-component handle with the practical combination of hard and soft zones allows for a firm grip and precise working. Take it easy tool finder: With size stamping and colour coding by output to find the required bit easily.

- Short, compact Stubby shape for working in tight installation spaces, with 6 bits in the integrated magazine
- Ergonomic 2-component Kraftform handle for precise work
- 1/4" bit mounting with strong permanent magnet
- Captive and swiveling bit magazine for easy removal and safe storage of bits
- Take it easy tool finder: colour coding according to profile and size

Kraftform Kompakt Stubby magazine 1




| Code | EAN | | |
|-------------|-------------------|--|---|
| 05008873001 | 4013288 217769 | | 1 |
| | | ⊕ 851/1 BTZ PH 1x PH 1x25; 1x PH 2x25 | |
| | | ⊕ 867/1 TORX® BTZ 1x TX 15x25; 1x TX 20x25; 1x TX 25x25 | |
| | | ⊖ 800/1 BTZ 1x 0,8x5,5x25 | |

Kraftform Kompakt Stubby magazine 2





| Code | EAN | | |
|-------------|-------------------|---|---|
| 05008874001 | 4013288 217776 | | 1 |
| | | ⊖ 800/1 BTZ 1x 0,8x5,5x25; 1x 1,2x6,5x25 | |
| | | ⊕ 851/1 BTZ PH 1x PH 1x25; 1x PH 2x25 | |
| | | ⊕ 855/1 BTZ PZ 1x PZ 1x25; 1x PZ 2x25 | |

Kraftform Kompakt Stubby magazine 3



| | | | | |
|--|-------------|-------------------|--|---|
| | Code | EAN | | |
| | 05008875001 | 4013288 217783 | | 1 |
| | | | 867/1 TORX® BTZ 1x TX 15x25; 1x TX 20x25; 1x TX 25x25 | |

Kraftform Kompakt Stubby magazine 4



| | | | | |
|--|-------------|-------------------|--|---|
| | Code | EAN | | |
| | 05008877001 | 4013288 219800 | | 1 |
| | | | 851/1 Z PH 1x PH 1x25; 1x PH 2x25; 1x PH 3x25 | |
| | | | 800/1 Z 1x 0,6x4,5x25; 1x 1,0x5,5x25; 1x 1,2x6,5x25 | |

Kraftform Kompakt Stubby magazine 5



| | | | | |
|--|-------------|-------------------|---|---|
| | Code | EAN | | |
| | 05008878001 | 4013288 219817 | | 1 |
| | | | 800/1 Z 1x 1,0x5,5x25; 1x 1,2x6,5x25 | |
| | | | 851/1 Z PH 1x PH 1x25; 1x PH 2x25 | |
| | | | 868/1 Z 1x # 1x25; 1x # 2x25 | |

Kraftform Kompakt Stubby 1


Handle/interchangeable blade system for lightning fast replacement of the required blade. Especially small bit-holding Stubby screwdriver handle with short blade for hard to reach areas. Suitable for the mounting of bits with 1/4" hexagon drive as per DIN ISO 1173-C 6.3 and Wera connection series 1.

With strong permanent magnet, which also holds large and heavy screws. The 2-component Kraftform handle with its practical combination of hard and soft zones allows for a firm grip and precise working.

High-quality BiTorsion bits with BiTorsion zone to prevent twisting of the bit tip under high loads. This significantly increases product life. Compact, textile box with high robustness, low weight and volume. Suitable for docking with the Wera 2go system.

- Handle/interchangeable blade system for rapid exchange of the blade
- Stubby bit hand holder: short compact shape for working in confined spaces
- Ergonomic 2-component Kraftform handle for precise work
- Bits with BiTorsion zone to cushion load peaks
- Take it easy tool finder: colour coding according to profile and size

Kraftform Kompakt Stubby 1



| | | | | |
|--|-------------|-------------------|---|---|
| | Code | EAN | | |
| | 05057471001 | 4013288 214553 | | 1 |
| | | | 811/1 Stubby 1x 1/4" | |
| | | | 851/1 BTZ PH 1x PH 1x25; 1x PH 2x25 | |
| | | | 855/1 BTZ PZ 1x PZ 1x25; 1x PZ 2x25 | |
| | | | 867/1 TORX® BTZ 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25 | |
| | | | 840/1 BTZ Hex-Plus 1x 2,0x25; 1x 2,5x25; 1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 5,5x25 | |
| | | | 800/1 BTZ 1x 0,8x5,5x25; 1x 1,0x5,5x25; 1x 1,2x6,5x25 | |

Bicycle set 11

Stubby magazine for quick operations on the bike. Particularly small bit hand-holder with short bit mounting for hard to reach areas. Includes 7 stainless steel bits, 6 of which are located in a magazine in the handle and one in the bit holder.

The 2-component Kraftform handle with the practical combination of hard and soft zones allows for a firm grip and precise working.

Take it easy tool finder: With size stamping and colour coding by output to help you find the required bit easily.

- Short compact Stubby shape for working in tight installation spaces with 7 included bits
- Ergonomic 2-component Kraftform handle for precise work
- Stainless Steel Bits
- Captive and swiveling bit magazine for easy removal and safe storage of bits
- Take it easy tool finder: colour coding according to profile and size

Bicycle set 11



| Code | | EAN | | |
|-------------|--|-------------------|---|---|
| 05004179001 | | 4013288 220714 | | 1 |
| | | + | 3851/1 TS PH 1x PH 1x25 | |
| | | * | 3867/1 TS TORX® 1x TX 10x25; 1x TX 25x25 | |
| | | ○ | 3840/1 TS 1x 2,5x25; 1x 3,0x25; 1x 4,0x25; 1x 5,0x25 | |

Bicycle set 5

Particularly small bitholding screwdriver with extremely short bit mounting for hard to reach areas. With ratchet function and fine toothing for a low return angle.


Easy-to-operate reversible ring (right, tight, left). Includes 7 stainless steel bits, 6 of which are located in a magazine in the handle and one in the bit holder. The strong permanent magnet in the bit mounting ensures secure holding of the bit.

The 2-component Kraftform handle with the practical combination of hard and soft zones allows for a firm grip and precise working.

Take it easy tool finder: With size stamping and colour coding by output to help you find the required bit easily.

- Short compact Stubby shape with magazine for working in tight installation spaces, including 7 stainless steel bits
- Ergonomic 2-component Kraftform handle for precise work
- Ratchet function with fine toothing for a low return angle and reversible ring (right, tight, left)
- Captive and swiveling bit magazine for easy removal and safe storage of bits
- Take it easy tool finder: colour coding according to profile and size

Bicycle set 5



| Code | | EAN | | |
|-------------|--|-------------------|---|---|
| 05004185001 | | 4013288 221162 | | 1 |
| | | + | 3851/1 TS PH 1x PH 1x25 | |
| | | * | 3867/1 TS TORX® 1x TX 10x25; 1x TX 25x25 | |
| | | ○ | 3840/1 TS 1x 2,5x25; 1x 3,0x25; 1x 4,0x25; 1x 5,0x25 | |

Kraftform Kompakt W 1 Maintenance

Compact tool set with the 35 most important screwdriving tools for maintenance work both indoors as well as outdoors.

Includes VDE holder with 12 VDE blades; 1 Joker double open-end wrench with holding function, limit stop, small return angle and extremely gripping teeth; the incredibly fast 1/4" Zyklop Speed ratchet and accessories; 8 manual and power tool sockets, sizes 5.5-13,

1 universal bit holder; 7 bits in a length of 25 mm; 1 screw gripper for firmly holding screws; 1 single-pole phase tester 247; textile box, very robust and durable; can be positioned upright in the workshop shelf for convenient storage; additional surface protection thanks to the textile outer material; low weight and volume for simplified mobility.

- Incredibly fast 1/4" Zyklop Speed ratchet with pivoting ratchet head and 5 predefined locking positions
- Manual and power tool sockets (non-impact) with ball-stop groove and knurling at lower end for more grip
- Joker double open-end wrench with holding function, limit stop, small return angle and extremely gripping teeth
- VDE-insulated Kraftform holder and interchangeable blades
- Set in robust textile box

Kraftform Kompakt W 1 Maintenance



| Code | EAN | | |
|-------------|---------|---|---|
| | 4013288 | | |
| 05135926001 | 178336 | | 1 |
| | | 817 VDE 1x 9x102 | |
| | | KK 60 i 1x 0,4x2,5x154 | |
| | | KK 60 iS 1x 0,6x3,5x154; 1x 0,8x4,0x154; 1x 1,0x5,5x154 | |
| | | KK 62 iS 1x PH 1x154; 1x PH 2x154 | |
| | | KK 65 iS PZ 1x PZ 1x154; 1x PZ 2x154 | |
| | | KK 67 i TORX® 1x TX 10x154 | |
| | | KK 67 iS TORX® 1x TX 15x154; 1x TX 20x154; 1x TX 25x154 | |
| | | 1440 1x 4,5 - 6,0x41,0 | |
| | | 247 1x 0,5x3,0x70 | |
| | | 6002 Joker Double 1x 10x13x167 | |
| | | 8000 A 1x 1/4"x152,0 | |
| | | 8784 A1 1x 1/4"x1/4"x37,0 | |
| | | 8794 SA 1x 1/4"x75,0 | |
| | | 8790 HMA 1x 5,5x23,0; 1x 6,0x23,0; 1x 7,0x23,0; 1x 8,0x23,0; 1x 10,0x23,0; 1x 11,0x23,0; 1x 12,0x23,0; 1x 13,0x23,0 | |
| | | 893/4/1 K 1x 1/4"x50 | |
| | | 855/1 Z PZ 1x PZ 1x25; 1x PZ 2x25 | |
| | | 840/1 Z Hex-Plus 1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25 | |
| | | 867/1 TORX® 1x TX 25x25 | |

*Product not available in the USA and Canada.

Kraftform Kompakt W 2 Maintenance



| Code | EAN | | |
|-------------|--------|--|---|
| 05135870001 | 209542 | | 1 |
| | | ● 817 VDE 1x 9x102 | |
| | | ● KK 60 i 1x 0,4x2,5x154 | |
| | | ● KK 60 iS 1x 0,6x3,5x154; 1x 0,8x4,0x154; 1x 1,0x5,5x154 | |
| | | ⊕ KK 62 iS 1x PH 1x154; 1x PH 2x154 | |
| | | ⊕ KK 67 i TORX® 1x TX 10x154 | |
| | | ⊕ KK 67 iS TORX® 1x TX 15x154; 1x TX 20x154; 1x TX 25x154 | |
| | | ⊕ KK 65 iS PZ 1x PZ 1x154; 1x PZ 2x154 | |
| | | 1440 1x 4,5 - 6,0x41,0 | |
| | | ● 335 1x 0,4x2,5x60 ¹⁾ | |
| | | 6002 Joker Double 1x 10x13x167 | |
| | | □ 8000 A 1x 1/4"x152,0 | |
| | | ● 8784 A1 1x 1/4"x1/4"x37,0 | |
| | | ● 8794 SA 1x 1/4"x75,0 | |
| | | ● 8790 HMA 1x 5,5x23,0; 1x 6,0x23,0; 1x 7,0x23,0; 1x 8,0x23,0; 1x 10,0x23,0; 1x 11,0x23,0; 1x 12,0x23,0; 1x 13,0x23,0 | |
| | | ● 893/4/1 K 1x 1/4"x50 | |
| | | ⊕ 851/1 Z PH 1x PH 1x25; 1x PH 2x25 | |
| | | ○ 840/1 Z Hex-Plus 1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25 | |
| | | ⊕ 867/1 TORX® 1x TX 25x25 | |

¹⁾without Lasertip

Kraftform Kompakt W Imperial 1 Maintenance



| Code | EAN | | |
|-------------|--------|---|---|
| 05135871001 | 209559 | | 1 |
| | | ● 817 VDE 1x 9x102 | |
| | | ● KK 60 i 1x 0,4x2,5x154 | |
| | | ● KK 60 iS 1x 0,6x3,5x154; 1x 0,8x4,0x154; 1x 1,0x5,5x154 | |
| | | ⊕ KK 62 iS 1x PH 1x154; 1x PH 2x154 | |
| | | ⊕ KK 67 i TORX® 1x TX 10x154 | |
| | | ⊕ KK 67 iS TORX® 1x TX 15x154; 1x TX 20x154; 1x TX 25x154 | |
| | | □ KK 68 iS 1x # 1x154; 1x # 2x154 | |
| | | ● 335 1x 0,4x2,5x60 ¹⁾ | |
| | | 1440 1x 4,5 - 6,0x41,0 | |
| | | 6000 Joker Imperial 1x 1/2"x177 | |
| | | □ 8000 A 1x 1/4"x152,0 | |
| | | ● 8790 HMA 1x 7/32"x23,0; 1x 1/4"x23,0; 1x 9/32"x23,0; 1x 5/16"x23,0; 1x 3/8"x23,0; 1x 7/16"x23,0; 1x 1/2"x23,0; 1x 9/16"x23,0 | |
| | | ● 8784 A1 1x 1/4"x1/4"x37,0 | |
| | | ● 8794 SA 1x 1/4"x75,0 | |
| | | ● 893/4/1 K 1x 1/4"x50 | |
| | | ⊕ 851/1 Z PH 1x PH 1x25; 1x PH 2x25 | |
| | | ○ 840/1 Z Hex-Plus 1x 1/8"x25; 1x 9/32"x25; 1x 7/32"x25; 1x 1/4"x25 | |
| | | ⊕ 867/1 TORX® 1x TX 25x25 | |

¹⁾without Lasertip

Kraftform Kompakt H 1 Woodcraft

Compact tool set with the 41 most important screwdriving tools for applications involving wood. Includes the bit ratchet Zyklop Mini with extension and socket adaptor; 8 manual and power tool sockets, sizes 5.5-13, 1 ratchet holder 816 RA with ratcheting function, fine-pitched teeth for small return angle, switchover ring (right, fixed, left), maximum torque 50 Nm and bit take-up with the Rapidaptor technology; 1 universal bit holder; 6 bits in a length of 25 mm; 16 bits of a length of 89 mm; 5 wood twist drill bits with a diameter of 3-8 mm; 1 screw gripper for firmly holding screws; 1 single-pole phase tester 247; textile box, very robust and durable; can be positioned upright in the workshop shelf for convenient storage; additional surface protection thanks to the textile outer material; low weight and volume for simplified mobility.

- Robust Zyklop Mini ratchet suitable for take-up of bits and sockets
- Torque of over 65 Nm thanks to fine-pitched ratchet mechanism and small return angle of 6°
- Ratcheting screwdriver with Rapidaptor technology for rapid bit change
- High quality wood twist drill bits for drilling soft wood, hard wood and laminated panel material
- Set in robust textile box

Kraftform Kompakt H 1 Woodcraft



| Code | EAN | | |
|-------------|-------------------|--|---|
| 05135939001 | 4013288 178350 | | 1 |
| | | ● 816 RA 1x 1/4"x142,0 | |
| | | ● 8001 A 1x 1/4"x87,0 | |
| | | ○ 870/1 1x 1/4"x25 ¹⁾ | |
| | | ● 8794 SA 1x 1/4"x75,0 | |
| | | ● 8790 HMA 1x 5,5x23,0; 1x 6,0x23,0; 1x 7,0x23,0; 1x 8,0x23,0; 1x 10,0x23,0; 1x 12,0x23,0; 1x 13,0x23,0 | |
| | | ● 893/4/1 K 1x 1/4"x50 | |
| | | ⊕ 851/4 Z PH 1x PH 1x89; 1x PH 2x89; 1x PH 3x89 | |
| | | ⊕ 855/4 Z PZ 1x PZ 1x89; 1x PZ 2x89; 1x PZ 3x89 | |
| | | ⊕ 855/1 Z PZ 1x PZ 1x25; 1x PZ 2x25; 1x PZ 3x25 | |
| | | ⊕ 867/4 Z TORX® BO 1x TX 10x89; 1x TX 15x89; 1x TX 20x89; 1x TX 25x89; 1x TX 30x89 | |
| | | ⊕ 867/1 TORX® 1x TX 20x25; 1x TX 25x25 | |
| | | ○ 840/4 Z Hex-Plus 1x 3,0x89; 1x 4,0x89; 1x 5,0x89; 1x 6,0x89 | |
| | | ● 800/4 Z 1x 1,0x5,5x89 | |
| | | ● 800/1 Z 1x 1,0x5,5x25 | |
| | | ⊗ 849 HSS 1x 3,0x70,0; 1x 4,0x74,0; 1x 5,0x85,0; 1x 6,0x95,0; 1x 8,0x110,0 | |
| | | ● 247 1x 0,5x3,0x70 | |
| | | 1441 1x 4,5 - 6,0x41,0 | |

¹⁾ With friction ball; for manual nut spinner sockets
²⁾ Product not available in the USA and Canada.

Kraftform Kompakt M 1 Metal

Compact tool set with the 39 most important screwdriving tools for jobs on metal. Includes the incredibly fast 1/4" Zyklop Speed ratchet and accessories; 7 manual and power tool sockets, sizes 5.5-13, 1 universal bit holder;

13 bits in a length of 89 mm; 6 metal twist drill bits with diameter of 3-10 mm; 1 screw gripper for firmly holding screws; 1 single-pole phase tester 247; textile box, very robust and durable; can be positioned upright in the workshop shelf for convenient storage; additional surface protection thanks to the textile outer material; low weight and volume for simplified mobility.

Kraftform Kompakt M 1 Metal



| Code | EAN | | |
|-------------|-------------------|--|---|
| 05135928001 | 4013288 178367 | | 1 |
| | | □ 8000 A 1x 1/4"x152,0 | |
| | | ● 8794 LA 1x 1/4"x150,0 | |
| | | ● 8794 A 1x 1/4"x56,0 | |
| | | ● 8784 A1 1x 1/4"x1/4"x37,0 | |
| | | ● 816 R 1x 1/4"x119 | |
| | | ● 8790 HMA 1x 5,5x23,0; 1x 6,0x23,0; 1x 7,0x23,0; 1x 8,0x23,0; 1x 10,0x23,0; 1x 12,0x23,0; 1x 13,0x23,0 | |
| | | ⊕ 851/4 Z PH 1x PH 1x89; 1x PH 2x89; 1x PH 3x89 | |
| | | ○ 840/4 Z Hex-Plus 1x 3,0x89; 1x 4,0x89; 1x 5,0x89; 1x 6,0x89 | |
| | | ⊛ 867/4 Z TORX® 1x TX 10x89; 1x TX 15x89; 1x TX 20x89; 1x TX 25x89; 1x TX 30x89 | |
| | | ⊖ 800/4 Z 1x 1,0x5,5x89 | |
| | | ⊗ 847 HSS 1x 2,5x36,0; 1x 3,3x39,0; 1x 4,2x41,0; 1x 5,0x44,0; 1x 6,8x51,0; 1x 8,5x59,0 | |
| | | ⊗ 848 HSS 1x 3,0x38,0; 1x 4,0x44,0; 1x 5,0x50,0; 1x 6,0x50,0; 1x 8,0x51,0; 1x 10,0x54,0 | |
| | | 1441 1x 4,5 - 6,0x41,0 | |
| | | ⊖ 247 1x 0,5x3,0x70 | |

*Product not available in the USA and Canada.

Kraftform Kompakt SH 1 PlumbKit

Compact tool set with the 25 most important screwdriving tools for plumbing and heating applications. Includes 2 Joker open-end wrenches, the 1/4" Zyklop ratchet and accessories, 6 x 89 mm bits, 5 multi-component Kraftform Plus screwdrivers and single-pole phase tester. Two Joker combination ratcheting wrenches with special holding plate against slipping/loss of the screw and more torque transfer; 1 Zyklop ratchet 8000 A (1/4") for fast, powerful working; 3 Zyklop sockets 8790 HMA for manual and power tools usage; 1 Zyklop adaptor 8784 A1 for bits; 6 TORX® HF bits 867/4 with holding function for TORX® screws for secure carry without any loss of the screws;

1 single-pole phase tester 247; 2 Kraftform series 100 slotted screwdrivers 160 i and 160 IS for safe work up to 1,000 volts (160 IS with reduced shaft diameter and integrated insulation protection for reaching and actuating low-lying screws and spring elements);

1 Kraftform Chiseldriver 932 A (slotted) with hex blade extending right through the handle and integrated impact cap for screwdriving and simpler chiselling work; 2 nutsetters 395 HO with hollow shaft for the tightening or loosening of screws on long bolts as well as seized screws.

Take it easy tool finder with colour coding according to profiles and size stamp – for simple and rapid accessing of the required tool.

- Joker combination ratcheting wrench with special holding plate against slipping/loss of the screw
- Zyklop Speed ratchet for fast and powerful working
- Insulated Kraftform VDE slotted screwdriver for safe work at 1,000 volts
- Kraftform Chiseldriver with hex blade extending through handle and integrated impact cap
- Hollow shaft nutspinner for nuts on protruding threaded rods



Kraftform Kompakt SH 1 PlumbKit



| Code | EAN | | |
|-------------|--------|--|---|
| 05135927001 | 170132 | | 1 |
| | | 6000 Joker 1x 10x159; 1x 13x177 | |
| | | 8000 A 1x 1/4"x152,0 | |
| | | 8790 HMA 1x 7,0x23,0; 1x 10,0x23,0; 1x 13,0x23,0 | |
| | | 8784 A1 1x 1/4"x1/4"x37,0 | |
| | | 867/4 TORX® HF 1x TX 10x50; 1x TX 15x50; 1x TX 20x50; 1x TX 25x50; 1x TX 30x50; 1x TX 40x50 ¹⁾ | |
| | | 851/4 Z PH 1x PH 1x89; 1x PH 2x89 | |
| | | 840/4 Z Hex-Plus 1x 3,0x89; 1x 4,0x89; 1x 5,0x89; 1x 6,0x89 | |
| | | 247 1x 0,5x3,0x70 | |
| | | 160 iS 1x 0,6x3,5x100 | |
| | | 160 i VDE 1x 1,0x5,5x125 | |
| | | 932 A 1x 1,2x7,0x125 | |
| | | 395 H0 1x 10,0x90; 1x 13,0x90 | |

¹⁾ Product not available in the USA and Canada.

¹⁾ Pound-thru hexagonal; no Take it easy.

Kraftform Kompakt SH 2 PlumbKit

- 15 screwdriving tools for sanitary or heating applications in compact and robust Wera textile box
- Joker combination ratcheting wrench with special holding plate against slipping/loss of the screw
- Insulated Kraftform VDE slotted screwdriver for safe work at 1,000 volts
- Kraftform Chisel driver with hex blade extending through handle and integrated impact cap
- Hollow shaft nutspinner for nuts on protruding threaded rods

Kraftform Kompakt SH 2 PlumbKit



| Code | EAN | | |
|-------------|--------|---|---|
| 05136026001 | 204387 | | 1 |
| | | 395 H0 1x 10,0x90; 1x 13,0x90 | |
| | | 932 A 1x 1,2x7,0x125 | |
| | | 6001 Joker Switch 1x 10x159; 1x 13x179 | |
| | | 950 SPKL HF Multicolour 1x 3,0x123; 1x 4,0x137; 1x 5,0x154; 1x 6,0x172 | |
| | | 817 VDE 1x 9x102 | |
| | | KK 62 iS 1x PH 1x154; 1x PH 2x154 | |
| | | KK 60 iS 1x 0,6x3,5x154; 1x 1,0x5,5x154 | |
| | | 247 1x 0,5x3,0x70 | |
| | | K240 1x 50,0x240,0 | |

¹⁾ Product not available in the USA and Canada.

Kraftform Kompakt F 1 screwdriving tool set for window installation

Compact Wera screwdriving tool set with the 36 most important tools for window construction

- Premium 36-piece universal tool set for the professional window builder
- 393 S extra slim bit hand holder with flexible shaft for applications in hard-to-reach work spaces
- Socket wrench and bit assortment in premium Wera quality, attuned to universal window construction applications
- Compact and solid textile tool box with Wera 2go compatibility

Kraftform Kompakt F 1 screwdriving tool set for window installation



| Code | EAN | | | |
|-------------|--------|---|--|---|
| 05134013001 | 217721 | | | 1 |
| | | ● | 393 S 1x 1/4"x173,5 | |
| | | ● | 813 1x 1/4"x78 | |
| | | □ | 8001 A 1x 1/4"x87,0 | |
| | | ○ | 870/1 1x 1/4"x25 ¹⁾ | |
| | | ● | 8794 SA 1x 1/4"x75,0 | |
| | | ● | 8790 HMA 1x 7,0x23,0; 1x 8,0x23,0; 1x 10,0x23,0; 1x 13,0x23,0 | |
| | | + | 851/4 TZ PH 1x PH 1x50; 1x PH 2x50; 1x PH 3x50 | |
| | | + | 867/4 Z TORX® 1x TX 8x50; 1x TX 10x50; 1x TX 15x50; 1x TX 20x50; 1x TX 25x50; 1x TX 30x50 | |
| | | ○ | 840/4 Z Hex-Plus 1x 2,0x50; 1x 2,5x50; 1x 3,0x50; 1x 4,0x50; 1x 5,0x50; 1x 6,0x89 | |
| | | ○ | 950 SPKL Multicolour 1x 2,0x101; 1x 2,5x112 | |
| | | ○ | 950 SPKL HF Multicolour 1x 3,0x123; 1x 4,0x137; 1x 5,0x154 | |
| | | + | 967 SXL TORX® HF Multicolour 1x TX 8x90; 1x TX 10x112; 1x TX 15x123; 1x TX 20x137; 1x TX 25x154; 1x TX 30x195 | |
| | | | 6004 Joker S 1x 10-13x7/16"-1/2"x154 | |

¹⁾With friction ball; for manual nut spinner sockets

9100 guitar tool set

Guitar tool set: The set contains all the tools necessary for adjustment and maintenance repair work. Wera stainless steel angle wrench with Hex-Plus profile (sizes: 1.5, 2.0, 2.5, 5.0 and in the inch sizes 1/8", 5/32", 3/16").

Wera 89 mm long stainless steel bits for hexagon socket screws (sizes: 1.5, 2.0, 2.5), Kraftform handle for 1/4" bits, 1/4" stainless steel bits for slot (sizes: 1.8x12x41 mm, 0.6x3.5x89 mm, 1.2x8.0x89 mm), Phillips screws (sizes: PH 1x89 mm, PH 2x89 mm) and hexagon socket screws (size: 0.05"x25 mm), Wera adapter for handle (1/4" hex socket of the handle on 1/4" square of sockets), Wera Zyklop sockets (sizes 10 and 1/2"), string crank with 1/4" hex for use in the handle, Knipex® string cutter, feeler gauge, input jacker, 2 picks.

9100 guitar tool set



| Code | EAN | | | |
|-------------|--------|---|---|---|
| 05134015001 | 211675 | | | 1 |
| | | ● | 815 R 1x 1/4"x119 | |
| | | + | 3851/4 1x PH 1x89; 1x PH 2x89 | |
| | | — | 3800/1 TS 1x 1,8x12,0x41 | |
| | | — | 3800/4 1x 0,6x3,5x89; 1x 1,2x8,0x89 | |
| | | ○ | 3840/1 TS 1x 0,05"x25x1" | |
| | | ○ | 3950 PKL 1x 1,5x90; 1x 2,0x101; 1x 2,5x112; 1x 3,0x123; 1x 4,0x137; 1x 5,0x154 | |
| | | ○ | 3950 PKL inch 1x 1/8"x123; 1x 5/32"x137; 1x 3/16"x154 | |
| | | ○ | 870/1 1x 1/4"x25 ¹⁾ | |
| | | ● | 8790 HMA 1x 10,0x23,0 | |
| | | ● | 8790 HMA Deep 1x 1/2"x50,0 | |
| | | | 9103 | |
| | | | 9105 | |
| | | | 9104 | |
| | | | 9001 | |
| | | | 9102 | |
| | | | 9110 | |
| | | | KNIPEX® 74 01 140 | |

¹⁾With friction ball; for manual nut spinner sockets

Radidaptor - the amazing compact multifunction tool




High quality holder for stainless steel bits so as to avoid the formation of extraneous rust. The Radidaptor quick-release chuck enables rapid bit change without needing any special tools.

Kraftform Plus handle for pleasant, ergonomic working that makes blisters and calluses a thing of the past. Hard gripping zones for high working speeds whereas soft zones ensure high torque transfer.

Suitable for bits with 1/4" hexagon head drive as per DIN ISO 1173-C 6.3 and E 6.3 (ISO 1173).

- Solution to the extraneous rust problem: fasten stainless screws with stainless tools
- Bit handholder with Radidaptor quick-release chuck, stainless
- Secure clamping of bits
- Fast bit change
- Free-turning sleeve for guiding the power tool

Kraftform Stainless - stainless steel to prevent rust



3816 R Bit-holding screwdriver with Radidaptor quick-release chuck, stainless



| | | | | | | | | |
|-------------|---------|------|-----|--|--|--|--|---|
| | EAN | | | | | | | |
| Code | 4013288 | | mm | | | | | |
| 05051465001 | 127570 | 1/4" | 119 | | | | | 5 |

817 R Bitholding screwdriver with Radidaptor quick-release chuck

High quality bit holder. The telescopic bayonet blade, which can be lowered into the handle, together with the quick-release chuck allows fast manual work even in confined installation situations. The Radidaptor quick-release chuck enables rapid bit change without needing any special tools.

The strong permanent magnet holds the bits absolutely securely. Kraftform Plus handle for pleasant, ergonomic working that makes blisters and calluses a thing of the past. Hard gripping zones for high working speeds whereas soft zones ensure high torque transfer. Suitable for bits with 1/4" hexagon head drive as per DIN ISO 1173-C 6.3 and E 6.3 (ISO 1173).

- Retractable bayonet blade

817 R Bitholding screwdriver with Radidaptor quick-release chuck



| | | | | | | | | |
|-------------|---------|------|-----|--|--|--|--|---|
| | EAN | | | | | | | |
| Code | 4013288 | | mm | | | | | |
| 05051482001 | 103130 | 1/4" | 133 | | | | | 2 |

817 R SB Bitholding screwdriver with Radidaptor quick-release chuck



| | | | | | | | | |
|-------------|---------|--|-------|--|--|--|-------------|---|
| | EAN | | | | | | | |
| Code | 4013288 | | | | | | | |
| 05073541001 | 106025 | | 817 R | | | | 1x 1/4"x133 | 1 |

816 R Bitholding screwdriver with Rapidaptor quick-release chuck



| | | | | | | | | |
|-------------|---------|------|-----|--|--|--|--|---|
| | EAN | | | | | | | |
| Code | 4013288 | | mm | | | | | |
| 05051462001 | 099617 | 1/4" | 119 | | | | | 5 |

816 R SB Bitholding screwdriver with Rapidaptor quick-release chuck



| | | | | | | | | |
|-------------|---------|--|-------------|--|--|--|--|---|
| | EAN | | | | | | | |
| Code | 4013288 | | | | | | | |
| 05073540001 | 106032 | | 816 R | | | | | 1 |
| | | | 1x 1/4"x119 | | | | | |

813 R Bitholding screwdriver with Rapidaptor quick-release chuck



| | | | | | | | | |
|-------------|---------|------|----|--|--|--|--|---|
| | EAN | | | | | | | |
| Code | 4013288 | | mm | | | | | |
| 05051272001 | 103123 | 1/4" | 90 | | | | | 2 |

393 S Bitholding screwdriver extra slim with flexible shaft

Screwdriver with bendable shaft to reach hard-to-reach areas. Thanks to the construction with a particularly slim bit holder, different screw profiles can be operated, even in very narrow work spaces. Multi-component Kraftform handle for high work speed and especially ergonomic screwdriving. With hexagon anti-roll protection to avoid rolling away.

- Flexible, bendable shaft
- Secure bit holding feature due to locking mechanism. With strong permanent magnet.
- Compact stainless steel holder for bits with 1/4"- external hexagon drive as per DIN 3126, ISO 1173 Form C 6.3 and E 6,3
- Multi-component Kraftform handle for fast and ergonomic screw-driving

393 S Bitholding screwdriver extra slim with flexible shaft



| | | | | | | | | |
|-------------|---------|------|-------|----|----------|--|--|---|
| | EAN | | | | | | | |
| Code | 4013288 | | mm | mm | | | | |
| 05028161001 | 217660 | 1/4" | 173,5 | 98 | 6 53/64" | | | 5 |

392 Bitholding screwdriver with flexible shaft

High quality bit holder with flexible shaft by Wera. Multi-component Kraftform handle for high working speeds and particularly ergonomic screwdriving.

Kraftform Plus: hard gripping zones for high working speeds whereas soft zones ensure high torque transfer. Comes with quick-release chuck for rapid bit change and hexagonal anti-roll feature that prevents any rolling away. Suitable for the insertion of bits with 1/4" hexagon head drive as per DIN ISO 1173-C 6.3.

- Bit holder with flexible shaft and quick-release chuck
- Flexible, circular blade

392 Bitholding screwdriver with flexible shaft



| | | | | | | | | |
|-------------|---------|------|-----|----|----|--|--|---|
| | EAN | | | | | | | |
| Code | 4013288 | | mm | mm | | | | |
| 05028160001 | 041418 | 1/4" | 177 | 98 | 7" | | | 5 |

813 Bitholding screwdriver

- Bit holder for bits with 1/4" hexagon drive
- Magnetic

813 Bitholding screwdriver



| | EAN | | | | | |
|-------------|---------|------|----|----|--|---|
| Code | 4013288 | | mm | mm | | |
| 05051274001 | 175656 | 1/4" | 78 | 68 | | 3 |

812/1 Bitholding screwdriver with strong permanent magnet

- Hexagonal blade, chrome-plated
- Stainless sleeve with strong permanent magnet for secure fit of the bit

812/1 Bitholding screwdriver with strong permanent magnet



| | EAN | | | | | |
|-------------|---------|------|-----|-----|------|--------|
| Code | 4013288 | | mm | mm | mm | |
| 05051205001 | 012272 | 1/4" | 120 | 112 | 10,5 | 4 3/4" |

811/1 Stubby bits hand holder, magnetic

Especially small bit-holding Stubby screwdriver handle with short blade for hard to reach areas. Suitable for the mounting of bits with 1/4" hexagon drive as per DIN ISO 1173-C 6.3 and Wera connection series 1. With strong permanent magnet, which also holds large and heavy screws.

The 2-component Kraftform handle with its practical combination of hard and soft zones allows for a firm grip and precise working.

The hexagon anti-roll protection prevents annoying rolling away of bits in the workplace.

- Short compact shape for working in confined spaces
- Ergonomic 2-component Kraftform handle for precise work
- Hexagonal anti-roll feature against rolling away
- Magnetic bits hand holder for easier placement of the screws
- For 1/4" bits as per DIN ISO 1173-C 6.3

811/1 Stubby bits hand holder, magnetic



| | EAN | | | | | |
|-------------|---------|------|----|----|------|---|
| Code | 4013288 | | mm | mm | | |
| 05008880001 | 212375 | 1/4" | 10 | 54 | 3/8" | 2 |

810/1 Bitholding screwdriver with retaining ring

- Bit holder with retaining ring for bits with 1/4" hexagon drive

810/1 Bitholding screwdriver with retaining ring



| | EAN | | | | | |
|-------------|---------|------|-----|-----|------|--------|
| Code | 4013288 | | mm | mm | mm | |
| 05051005001 | 012258 | 1/4" | 120 | 112 | 10,5 | 4 3/4" |

Kraftform Kompakt Vario with Ratchet Function

High quality bit holder. Includes a ratchet: fine-toothing with a small return angle, switchover (right, fixed, left), maximum torque of up to 50 Newton metres.

The Rapidaptor quick-release chuck enables rapid bit change without needing any special tools. The strong permanent magnet holds the bits absolutely securely. Kraftform Plus handle for pleasant, ergonomic working that makes blisters and calluses a thing of the past.

Hard gripping zones for high working speeds whereas soft zones ensure high torque transfer. Suitable for bits with 1/4" hexagon head drive as per DIN ISO 1173-C 6.3 and E 6.3 (ISO 1173).

- Ratcheting screwdriver with Rapidaptor technology for rapid bit change
- Ratchet with fine-pitched toothing for a low return angle
- Switchover (right, fixed, left)
- Maximum torque of up to 50 Newton metres
- Multi-component Kraftform handle for fast and ergonomic screwdriving

816 RA Ratchet screwdriver



| Code | EAN | ⌀ | ℓ | | | | | | |
|-------------|--------|------|-------|--|--|--|--|--|---|
| 05051461001 | 156280 | 1/4" | 142,0 | | | | | | 1 |

Kraftform Kompakt 60 RA



| Code | EAN | ⌀ | ℓ | | | | | | |
|-------------|--------|---|---|--|--|--|--|--|---|
| 05051040001 | 155290 | | | | | | | | 1 |
| | | ● | 816 RA 1x 1/4"x142,0 | | | | | | |
| | | + | 851/4 Z PH 1x PH 1x89; 1x PH 2x89; 1x PH 3x89 | | | | | | |
| | | + | 855/4 Z PZ 1x PZ 1x89; 1x PZ 2x89; 1x PZ 3x89 | | | | | | |
| | | ⊗ | 867/4 Z TORX® B0 1x TX 10x89; 1x TX 15x89; 1x TX 20x89; 1x TX 25x89; 1x TX 30x89 | | | | | | |
| | | ⊖ | 800/4 Z 1x 1,0x5,5x89 | | | | | | |
| | | ○ | 840/4 Z Hex-Plus 1x 3,0x89; 1x 4,0x89; 1x 5,0x89; 1x 6,0x89 | | | | | | |

Kraftform Kompakt 60 RA, imperial



| Code | EAN | ⌀ | ℓ | | | | | | |
|-------------|--------|---|---|--|--|--|--|--|---|
| 05051041001 | 155306 | | | | | | | | 1 |
| | | ● | 816 RA 1x 1/4"x142,0 | | | | | | |
| | | + | 851/4 Z PH 1x PH 1x89; 1x PH 2x89; 1x PH 3x89 | | | | | | |
| | | ⊗ | 867/4 Z TORX® B0 1x TX 10x89; 1x TX 15x89; 1x TX 20x89; 1x TX 25x89; 1x TX 30x89 | | | | | | |
| | | ⊖ | 800/4 Z 1x 1,0x5,5x89 | | | | | | |
| | | ○ | 840/4 Z Hex-Plus 1x 3/32"x89; 1x 1/8"x89; 1x 5/32"x89; 1x 3/16"x89 | | | | | | |
| | | □ | 868/4 Square-Plus 1x # 1x89; 1x # 2x89; 1x # 3x89 | | | | | | |

80 RA Vario ratchet screwdriver

Ratchet, fine-pitched toothing for a low return angle, switch-over ring (right, fixed, left), maximum torque of up to 50 Newton meters; 6 mm hexagon take-up.

Kraftform Plus handle for pleasant, ergonomic working that makes blisters and calluses a thing of the past. Hard gripping zones for high working speeds whereas soft zones ensure high torque transfer.


- Vario ratcheting screwdriver for Wera 6 mm Vario blades
- Ratchet with fine-pitched toothing for a low return angle
- Switchover ring (right, fixed, left)
- Maximum torque of up to 50 Newton metres
- Smooth hard zones for high speed turning, soft grip zones for high torque transfer

80 RA Vario ratchet screwdriver



| Code | EAN | ⌀ | ℓ | | | | | | |
|-------------|--------|---|-------|--|--|--|--|--|---|
| 05002901001 | 156242 | 6 | 115,0 | | | | | | 1 |

Kraftform Kompakt Vario RA SB



| Code | EAN | | |
|-------------|--------|---|---|
| 05073665001 | 156266 | | 1 |
| | | ○ 80 RA 1x 6x115,0 | |
| | | ⊕⊕ 85 1x PH 1xPH 2x175 | |
| | | ⊕⊕ 86 1x PZ 1xPZ 2x175 | |
| | | ⊕⊕ 87 1x TX 10xTX 15x175; 1x TX 20xTX 25x175 | |
| | | ⊕⊕ 81 1x 0,6x4,0x1,0x6,0x175 | |
| | | ○ 84 1x 4x5x175 ¹⁾ | |

¹⁾without ball-end

Kraftform Kompakt Pistol RA

Wera compact tool with multi-component Kraftform pistol handle for high working speeds and particularly ergonomic screwdriving.

Integrated bit magazine in the handle. Includes a ratchet: fine-toothing with a small return angle of only 8°, switchover (right, fixed, left), maximum torque of up to 50 Newton metres; hexagonal blade with 1/4" hexagon socket head take-up and Rapidaptor technology, magnetic. 6 bits PH, PZ and TORX® in a length of 25 mm that fit in holders as per DIN ISO 1173-D 6.3. Comes with a practical holster for belt attachment.

- Fine-toothing for a small return angle of only 8°
- Simple to use switchover ring
- Quick-release chuck with Rapidaptor technology
- Strong permanent magnet for secure fit of bits
- Multi-component Kraftform pistol handle for greater leverage effect

Kraftform Kompakt Pistol RA



| Code | EAN | | |
|-------------|--------|---|---|
| 05051030001 | 180360 | | 1 |
| | | 814 RA 1x 1/4" | |
| | | ⊕ 851/1 Z PH 1x PH 1x25; 1x PH 2x25 | |
| | | ⊕ 855/1 Z PZ 1x PZ 1x25; 1x PZ 2x25 | |
| | | ⊕ 867/1 TORX® 1x TX 20x25; 1x TX 25x25 | |

Kraftform Kompakt Pistol RA 4



| Code | EAN | | |
|-------------|--------|---|---|
| 05051031001 | 187406 | | 1 |
| | | 814 RA 1x 1/4" | |
| | | ⊕ 851/1 BTZ PH 1x PH 1x25; 1x PH 2x25 | |
| | | ⊕ 855/1 BTZ PZ 1x PZ 1x25; 1x PZ 2x25 | |
| | | ⊕ 867/1 TORX® BTZ 1x TX 20x25; 1x TX 25x25 | |
| | | ⊕ 851/4 Z PH 1x PH 1x89; 1x PH 2x89 | |
| | | ⊕ 855/4 Z PZ 1x PZ 1x89; 1x PZ 2x89 | |
| | | ⊕ 867/4 Z TORX® 1x TX 20x89; 1x TX 25x89 | |

Kraftform Kompakt 27 RA

Wera compact tool with multi-component Kraftform handle for high working speeds and particularly ergonomic screwdriving. Integrated bit magazine in the handle.

Includes ratchet: fine-pitched for small return angle, switchover ring (right, fixed, left), maximum torque of up to 50 Nm; hexagonal blade with 1/4" hexagon socket take-up, stainless sleeve, strong permanent magnet.

- Kraftform Kompakt with ratchet function for high working speeds
- Kraftform with anti-roll feature, multi-component, integrated magazine
- Fine-pitched teeth for small return angle; switchover ring (right, fixed, left)
- Maximum torque of up to 50 Newton metres
- Hexagon blade with 1/4" hex socket take-up, stainless sleeve, strong permanent magnet

Kraftform Kompakt 27 RA 1 SB



| Code | EAN | | | |
|-------------|--------|---|---|---|
| 05073660001 | 156051 | | | 1 |
| | | + | 851/1 Z PH 1x PH 1x25; 1x PH 2x25 | |
| | | + | 855/1 Z PZ 1x PZ 1x25; 1x PZ 2x25 | |
| | | ⊖ | 800/1 Z 1x 1,0x5,5x25; 1x 1,2x6,5x25 | |

Kraftform Kompakt 27 RA 2 SB



| Code | EAN | | | |
|-------------|--------|---|---|---|
| 05073661002 | 156068 | | | 1 |
| | | + | 851/1 Z PH 1x PH 1x25; 1x PH 2x25 | |
| | | ⊖ | 800/1 Z 1x 1,0x5,5x25; 1x 1,2x6,5x25 | |
| | | □ | 868/1 Z 1x # 1x25; 1x # 2x25 | |

88/1 Vario set

11-piece Vario set with handle and blades. In a practical belt pouch, enabling the tools to be safely and securely stored and to always be at hand. The Kraftform grip on the handle stands for pleasant, ergonomic working and makes blisters and calluses a thing of the past.

Hard gripping zones for high working speeds whereas soft zones ensure high torque transfer. The hexagonal non-roll feature prevents any annoying rolling away at the workplace. The integrated hex bolster allows higher torque to be applied with an open-end or ring spanner.

The double blades are out of high quality bit material and are therefore particularly durable. The Wera Black Point tip on the blade offers a perfect fit and optimised corrosion protection.

- Vario set with handle and 10 combination blades
- Smooth hard zones for high speed turning, soft grip zones for high torque transfer
- Chrome-plated hexagonal blade material, 6 mm
- Black Point tip offers a perfect fit with optimised corrosion protection
- In a robust belt pouch

88/1 Vario set



| Code | EAN | | | |
|-------------|--------|---|---|---|
| 05002990001 | 000675 | | | 1 |
| | | ● | 80 1x 6x98 | |
| | | + | 85 1x PH 1xPH 2x175 | |
| | | + | 86 1x PZ 1xPZ 2x175 | |
| | | + | 87 1x TX 10xTX 15x175; 1x TX 20xTX 25x175; 1x TX 30xTX 40x175 | |
| | | ⊖ | 81 1x 0,6x4,0x1,0x6,0x175; 1x 0,8x5,0x1,2x7,0x175 | |
| | | ○ | 84 1x 4x4x175; 1x 5x5x175; 1x 6x6x175 | |

80 Vario handle

- Kraftform handle with 10 mm hex bolster
- Suitable for insertion of 6 mm Vario blades or a Vario adaptor

80 Vario handle



| | EAN | | | | | |
|-------------|---------|----|----|----|--|---|
| Code | 4013288 | mm | mm | mm | | |
| 05002900001 | 000460 | 6 | 10 | 98 | | 5 |

95 Vario T-handle hand holder for Vario blades

T-handle screwdriver: The ideal handle shape to allow high torque transmission in difficult tightening and loosening situations. The ergonomic shape of the handle fills the palm of the hand well, the fingers lie safely in the soft rounded handle recesses.

The whole hand makes contact with the handle and friction losses between the hand and the handle are avoided. Bit holder for bits with 1/4" external hexagon drive as per DIN ISO 1173-C 6.3 in magnetic design for easier placement of the screws.

- T-handle screwdriver for the transmission of particularly high tightening and loosening moments
- Ergonomic 2-component handle with finger handle recesses and pleasant surface feel for very high power transmission and fatigue-free working.
- Vario T-handle for 6 mm Vario blades and adaptor

95 Vario T-handle hand holder for Vario blades



| | EAN | | | | | | |
|-------------|---------|----|----|----|-----|----------|---|
| Code | 4013288 | mm | mm | mm | mm | | |
| 05023400001 | 208446 | 6 | 60 | 44 | 100 | 2 23/64" | 2 |

830 Vario bit holder adaptor

- Vario adaptor blade with quick-release chuck for Vario holder
- Suitable for take-up of bits with 1/4" hexagon head drive
- 1/4" quick-release chuck with strong permanent magnet

830 Vario bit holder adaptor



| | EAN | | | | | | |
|-------------|---------|------|----|-----|---------|--|---|
| Code | 4013288 | mm | mm | mm | | | |
| 05051835001 | 012425 | 1/4" | 6 | 165 | 6 9/16" | | 2 |

91 Vario extension

- Vario extension for Vario blades and adaptor
- Chrome-plated hexagonal material, 6 mm

91 Vario extension



| | EAN | | | | | | |
|-------------|---------|----|----|-----|----|--|---|
| Code | 4013288 | mm | mm | mm | | | |
| 05003210001 | 000804 | 6 | 6 | 175 | 7" | | 2 |

712 Vario socket adaptor

- For sockets

712 Vario socket adaptor



| | EAN | | | | | | |
|-------------|---------|------|----|-----|----|--|---|
| Code | 4013288 | | mm | mm | | | |
| 05040001001 | 006165 | 1/4" | 6 | 175 | 7" | | 2 |

Combination blades

Combination blade for Vario handles. The double-ended blades are made out of high quality bit material and are therefore particularly durable. The Wera Black Point tip offers a perfect fit and optimised corrosion protection.

81 Combination blade for slotted screws



| | EAN | | | | | | | | |
|-------------|---------|-----|-----|-----|-----|----|-----|----|---|
| Code | 4013288 | mm | mm | mm | mm | mm | mm | mm | |
| 05002910001 | 000477 | 0,6 | 4,0 | 1,0 | 6,0 | 6 | 175 | 7" | 5 |
| 05002913001 | 000484 | 0,8 | 5,0 | 1,2 | 7,0 | 6 | 175 | 7" | 5 |

82 Combination blade for slotted/Phillips screws



| | EAN | | | | | | | |
|-------------|---------|------|-----|-----|----|-----|----|---|
| Code | 4013288 | | mm | mm | mm | mm | | |
| 05002920001 | 000491 | PH 1 | 0,6 | 4,0 | 6 | 175 | 7" | 5 |
| 05002923001 | 000507 | PH 2 | 1,0 | 6,0 | 6 | 175 | 7" | 5 |
| 05002926001 | 000514 | PH 3 | 1,2 | 7,0 | 6 | 175 | 7" | 5 |

83 Combination blade for Phillips/Pozidriv screws



| | EAN | | | | | | |
|-------------|---------|------|------|----|-----|----|---|
| Code | 4013288 | | | mm | mm | | |
| 05002930001 | 000521 | PH 1 | PZ 1 | 6 | 175 | 7" | 5 |
| 05002933001 | 000538 | PH 2 | PZ 2 | 6 | 175 | 7" | 5 |

84 Combination blade for hexagon socket screws



| | EAN | | | | | | |
|---------------------------|---------|-----|-----|----|-----|----|---|
| Code | 4013288 | | | mm | mm | | |
| 05002936001 | 000545 | 2,5 | 2,5 | 6 | 175 | 7" | 5 |
| 05002938001 | 000552 | 3 | 3 | 6 | 175 | 7" | 5 |
| 05002940001 | 000569 | 4 | 4 | 6 | 175 | 7" | 5 |
| 05002943001 | 000576 | 5 | 5 | 6 | 175 | 7" | 5 |
| 05002948001 ¹⁾ | 155436 | 4 | 5 | 6 | 175 | 7" | 5 |
| 05002946001 | 000583 | 6 | 6 | 6 | 175 | 7" | 5 |

¹⁾without ball-end

85 Combination blade for Phillips screws



| | EAN | | | | | | |
|-------------|---------|------|------|----|-----|----|---|
| Code | 4013288 | | | mm | mm | | |
| 05002950001 | 000590 | PH 1 | PH 2 | 6 | 175 | 7" | 5 |

86 Combination blade



| | EAN | | | | | | |
|-------------|---------|------|------|----|-----|----|---|
| Code | 4013288 | | | mm | mm | | |
| 05002960001 | 000606 | PZ 1 | PZ 2 | 6 | 175 | 7" | 5 |
| 05140310001 | 000613 | PZ 2 | PZ 3 | 6 | 175 | 7" | 5 |

87 Combination blade for TORX® screws



| | EAN | | | | | | |
|-------------|---------|-------|-------|----|-----|----|---|
| Code | 4013288 | | | mm | mm | | |
| 05002966001 | 000620 | TX 6 | TX 8 | 6 | 175 | 7" | 5 |
| 05002968001 | 000637 | TX 7 | TX 9 | 6 | 175 | 7" | 5 |
| 05002970001 | 000644 | TX 10 | TX 15 | 6 | 175 | 7" | 5 |
| 05002973001 | 000651 | TX 20 | TX 25 | 6 | 175 | 7" | 5 |
| 05002976001 | 000668 | TX 30 | TX 40 | 6 | 175 | 7" | 5 |

68 Combination blade



| | EAN | | | | | | |
|-------------|---------|----|----|----|-----|----|---|
| Code | 4013288 | | | mm | mm | | |
| 05002980001 | 100061 | #1 | #2 | 6 | 175 | 7" | 5 |



Roller cabinet and foam inserts



9700 Tool Rebel Roller Cabinet 1

Exclusive roller cabinet in the Tool Rebel design. Five flat and two high drawers ensure efficient, mobile organization of tools and materials.

Extremely robust thanks to a double-walled design and the completely welded construction of the entire body. For daily hard work in the workshop.

Equipped with four Wera foam inserts: 9710 foam insert screwdriver set 1, 9720 foam insert 8000 A Zyklop ratchet set 1, 9731 foam insert 6003 Joker ring spanner set 1, 9740 foam insert L-key set 1.

- Exclusive roller cabinet in the Tool Rebel design
- Extremely robust design thanks to a double-walled design
- With 7 drawers (5 flat, 2 high) – of which 2 flat drawers are equipped with foam inserts and tools (e.g. with Zyklop Speed ratchet and accessories, Joker spanners, Kraftform screwdrivers, L-keys)
- Dimensions flat drawers (width x height x depth): 522 x 81 x 398 mm
- Dimensions high drawers (width x height x depth): 522 x 166 x 398 mm
- 100 % drawer pull-out with ball bearing telescopic slides, self-closing
- All drawers are elaborately and individually layered
- Minimum risk of tilting over thanks to the drawer stop – only one drawer can be opened, no simultaneous pull-out of multiple drawers
- Both sides with square head boring
- High-quality, durable foam inserts without chemical vapours
- Optimum fit for the best possible removal of the tools from the foam inserts

9700 Tool Rebel Roller Cabinet 1



| Code | EAN | | |
|--------------------------------------|-------------------|--|---|
| 05150130001 | 4013288 225085 | | 1 |
| 1x 9710 | | | |
| Foam insert screwdriver set 1 | | | |
| | | 932 A 1x 1.0x5.5x100; 1x 1.2x7.0x125 | |
| | | 350 1x PH 1x80; 1x PH 2x100; 1x PH 3x150 | |
| | | 350 PH Stubby/carburetor screwdriver 1x PH 2x25 | |
| | | 355 1x PZ 1x80; 1x PZ 2x100 | |
| | | 335 1x 0.8x4.0x100; 1x 1.0x5.5x125 | |
| | | 334 1x 1.2x6.5x150 | |
| | | 335 Stubby/carburetor screwdriver 1x 1.0x5.5x24.5 | |
| | | 2050 Micro 1x PH 0x40 ¹⁾ | |
| | | 2035 Micro 1x 0.40x2.5x80 | |
| | | 160 i VDE 1x 0.4x2.5x80 ²⁾ ; 1x 0.6x3.5x100 ²⁾ | |
| | | 1441 1x 4.5-6.0x41.0 | |
| | | 1442 1x 6,0-8,5x41.0 | |
| | | 9810 1x 344,0x30,0x392,0 ³⁾ | |

| | |
|---|---|
| 1x 9720 Foam insert 8000 A Zyklus 1/4" ratchet set 1 | |
| ○ | 8000 A 1x 1/4"x152.0 |
| ●○ | 8794 LA 1x 1/4"x150.0 |
| ●○ | 8794 SA 1x 1/4"x75.0 |
| ●○ | 8795 A 1x 1/4"x35.5 |
| ●○ | 8794 A 1x 1/4"x56.0 |
| ● | 8790 HMA 1x 4.0x23.0; 1x 4.5x23.0; 1x 5.0x23.0; 1x 5.5x23.0; 1x 6.0x23.0; 1x 7.0x23.0; 1x 8.0x23.0; 1x 9.0x23.0; 1x 10.0x23.0; 1x 11.0x23.0; 1x 12.0x23.0; 1x 13.0x23.0; 1x 14.0x23.0; 1x 15.0x23.0 |
| ✳ | 8767 A HF 1x TX 8x28,0; 1x TX 9x28,0; 1x TX 10x28,0; 1x TX 15x28,0; 1x TX 20x28,0; 1x TX 25x28,0; 1x TX 27x28,0; 1x TX 30x28,0; 1x TX 40x28,0 |
| ○ | 8740 A HF 1x 3.0x28,0; 1x 4.0x28,0; 1x 4.0x100,0; 1x 5.0x28,0; 1x 5.0x100,0; 1x 6.0x28,0; 1x 6.0x100,0; 1x 8.0x28,0; 1x 8.0x100,0 |
| | 9820 1x 172,0x30,0x392,0 ³⁾ |
| 1x 9731 Foam insert 6003 Joker set 1 | |
| | 6003 Joker 1x 6x105; 1x 7x110; 1x 8x115; 1x 9x120; 1x 10x125; 1x 11x135; 1x 12x148; 1x 13x160; 1x 14x167; 1x 15x174; 1x 16x182; 1x 17x190; 1x 18x210; 1x 19x230; 1x 20x230; 1x 21x260; 1x 22x260; 1x 24x280 |
| | Bottle opener 1x 145 |
| | 9831 1x 344,0x30,0x392,0 ³⁾ |
| 1x 9740 Foam insert L-key set 1 | |
| 1x 950/9 Hex-Plus Multicolour 1 | |
| ○ | 950 SPKL Multicolour 1x 1.5x90; 1x 2.0x101; 1x 2.5x112; 1x 3.0x123; 1x 4.0x137; 1x 5.0x154; 1x 6.0x172; 1x 8.0x195; 1x 10.0x224 |
| 1x 967/9 TX XL Multicolour 1 | |
| ✳ | 967 SXL TORX® Multicolour 1x TX 8x90; 1x TX 9x101; 1x TX 10x112 |
| ✳ | 967 SPKXL TORX® Multicolour 1x TX 15x123; 1x TX 20x137; 1x TX 25x154; 1x TX 27x172; 1x TX 30x195; 1x TX 40x224 |
| | 1x 9500 Magnetiser SB 1x 48.0 |
| | 1x STABILA® BM 100 Pocket tape, metric scale, 3 m, item 19570 |
| | 1x 9840 1x 172,0x30,0x392,0 ³⁾ |

¹⁾ Size 0 modified according to JCS 0 (Japanese Camera Industrial Standard)

²⁾ without Lasertip


³⁾ Attention: The foam insert does not fit in the previous model 05501051001 of the roller cabinet.

9710 Foam insert screwdriver set 1

Durable foam insert; two-coloured for quick identification of missing parts; suitable for the Tool Rebel roller cabinet, equipped with 16 Wera Kraftform screwdrivers (workshop, VDE, chiseldriver, Micro) as well as 2 screw grippers.

- Durable foam insert, each tool has its own place; two-coloured, missing tools will quickly be noticed
- High-quality, durable foam insert without chemical vapours
- Optimum fit for the best possible removal of the tools from the foam insert
- Water- and oil-repellent, low maintenance and easy to clean
- Protection of the tool from dirt and impact
- 8 Kraftform Plus screwdrivers with hard zones for high working speeds and soft handle zones for a high torque transfer
- 2 Kraftform Plus VDE screwdrivers with insulated blades for safe working up to 1,000 volt
- 2 Kraftform Micro screwdrivers with a rotating cap for fast turning
- 2 Stubby screwdrivers with short blade for hard-to-reach areas
- Two screw grippers (attachment tools with gripping function for screws)
- Width x height x depth: without tools 344 x 30 x 392 mm, with tools 344 x 47 x 392 mm

9710 Foam insert screwdriver set 1



| Code | EAN | | |
|-------------|-------------------|--|---|
| 05150101001 | 4013288 225122 | | 1 |
| | | ● 932 A 1x 1,0x5,5x100; 1x 1,2x7,0x125 | |
| | | ●+ 350 1x PH 1x80; 1x PH 2x100; 1x PH 3x150 | |
| | | ●+ 350 PH Stubby/carburetor screwdriver 1x PH 2x25 | |
| | | ●+ 355 1x PZ 1x80; 1x PZ 2x100 | |
| | | ● 335 1x 0,8x4,0x100; 1x 1,0x5,5x125 | |
| | | ● 334 1x 1,2x6,5x150 | |
| | | ● 335 Stubby/carburetor screwdriver 1x 1,0x5,5x24,5 | |
| | | ●+ 2050 Micro 1x PH 0x40 ¹⁾ | |
| | | ● 2035 Micro 1x 0,40x2,5x80 | |
| | | ● 160 i VDE 1x 0,4x2,5x80 ²⁾ ; 1x 0,6x3,5x100 ²⁾ | |
| | | 1441 1x 4,5-6,0x41,0 | |
| | | 1442 1x 6,0-8,5x41,0 | |
| | | 9810 1x 344,0x30,0x392,0 ³⁾ | |

¹⁾ Size 0 modified according to JCS 0 (Japanese Camera Industrial Standard)


²⁾ without Lasertip

³⁾ Attention: The foam insert does not fit in the previous model 05501051001 of the roller cabinet.

9711 Foam insert VDE screwdriver set 1

- Screwdriver with insulated blades for safe working up to 1,000 volt, five of which with reduced blade diameter for lower-lying screws
- Two screw grippers (attachment tools with gripping function for screws)
- Width x height x depth: without tools 344 x 30 x 392 mm, with tools 344 x 46 x 392 mm

9711 Foam insert VDE screwdriver set 1



| Code | EAN | | |
|-------------|-------------------|--|---|
| 05150102001 | 4013288 225320 | | 1 |
| | | ⊕ 162 iS PH VDE 1x PH 1x80; 1x PH 2x100 | |
| | | ⊕ 165 iS PZ VDE 1x PZ 1x80; 1x PZ 2x100 | |
| | | ⊕ 165 i PZ/S VDE 1x # 2x100 | |
| | | ⊖ 160 i VDE 1x 0,4x2,5x80 ¹⁾ ; 1x 0,8x4,0x100; 1x 1,0x5,5x125 | |
| | | ⊖ 160 iS VDE 1x 0,6x3,5x100 | |
| | | ⊗ 167 i TORX® VDE 1x TX 10x80; 1x TX 15x80; 1x TX 20x80; 1x TX 25x100; 1x TX 30x100 | |
| | | 1440 1x 4,5-6,0x41,0 | |
| | | 1442 1x 6,0-8,5x41,0 | |
| | | 9811 1x 344,0x30,0x392,0 ²⁾ | |

¹⁾ without Lasertip

²⁾ Attention: The foam insert does not fit in the previous model 05501051001 of the roller cabinet.

9712 Foam insert TORX® HF screwdriver set 1

- 6 Kraftform Plus screwdrivers with hard zones for high working speeds and soft handle zones for a high torque transfer
- 4 Kraftform Micro screwdrivers with a rotating cap for fast turning
- 4 T-handle screwdrivers for the transmission of particularly high tightening and loosening moments
- Width x height x depth: without tools 344 x 30 x 392 mm, with tools 344 x 45 x 392 mm

9712 Foam insert TORX® HF screwdriver set 1




| Code | EAN | | |
|-------------|-------------------|--|---|
| 05150103001 | 4013288 225283 | | 1 |
| | | ⊗ 367 TORX® HF 1x TX 8x60; 1x TX 9x60; 1x TX 10x80; 1x TX 15x80; 1x TX 20x100; 1x TX 25x100 | |
| | | ⊗ 2067 TORX® HF Micro 1x TX 4x40; 1x TX 5x40; 1x TX 6x40; 1x TX 7x60 | |
| | | ⊗ 467 TORX® HF 1x TX 20x100; 1x TX 25x100; 1x TX 30x200; 1x TX 40x200 | |
| | | 9812 1x 344,0x30,0x392,0 ¹⁾ | |

¹⁾ Attention: The foam insert does not fit in the previous model 05501051001 of the roller cabinet.

9713 Foam insert Hex screwdriver set 1

- 4 Kraftform Plus screwdrivers with hard zones for high working speeds and soft handle zones for a high torque transfer, two of which with hollow shaft for protruding thread rods
- 3 Kraftform Micro screwdrivers with a rotating cap for fast turning
- 5 T-handle screwdrivers for the transmission of particularly high tightening and loosening moments, with holding function for hexagonal socket screws
- With Hex-Plus profile (prevents hexagonal socket screws from cylindrical turning)
- Width x height x depth: without tools 344 x 30 x 392 mm, with tools 344 x 45 x 392 mm

9713 Foam insert Hex screwdriver set 1




| Code | EAN | | | |
|-------------|-------------------|--------------|---|---|
| 05150104001 | 4013288 225290 | | | 1 |
| | | ○ 354 | 1x 3,0x75; 1x 4,0x75 | |
| | | ○ 2054 Micro | 1x 1,5x60; 1x 2x60; 1x 2,5x60 | |
| | | ○ 454 HF | 1x 4x100; 1x 5x100; 1x 6x150; 1x 8x200; 1x 10x200 | |
| | | ● 395 HO | 1x 10,0x90; 1x 13,0x90 | |
| | | 9813 | 1x 344,0x30,0x392,0 ¹⁾ | |

¹⁾ Attention: The foam insert does not fit in the previous model 05501051001 of the roller cabinet.

9720 Foam insert 8000 A Zyklop 1/4" ratchet set 1

- The Zyklop Speed ratchet combines five ratchet types in one
- With flywheel design and slip-proof fast-rotating sleeve for extremely high working speed
- Freely pivoting ratchet head, push button release and left/right switchover
- Fine-tooth design allows a small return angle of 5°
- Can also be used as a screwdriver
- Set including sockets, bit sockets, extensions and universal joint
- 14 sockets, 9 bit sockets with holding function for TORX® screws, 9 bit sockets with holding function for hexagonal socket screws
- Width x height x depth: without tools 172 x 30 x 392 mm, with tools 172 x 40 x 392 mm

9720 Foam insert 8000 A Zyklop 1/4" ratchet set 1



| Code | EAN | | | |
|-------------|-------------------|-------------|--|---|
| 05150110001 | 4013288 225139 | | | 1 |
| | | □ 8000 A | 1x 1/4"x152,0 | |
| | | ■ 8794 LA | 1x 1/4"x150,0 | |
| | | ■ 8794 SA | 1x 1/4"x75,0 | |
| | | ■ 8795 A | 1x 1/4"x35,5 | |
| | | ■ 8794 A | 1x 1/4"x56,0 | |
| | | ● 8790 HMA | 1x 4,0x23,0; 1x 4,5x23,0; 1x 5,0x23,0; 1x 5,5x23,0; 1x 6,0x23,0; 1x 7,0x23,0; 1x 8,0x23,0; 1x 9,0x23,0; 1x 10,0x23,0; 1x 11,0x23,0; 1x 12,0x23,0; 1x 13,0x23,0; 1x 14,0x23,0; 1x 15,0x23,0 | |
| | | ⊕ 8767 A HF | 1x TX 8x28,0; 1x TX 9x28,0; 1x TX 10x28,0; 1x TX 15x28,0; 1x TX 20x28,0; 1x TX 25x28,0; 1x TX 27x28,0; 1x TX 30x28,0; 1x TX 40x28,0 | |
| | | ○ 8740 A HF | 1x 3,0x28,0; 1x 4,0x28,0; 1x 4,0x100,0; 1x 5,0x28,0; 1x 5,0x100,0; 1x 6,0x28,0; 1x 6,0x100,0; 1x 8,0x28,0; 1x 8,0x100,0 | |
| | | 9820 | 1x 172,0x30,0x392,0 ¹⁾ | |


¹⁾ Attention: The foam insert does not fit in the previous model 05501051001 of the roller cabinet.



9721 Foam insert 8000 B Zyklop 3/8" ratchet set 1

- The Zyklop Speed ratchet combines five ratchet types in one
- With flywheel design and slip-proof fast-rotating sleeve for extremely high working speed
- Freely pivoting ratchet head, push button release and left/right switchover
- Fine-tooth design allows a small return angle of 5°
- Can also be used as a screwdriver
- Set including sockets, extensions and universal joint
- Width x height x depth: without tools 172 x 30 x 392 mm, with tools 172 x 45 x 392 mm

9721 Foam insert 8000 B Zyklop 3/8" ratchet set 1



| Code | EAN | | | |
|-------------|---------|----------|---|---|
| | 4013288 | | | |
| 05150111001 | 225306 | | | 1 |
| | | 8000 B | 1x 3/8"x199,0 | |
| | | 8794 SB | 1x 3/8"x125,0 | |
| | | 8794 LB | 1x 3/8"x200,0 | |
| | | 8795 B | 1x 3/8"x50,0 | |
| | | 8794 B | 1x 3/8"x76,0 | |
| | | 8790 HMB | 1x 6,0x29,0; 1x 7,0x29,0; 1x 8,0x29,0; 1x 9,0x29,0; 1x 10,0x29,0; 1x 11,0x29,0; 1x 12,0x29,0; 1x 13,0x29,0; 1x 14,0x29,0; 1x 15,0x29,0; 1x 16,0x30,0; 1x 17,0x30,0; 1x 18,0x30,0; 1x 19,0x30,0; 1x 20,0x30,0; 1x 21,0x30,0; 1x 22,0x30,0; 1x 24,0x32,0 | |
| | | 9821 | 1x 172,0x30,0x392,0 ¹⁾ | |

¹⁾ Attention: The foam insert does not fit in the previous model 05501051001 of the roller cabinet.

9722 Foam insert 8000 C Zyklop 1/2" ratchet set 1

- The Zyklop Speed ratchet combines five ratchet types in one
- Freely pivoting ratchet head, push button release and left/right switchover
- Fine-tooth design allows a small return angle of 5°
- Set including sockets, extensions and universal joint
- 17 sockets, 9 bit sockets with holding function for hexagonal socket screws
- Width x height x depth: without tools 344 x 30 x 392 mm, with tools 344 x 51 x 392 mm

9722 Foam insert 8000 C Zyklop 1/2" ratchet set 1



| Code | EAN | | | |
|-------------|---------|-----------|---|---|
| | 4013288 | | | |
| 05150112001 | 225207 | | | 1 |
| | | 8000 C | 1x 1/2"x277,0 | |
| | | 8794 LC | 1x 1/2"x250,0 | |
| | | 8794 SC | 1x 1/2"x125,0 | |
| | | 8795 C | 1x 1/2"x69,0 | |
| | | 8794 C | 1x 1/2"x52,0 | |
| | | 8790 HMC | 1x 10,0x37,0; 1x 11,0x37,0; 1x 12,0x37,0; 1x 13,0x37,0; 1x 14,0x37,0; 1x 15,0x37,0; 1x 16,0x37,0; 1x 17,0x37,0; 1x 18,0x37,0; 1x 19,0x37,0; 1x 20,0x37,0; 1x 21,0x37,0; 1x 22,0x37,0; 1x 24,0x37,0; 1x 27,0x40,0; 1x 30,0x42,0; 1x 32,0x42,0 | |
| | | 8740 C HF | 1x 4,0x60,0; 1x 4,0x140,0; 1x 5,0x60,0; 1x 5,0x140,0; 1x 6,0x60,0; 1x 6,0x140,0; 1x 7,0x60,0; 1x 8,0x60,0; 1x 10,0x60,0 | |
| | | 9822 | 1x 344,0x30,0x392,0 ¹⁾ | |




¹⁾ Attention: The foam insert does not fit in the previous model 05501051001 of the roller cabinet.

9723 Foam insert Zyklus B 3/8" bit socket set 1

- Bit socket (non-impact) for manual or power tool operations
- 10 bit sockets with holding function for TORX® screws, 11 bit sockets with holding function for hexagonal socket screws, one Zyklus connector with quick-release chuck for 1/4" bits
- With Take it easy tool finder: colour coding by size
- Knurling on lower end for more grip when used manually
- Chrome-vanadium makes for hardness and strength
- Width x height x depth: without tools 172 x 30 x 392 mm, with tools 172 x 39 x 392 mm

9723 Foam insert Zyklus B 3/8" bit socket set 1



| Code | EAN | | |
|-------------|-------------------|---|---|
| 05150113001 | 4013288 225313 | | 1 |
| | |  8784 B1 1x 1/4"x3/8"x44,0 | |
| | |  8767 B HF 1x TX 15x35,0; 1x TX 20x35,0; 1x TX 25x35,0; 1x TX 25x107,0; 1x TX 27x35,0; 1x TX 27x107,0; 1x TX 30x35,0; 1x TX 30x107,0; 1x TX 40x35,0; 1x TX 40x107,0 | |
| | |  8740 B HF 1x 4,0x35,0; 1x 4,0x107,0; 1x 5,0x35,0; 1x 5,0x107,0; 1x 6,0x35,0; 1x 6,0x107,0; 1x 7,0x38,5; 1x 8,0x38,5; 1x 8,0x100,0; 1x 10,0x38,5; 1x 10,0x100,0 | |
| | | 9823 1x 172,0x30,0x392,0 ¹⁾ | |

¹⁾Attention: The foam insert does not fit in the previous model 05501051001 of the roller cabinet.

9730 Foam insert 6000 Joker set 1

- Ring ratchet spanner with useful holding function by a metal plate in the mouth
- No slipping down thanks to the end stop
- Double hexagon geometry reduces the risk of slipping to the side
- Return angle of only 30°
- With Take it easy tool finder: colour coding by size
- Width x height x depth: without tools 172 x 30 x 392 mm, with tools 172 x 47 x 392 mm

9730 Foam insert 6000 Joker set 1



| Code | EAN | | |
|-------------|-------------------|---|---|
| 05150120001 | 4013288 225214 | | 1 |
| | | 6000 Joker 1x 8x144; 1x 10x159; 1x 11x165; 1x 12x170,7; 1x 13x177; 1x 14x188; 1x 15x200; 1x 16x212; 1x 17x224; 1x 18x235; 1x 19x246 | |
| | | 9830 1x 172,0x30,0x392,0 ¹⁾ | |

¹⁾Attention: The foam insert does not fit in the previous model 05501051001 of the roller cabinet.



9731 Foam insert 6003 Joker set 1

- Ring spanner, perfect for small spaces
- The special mouth geometry expands the placement possibilities of the tool
- The low return angle in the mouth "takes" the screw every 15°
- Slim ring side with 15° crank
- With Take it easy tool finder: colour coding by size
- Iconic bottle opener with original Krafftform Plus handle
- Width x height x depth: without tools 344 x 30 x 392 mm, with tools 344 x 58 x 392 mm

9731 Foam insert 6003 Joker set 1



| Code | EAN | | |
|-------------|---------|---|---|
| | 4013288 | | |
| 05150121001 | 225115 | | 1 |
| | | 6003 Joker 1x 6x105; 1x 7x110; 1x 8x115; 1x 9x120; 1x 10x125; 1x 11x135; 1x 12x148; 1x 13x160; 1x 14x167; 1x 15x174; 1x 16x182; 1x 17x190; 1x 18x210; 1x 19x230; 1x 20x230; 1x 21x260; 1x 22x260; 1x 24x280 | |
| | | Bottle opener 1x 145 | |
| | | 9831 1x 344,0x30,0x392,0 ¹⁾ | |

¹⁾Attention: The foam insert does not fit in the previous model 05501051001 of the roller cabinet.

9732 Foam insert 6004 Joker set 1

- The adjustable Joker 6004 covers all metric and imperial dimensions in the respective field of application
- Automatic and continuous gripping of the hexagon screw or bolt
- Lever mechanism when gripping avoids slippage and damage
- Fast and consistent screwdriving without removing the wrench thanks to mechanical ratchet function
- Return angle of only 30° through placement in the corner-width rectangular prisms in the mouth
- Width x height x depth: without tools 172 x 30 x 392 mm, with tools 172 x 35 x 392 mm

9732 Foam insert 6004 Joker set 1



| Code | EAN | | |
|-------------|---------|--|---|
| | 4013288 | | |
| 05150122001 | 225337 | | 1 |
| | | 6004 Joker XS 1x 7-10 (1/4"-3/8")x117 | |
| | | 6004 Joker S 1x 10-13 (7/16"-1/2")x154 | |
| | | 6004 Joker M 1x 13-16 (1/2"-5/8")x188 | |
| | | 6004 Joker L 1x 16-19 (5/8"-3/4")x224 | |
| | | 6004 Joker XL 1x 19-24 (3/4"-15/16")x256 | |
| | | 9832 1x 172,0x30,0x392,0 ¹⁾ | |

¹⁾Attention: The foam insert does not fit in the previous model 05501051001 of the roller cabinet.

9740 Foam insert L-key set 1

- Thanks to their Hex-Plus profile, the 950 L-keys let hexagonal socket screws live longer
- All L-keys with Take it easy tool finder: Colour coding by size
- All L-keys have a colour-coded, easy-grip hose sleeve for ergonomic and comfortable operation even at low temperatures
- Magnetiser 9500 for magnetising and demagnetising tool tips so that screws can be held on the tool by magnetic force
- Width x height x depth: without tools 172 x 30 x 392 mm, with tools 172 x 44 x 392 mm

9740 Foam insert L-key set 1



| | | | |
|-------------|-------------------|--|---|
| Code | EAN | | |
| 05150140001 | 4013288 225108 | | 1 |

1x 950/9 Hex-Plus Multicolour 1

- **950 SPKL Multicolour**
1x 1.5x90; 1x 2.0x101; 1x 2.5x112; 1x 3.0x123;
1x 4.0x137; 1x 5.0x154; 1x 6.0x172;
1x 8.0x195; 1x 10.0x224

1x 967/9 TX XL Multicolour 1

- ⊕ **967 SXL TORX® Multicolour**
1x TX 8x90; 1x TX 9x101; 1x TX 10x112

- ⊕ **967 SPKXL TORX® Multicolour**
1x TX 15x123; 1x TX 20x137; 1x TX 25x154;
1x TX 27x172; 1x TX 30x195; 1x TX 40x224

1x 9500

1x 48.0

1x STABILA®

1x STABILA® BM 100 Pocket tape, metric scale,
3 m, item 19570

1x 9840


1x 172,0x30,0x392,0 ¹⁾

¹⁾ Attention: The foam insert does not fit in the previous model 05501051001 of the roller cabinet.

9750 Foam insert Kraftform Kompakt and Tool-Check PLUS set 1

- Kraftform Kompakt 60: Folding bag with 89 mm long bits and 816 R bitholding screwdriver with Rapidaptor quick-release chuck and multi-component Kraftform handle for fatigue-free working
- Tool-Check PLUS: 39-piece tool combination of ratchet, sockets and one bitholding screwdriver
- Bitholding screwdriver extra slim with flexible shaft and very slim design for working in confined spaces
- Width x height x depth: without tools 172 x 30 x 392 mm, with tools 172 x 59 x 392 mm

9750 Foam insert Kraftform Kompakt and Tool-Check PLUS set 1



| | | | |
|-------------|-------------------|--|---|
| Code | EAN | | |
| 05150150001 | 4013288 225344 | | 1 |

1x Tool-Check PLUS

- **8001 A** 1x 1/4"x87.0
- **813** 1x 1/4"x78
- **889/4/1 K** 1x 1/4"x50
- **870/1** 1x 1/4"x25 ¹⁾
- **8790 HMA**
1x 5.5x23.0; 1x 6.0x23.0; 1x 7.0x23.0;
1x 8.0x23.0; 1x 10.0x23.0; 1x 12.0x23.0;
1x 13.0x23.0

- ⊕ **851/1 TZ**
2x PH 1x25; 3x PH 2x25; 1x PH 3x25

- ⊕ **855/1 TH**
1x PZ 1x25; 3x PZ 2x25; 1x PZ 3x25

- ⊕ **867/1 TZ TORX®**
1x TX 10x25; 1x TX 15x25; 1x TX 20x25;
1x TX 25x25; 1x TX 30x25; 1x TX 40x25

- ⊕ **867/1 Z TORX® BO**
1x TX 10x25; 1x TX 15x25; 1x TX 20x25;
1x TX 25x25; 1x TX 30x25

- **840/1 Z**
1x 3.0x25; 1x 4.0x25; 1x 5.0x25; 1x 6.0x25;
1x 8.0x25

- ⊖ **800/1 TZ**
1x 1.0x5.5x25

1x Kraftform Kompakt 60

- **816 R**
1x 1/4"x119

- ⊕ **851/4 Z**
1x PH 1x89; 1x PH 2x89; 1x PH 3x89

- ⊕ **855/4 Z**
1x PZ 1x89; 1x PZ 2x89; 1x PZ 3x89

- ⊕ **867/4 Z TORX® BO**
1x TX 10x89; 1x TX 15x89; 1x TX 20x89;
1x TX 25x89; 1x TX 30x89

- ⊖ **800/4 Z**
1x 1.0x5.5x89

- **840/4 Z**
1x 3.0x89; 1x 4.0x89; 1x 5.0x89; 1x 6.0x89

- Hook and Loop Fastener Strip 70**
1x 50.0x70.0

- 1x 393 S Bitholding screwdriver extra slim with flexible shaft**

- 1x 1/4"x173,5

1x 9850

1x 172,0x30,0x392,0 ²⁾

¹⁾ With friction ball; for manual nut spinner sockets

²⁾ Attention: The foam insert does not fit in the previous model 05501051001 of the roller cabinet.

9780 Foam insert KNIPEX pliers set 1

- Width x height x depth: without tools 172 x 30 x 392 mm, with tools 172 x 38 x 392 mm

9780 Foam insert KNIPEX pliers set 1



| Code | EAN | | |
|-------------|---------|--|---|
| | 4013288 | | |
| 05150180001 | 225153 | | 1 |
| | | KNIPEX Combination Pliers 03 05 180 1x 180 | |
| | | KNIPEX Cobra® High-Tech Water Pump Pliers 87 05 250 1x 250 | |
| | | KNIPEX High Leverage Diagonal Cutter 74 05 160 1x 160 | |
| | | 9880 1x 172,0x30,0x392,0 ¹⁾ | |

¹⁾ Attention: The foam insert does not fit in the previous model 05501051001 of the roller cabinet.

9781 Foam insert KNIPEX pliers set 2

- Width x height x depth: without tools 172 x 30 x 392 mm, with tools 172 x 38 x 392 mm

9781 Foam insert KNIPEX pliers set 2



| Code | EAN | | |
|-------------|---------|---|---|
| | 4013288 | | |
| 05150181001 | 225177 | | 1 |
| | | KNIPEX Snipe Nose Cutting Pliers (Stork Beak Pliers) 26 15 200 1x 200 | |
| | | KNIPEX Mechanics' Pliers 38 25 200 1x 200 | |
| | | KNIPEX Electricians' Shears 95 05 155 1x 155 | |
| | | 9881 1x 172,0x30,0x392,0 ¹⁾ | |

¹⁾ Attention: The foam insert does not fit in the previous model 05501051001 of the roller cabinet.

9782 Foam insert hammer set 1

- Width x height x depth: without tools 172 x 30 x 392 mm, with tools 172 x 35 x 392 mm

9782 Foam insert hammer set 1




| Code | EAN | | |
|--|-------------------|---|---|
| 05150182001 | 4013288 225191 | | 1 |
| | | PICARD® riveting hammer 500 g, 0000101-500 1x 500,0 | |
| | | ○ RENNSTEIG Parallel pin punches Exclusive 1x 452 003 6 RC, 3,0x150; 1x 452 004 6 RC, 4,0x150; 1x 452 006 6 RC, 6,0x150; 1x 452 008 6 RC, 8,0x150 | |
| | | ● RENNSTEIG Flat cold chisel 310 250 1 1x 25,0x13,0x23,0 | |
| | | 9882 1x 172,0x30,0x392,0 ¹⁾ | |
| ¹⁾ Attention: The foam insert does not fit in the previous model 05501051001 of the roller cabinet. | | | |

9783 Foam insert PFERD file set 1

- Width x height x depth: without tools 344 x 30 x 392 mm, with tools 344 x 42 x 392 mm

9783 Foam insert PFERD file set 1



| Code | EAN | | |
|--|-------------------|--|---|
| 05150183001 | 4013288 225368 | | 1 |
| | | PFERD machinist's file square PF1142 250 H2 1x 250 | |
| | | PFERD machinist's file half-round pointed 1152SP 250 H2 1x 250 | |
| | | PFERD machinist's file round 1162 250 H2 1x 250 | |
| | | PFERD machinist's file hand 1112 250 H2 1x 250 | |
| | | PFERD machinist's file three square 1132 250 H2 1x 250 | |
| | | PFERD scratch brush HBF steel wire Ø 0.15 1x 232 | |
| | | 9883 1x 344,0x30,0x392,0 ¹⁾ | |
| ¹⁾ Attention: The foam insert does not fit in the previous model 05501051001 of the roller cabinet. | | | |





Wera 2go



Wera 2go 1 Tool Carrier



The Wera 2go 1 is the super lightweight and mobile tool carrier for all Wera pouches and textile boxes equipped with hook and loop zone on their reverse sides.

The pouches and boxes are easily and securely attached individually to the tool carrier. The hands remain free during transport thanks to the shoulder strap that is included.

- Wera 2go Tool Carrier with hook and loop fastener system
- For the docking of the Wera textile boxes and pouches with hook and loop fastener zones
- Individually configurable for greater mobility
- Hands remain free during Transport
- Includes an adjustable, detachable Shoulder Strap with a wide padded section

Wera 2go 1 Tool Carrier



|  | | | |
|--|--------|---|---|
| Code | EAN | |  |
| 05004350001 | 187352 | | 1 |
| | | Wera 2go 5 1x 135,0x300,0x270,0 | |
| | | Wera 2go 6 1x 38,0x1470,0 | |

Wera 2go 2 Tool Container

The Wera 2go tool container is the ideal solution for individual and convenient tool transport thanks to its hook and loop fastener system and its compactness. The inner and outer hook and loop fastener zones ensure a maximum in terms of space utilisation. This means that an incredible number of tools can fit in and on the container.

Wera 2go 2 ensures a low weight since only the tools really needed for the job are taken along. The robust and dimensionally stable material protects the tools carried against damage and moisture and enhances the service life of the tool container.



The padded and width-adjustable shoulder strap and the snug fit of the container on the body mean that the container is easy and convenient to carry.

The hands remain free during transport. It comes with a quiver with an individually adjustable hook and loop fastener partition for screwdrivers and other tools.

- Wera 2go tool container with inner and outer hook and loop fastener zones
- Individually configurable for greater mobility
- Ideal also for the docking of Wera textile boxes and pouches equipped with hook and loop fastener zones

Wera 2go 2 Tool Container



|  | | | |
|---|--------|---|---|
| Code | EAN | |  |
| 05004351001 | 187840 | | 1 |
| | | Wera 2go Container 1x 355,0x330,0x115,0 | |
| | | Wera 2go 6 1x 38,0x1470,0 | |
| | | Wera 2go 4 1x 165,0x165,0x105,0 | |

Wera 2go 2 XL Tool Container

The Wera 2go 2 XL Tool Container with extra low-profile compartments, with its hook and loop fastener system and its compactness, is the ideal solution for individual and convenient tool transport. The inner and outer hook and loop fastener zones provide extremely high flexibility and space utilization.

This fits an incredible amount of tools in and on the container. Wera 2go 2 makes for light luggage, because only the essential tools are taken.

The robust and sturdy material protects the enclosed tools from damage and moisture, and increases the service life of the tool container.

The padded and adjustable wide belt and the close-fitting position of the container provide a comfortable fit.

The hands remain free during transport. Including one Wera 2go 4 holder with individually adjustable hook and loop fastener divider for screwdrivers and other tools. Four of these holders can be stowed effortlessly.

- Wera 2go 2 XL Tool Container with extra low-profile compartments for e.g. the Wera 2go 4 Tool Quivers

Wera 2go 2 XL Tool Container



| Code | | EAN | | | |
|-------------|--|------------------------------|--|--|---|
| 05004357001 | | 211491 | | | 1 |
| | | Wera 2go XL Container | | | |
| | | 1x 455,0x330,0x170,0 | | | |
| | | Wera 2go 6 | | | |
| | | 1x 38,0x1470,0 | | | |
| | | Wera 2go 4 | | | |
| | | 1x 165,0x165,0x105,0 | | | |

Wera 2go 3 Tool Box

- Suitable for docking with the Wera 2go system
- Permanently dimensionally stable thanks to the fabric-lined plastic panels
- High resistance against cuts and stabs
- High protection for transported tools against damage and moisture
- Can be individually equipped

Wera 2go 3 Tool Box



| | EAN | | | | | | | |
|-------------|---------|-------|-------|------|--|--|--|---|
| Code | 4013288 | mm | mm | mm | | | | |
| 05004352001 | 187369 | 130,0 | 325,0 | 80,0 | | | | 1 |

Wera 2go 4 Tool Quiver

- Suitable for docking with the Wera 2go system
- Dimensionally stable Wera 2go tool quiver
- High resistance against cuts and stabs
- Variable hook and loop fastener partition for a division into as many as 5 inner sections
- Large set-down area; handle for carrying and hanging up

Wera 2go 4 Tool Quiver



| | EAN | | | | | | | |
|-------------|---------|-------|-------|-------|--|--|--|---|
| Code | 4013288 | mm | mm | mm | | | | |
| 05004353001 | 187857 | 165,0 | 165,0 | 105,0 | | | | 1 |

Wera 2go 5 Tool Carrier

The Wera 2go 5 is the super lightweight and mobile tool carrier for all Wera pouches and textile boxes equipped with Velcro on their reverse sides. The pouches and boxes are easily and securely attached individually to the Wera 2go 5 article.

Wera 2go 5 Tool Carrier



| | EAN | | | | | | | |
|-------------|---------|-------|-------|-------|--|--|--|---|
| Code | 4013288 | mm | mm | mm | | | | |
| 05004354001 | 187383 | 135,0 | 300,0 | 270,0 | | | | 1 |

Wera 2go 6 Shoulder Strap

Shoulder strap for the Wera 2go tool transport system. It comes with extra wide, comfortable padding sections and adjustable strap length and is suitable for use with the Wera 2go 1 and 5 articles.

Wera 2go 6 Shoulder Strap



| | EAN | | | | | | | |
|-------------|---------|------|--------|--|--|--|--|---|
| Code | 4013288 | mm | mm | | | | | |
| 05004355001 | 187390 | 38,0 | 1470,0 | | | | | 1 |

Wera 2go 7 High Tool Box

- Transport box even for long tools such as spirit levels

Wera 2go 7 High Tool Box



| | EAN | | | | | | | |
|-------------|---------|-------|-------|-------|--|--|--|---|
| Code | 4013288 | mm | mm | mm | | | | |
| 05004356001 | 204370 | 295,0 | 100,0 | 100,0 | | | | 1 |

Wera 2go H 1 tool set for wood applications

Compact tool set with the 134 most important tools for wood-work with products by Wera, BESSEY®, "KIRSCHEN"®, KNIPEX®, Lyra®, PICARD® and Stabila®.

Mobility is made considerably easy thanks to the compact tool container from the Wera 2go system.

- Extensive 134-piece tool set in compact Wera 2go tool container for carpenters on the go
- Premium brand tools by Wera, BESSEY®, "KIRSCHEN"®, KNIPEX®, Lyra®, PICARD® and Stabila®
- Wera Kraftform Kompakt H 1 Wood (41-piece set) and Wera Bit-Safe 61 Wood 1 (61-piece set)
- 393 S extra slim bit hand holder with flexible shaft for applications in hard-to-reach work spaces
- Wera L-key with holding function: 967/9 TX XL Multicolour HF 1 (9-piece set) and 950/9 Hex-Plus Multicolour HF 1 (9-piece set)

Wera 2go H 1 tool set for wood applications



| Code | EAN | | |
|-------------|---------|---|---|
| | 4013288 | | |
| 05134011001 | 217677 | | 1 |
| | | 1x Wera 2go 2 Tool Container | |
| | | 1x Bit-Safe 61 Wood 1 | |
| | | 1x Kraftform Kompakt H 1 Woodcraft | |
| | | 1x 967/9 TX XL Multicolour HF 1 L-key set with holding function, long | |
| | | 1x 950/9 Hex-Plus Multicolour HF 1 L-key set, metric, BlackLaser, with holding function | |
| | | 1x 393 S bits hand holder extra slim with flexible shaft | |
| | | 1x KNIPEX® multigrip pliers COBRA® 250 mm 87 11 250 | |
| | | 1x KNIPEX® combination pliers 160 mm 03 01 160 | |
| | | 1x KNIPEX® carpenters' pincers 210 mm 50 00 210 | |
| | | 1x Stabila® spirit level type 81 25 cm 02500 Torpedo | |
| | | 1x Carpenters' mallet 105 mm 52-1 P | |
| | | 1x "KIRSCHEN"® bevelled-edge chisel 10 mm 1001010 | |
| | | 1x "KIRSCHEN"® bevelled-edge chisel 16 mm 1001016 | |
| | | 1x "KIRSCHEN"® bevelled-edge chisel 20 mm 1001020 | |
| | | 1x "KIRSCHEN"® bevelled-edge chisel 26 mm 1001026 | |
| | | 1x BESSEY® Folding utility knife DBKPH-EU | |
| | | 1x Lyra® deep hole marker 4494202 | |
| | | 1x Stabila® folding wooden yardstick type 601 N-S 2 m 18206 | |
| | | 1x PICARD® claw hammer 0008501-28 | |

Product not available in the USA and Canada.



Wera 2go E 1 Tool set for electricians


Compact tool set with the 73 most important tools for electricians with products by Wera, Jung, KNIPEX®, Lyra®, PICARD®, PUK® and Stabila®.

Mobility is made considerably easier thanks to the compact tool container from the Wera 2go system.

- Extensive 73-piece tool set in the compact Wera 2go 2 tool container for electricians in mobile operations
- Premium brand tools by Wera, Jung, KNIPEX®, Lyra®, PICARD®, PUK® and Stabila®
- Wera Kraftform Kompakt Turbo i 1 (16-piece handle/interchangeable blades VDE set) for four times the screwdriving speed and Wera 8100 SA 6 Zyklop Speed ratchet set (1/4", 28-piece set)
- Joker 6004 S self-setting spanner for bolts and screws of 10-13mm (metric) and 7/16"-1/2" (imperial)
- With chiseldriver for screwdriving, chiselling, mortising as well as 4 VDE screwdrivers - 2 of which with stainless steel blade to prevent extraneous rust

Wera 2go E 1 Tool set for electricians



| Code | EAN | | |
|-------------|---------|--|---|
| | 4013288 | |  |
| 05134025001 | 221278 | 1 x Wera 2go 2 Tool Container | 1 |
| | | 1 x 8100 SA 6 Zyklop Speed Ratchet Set, 1/4" drive, metric | |
| | | 1 x 950/9 Hex-Plus Multicolour HF 1 L-key set, metric, BlackLaser, with holding function | |
| | | 1 x Kraftform Kompakt Turbo i 1 | |
| | | 1x 932 A Screwdriver for slotted screws 1.2x7.0x125 | |
| | | 1x 3162 i PH VDE Insulated screwdriver for Phillips screws, stainless PH 2x100 | |
| | | 1x 3165 i PZ VDE Insulated screwdriver for Pozidriv screws, stainless PZ 2x100 | |
| | | 1x 160 i VDE Insulated screwdriver for slotted screws 1.2x6.5x150 | |
| | | 1x 160 iS VDE Insulated screwdriver with reduced blade diameter for slotted screws 0.6x3.5x100 | |
| | | 1x 6004 Joker S self-setting spanner 10-13x7/16"-1/2"x154 | |
| | | 1 x KNIPEX® Combination pliers 160mm 01 06 160 | |
| | | 1 x KNIPEX® Diagonal insulation stripper 14 26 160 | |
| | | 1 x KNIPEX® Snipe nose pliers with blade (stork beak pliers) 26 16 200 | |
| | | 1 x KNIPEX® Cobra® VDE Hightech water pump pliers, insulated, 87 26 250 | |
| | | 1 x KNIPEX® Cable knife 98 52 | |
| | | 1 x KNIPEX® ErgoStrip® Universal dismantling tool 16 95 01 | |
| | | 1 x PUK® 2200 Hand saw frame | |
| | | 1 x Lyra® Construction marker DRY PROF1 4494202 | |
| | | 1 x STABILA® Spirit level Pocket Electric 17775 | |
| | | 1 x STABILA® Spirit level type 70, 30 cm, 02281 | |
| | | 1 x STABILA® Wooden folding rule type 607, 2 m, yellow, 01104 | |
| | | 1 x PICARD® Fitter's hammer 400 g, German shape, 000101-0400 | |
| | | 1 x Jung Plastering cup 127mm, 946 127 00 | |
| | | 1 x Jung Scraping knife with natural wood handle, 922 050 00 | |

Hook and Loop Fastener Strip 1



| Code | EAN | | |
|-------------|--------|----------------------------|---|
| 05670446001 | 189448 | | 1 |
| | | K70 1x 50,0x70,0 | |

Hook and Loop Fastener Strip 2



| Code | EAN | | |
|-------------|--------|------------------------------|---|
| 05670447001 | 189455 | | 1 |
| | | K120 1x 50,0x120,0 | |

Hook and Loop Fastener Strip 3



| Code | EAN | | |
|-------------|--------|------------------------------|---|
| 05670448001 | 189462 | | 1 |
| | | K240 1x 50,0x240,0 | |





Bits



Impaktor system - For an above-average service life



The Impaktor technology offers an above-average service life even under extreme circumstances.

Enhanced friction resistance, thanks to the rough diamond-particle coating on the bit tip, prevents any slipping out of the screw head.

Particularly suitable for use with customary impact drivers. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

851/1 IMP DC PH DIY Impaktor PH bits



| Code | EAN | | |
|-------------|--------|---|-----------------------------|
| 05057615001 | 178695 | + | 851/1 IMP DC 10x PH 1x25 |
| 05057616001 | 157638 | + | 851/1 IMP DC 10x PH 2x25 |
| 05057617001 | 157645 | + | 851/1 IMP DC 10x PH 3x25 |

851/1 IMP DC SB Impaktor bits




| Code | EAN | | |
|-------------|--------|---|----------------------------|
| 05073916001 | 158369 | + | 851/1 IMP DC 1x PH 2x25 |
| 05073917001 | 158376 | + | 851/1 IMP DC 1x PH 3x25 |

Bit-Box 15 Impaktor PH



| Code | EAN | | |
|-------------|--------|---|-----------------------------|
| 05057752001 | 187918 | + | 851/1 IMP DC 15x PH 2x25 |

Kraftform Stainless - stainless steel to prevent rust



High quality bits out of stainless steel for cross-recess screws. Wera stainless are made out of stainless steel which prevents the formation of unsightly extraneous rust.

Come with Torsion zone: Torsion bits take-up torque peaks and absorb them in the Torsion zone. This prevents premature wear and extends the service life of the bit. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

3851/1 TS bits, stainless




| Code | EAN | | | | | |
|-------------|--------|---|------|----|----|----|
| 05071010001 | 110985 | + | PH 1 | 25 | 1" | 10 |
| 05071011001 | 110992 | + | PH 2 | 25 | 1" | 10 |
| 05071012001 | 111005 | + | PH 3 | 25 | 1" | 10 |

3851/1 TS SB bits, stainless



| Code | EAN | | | |
|-------------|---------|---|----------------------------|---|
| | 4013288 | | | |
| 05073610001 | 112132 | + | 3851/1 TS PH 1x PH 1x25 | 5 |
| 05073611001 | 112149 | + | 3851/1 TS PH 1x PH 2x25 | 5 |

BiTorsion system - for longer service life



Smaller impacts are absorbed by the holder

Higher impacts are cushioned in the torsion zone of the bit

No premature wear caused by impacts

851/1 BDC bits

Bits with tiny diamond particles on the bit tip. This ensures a secure fit of the bit in the screw, reduces the contact pressure required and lowers the risk of slipping.

Comes with Torsion zone – where kinetic energy is diverted from peak loads – and BiTorsion zone to prevent the bit tip from twisting under peak loads. This greatly extends the product service life; 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

851/1 BDC bits



| Code | EAN | + | mm | inch | | | | |
|-------------|---------|------|----|------|--|--|--|----|
| | 4013288 | | mm | | | | | |
| 05056400001 | 033970 | PH 1 | 25 | 1" | | | | 10 |
| 05056402001 | 033987 | PH 2 | 25 | 1" | | | | 10 |
| 05056404001 | 033994 | PH 3 | 25 | 1" | | | | 10 |

851/1 BDC SB bits



| Code | EAN | + | | |
|-------------|---------|---|----------------------------|---|
| | 4013288 | | | |
| 05073332001 | 029324 | + | 851/1 BDC PH 1x PH 1x25 | 5 |
| 05073333001 | 029331 | + | 851/1 BDC PH 1x PH 2x25 | 5 |
| 05073334001 | 029348 | + | 851/1 BDC PH 1x PH 3x25 | 5 |
| 05073335001 | 029355 | + | 851/1 BDC PH 2x PH 2x25 | 5 |

851/1 BTH bits

Bits with Torsion zone – where kinetic energy is diverted from peak loads – and BiTorsion zone to prevent the bit tip from twisting under peak loads.

This greatly extends the product service life. Extra-hard design, 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

851/1 BTH bits



| Code | EAN | + | mm | inch | | | | |
|-------------|---------|------|----|------|--|--|--|----|
| | 4013288 | | mm | | | | | |
| 05056410001 | 034243 | PH 1 | 25 | 1" | | | | 10 |
| 05056412001 | 034250 | PH 2 | 25 | 1" | | | | 10 |
| 05056414001 | 034267 | PH 3 | 25 | 1" | | | | 10 |



851/1 BTZ bits

Bits with Torsion zone – where kinetic energy is diverted from peak loads – and BiTorsion zone to prevent the bit tip from twisting under peak loads.

This greatly extends the product service life. Tough viscous, 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

851/1 BTZ bits



| | EAN | + | □ | □ | | | | |
|-------------|---------|------|----|----|--|--|--|----|
| Code | 4013288 | | mm | | | | | |
| 05056420001 | 034458 | PH 1 | 25 | 1" | | | | 10 |
| 05056422001 | 034465 | PH 2 | 25 | 1" | | | | 10 |
| 05056424001 | 034472 | PH 3 | 25 | 1" | | | | 10 |

Bit-Box 20 BTZ PH




| Code | EAN | + | | | | | |
|-------------|--------|---|--------------|--|--|--|----|
| 05057751001 | 187956 | + | 851/1 BTZ PH | | | | 10 |
| | | | 20x PH 2x25 | | | | |

Diamond-coated bits

Minute diamond particles on the tip of the tool literally bite into the screw

Bits fit securely into the head of the screw



The diamond coating of the bits ensures a secure fit in the screw, reduces the contact pressure required and lowers the risk of slipping.

Profiled version with especially sharp edges which break away the paint when e.g. screw profiles are covered in it and this ensures a dependable transfer of power between the bit and screw.

1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

851/1 A bits

Extra-hard design. Profiled version. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

851/1 A bits



| | EAN | + | □ | □ | ∅ | | | |
|-------------|---------|------|----|----|-----|--|--|----|
| Code | 4013288 | | mm | | mm | | | |
| 05134919001 | 099976 | PH 1 | 25 | 1" | 4,5 | | | 10 |
| 05134920001 | 099983 | PH 2 | 25 | 1" | 6,0 | | | 10 |
| 05134921001 | 099990 | PH 3 | 25 | 1" | - | | | 10 |

851/1 RDC bits

High quality bits for drywall screws. Reduced shaft diameter for low-lying screw connections. Countersinking of screws without any surface damage.

Especially for drywall construction. The diamond coating of the bits ensures a secure fit in the screw, reduces the contact pressure required and lowers the risk of slipping. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

851/1 RDC bits



| | EAN | + | mm | mm | mm | | |
|-------------|---------|------|----|----|-----|--|----|
| Code | 4013288 | | mm | | mm | | |
| 05135008001 | 032904 | PH 2 | 25 | 1" | 4,2 | | 10 |

851/1 RH bits

Bits with reduced shaft diameter for low-lying screw connections. Countersinking of screws without any surface damage. Tough viscous for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

851/1 RH bits



| | EAN | + | mm | mm | mm | | |
|-------------|---------|------|----|----|-----|--|----|
| Code | 4013288 | | mm | | mm | | |
| 05346281001 | 107176 | PH 2 | 25 | 1" | 4,2 | | 10 |

851/1 RZ bits

Bits for drywall screws. Reduced shaft diameter for low-lying screw connections. Tough viscous for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

851/1 RZ bits



| | EAN | + | mm | mm | mm | | |
|-------------|---------|------|----|----|-----|--|----|
| Code | 4013288 | | mm | | mm | | |
| 05135009001 | 032799 | PH 2 | 25 | 1" | 4,2 | | 10 |

851/1 RZ SB bits



| | EAN | + | | | | | |
|-------------|---------|---|-------------|--|--|--|---|
| Code | 4013288 | | | | | | |
| 05135005001 | 038456 | + | 851/1 RZ PH | | | | 5 |
| | | | 2x PH 2x25 | | | | |

851/1 TH bits

The Torsion design means that torque peaks can be absorbed. This prevents premature wear and enhances the service life. Extra-hard; 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

851/1 TH bits



| | EAN | + | mm | mm | | | |
|-------------|---------|------|----|----|--|--|----|
| Code | 4013288 | | mm | | | | |
| 05056605001 | 013545 | PH 1 | 25 | 1" | | | 10 |
| 05056610001 | 013552 | PH 2 | 25 | 1" | | | 10 |
| 05056625001 | 013569 | PH 3 | 25 | 1" | | | 10 |



851/1 TiN bits

Extra-hard titanium nitride (TiN) coating for withstanding permanent loads such as e.g. in industrial applications.
1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

851/1 TiN bits



| | EAN | + | □ | □ | | | | |
|-------------|---------|------|----|----|--|--|--|----|
| Code | 4013288 | | mm | | | | | |
| 05480172001 | 040992 | PH 2 | 25 | 1" | | | | 10 |

851/1 TZ bits

- Ductile and tough for hard materials
- Torsion design against premature wear

851/1 TZ bits



| | EAN | + | □ | □ | | | | |
|-------------|---------|------|----|----|--|--|--|----|
| Code | 4013288 | | mm | | | | | |
| 05056505001 | 013606 | PH 1 | 25 | 1" | | | | 10 |
| 05056510001 | 013613 | PH 2 | 25 | 1" | | | | 10 |
| 05056525001 | 013620 | PH 3 | 25 | 1" | | | | 10 |

851/1 TZ SB bits



| | Code | EAN | | | | | |
|--|-------------|---------|---|-------------|------------------------------------|--|---|
| | | 4013288 | | | | | |
| | 05073323001 | 029249 | + | 851/1 TZ PH | 2x PH 1x25 | | 5 |
| | 05073324001 | 029256 | + | 851/1 TZ PH | 2x PH 2x25 | | 5 |
| | 05073325001 | 029263 | + | 851/1 TZ PH | 2x PH 3x25 | | 5 |
| | 05073326001 | 029270 | + | 851/1 TZ PH | 1x PH 1x25; 1x PH 2x25; 1x PH 3x25 | | 5 |

851/1 Z bits

- Ductile and tough for hard materials

851/1 Z bits



| | EAN | + | □ | □ | | | | |
|-------------|---------|------|----|--------|--|--|--|----|
| Code | 4013288 | | mm | | | | | |
| 05056500001 | 013323 | PH 0 | 25 | 1" | | | | 10 |
| 05072070001 | 013453 | PH 1 | 25 | 1" | | | | 10 |
| 05056507001 | 013330 | PH 1 | 50 | 2" | | | | 10 |
| 05072072001 | 013460 | PH 2 | 25 | 1" | | | | 10 |
| 05056515001 | 013347 | PH 2 | 32 | 1 1/4" | | | | 10 |
| 05056520001 | 013354 | PH 2 | 50 | 2" | | | | 10 |
| 05072074001 | 013477 | PH 3 | 25 | 1" | | | | 10 |
| 05134905001 | 094858 | PH 3 | 50 | 2" | | | | 10 |
| 05056535001 | 013378 | PH 4 | 32 | 1 1/4" | | | | 10 |

851/1 Z SB bits



| | Code | EAN | | | | | |
|--|-------------|---------|---|------------|------------------------------------|--|---|
| | | 4013288 | | | | | |
| | 05073304001 | 029058 | + | 851/1 Z PH | 2x PH 1x25 | | 5 |
| | 05073305001 | 029065 | + | 851/1 Z PH | 2x PH 2x25 | | 5 |
| | 05073306001 | 029072 | + | 851/1 Z PH | 2x PH 3x25 | | 5 |
| | 05073307001 | 029089 | + | 851/1 Z PH | 1x PH 1x25; 1x PH 2x25; 1x PH 3x25 | | 5 |

851/1 Z DIY bits



| | Code | EAN | | | | | |
|--|-------------|---------|---|------------|-------------|--|---|
| | | 4013288 | | | | | |
| | 05072400001 | 115737 | + | 851/1 Z PH | 10x PH 1x25 | | 1 |
| | 05072401001 | 115744 | + | 851/1 Z PH | 10x PH 2x25 | | 1 |
| | 05072402001 | 115751 | + | 851/1 Z PH | 10x PH 3x25 | | 1 |

851/1 Z DIY 100 bits



| | | | | |
|--|-------------|-------------------|-----------------------------------|---|
| | Code | EAN | | |
| | 05072441001 | 4013288 138477 | 851/1 Z PH 100x PH 2x25 | 1 |

Bit-Box 20 PH



| | | | | |
|--|-------------|-------------------|----------------------------------|----|
| | Code | EAN | | |
| | 05057750001 | 4013288 188014 | 851/1 Z PH 20x PH 2x25 | 20 |

851/1 J bits

Bits optimised for Asian PH screws. Similar to Camera screws. Tough viscous for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.


851/1 J bits



| Code | EAN | | | | | | |
|---------------------------|------------|-------|---|----|----|-----|----|
| | | | | mm | " | mm | |
| 05135040001 ¹⁾ | 112569 | PH 00 | + | 25 | 1" | 2,0 | 10 |
| 05135041001 ²⁾ | 112576 | PH 0 | + | 25 | 1" | 2,5 | 10 |

¹⁾Size 00 modified according to JCIS 00 (Japanese Camera Industrial Standard)
²⁾Size 0 modified according to JCIS 0 (Japanese Camera Industrial Standard)

Impaktor system - For an above-average service life



The Impaktor technology offers an above-average service life even under extreme circumstances. Enhanced friction resistance, thanks to the rough diamond-particle coating on the bit tip, prevents any slipping out of the screw head.

Particularly suitable for use with customary impact drivers. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

851/4 IMP DC PH DIY Impaktor PH bits



| | | | | |
|--|-------------|-------------------|-----------------------------------|---|
| | Code | EAN | | |
| | 05057656001 | 4013288 157652 | 851/4 IMP DC 5x PH 2x50 | 1 |
| | 05057657001 | 157669 | 851/4 IMP DC 5x PH 3x50 | 1 |



851/4 IMP DC SB Impaktor bits



| Code | EAN | | | |
|-------------|---------|--|----------------------------|---|
| | 4013288 | | | |
| 05073956001 | 158482 | | 851/4 IMP DC 1x PH 2x50 | 5 |
| 05073957001 | 158499 | | 851/4 IMP DC 1x PH 3x50 | 5 |

Kraftform Stainless - stainless steel to prevent rust



High quality bits out of stainless steel for cross-recess screws. Wera stainless are made out of stainless steel which prevents the formation of unsightly extraneous rust. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

3851/4 Bits, stainless



| Code | EAN | | mm | mm | | | | |
|-------------|---------|------|----|--------|--|--|--|----|
| | 4013288 | | mm | | | | | |
| 05071081001 | 115485 | PH 1 | 89 | 3 1/2" | | | | 10 |
| 05071082001 | 115492 | PH 2 | 89 | 3 1/2" | | | | 10 |
| 05071083001 | 115508 | PH 3 | 89 | 3 1/2" | | | | 10 |

BiTorsion system - for longer service life



851/4 BDC bits

BiTorsion bits with tiny diamond particles on the bit tip. This ensures a secure fit of the bit in the screw, reduces the contact pressure required and lowers the risk of slipping.

Comes with Torsion zone – where kinetic energy is diverted from peak loads. This greatly extends the product service life; 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

851/4 BDC bits



| Code | EAN | | mm | mm | | | | |
|-------------|---------|------|----|----|--|--|--|----|
| | 4013288 | | mm | | | | | |
| 05059530001 | 034090 | PH 1 | 50 | 2" | | | | 10 |
| 05059532001 | 034106 | PH 2 | 50 | 2" | | | | 10 |
| 05059534001 | 034113 | PH 3 | 50 | 2" | | | | 10 |

851/4 BTH bits

BiTorsion bits with Torsion zone – where kinetic energy is diverted from peak loads.

This greatly extends the product service life; 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

851/4 BTH bits



| | EAN | + | 1" | 2" | | | | |
|-------------|---------|------|----|----|--|--|--|----|
| Code | 4013288 | | mm | | | | | |
| 05059540001 | 034304 | PH 1 | 50 | 2" | | | | 10 |
| 05059542001 | 034311 | PH 2 | 50 | 2" | | | | 10 |
| 05059544001 | 034328 | PH 3 | 50 | 2" | | | | 10 |

851/4 BTZ bits

BiTorsion with Torsion zone – where kinetic energy is diverted from peak loads.

This greatly extends the product service life. Tough viscous for universal use; 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

851/4 BTZ bits



| | EAN | + | 1" | 2" | | | | |
|-------------|---------|------|----|----|--|--|--|----|
| Code | 4013288 | | mm | | | | | |
| 05059550001 | 034571 | PH 1 | 50 | 2" | | | | 10 |
| 05059552001 | 034588 | PH 2 | 50 | 2" | | | | 10 |
| 05059554001 | 034595 | PH 3 | 50 | 2" | | | | 10 |

851/4 RH Reduced tip bits

Bits with reduced shaft diameter for low-lying screw connections, enabling countersinking of screws without any surface damage. Profiled version. Extra-hard. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

851/4 RH Reduced tip bits



| | EAN | + | 1" | 2" | 3" | | | |
|-------------|---------|------|----|----|-----|--|--|----|
| Code | 4013288 | | mm | | | | | |
| 05380161001 | 157065 | PH 2 | 50 | 2" | 4,2 | | | 10 |

851/4 A bits

The sharp-edged profile ensures a dependable transfer of power between the bit and screw by breaking off the paint e.g. when screw profiles are covered in it.

Extra-hard design: 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

851/4 A bits



| | EAN | + | 1" | 2" | 3" | | | |
|---------------------------|---------|------|-----|--------|-----|--|--|----|
| Code | 4013288 | | mm | | | | | |
| 05134929001 | 105165 | PH 0 | 50 | 2" | 3 | | | 10 |
| 05134906001 | 105141 | PH 0 | 70 | 2 3/4" | 3 | | | 10 |
| 05134907001 | 105172 | PH 0 | 89 | 3 1/2" | 3 | | | 10 |
| 05134930001 | 100009 | PH 1 | 50 | 2" | 4,5 | | | 10 |
| 05134370001 | 037831 | PH 1 | 70 | 2 3/4" | 4,5 | | | 10 |
| 05134372001 | 037855 | PH 1 | 89 | 3 1/2" | 4,5 | | | 10 |
| 05134931001 | 100016 | PH 2 | 50 | 2" | 6 | | | 10 |
| 05134371001 | 037848 | PH 2 | 70 | 2 3/4" | 6 | | | 10 |
| 05134373001 | 037862 | PH 2 | 89 | 3 1/2" | 6 | | | 10 |
| 05134910001 ¹⁾ | 105202 | PH 2 | 152 | 6" | 6 | | | 10 |
| 05134911001 ²⁾ | 105219 | PH 2 | 152 | 6" | 6 | | | 10 |
| 05134932001 | 100023 | PH 3 | 50 | 2" | - | | | 10 |
| 05134913001 | 105233 | PH 3 | 70 | 2 3/4" | 8 | | | 10 |
| 05134914001 | 105240 | PH 3 | 89 | 3 1/2" | 8 | | | 10 |
| 05134915001 | 105257 | PH 3 | 152 | 6" | 8 | | | 10 |
| 05160983001 | 106575 | PH 4 | 50 | 2" | 10 | | | 10 |

¹⁾Length of drive 100 mm
²⁾Length of drive 20 mm



851/4 R Reduced tip bits

High quality bits with reduced shaft diameter for low-lying screw connections, enabling countersinking of screws without any surface damage. Profiled version. Extra-hard. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

851/4 R Reduced tip bits



| Code | EAN | + | L ₁ | L ₂ | Ø | | |
|-------------|--------|------|----------------|----------------|-----|--|----|
| | | | mm | " | mm | | |
| 05160899001 | 105547 | PH 2 | 50 | 2" | 3,0 | | 10 |
| 05160896001 | 105554 | PH 2 | 152 | 6" | 3,0 | | 10 |

851/4 TH bits

High quality bits with Torsion zone – where kinetic energy is diverted from peak loads. This greatly extends the product service life. Extra-hard; 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

851/4 TH bits



| Code | EAN | + | L ₁ | L ₂ | | | |
|-------------|--------|------|----------------|----------------|--|--|----|
| | | | mm | " | | | |
| 05059855001 | 013897 | PH 1 | 50 | 2" | | | 10 |
| 05059860001 | 013903 | PH 2 | 50 | 2" | | | 10 |
| 05059865001 | 013910 | PH 3 | 50 | 2" | | | 10 |

851/4 TZ bits

Bits with Torsion zone – where kinetic energy is diverted from peak loads. This greatly extends the product service life. Tough viscous, for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

851/4 TZ bits



| Code | EAN | + | L ₁ | L ₂ | | | |
|-------------|--------|------|----------------|----------------|--|--|----|
| | | | mm | " | | | |
| 05059805001 | 013927 | PH 1 | 50 | 2" | | | 10 |
| 05059810001 | 013934 | PH 2 | 50 | 2" | | | 10 |
| 05059815001 | 013941 | PH 3 | 50 | 2" | | | 10 |

851/4 TZ SB bits



| Code | EAN | + | | | |
|-------------|---------|---|-------------|------------|---|
| | 4013288 | | | | |
| 05134380001 | 037947 | + | 851/4 TZ PH | 2x PH 1x50 | 3 |
| 05134381001 | 037954 | + | 851/4 TZ PH | 2x PH 2x50 | 3 |
| 05134382001 | 037961 | + | 851/4 TZ PH | 2x PH 3x50 | 3 |

851/4 J bits

Bits optimised for Asian PH screws. In particular, for applications with very small dimensions pursuant to the Japanese Camera Industrial Standard.

Tough viscous for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

851/4 J bits



| Code | EAN | + | L ₁ | L ₂ | Ø | | |
|---------------------------|---------|-------|----------------|----------------|-----|--|----|
| | 4013288 | | mm | " | mm | | |
| 05135530001 ¹⁾ | 113252 | PH 00 | 50 | 2" | 2,0 | | 10 |
| 05380200001 ¹⁾ | 156204 | PH 00 | 89 | 3 1/2" | 2,0 | | 10 |
| 05135531001 ²⁾ | 113269 | PH 0 | 50 | 2" | 2,5 | | 10 |
| 05380201001 ²⁾ | 156211 | PH 0 | 89 | 3 1/2" | 2,5 | | 10 |
| 05135532001 | 113276 | PH 1 | 50 | 2" | 4,5 | | 10 |
| 05380202001 | 156228 | PH 1 | 89 | 3 1/2" | 4,5 | | 10 |

¹⁾ Optimised for Asian PH screws

²⁾ Size 0 modified according to JCS 0 (Japanese Camera Industrial Standard)

851/4 Z PH Take it easy bits

Premium bits for Phillips screws. Tough, for universal use.

1/4" hexagonal, suitable for holders as per DIN ISO 1173-F 6.3.

- Take it easy tool finder: colour coding according to profile and size

851/4 Z PH Take it easy bits



| | EAN | + | mm | mm | mm | | |
|-------------|---------|------|----|--------|-----|--|----|
| Code | 4013288 | | mm | | mm | | |
| 05059564001 | 226457 | PH 1 | 89 | 3 1/2" | 4,5 | | 10 |
| 05059565001 | 226464 | PH 2 | 89 | 3 1/2" | 6,0 | | 10 |

851/4 Z bits

Tough viscous for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

851/4 Z bits



| | EAN | + | mm | mm | mm | | |
|-------------|---------|------|-----|--------|-----|--|----|
| Code | 4013288 | | mm | | mm | | |
| 05059755001 | 013781 | PH 1 | 70 | 2 3/4" | 4,5 | | 10 |
| 05059760001 | 013798 | PH 1 | 89 | 3 1/2" | 4,5 | | 10 |
| 05059765001 | 031044 | PH 1 | 127 | 5" | 4,5 | | 10 |
| 05059766001 | 031051 | PH 1 | 152 | 6" | 4,5 | | 10 |
| 05059770001 | 013804 | PH 2 | 70 | 2 3/4" | 6,0 | | 10 |
| 05059775001 | 013811 | PH 2 | 89 | 3 1/2" | 6,0 | | 10 |
| 05059780001 | 013828 | PH 2 | 110 | 4 3/8" | 6,0 | | 10 |
| 05059785001 | 030474 | PH 2 | 127 | 5" | 6,0 | | 10 |
| 05059786001 | 031068 | PH 2 | 152 | 6" | 6,0 | | 10 |
| 05059790001 | 013835 | PH 3 | 70 | 2 3/4" | - | | 10 |
| 05059795001 | 013842 | PH 3 | 89 | 3 1/2" | - | | 10 |
| 05059800001 | 013859 | PH 3 | 110 | 4 3/8" | - | | 10 |
| 05059802001 | 031075 | PH 3 | 152 | 6" | - | | 10 |

851/4 PH Ni Bits

- Chemically nickel-plated

851/4 PH Ni Bits



| | EAN | + | mm | mm | | | |
|-------------|---------|------|----|--------|--|--|----|
| Code | 4013288 | | mm | | | | |
| 05059574001 | 226617 | PH 3 | 89 | 3 1/2" | | | 10 |

851/4 Z SB bits



| Code | EAN | + | | |
|-------------|---------|---|---------------------------|---|
| | 4013288 | | | |
| 05073520001 | 105875 | + | 851/4 Z PH 1x PH 1x89 | 5 |
| 05136305001 | 213839 | + | 851/4 Z PH 1x PH 1x152 | 3 |
| 05073521001 | 105882 | + | 851/4 Z PH 1x PH 2x89 | 5 |
| 05136306001 | 213846 | + | 851/4 Z PH 1x PH 2x152 | 3 |
| 05073522001 | 105899 | + | 851/4 Z PH 1x PH 3x89 | 5 |
| 05136307001 | 213853 | + | 851/4 Z PH 1x PH 3x152 | 3 |

853/4 ACR® SL bits with sleeve, magnetized

Bits with rough ribs (anti cam-out feature, ACR) to prevent any slipping out of the screw head, permanently magnetized, thus screws can be held securely on the tip of the bit; with plastic sleeve, protects components from being damaged when screwdriving.

Tough viscous for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

853/4 ACR® SL bits with sleeve, magnetized



| | EAN | + | mm | mm | mm | | |
|-------------|---------|------|-----|--------|-----|--|----|
| Code | 4013288 | | mm | | mm | | |
| 05323780001 | 165190 | PH 2 | 50 | 2" | 5,2 | | 40 |
| 05323781001 | 165206 | PH 2 | 90 | 3 1/2" | 5,2 | | 40 |
| 05203913001 | 163189 | PH 2 | 150 | 6" | 5,2 | | 40 |
| 05203914001 | 163196 | PH 2 | 200 | 8" | 5,2 | | 60 |

853/4 Harpoon ACR® bits

Bits with reduced shaft diameter for low-lying screw connections. Countersinking of screws without any surface damage. Come with rough ribs (anti cam-out feature, ACR) to prevent any slipping out of the screw head.

Tough viscous for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

853/4 Harpoon ACR® bits



| | EAN | + | □ | □ | ∅ | | | |
|-------------|---------|------|-----|--------|-----|--|--|----|
| Code | 4013288 | | mm | | mm | | | |
| 05160901001 | 105592 | PH 2 | 50 | 2" | 3,3 | | | 10 |
| 05160895001 | 105608 | PH 2 | 70 | 2 3/4" | 3,3 | | | 10 |
| 05160908001 | 105615 | PH 2 | 152 | 6" | 3,3 | | | 10 |

851/2 Z bits

For universal use. 5/16" hexagon, suitable for holders as per DIN ISO 1173-D 8.

851/2 Z bits



| | EAN | + | □ | □ | ∅ | | | |
|-------------|---------|------|----|--------|-----|--|--|----|
| Code | 4013288 | | mm | | mm | | | |
| 05057705001 | 013668 | PH 1 | 32 | 1 1/4" | 4,5 | | | 10 |
| 05057710001 | 013675 | PH 2 | 32 | 1 1/4" | 6,0 | | | 10 |
| 05057715001 | 013682 | PH 3 | 32 | 1 1/4" | 7,6 | | | 10 |
| 05057720001 | 013699 | PH 4 | 32 | 1 1/4" | - | | | 10 |

851/11 Bits

With thread drive M 4.

851/11 Bits



| | EAN | + | □ | □ | ∅ | | | |
|-------------|---------|------|----|--------|-----|--|--|---|
| Code | 4013288 | | mm | | mm | | | |
| 05065081001 | 014245 | PH 2 | 33 | 1 1/4" | 6,0 | | | 5 |

851/12 Bits

Tough viscous for universal use. Thread drive M 5.

851/12 Bits



| | EAN | + | □ | □ | ∅ | | | |
|-------------|---------|------|------|--------|-----|--|--|---|
| Code | 4013288 | | mm | | mm | | | |
| 05065110001 | 014252 | PH 2 | 33 | 1 1/4" | 7,0 | | | 5 |
| 05065112001 | 014269 | PH 2 | 35 | 1 3/8" | 7,0 | | | 5 |
| 05065114001 | 014276 | PH 2 | 44,5 | 1 3/4" | 6,0 | | | 5 |

851/16 bits

Thread drive #10-32 UNF.

851/16 bits



| | EAN | + | □ | □ | ∅ | | | |
|-------------|---------|------|------|--------|-----|--|--|---|
| Code | 4013288 | | mm | | mm | | | |
| 05065197001 | 014351 | PH 2 | 44,5 | 1 3/4" | 6,0 | | | 5 |

851/9 C J PH bits, halfmoon

With 4 mm halfmoon drive. Optimised for Japanese PH screws. Hard design.

851/9 C J PH bits, halfmoon



| | EAN | + | □ | □ | ∅ | □ | □ | |
|---------------------------|---------|--------|----|----------|-----|----|--------|----|
| Code | 4013288 | | mm | | mm | mm | | |
| 05134605001 ¹⁾ | 190444 | PH 000 | 44 | 1 47/64" | 1,5 | 20 | 25/32" | 10 |
| 05135270001 ¹⁾ | 112729 | PH 00 | 44 | 1 47/64" | 1,8 | 20 | 25/32" | 10 |
| 05135271001 ¹⁾ | 112736 | PH 00 | 64 | 2 33/64" | 1,8 | 20 | 25/32" | 10 |
| 05135272001 ²⁾ | 112743 | PH 0 | 44 | 1 47/64" | 1,8 | 20 | 25/32" | 10 |
| 05135273001 ²⁾ | 112750 | PH 0 | 64 | 2 33/64" | 1,8 | 20 | 25/32" | 10 |
| 05135276001 ¹⁾ | 112781 | PH 1 | 44 | 1 47/64" | 3,0 | 20 | 25/32" | 10 |
| 05135277001 ¹⁾ | 112798 | PH 1 | 64 | 2 33/64" | 3,0 | 20 | 25/32" | 10 |

¹⁾ Optimised for Asian PH screws

²⁾ Size 0 modified according to JCS 0 (Japanese Camera Industrial Standard)

851/21 J bits

With HIOS 4 mm drive. Optimised for Japanese PH screws.
Hard design.

851/21 J bits



| Code | EAN | + | mm | mm | mm | | |
|---------------------------|--------|-------|----|---------|-----|--|----|
| 05135280001 ¹⁾ | 112804 | PH 00 | 40 | 1 9/16" | 1,8 | | 10 |
| 05135281001 ¹⁾ | 112811 | PH 00 | 60 | 2 3/8" | 1,8 | | 10 |
| 05135284001 ²⁾ | 112828 | PH 0 | 40 | 1 9/16" | 1,8 | | 10 |
| 05135285001 ²⁾ | 112835 | PH 0 | 60 | 2 3/8" | 1,8 | | 10 |

¹⁾Size 00 modified according to JCIS 00 (Japanese Camera Industrial Standard)

²⁾Size 0 modified according to JCIS 0 (Japanese Camera Industrial Standard)

Impaktor system - For an above-average service life



High quality bits for Pozidriv screws. The Impaktor technology offers an above-average service life even under extreme circumstances. Enhanced friction resistance, thanks to the rough diamond-particle coating on the bit tip, prevents any slipping out of the screw head. Particularly suitable for use with customary impact drivers. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

855/1 IMP DC PZ DIY Impaktor bits



| Code | EAN | + | | |
|-------------|--------|---|-----------------------------|---|
| 05057620001 | 178718 | + | 855/1 IMP DC 10x PZ 1x25 | 1 |
| 05057621001 | 157676 | + | 855/1 IMP DC 10x PZ 2x25 | 1 |
| 05057622001 | 157683 | + | 855/1 IMP DC 10x PZ 3x25 | 1 |

855/1 IMP DC SB Impaktor bits



| Code | EAN | + | | |
|-------------|--------|---|----------------------------|---|
| 05073921001 | 158383 | + | 855/1 IMP DC 1x PZ 2x25 | 5 |
| 05073922001 | 158390 | + | 855/1 IMP DC 1x PZ 3x25 | 5 |


Bit-Box 15 Impaktor PZ



| Code | EAN | + | | |
|-------------|--------|---|-----------------------------|----|
| 05057763001 | 187901 | + | 855/1 IMP DC 15x PZ 2x25 | 10 |



Kraftform Stainless - stainless steel to prevent rust



High quality bits out of stainless steel for Pozidriv screws. Wera stainless are made out of stainless steel which prevents the formation of unsightly extraneous rust. Come with Torsion zone: Torsion bits take-up torque peaks and absorb them in the Torsion zone. This prevents premature wear and extends the service life of the bit. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

3855/1 TS bits, stainless




| Code | EAN | ✳ | ⌀ | ℓ | | | | | |
|-------------|---------|------|----|----|--|--|--|--|----|
| | 4013288 | | mm | | | | | | |
| 05071020001 | 111012 | PZ 1 | 25 | 1" | | | | | 10 |
| 05071021001 | 111029 | PZ 2 | 25 | 1" | | | | | 10 |
| 05071022001 | 111036 | PZ 3 | 25 | 1" | | | | | 10 |

3855/1 TS SB bits, stainless



| Code | EAN | ✳ | | | | | | | |
|-------------|---------|---|--------------|------------|--|--|--|--|---|
| | 4013288 | | | | | | | | |
| 05073613001 | 112101 | ✳ | 3855/1 TS PZ | 1x PZ 1x25 | | | | | 5 |
| 05073614001 | 112118 | ✳ | 3855/1 TS PZ | 1x PZ 2x25 | | | | | 5 |
| 05073615001 | 112125 | ✳ | 3855/1 TS PZ | 1x PZ 3x25 | | | | | 5 |

BiTorsion system - for longer service life



855/1 BDC bits

BiTorsion bits with tiny diamond particles on the bit tip. This ensures a secure fit of the bit in the screw, reduces the contact pressure required and lowers the risk of slipping.

Comes with Torsion zone – where kinetic energy is diverted from peak loads. This greatly extends the product service life; 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

855/1 BDC bits



| Code | EAN | ✳ | ⌀ | ℓ | | | | | |
|-------------|---------|------|----|----|--|--|--|--|----|
| | 4013288 | | mm | | | | | | |
| 05056700001 | 034007 | PZ 1 | 25 | 1" | | | | | 10 |
| 05056702001 | 034014 | PZ 2 | 25 | 1" | | | | | 10 |
| 05056704001 | 034021 | PZ 3 | 25 | 1" | | | | | 10 |

855/1 BDC SB bits



| Code | EAN | | | |
|-------------|---------|--|----------------------------|---|
| | 4013288 | | | |
| 05073336001 | 029362 | | 855/1 BDC PZ 1x PZ 1x25 | 5 |
| 05073337001 | 029379 | | 855/1 BDC PZ 1x PZ 2x25 | 5 |
| 05073338001 | 029386 | | 855/1 BDC PZ 1x PZ 3x25 | 5 |
| 05073339001 | 029393 | | 855/1 BDC PZ 2x PZ 2x25 | 5 |

855/1 BTH bits

BiTorsion bits with Torsion zone – where kinetic energy is diverted from peak loads.

This greatly extends the product service life. This provides the best possible durability together with the matching holder.

Extra-hard; 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

855/1 BTH bits



| Code | EAN | | | | | | | | |
|-------------|---------|------|----|----|--|--|--|--|----|
| | 4013288 | | mm | | | | | | |
| 05056710001 | 034274 | PZ 1 | 25 | 1" | | | | | 10 |
| 05056712001 | 034281 | PZ 2 | 25 | 1" | | | | | 10 |
| 05056714001 | 034298 | PZ 3 | 25 | 1" | | | | | 10 |

Bit-Box 20 BTH PZ



| Code | EAN | | | |
|-------------|---------|--|-----------------------------|----|
| | 4013288 | | | |
| 05057762001 | 187963 | | 855/1 BTH PZ 20x PZ 2x25 | 10 |

855/1 BTZ bits

BiTorsion bits with Torsion zone – where kinetic energy is diverted from peak loads.

This greatly extends the product service life.

Tough, for universal use; 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

855/1 BTZ bits



| Code | EAN | | | | | | | | |
|-------------|---------|------|----|----|--|--|--|--|----|
| | 4013288 | | mm | | | | | | |
| 05056720001 | 034489 | PZ 1 | 25 | 1" | | | | | 10 |
| 05056722001 | 034496 | PZ 2 | 25 | 1" | | | | | 10 |
| 05056724001 | 034502 | PZ 3 | 25 | 1" | | | | | 10 |

Bit-Box 20 BTZ PZ



| Code | EAN | | | |
|-------------|---------|--|-----------------------------|----|
| | 4013288 | | | |
| 05057761001 | 187970 | | 855/1 BTZ PZ 20x PZ 2x25 | 10 |



855/1 RZ bits

Reduced shaft diameter for low-lying screw connections. Countersinking of screws without any surface damage. Especially for drywall construction and suitable for drywall screws.

855/1 RZ bits



| | EAN | | | | | |
|-------------|---------|------|----|----|-----|----|
| Code | 4013288 | | mm | | mm | |
| 05135017001 | 175311 | PZ 1 | 25 | 1" | 4,2 | 10 |
| 05135003001 | 096739 | PZ 2 | 25 | 1" | 4,2 | 10 |

855/1 TH bits

With Torsion zone – where kinetic energy is diverted from peak loads. This greatly extends the product service life. Extra-hard; 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

855/1 TH bits



| | EAN | | | | |
|-------------|---------|------|----|----|----|
| Code | 4013288 | | mm | | |
| 05056910001 | 014740 | PZ 1 | 25 | 1" | 10 |
| 05056915001 | 014757 | PZ 2 | 25 | 1" | 10 |
| 05056925001 | 014764 | PZ 3 | 25 | 1" | 10 |

855/1 TH SB bits



| | EAN | | | | |
|-------------|---------|--|-------------|------------------------------------|---|
| Code | 4013288 | | | | |
| 05073370001 | 029638 | | 855/1 TH PZ | 2x PZ 1x25 | 5 |
| 05073371001 | 029645 | | 855/1 TH PZ | 2x PZ 2x25 | 5 |
| 05073372001 | 029652 | | 855/1 TH PZ | 2x PZ 3x25 | 5 |
| 05073373001 | 029669 | | 855/1 TH PZ | 1x PZ 1x25; 1x PZ 2x25; 1x PZ 3x25 | 5 |

855/1 TiN bits

With extra-hard titanium nitride (TiN) coating for withstanding permanent loads such as e.g. in industrial applications.

1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

855/1 TiN bits



| | EAN | | | | |
|-------------|---------|------|----|----|----|
| Code | 4013288 | | mm | | |
| 0548022001 | 041029 | PZ 2 | 25 | 1" | 10 |

855/1 TZ bits

With Torsion zone to combat premature wear.

Tough viscous for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

855/1 TZ bits



| | EAN | | | | |
|-------------|---------|------|----|----|----|
| Code | 4013288 | | mm | | |
| 05056810001 | 014801 | PZ 1 | 25 | 1" | 10 |
| 05056815001 | 014818 | PZ 2 | 25 | 1" | 10 |
| 05056825001 | 014825 | PZ 3 | 25 | 1" | 10 |

855/1 Z bits

Tough viscous for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

855/1 Z bits



| | EAN | | | | |
|-------------|---------|------|----|--------|----|
| Code | 4013288 | | mm | | |
| 05056805001 | 014535 | PZ 0 | 25 | 1" | 10 |
| 05072080001 | 014658 | PZ 1 | 25 | 1" | 10 |
| 05056812001 | 014542 | PZ 1 | 50 | 2" | 10 |
| 05072082001 | 014665 | PZ 2 | 25 | 1" | 10 |
| 05056820001 | 014559 | PZ 2 | 50 | 2" | 10 |
| 05072084001 | 014672 | PZ 3 | 25 | 1" | 10 |
| 05056835001 | 014573 | PZ 4 | 32 | 1 1/4" | 10 |

855/1 Z SB bits



| Code | EAN | | |
|-------------|--------|--|---|
| 05073308001 | 029096 | 855/1 Z PZ 2x PZ 1x25 | 5 |
| 05073309001 | 029102 | 855/1 Z PZ 2x PZ 2x25 | 5 |
| 05073310001 | 029119 | 855/1 Z PZ 2x PZ 3x25 | 5 |
| 05073380001 | 029621 | 855/1 Z PZ 1x PZ 4x32 | 5 |
| 05073311001 | 029126 | 855/1 Z PZ 1x PZ 1x25; 1x PZ 2x25; 1x PZ 3x25 | 5 |

855/1 Z DIY bits



| Code | EAN | | |
|-------------|--------|---------------------------|---|
| 05072403001 | 115768 | 855/1 Z PZ 10x PZ 1x25 | 1 |
| 05072404001 | 115775 | 855/1 Z PZ 10x PZ 2x25 | 1 |
| 05072405001 | 115782 | 855/1 Z PZ 10x PZ 3x25 | 1 |

855/1 Z DIY 100 bits



| Code | EAN | | |
|-------------|--------|----------------------------|---|
| 05072443001 | 138484 | 855/1 Z PZ 100x PZ 1x25 | 1 |
| 05072444001 | 138491 | 855/1 Z PZ 100x PZ 2x25 | 1 |

Bit-Box 20 PZ



| Code | EAN | | |
|-------------|--------|---------------------------|----|
| 05057760001 | 188052 | 855/1 Z PZ 20x PZ 2x25 | 20 |

Impaktor system - For an above-average service life



The Impaktor technology offers an above-average service life even under extreme circumstances. Enhanced friction resistance, thanks to the rough diamond-particle coating on the bit tip, prevents any slipping out of the screw head.

Particularly suitable for use with customary impact drivers. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

855/4 IMP DC PZ DIY Impaktor bits




| Code | EAN | | |
|-------------|--------|----------------------------|---|
| 05057661001 | 157690 | 855/4 IMP DC 5x PZ 2x50 | 1 |
| 05057662001 | 157706 | 855/4 IMP DC 5x PZ 3x50 | 1 |

855/4 IMP DC Impaktor bits SB



| Code | EAN | | |
|-------------|---------|----------------------------|---|
| | 4013288 | | |
| 05073961001 | 158505 | 855/4 IMP DC 1x PZ 2x50 | 5 |
| 05073962001 | 158512 | 855/4 IMP DC 1x PZ 3x50 | 5 |

Kraftform Stainless - stainless steel to prevent rust




High quality bits out of stainless steel which prevents the formation of unsightly extraneous rust. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

3855/4 Bits, stainless



| Code | EAN | ★ | □ | □ | | |
|-------------|---------|------|----|--------|--|----|
| | 4013288 | | mm | | | |
| 05071084001 | 115515 | PZ 1 | 89 | 3 1/2" | | 10 |
| 05071085001 | 115522 | PZ 2 | 89 | 3 1/2" | | 10 |
| 05071086001 | 115539 | PZ 3 | 89 | 3 1/2" | | 10 |

BiTorsion system - for longer service life



855/4 BDC bits

Bits with tiny diamond particles on the bit tip. This ensures a secure fit of the bit in the screw, reduces the contact pressure required and lowers the risk of slipping.

Comes with Torsion zone – where kinetic energy is diverted from peak loads. This greatly extends the product service life; 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

855/4 BDC bits



| Code | EAN | ★ | □ | □ | | |
|-------------|---------|------|----|----|--|----|
| | 4013288 | | mm | | | |
| 05059900001 | 034120 | PZ 1 | 50 | 2" | | 10 |
| 05059902001 | 034137 | PZ 2 | 50 | 2" | | 10 |
| 05059904001 | 034144 | PZ 3 | 50 | 2" | | 10 |

855/4 BTH bits

Bits with Torsion zone – where kinetic energy is diverted from peak loads. This greatly extends the product service life. This provides the best possible durability together with the matching holder.

Extra-hard; 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

855/4 BTH bits



| Code | EAN | ★ | □ | □ | | |
|-------------|---------|------|----|----|--|----|
| | 4013288 | | mm | | | |
| 05059910001 | 034335 | PZ 1 | 50 | 2" | | 10 |
| 05059912001 | 034342 | PZ 2 | 50 | 2" | | 10 |
| 05059914001 | 034359 | PZ 3 | 50 | 2" | | 10 |

855/4 BTZ bits

BiTorsion bits with Torsion zone – where kinetic energy is diverted from peak loads. This greatly extends the product service life.

Tough viscous for universal use; 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

855/4 BTZ bits



| Code | EAN | ✳ | ⌀ | ℓ | | | | | |
|-------------|---------|------|----|----|--|--|--|--|----|
| | 4013288 | | mm | | | | | | |
| 05059920001 | 034601 | PZ 1 | 50 | 2" | | | | | 10 |
| 05059922001 | 034618 | PZ 2 | 50 | 2" | | | | | 10 |
| 05059924001 | 034625 | PZ 3 | 50 | 2" | | | | | 10 |

855/4 TH bits

Bits with Torsion zone – where kinetic energy is diverted from peak loads. This greatly extends the product service life. Extra-hard; 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.



| Code | EAN | ✳ | ⌀ | ℓ | | | | | |
|-------------|---------|------|----|----|--|--|--|--|----|
| | 4013288 | | mm | | | | | | |
| 05060055001 | 015068 | PZ 1 | 50 | 2" | | | | | 10 |
| 05060060001 | 015075 | PZ 2 | 50 | 2" | | | | | 10 |
| 05060065001 | 015082 | PZ 3 | 50 | 2" | | | | | 10 |

855/4 TZ bits

High quality bits with Torsion zone – where kinetic energy is diverted from peak loads.

This greatly extends the product service life. Tough viscous, for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

855/4 TZ bits



| Code | EAN | ✳ | ⌀ | ℓ | | | | | |
|-------------|---------|------|----|----|--|--|--|--|----|
| | 4013288 | | mm | | | | | | |
| 05060005001 | 015099 | PZ 1 | 50 | 2" | | | | | 10 |
| 05060010001 | 015105 | PZ 2 | 50 | 2" | | | | | 10 |
| 05060015001 | 015112 | PZ 3 | 50 | 2" | | | | | 10 |

855/4 TZ SB bits



| Code | EAN | ✳ | ⌀ | ℓ | | | | | |
|-------------|---------|---|---|---|-------------|------------|--|--|---|
| | 4013288 | | | | | | | | |
| 05134384001 | 037985 | ✳ | | | 855/4 TZ PZ | 2x PZ 1x50 | | | 3 |
| 05134385001 | 037992 | ✳ | | | 855/4 TZ PZ | 2x PZ 2x50 | | | 3 |
| 05134386001 | 038005 | ✳ | | | 855/4 TZ PZ | 2x PZ 3x50 | | | 3 |

855/4 Z PZ Take it easy bits

Premium bits for Pozidriv* screws. Tough, for universal use. 1/4" hexagonal, suitable for holders as per DIN ISO 1173-F 6.3. * Pozidriv = registered trademark of the company European Industrial Service Ltd.

- Take it easy tool finder: colour coding according to profile and size

855/4 Z PZ Take it easy bits



| Code | EAN | ✳ | ⌀ | ℓ | ℓ | ∅ | | | |
|-------------|---------|------|----|--------|---|-----|--|--|----|
| | 4013288 | | mm | | | mm | | | |
| 05059566001 | 226471 | PZ 1 | 89 | 3 1/2" | | 4,5 | | | 10 |
| 05059567001 | 226488 | PZ 2 | 89 | 3 1/2" | | 6,0 | | | 10 |



855/4 Z bits

Tough viscous for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

855/4 Z bits



| Code | EAN | ✳ | ⌈ | ⌋ | ∅ | | | |
|-------------|--------|------|-----|--------|-----|--|--|----|
| Code | EAN | | mm | | mm | | | |
| 05060027001 | 014955 | PZ 1 | 70 | 2 3/4" | 4,5 | | | 10 |
| 05060029001 | 014962 | PZ 1 | 89 | 3 1/2" | 4,5 | | | 10 |
| 05060031001 | 031426 | PZ 1 | 127 | 5" | 4,5 | | | 10 |
| 05060030001 | 031259 | PZ 1 | 152 | 6" | 4,5 | | | 10 |
| 05060033001 | 014979 | PZ 2 | 70 | 2 3/4" | 6,0 | | | 10 |
| 05060035001 | 014986 | PZ 2 | 89 | 3 1/2" | 6,0 | | | 10 |
| 05060037001 | 014993 | PZ 2 | 110 | 4 3/8" | 6,0 | | | 10 |
| 05060036001 | 031440 | PZ 2 | 127 | 5" | 6,0 | | | 10 |
| 05060038001 | 031297 | PZ 2 | 152 | 6" | 6,0 | | | 10 |
| 05060041001 | 015006 | PZ 3 | 70 | 2 3/4" | - | | | 10 |
| 05060043001 | 015013 | PZ 3 | 89 | 3 1/2" | - | | | 10 |
| 05060045001 | 015020 | PZ 3 | 110 | 4 3/8" | - | | | 10 |
| 05060047001 | 031433 | PZ 3 | 152 | 6" | - | | | 10 |

855/4 Z SB bits



| Code | EAN | | | |
|-------------|--------|---|---------------------------|---|
| 05073523001 | 105905 | ✳ | 855/4 Z PZ 1x PZ 1x89 | 5 |
| 05073524001 | 106452 | ✳ | 855/4 Z PZ 1x PZ 2x89 | 5 |
| 05073525001 | 105912 | ✳ | 855/4 Z PZ 1x PZ 3x89 | 5 |
| 05136308001 | 213860 | ✳ | 855/4 Z PZ 1x PZ 1x152 | 3 |
| 05136309001 | 213877 | ✳ | 855/4 Z PZ 1x PZ 2x152 | 3 |
| 05136310001 | 213884 | ✳ | 855/4 Z PZ 1x PZ 3x152 | 3 |

855/4 PZ Ni Bits

- Chemically nickel-plated

855/4 PZ Ni Bits



| Code | EAN | ✳ | ⌈ | ⌋ | ∅ | | | |
|-------------|--------|------|----|--------|----|--|--|----|
| Code | EAN | | mm | | mm | | | |
| 05059575001 | 226624 | PZ 3 | 89 | 3 1/2" | | | | 10 |

855/2 Z bits

5/16" hexagon, suitable for holders as per DIN ISO 1173-D 8.

855/2 Z bits



| Code | EAN | ✳ | ⌈ | ⌋ | ∅ | | | |
|-------------|--------|------|----|--------|-----|--|--|----|
| Code | EAN | | mm | | mm | | | |
| 05058005001 | 014863 | PZ 1 | 32 | 1 1/4" | 4,5 | | | 10 |
| 05058010001 | 014870 | PZ 2 | 32 | 1 1/4" | 6,0 | | | 10 |
| 05058015001 | 014887 | PZ 3 | 32 | 1 1/4" | 7,6 | | | 10 |
| 05058020001 | 014894 | PZ 4 | 32 | 1 1/4" | - | | | 10 |

855/11 Bits

With thread drive M 4.

855/11 Bits



| Code | EAN | ✳ | ⌈ | ⌋ | ∅ | | | |
|-------------|--------|------|----|--------|-----|--|--|---|
| Code | EAN | | mm | | mm | | | |
| 05065096001 | 015426 | PZ 2 | 33 | 1 1/4" | 6,0 | | | 5 |

855/12 Bits

With thread drive M 5.

855/12 Bits



| Code | EAN | ✳ | ⌈ | ⌋ | ∅ | | | |
|-------------|--------|------|------|--------|-----|--|--|---|
| Code | EAN | | mm | | mm | | | |
| 05065129001 | 015457 | PZ 2 | 44,5 | 1 3/4" | 6,0 | | | 5 |

851/4 PH/S PlusMinus bits

Bits with combination profile Phillips/slotted. In electrical applications screws with mixed geometry (slotted and Phillips cross-recess) are quite common.

Bits having a PlusMinus profile are optimum for addressing these screws. Tough viscous for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

851/4 PH/S PlusMinus bits



| | EAN | | | | | | |
|-------------|---------|-----|----|--------|-----|--|----|
| Code | 4013288 | | mm | | mm | | |
| 05059720001 | 102577 | # 1 | 70 | 2 3/4" | 4,5 | | 10 |
| 05059721001 | 102584 | # 2 | 70 | 2 3/4" | 6 | | 10 |

855/4 PZ/S PlusMinus bits

Bits with combination profile slotted and Pozidriv, particularly for jobs on terminal blocks, fuse boxes, switches and relays.

Tough viscous for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

855/4 PZ/S PlusMinus bits



| | EAN | | | | | | |
|-------------|---------|-----|----|--------|-----|--|----|
| Code | 4013288 | | mm | | mm | | |
| 05059896001 | 102591 | # 1 | 70 | 2 3/4" | 4,5 | | 10 |
| 05059897001 | 102607 | # 2 | 70 | 2 3/4" | 6 | | 10 |

Impaktor system - For an above-average service life



High quality bits for recessed TORX® screws. The Impaktor technology offers an above-average service life even under extreme circumstances. Enhanced friction resistance, thanks to the rough diamond-particle coating on the bit tip, prevents any slipping out of the screw head.

Particularly suitable for use with customary impact drivers. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

867/1 IMP DC TORX® DIY Impaktor bits



| Code | EAN | | | |
|-------------|---------|--|------------------------------|---|
| | 4013288 | | | |
| 05057628001 | 178688 | | 867/1 IMP DC 10x TX 10x25 | 1 |
| 05057623001 | 169242 | | 867/1 IMP DC 10x TX 15x25 | 1 |
| 05057624001 | 163165 | | 867/1 IMP DC 10x TX 20x25 | 1 |
| 05057625001 | 157447 | | 867/1 IMP DC 10x TX 25x25 | 1 |
| 05057626001 | 157454 | | 867/1 IMP DC 10x TX 30x25 | 1 |
| 05057627001 | 157461 | | 867/1 IMP DC 10x TX 40x25 | 1 |

867/1 IMP DC SB Impaktor bits



| Code | EAN | | | |
|-------------|---------|--|-----------------------------|---|
| | 4013288 | | | |
| 05073924001 | 163240 | | 867/1 IMP DC 1x TX 20x25 | 5 |
| 05073925001 | 158406 | | 867/1 IMP DC 1x TX 25x25 | 5 |
| 05073926001 | 158413 | | 867/1 IMP DC 1x TX 30x25 | 5 |
| 05073927001 | 158420 | | 867/1 IMP DC 1x TX 40x25 | 5 |

Bit-Box 15 Impaktor TX



| Code | EAN | | | |
|-------------|---------|--|------------------------------|----|
| | 4013288 | | | |
| 05057772001 | 187871 | | 867/1 IMP DC 15x TX 20x25 | 10 |
| 05057775001 | 187888 | | 867/1 IMP DC 15x TX 25x25 | 10 |
| 05057776001 | 187895 | | 867/1 IMP DC 15x TX 30x25 | 10 |

Kraftform Stainless - stainless steel to prevent rust



High quality bits out of stainless steel for recessed TORX® screws. Prevent the formation of unsightly extraneous rust.

Come with Torsion zone: Torsion bits take-up torque peaks and absorb them in the Torsion zone. This prevents premature wear and extends the service life of the bit. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

3867/1 TS TORX® bits, stainless




| Code | EAN | | ⌀ | ℓ | | | | |
|-------------|---------|-------|----|----|--|--|--|----|
| | 4013288 | | mm | | | | | |
| 05071030001 | 111043 | TX 8 | 25 | 1" | | | | 10 |
| 05071032001 | 111067 | TX 10 | 25 | 1" | | | | 10 |
| 05071033001 | 111074 | TX 15 | 25 | 1" | | | | 10 |
| 05071034001 | 111081 | TX 20 | 25 | 1" | | | | 10 |
| 05071035001 | 111098 | TX 25 | 25 | 1" | | | | 10 |
| 05071037001 | 111111 | TX 30 | 25 | 1" | | | | 10 |
| 05071038001 | 111128 | TX 40 | 25 | 1" | | | | 10 |

3867/1 TS SB TORX® bits, stainless



| Code | EAN | | | |
|-------------|---------|--|--------------------------------|---|
| | 4013288 | | | |
| 05073620001 | 117670 | | 3867/1 TS TORX® 1x TX 10x25 | 5 |
| 05073621001 | 117687 | | 3867/1 TS TORX® 1x TX 15x25 | 5 |
| 05073622001 | 117694 | | 3867/1 TS TORX® 1x TX 20x25 | 5 |
| 05073623001 | 117700 | | 3867/1 TS TORX® 1x TX 25x25 | 5 |
| 05073625001 | 117724 | | 3867/1 TS TORX® 1x TX 30x25 | 5 |

BiTorsion system - for longer service life



867/1 BDC TORX® bits

Bits with tiny diamond particles on the bit tip. This ensures a secure fit of the bit in the screw, reduces the contact pressure required and lowers the risk of slipping.

Come with a Torsion zone – where kinetic energy is diverted from peak loads. This greatly extends the product service life. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

867/1 BDC TORX® bits



| | EAN | | | | | | | | |
|-------------|---------|-------|----|----|--|--|--|--|----|
| Code | 4013288 | | mm | | | | | | |
| 05066100001 | 034038 | TX 10 | 25 | 1" | | | | | 10 |
| 05066102001 | 034045 | TX 15 | 25 | 1" | | | | | 10 |
| 05066104001 | 034052 | TX 20 | 25 | 1" | | | | | 10 |
| 05066106001 | 034069 | TX 25 | 25 | 1" | | | | | 10 |
| 05066108001 | 034076 | TX 30 | 25 | 1" | | | | | 10 |
| 05066110001 | 034083 | TX 40 | 25 | 1" | | | | | 10 |

867/1 BDC SB TORX® bits



| | EAN | | | | | | | | |
|-------------|---------|--|-----------------|-------------|--|--|--|--|---|
| Code | 4013288 | | | | | | | | |
| 05134374001 | 099778 | | 867/1 TORX® BDC | 1x TX 10x25 | | | | | 5 |
| 05134375001 | 099785 | | 867/1 TORX® BDC | 1x TX 15x25 | | | | | 5 |
| 05134376001 | 099792 | | 867/1 TORX® BDC | 1x TX 20x25 | | | | | 5 |
| 05134377001 | 099808 | | 867/1 TORX® BDC | 1x TX 25x25 | | | | | 5 |
| 05134378001 | 099822 | | 867/1 TORX® BDC | 1x TX 30x25 | | | | | 5 |
| 05134379001 | 099815 | | 867/1 TORX® BDC | 1x TX 40x25 | | | | | 5 |

867/1 BTZ TORX® bits

BiTorsion bits with an Torsion zone – where kinetic energy is diverted from peak loads. This greatly extends the product service life. This provides the best possible durability together with the matching holder.

Tough viscous for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

867/1 BTZ TORX® bits



| | EAN | | | | | | | | |
|-------------|---------|-------|----|----|--|--|--|--|----|
| Code | 4013288 | | mm | | | | | | |
| 05066120001 | 034519 | TX 10 | 25 | 1" | | | | | 10 |
| 05066122001 | 034526 | TX 15 | 25 | 1" | | | | | 10 |
| 05066124001 | 034533 | TX 20 | 25 | 1" | | | | | 10 |
| 05066126001 | 034540 | TX 25 | 25 | 1" | | | | | 10 |
| 05066128001 | 034557 | TX 30 | 25 | 1" | | | | | 10 |
| 05066130001 | 034564 | TX 40 | 25 | 1" | | | | | 10 |

867/1 TORX® HF Bits with holding function

- For TORX® socket screws
- Holding function for recessed TORX® screws
- Also suitable for Würth ASSY screws as well as Altenloh SPAX T-STAR plus screws
- 1/4" hexagon drive (Wera connecting series 1)
- With Take it easy tool finder: colour coding by size

867/1 TORX® HF Bits with holding function



| | EAN | | | | | | | | |
|---------------------------|---------|-------|----|----|--|--|--|--|----|
| Code | 4013288 | | mm | | | | | | |
| 05066140001 | 226334 | TX 10 | 25 | 1" | | | | | 10 |
| 05066141001 | 226341 | TX 15 | 25 | 1" | | | | | 10 |
| 05066142001 | 226365 | TX 20 | 25 | 1" | | | | | 10 |
| 05066143001 | 226358 | TX 25 | 25 | 1" | | | | | 10 |
| 05066144001 | 226389 | TX 30 | 25 | 1" | | | | | 10 |
| 05066145001 ¹⁾ | 226655 | TX 40 | 25 | 1" | | | | | 10 |

¹⁾Pound-thru hexagonal; no Take it easy.



Bit-Box 20 TX HF



| Code | EAN | | | |
|-------------|---------|--|---------------------------------------|----|
| | 4013288 | | | |
| 05057777001 | 226013 | | 867/1 TORX® HF 20x TX 20x25 | 20 |
| 05057778001 | 226020 | | 867/1 TORX® HF 20x TX 25x25 | 20 |

867/1 TZ TORX® bits

With a Torsion zone – where kinetic energy is diverted from peak loads. This greatly extends the product service life.

Tough viscous for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

867/1 TZ TORX® bits



| Code | EAN | | mm | mm | mm | | | |
|-------------|--------|--|-------|----|----|-----|--|----|
| 05066300001 | 015709 | | TX 5 | 25 | 1" | 4,2 | | 10 |
| 05066301001 | 015716 | | TX 6 | 25 | 1" | 4,2 | | 10 |
| 05066302001 | 015723 | | TX 7 | 25 | 1" | 4,2 | | 10 |
| 05066303001 | 015730 | | TX 8 | 25 | 1" | 4,2 | | 10 |
| 05066304001 | 015747 | | TX 9 | 25 | 1" | 4,2 | | 10 |
| 05066305001 | 015754 | | TX 10 | 25 | 1" | 4,2 | | 10 |
| 05066308001 | 015761 | | TX 15 | 25 | 1" | 4,2 | | 10 |
| 05066310001 | 015778 | | TX 20 | 25 | 1" | 4,8 | | 10 |
| 05066312001 | 015785 | | TX 25 | 25 | 1" | 5,5 | | 10 |
| 05066313001 | 015792 | | TX 27 | 25 | 1" | 5,5 | | 10 |
| 05066315001 | 015808 | | TX 30 | 25 | 1" | 6,0 | | 10 |
| 05066320001 | 015815 | | TX 40 | 25 | 1" | - | | 10 |

867/1 TORX® bits



| Code | EAN | | mm | mm | mm | | | |
|-------------|--------|--|-------|----|--------|------|--|----|
| 05135140001 | 107114 | | TX 1 | 25 | 1" | 1,5 | | 10 |
| 05135141001 | 107121 | | TX 2 | 25 | 1" | 1,5 | | 10 |
| 05135142001 | 111456 | | TX 3 | 25 | 1" | 2,0 | | 10 |
| 05135143001 | 111463 | | TX 4 | 25 | 1" | 2,0 | | 10 |
| 05066492001 | 030405 | | TX 5 | 25 | 1" | 3,0 | | 10 |
| 05066493001 | 030412 | | TX 6 | 25 | 1" | 3,0 | | 10 |
| 05066494001 | 030429 | | TX 7 | 25 | 1" | 3,0 | | 10 |
| 05066495001 | 030436 | | TX 8 | 25 | 1" | 3,0 | | 10 |
| 05066496001 | 030443 | | TX 9 | 25 | 1" | 3,0 | | 10 |
| 05066485001 | 030320 | | TX 10 | 25 | 1" | 4,0 | | 10 |
| 05066486001 | 030337 | | TX 15 | 25 | 1" | 4,0 | | 10 |
| 05066487001 | 030344 | | TX 20 | 25 | 1" | 5,0 | | 10 |
| 05066488001 | 030351 | | TX 25 | 25 | 1" | 5,0 | | 10 |
| 05066489001 | 030368 | | TX 27 | 25 | 1" | 6,0 | | 10 |
| 05066490001 | 030375 | | TX 30 | 25 | 1" | 6,0 | | 10 |
| 05066491001 | 030382 | | TX 40 | 25 | 1" | - | | 10 |
| 05066325001 | 031174 | | TX 45 | 35 | 1 3/8" | 8,0 | | 10 |
| 05066330001 | 031181 | | TX 50 | 35 | 1 3/8" | 9,0 | | 10 |
| 05066335001 | 031167 | | TX 55 | 35 | 1 3/8" | 12,0 | | 10 |

867/1 SB TORX® bits



| Code | EAN | | | | | | | |
|-------------|---------|--|---|--|--|--|--|---|
| | 4013288 | | | | | | | |
| 05073313001 | 029140 | | 867/1 TORX® 2x TX 10x25 | | | | | 5 |
| 05073340001 | 029591 | | 867/1 TORX® 2x TX 15x25 | | | | | 5 |
| 05073314001 | 029157 | | 867/1 TORX® 2x TX 20x25 | | | | | 5 |
| 05073315001 | 029164 | | 867/1 TORX® 2x TX 25x25 | | | | | 5 |
| 05073316001 | 029171 | | 867/1 TORX® 2x TX 30x25 | | | | | 5 |
| 05073317001 | 029188 | | 867/1 TORX® 2x TX 40x25 | | | | | 5 |
| 05073346001 | 125859 | | 867/1 TORX® 1x TX 50x35 | | | | | 5 |
| 05073375001 | 037503 | | 867/1 TORX® 1x TX 10x25 1x TX 15x25 1x TX 20x25 | | | | | 5 |
| 05073376001 | 037510 | | 867/1 TORX® 1x TX 25x25; 1x TX 30x25; 1x TX 40x25 | | | | | 5 |

867/1 DIY TORX® bits



| Code | EAN | | | |
|-------------|---------|--|------------------------------------|---|
| | 4013288 | | | |
| 05072406001 | 115799 | | 867/1 TORX® 10x TX 10x25 | 1 |
| 05072407001 | 115805 | | 867/1 TORX® 10x TX 15x25 | 1 |
| 05072408001 | 115812 | | 867/1 TORX® 10x TX 20x25 | 1 |
| 05072409001 | 115829 | | 867/1 TORX® 10x TX 25x25 | 1 |
| 05072411001 | 115843 | | 867/1 TORX® 10x TX 30x25 | 1 |
| 05072412001 | 115850 | | 867/1 TORX® 10x TX 40x25 | 1 |

867/1 TORX® DIY 100



| Code | EAN | | | |
|-------------|---------|--|-------------------------------------|---|
| | 4013288 | | | |
| 05072446001 | 138507 | | 867/1 TORX® 100x TX 10x25 | 1 |
| 05072447001 | 138514 | | 867/1 TORX® 100x TX 15x25 | 1 |
| 05072448001 | 138521 | | 867/1 TORX® 100x TX 20x25 | 1 |
| 05072449001 | 138538 | | 867/1 TORX® 100x TX 25x25 | 1 |
| 05072451001 | 138552 | | 867/1 TORX® 100x TX 30x25 | 1 |
| 05072452001 | 138569 | | 867/1 TORX® 100x TX 40x25 | 1 |

Bit-Box 20 TX



| Code | EAN | | | |
|-------------|---------|--|------------------------------------|----|
| | 4013288 | | | |
| 05057770001 | 187994 | | 867/1 TORX® 20x TX 20x25 | 20 |
| 05057773001 | 188007 | | 867/1 TORX® 20x TX 25x25 | 20 |

867/1 Z TORX® Wedge bits

The conical design of the profile means that a wedging effect is generated that holds the TORX® screw securely on the bit.

Tough viscous for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

867/1 Z TORX® Wedge bits



| Code | EAN | | | | | | | | |
|-------------|---------|--|-------|----|----|--|--|--|----|
| | 4013288 | | | | | | | | |
| 05066455001 | 016034 | | TX 15 | 25 | 1" | | | | 10 |
| 05066460001 | 016041 | | TX 20 | 25 | 1" | | | | 10 |
| 05066465001 | 016058 | | TX 25 | 25 | 1" | | | | 10 |



867/1 ZA TORX® bits with central pin

Come with a pin which, together with the bore hole within the screw, makes it easier to centre the tool.

Tough viscous for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

867/1 ZA TORX® bits with central pin



| Code | EAN | | | | | |
|-------------|--------|-------|----|----|-----|----|
| Code | EAN | | mm | 1" | mm | |
| 05066081001 | 107190 | TX 15 | 25 | 1" | 4,0 | 10 |
| 05066082001 | 107206 | TX 20 | 25 | 1" | 5,0 | 10 |
| 05066083001 | 107213 | TX 25 | 25 | 1" | 5,0 | 10 |

Impaktor system - For an above-average service life



The Impaktor technology offers an above-average service life even under extreme circumstances. Enhanced friction resistance, thanks to the rough diamond-particle coating on the bit tip, prevents any slipping out of the screw head.

Particularly suitable for use with customary impact drivers. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

867/4 IMP DC TORX® DIY Impaktor bits



| Code | EAN | | | |
|-------------|--------|--|------------------------------------|---|
| Code | EAN | | | |
| 05057664001 | 163172 | | 867/4 IMP DC 5x TX 20x50 | 1 |
| 05057665001 | 157515 | | 867/4 IMP DC 5x TX 25x50 | 1 |
| 05057666001 | 157522 | | 867/4 IMP DC 5x TX 30x50 | 1 |
| 05057667001 | 157539 | | 867/4 IMP DC 5x TX 40x50 | 1 |

867/4 IMP DC SB Impaktor bits



| Code | EAN | | | |
|-------------|--------|--|------------------------------------|---|
| Code | EAN | | | |
| 05073964001 | 163257 | | 867/4 IMP DC 1x TX 20x50 | 5 |
| 05073965001 | 158529 | | 867/4 IMP DC 1x TX 25x50 | 5 |
| 05073966001 | 158536 | | 867/4 IMP DC 1x TX 30x50 | 5 |
| 05073967001 | 158543 | | 867/4 IMP DC 1x TX 40x50 | 5 |

867/4 KK TORX® bits

- For TORX® socket screws
- Holding function for recessed TORX® screws
- Also suitable for Würth ASSY screws as well as Altenloh SPAX T-STAR plus screws
- 1/4" hexagon drive (Wera connecting series 4)
- With Take it easy tool finder: colour coding by size


867/4 KK TORX® bits



| Code | EAN | | mm | mm | | | | |
|-------------|--------|-------|----|--------|--|--|--|---|
| 05059700001 | 155979 | TX 10 | 89 | 3 1/2" | | | | 5 |
| 05059701001 | 155986 | TX 15 | 89 | 3 1/2" | | | | 5 |
| 05059702001 | 155993 | TX 20 | 89 | 3 1/2" | | | | 5 |
| 05059703001 | 156006 | TX 25 | 89 | 3 1/2" | | | | 5 |
| 05059704001 | 156013 | TX 30 | 89 | 3 1/2" | | | | 5 |
| 05059705001 | 156020 | TX 40 | 89 | 3 1/2" | | | | 5 |

TORX® Tools with holding function

Clamping force holds TORX® screw tight.



The TORX® HF (HF = holding function) specially developed by Wera distinguishes itself through the geometric optimisation of the original TORX® profile.

The wedging forces resulting from the contact pressure between the drive tip and the screw profile securely hold the screw on the tool! 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

867/4 TORX® HF Bits with holding function

- For TORX® socket screws
- Holding function for recessed TORX® screws
- Also suitable for Würth ASSY screws as well as Altenloh SPAX T-STAR plus screws
- 1/4" hexagon drive (Wera connecting series 4)
- With Take it easy tool finder: colour coding by size

867/4 TORX® HF Bits with holding function



| Code | EAN | | mm | mm | mm | | | |
|---------------------------|--------|-------|----|--------|-----|--|--|----|
| 05060505001 | 226747 | TX 8 | 50 | 2" | 3,0 | | | 10 |
| 05060506001 | 226754 | TX 10 | 50 | 2" | 4,0 | | | 10 |
| 05060512001 | 226815 | TX 10 | 89 | 3 1/2" | 4,0 | | | 5 |
| 05060507001 | 226761 | TX 15 | 50 | 2" | 4,0 | | | 10 |
| 05060513001 | 226822 | TX 15 | 89 | 3 1/2" | 4,0 | | | 5 |
| 05060508001 | 226778 | TX 20 | 50 | 2" | 4,5 | | | 10 |
| 05060514001 | 226839 | TX 20 | 89 | 3 1/2" | 4,5 | | | 5 |
| 05060509001 | 226785 | TX 25 | 50 | 2" | 6,0 | | | 10 |
| 05060515001 | 226846 | TX 25 | 89 | 3 1/2" | 6,0 | | | 5 |
| 05060510001 | 226792 | TX 30 | 50 | 2" | 6,0 | | | 10 |
| 05060516001 | 226853 | TX 30 | 89 | 3 1/2" | 6,0 | | | 5 |
| 05060511001 ¹⁾ | 226808 | TX 40 | 50 | 2" | - | | | 10 |
| 05060517001 ¹⁾ | 226860 | TX 40 | 89 | 3 1/2" | - | | | 5 |

¹⁾Pound-thru hexagonal; no Take it easy.



867/4 Z TORX® bits

Premium bits for TORX® socket screws. Tough, for universal use.
1/4" hexagonal, suitable for holders as per DIN ISO 1173-F 6.3.

867/4 Z TORX® bits



| Code | EAN | | | | | | |
|-------------|---------|-------|-----|--------|-----|--|----|
| Code | 4013288 | | mm | mm | mm | | |
| 05135200001 | 107138 | TX 1 | 50 | 2" | 2,0 | | 10 |
| 05135201001 | 107145 | TX 2 | 50 | 2" | 2,0 | | 10 |
| 05135202001 | 112620 | TX 3 | 50 | 2" | 2,0 | | 10 |
| 05135204001 | 041333 | TX 4 | 50 | 2" | 3,0 | | 10 |
| 05135205001 | 031808 | TX 5 | 50 | 2" | 3,0 | | 10 |
| 05308428001 | 041340 | TX 6 | 50 | 2" | 3,0 | | 10 |
| 05134740001 | 035905 | TX 6 | 70 | 2 3/4" | 3,0 | | 10 |
| 05332600001 | 033895 | TX 6 | 89 | 3 1/2" | 3,0 | | 10 |
| 05328448001 | 038432 | TX 6 | 152 | 6" | 3,0 | | 10 |
| 05160830001 | 113283 | TX 7 | 50 | 2" | 3,0 | | 10 |
| 05345047001 | 128423 | TX 7 | 70 | 2 3/4" | 3,0 | | 10 |
| 05060131001 | 030498 | TX 8 | 50 | 2" | 3,0 | | 10 |
| 05060098001 | 030504 | TX 8 | 70 | 2 3/4" | 3,0 | | 10 |
| 05060185001 | 030511 | TX 8 | 89 | 3 1/2" | 3,0 | | 10 |
| 05060195001 | 030528 | TX 8 | 152 | 6" | 3,0 | | 10 |
| 05319835001 | 128430 | TX 9 | 70 | 2 3/4" | 3,0 | | 10 |
| 05060193001 | 155566 | TX 9 | 89 | 3 1/2" | 3,0 | | 10 |
| 05060194001 | 156945 | TX 9 | 152 | 6" | 3,0 | | 10 |
| 05060132001 | 030535 | TX 10 | 50 | 2" | 4,0 | | 10 |
| 05060100001 | 016171 | TX 10 | 70 | 2 3/4" | 4,0 | | 10 |
| 05060186001 | 030481 | TX 10 | 89 | 3 1/2" | 4,0 | | 10 |
| 05060196001 | 030542 | TX 10 | 152 | 6" | 4,0 | | 10 |
| 05060133001 | 030559 | TX 15 | 50 | 2" | 4,0 | | 10 |
| 05060105001 | 016188 | TX 15 | 70 | 2 3/4" | 4,0 | | 10 |
| 05060187001 | 030566 | TX 15 | 89 | 3 1/2" | 4,0 | | 10 |
| 05060197001 | 030573 | TX 15 | 152 | 6" | 4,0 | | 10 |
| 05060134001 | 030580 | TX 20 | 50 | 2" | 4,5 | | 10 |
| 05060110001 | 016195 | TX 20 | 70 | 2 3/4" | 4,5 | | 10 |
| 05060188001 | 030597 | TX 20 | 89 | 3 1/2" | 4,5 | | 10 |
| 05060198001 | 030603 | TX 20 | 152 | 6" | 4,5 | | 10 |
| 05060135001 | 030610 | TX 25 | 50 | 2" | 6,0 | | 10 |
| 05060115001 | 016201 | TX 25 | 70 | 2 3/4" | 6,0 | | 10 |
| 05060189001 | 030627 | TX 25 | 89 | 3 1/2" | 6,0 | | 10 |
| 05060199001 | 030634 | TX 25 | 152 | 6" | 6,0 | | 10 |
| 05060136001 | 030641 | TX 27 | 50 | 2" | 6,0 | | 10 |
| 05060120001 | 016218 | TX 27 | 70 | 2 3/4" | 6,0 | | 10 |
| 05060190001 | 030658 | TX 27 | 89 | 3 1/2" | 6,0 | | 10 |
| 05060200001 | 030665 | TX 27 | 152 | 6" | 6,0 | | 10 |
| 05060137001 | 030672 | TX 30 | 50 | 2" | 6,0 | | 10 |
| 05060125001 | 016225 | TX 30 | 70 | 2 3/4" | 6,0 | | 10 |
| 05060191001 | 030689 | TX 30 | 89 | 3 1/2" | 6,0 | | 10 |
| 05060201001 | 030696 | TX 30 | 152 | 6" | 6,0 | | 10 |
| 05060138001 | 030702 | TX 40 | 50 | 2" | - | | 10 |
| 05060130001 | 016232 | TX 40 | 70 | 2 3/4" | - | | 10 |
| 05060192001 | 030719 | TX 40 | 89 | 3 1/2" | - | | 10 |
| 05060202001 | 030726 | TX 40 | 152 | 6" | - | | 10 |

867/4 Z SB Bits



| Code | EAN | | | |
|-------------|---------|--|--------------------------------------|---|
| Code | 4013288 | | | |
| 05073720001 | 132789 | | 867/4 Z TORX® 2x TX 10x50 | 3 |
| 05073526001 | 105929 | | 867/4 Z TORX® 1x TX 10x89 | 5 |
| 05073470001 | 226273 | | 867/4 Z TORX® 3x TX 10x89 | 1 |
| 05136311001 | 213891 | | 867/4 Z TORX® 1x TX 10x152 | 3 |
| 05073721001 | 132796 | | 867/4 Z TORX® 2x TX 15x50 | 3 |
| 05073527001 | 105936 | | 867/4 Z TORX® 1x TX 15x89 | 5 |
| 05073471001 | 226228 | | 867/4 Z TORX® 3x TX 15x89 | 1 |
| 05136312001 | 213907 | | 867/4 Z TORX® 1x TX 15x152 | 3 |
| 05073722001 | 132802 | | 867/4 Z TORX® 2x TX 20x50 | 3 |
| 05073528001 | 105943 | | 867/4 Z TORX® 1x TX 20x89 | 5 |
| 05073472001 | 226235 | | 867/4 Z TORX® 3x TX 20x89 | 1 |
| 05136313001 | 213914 | | 867/4 Z TORX® 1x TX 20x152 | 3 |
| 05073723001 | 132826 | | 867/4 Z TORX® 2x TX 25x50 | 3 |
| 05073529001 | 105950 | | 867/4 Z TORX® 1x TX 25x89 | 5 |
| 05073473001 | 226242 | | 867/4 Z TORX® 3x TX 25x89 | 1 |
| 05136314001 | 213921 | | 867/4 Z TORX® 1x TX 25x152 | 3 |
| 05073724001 | 132833 | | 867/4 Z TORX® 2x TX 30x50 | 3 |
| 05073530001 | 105967 | | 867/4 Z TORX® 1x TX 30x89 | 5 |
| 05073474001 | 226259 | | 867/4 Z TORX® 3x TX 30x89 | 1 |
| 05136315001 | 213938 | | 867/4 Z TORX® 1x TX 30x152 | 3 |
| 05073531001 | 105974 | | 867/4 Z TORX® 1x TX 40x89 | 5 |
| 05136316001 | 213945 | | 867/4 Z TORX® 1x TX 40x152 | 3 |

867/2 Z TORX® bits

$\frac{5}{16}$ " hexagon, suitable for holders as per DIN ISO 1173-D 8.

867/2 Z TORX® bits



| | EAN | | $\frac{1}{4}$ " | $\frac{1}{4}$ " | \varnothing | | |
|-------------|---------|-------|-----------------|-------------------|---------------|--|----|
| Code | 4013288 | | mm | | mm | | |
| 05066901001 | 016096 | TX 20 | 35 | 1 $\frac{3}{8}$ " | 4,5 | | 10 |
| 05066900001 | 016102 | TX 25 | 35 | 1 $\frac{3}{8}$ " | 5,8 | | 10 |
| 05066902001 | 016119 | TX 27 | 35 | 1 $\frac{3}{8}$ " | 5,8 | | 10 |
| 05066905001 | 016126 | TX 30 | 35 | 1 $\frac{3}{8}$ " | 6,0 | | 10 |
| 05066910001 | 016133 | TX 40 | 35 | 1 $\frac{3}{8}$ " | 7,0 | | 10 |
| 05066915001 | 016140 | TX 45 | 35 | 1 $\frac{3}{8}$ " | - | | 10 |
| 05066920001 | 016157 | TX 50 | 35 | 1 $\frac{3}{8}$ " | - | | 10 |
| 05066941001 | 104007 | TX 50 | 50 | 2" | - | | 10 |
| 05066950001 | 104526 | TX 50 | 70 | 2 $\frac{3}{4}$ " | - | | 10 |
| 05066925001 | 016164 | TX 55 | 35 | 1 $\frac{3}{8}$ " | 12,0 | | 10 |

867/12 TORX® bits

Thread drive M 5.

867/12 TORX® bits



| | EAN | | $\frac{1}{4}$ " | $\frac{1}{4}$ " | \varnothing | | |
|-------------|---------|-------|-----------------|-------------------|---------------|--|----|
| Code | 4013288 | | mm | | mm | | |
| 05064155001 | 026484 | TX 20 | 45 | 1 $\frac{3}{4}$ " | 6,0 | | 10 |

867/15 TORX® bits

Thread drive M 6.

867/15 TORX® bits



| | EAN | | $\frac{1}{4}$ " | $\frac{1}{4}$ " | \varnothing | | |
|-------------|---------|-------|-----------------|-------------------|---------------|--|----|
| Code | 4013288 | | mm | | mm | | |
| 05064170001 | 032607 | TX 20 | 45 | 1 $\frac{3}{4}$ " | 8,0 | | 10 |
| 05064175001 | 032980 | TX 25 | 45 | 1 $\frac{3}{4}$ " | 8,0 | | 10 |

867/9 C TORX® bits, halfmoon

Drive: 4 mm halfmoon for direct power tool connection.

867/9 C TORX® bits, halfmoon



| | EAN | | $\frac{1}{4}$ " | $\frac{1}{4}$ " | \varnothing | | |
|-------------|---------|-------|-----------------|---------------------|---------------|--|----|
| Code | 4013288 | | mm | | mm | | |
| 05135220001 | 112637 | TX 1 | 44 | 1 $\frac{47}{64}$ " | 1,5 | | 10 |
| 05135221001 | 112644 | TX 2 | 44 | 1 $\frac{47}{64}$ " | 1,5 | | 10 |
| 05135222001 | 112651 | TX 3 | 44 | 1 $\frac{47}{64}$ " | 1,7 | | 10 |
| 05345352001 | 113597 | TX 4 | 44 | 1 $\frac{47}{64}$ " | 1,8 | | 10 |
| 05345018001 | 113504 | TX 4 | 64 | 2 $\frac{33}{64}$ " | 2,0 | | 10 |
| 05200496001 | 214881 | TX 5 | 44 | 1 $\frac{47}{64}$ " | 1,6 | | 10 |
| 05345351001 | 113580 | TX 5 | 44 | 1 $\frac{47}{64}$ " | 3,0 | | 10 |
| 05345032001 | 113542 | TX 5 | 64 | 2 $\frac{33}{64}$ " | 2,0 | | 10 |
| 05345350001 | 113573 | TX 6 | 44 | 1 $\frac{47}{64}$ " | 3,0 | | 10 |
| 05345056001 | 113566 | TX 6 | 64 | 2 $\frac{33}{64}$ " | 2,0 | | 10 |
| 05332610001 | 035868 | TX 6 | 70 | 2 $\frac{3}{4}$ " | 3,0 | | 10 |
| 05345035001 | 113559 | TX 7 | 64 | 2 $\frac{33}{64}$ " | 2,3 | | 10 |
| 05345026001 | 113528 | TX 8 | 44 | 1 $\frac{47}{64}$ " | 3,0 | | 10 |
| 05345028001 | 113535 | TX 8 | 64 | 2 $\frac{33}{64}$ " | 3,0 | | 10 |
| 05332609001 | 035714 | TX 8 | 70 | 2 $\frac{3}{4}$ " | 3,0 | | 10 |
| 05332607001 | 037107 | TX 10 | 70 | 2 $\frac{3}{4}$ " | 3,0 | | 10 |

867/1 Z TORX® BO bits with bore hole

The bore hole in the bit and the pin in the TORX® BO screw prevent any unauthorised loosening – secure fastening.

Tough viscous for universal use. $\frac{1}{4}$ " hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

867/1 Z TORX® BO bits with bore hole



| | EAN | | $\frac{1}{4}$ " | $\frac{1}{4}$ " | | | |
|-------------|---------|-------|-----------------|-----------------|--|--|----|
| Code | 4013288 | | mm | | | | |
| 05066497001 | 015822 | TX 7 | 25 | 1" | | | 10 |
| 05066498001 | 015839 | TX 8 | 25 | 1" | | | 10 |
| 05066499001 | 015846 | TX 9 | 25 | 1" | | | 10 |
| 05066500001 | 015853 | TX 10 | 25 | 1" | | | 10 |
| 05066505001 | 015860 | TX 15 | 25 | 1" | | | 10 |
| 05066510001 | 015877 | TX 20 | 25 | 1" | | | 10 |
| 05066515001 | 015884 | TX 25 | 25 | 1" | | | 10 |
| 05066520001 | 015891 | TX 27 | 25 | 1" | | | 10 |
| 05066525001 | 015907 | TX 30 | 25 | 1" | | | 10 |
| 05066530001 | 015914 | TX 40 | 25 | 1" | | | 10 |



867/1 Z TORX® BO bits with bore hole SB



| Code | EAN | | | |
|-------------|---------|--|---------------------------------|---|
| | 4013288 | | | |
| 05073064001 | 202666 | | 867/1 Z TORX® BO 2x TX 20x25 | 5 |
| 05073065001 | 202673 | | 867/1 Z TORX® BO 2x TX 25x25 | 5 |
| 05073066001 | 202680 | | 867/1 Z TORX® BO 2x TX 30x25 | 5 |

3867/4 TORX® BO bits with bore hole, stainless

Wera stainless steel bits prevent the formation of unsightly extraneous rust. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

3867/4 TORX® BO bits with bore hole, stainless



| Code | EAN | | | | | | | |
|-------------|---------|-------|----|--------|-----|--|--|----|
| | 4013288 | | mm | | mm | | | |
| 05071089001 | 115546 | TX 10 | 89 | 3 1/2" | 4,0 | | | 10 |
| 05071090001 | 115553 | TX 15 | 89 | 3 1/2" | 4,0 | | | 10 |
| 05071091001 | 115560 | TX 20 | 89 | 3 1/2" | 4,5 | | | 10 |
| 05071092001 | 115577 | TX 25 | 89 | 3 1/2" | 5,5 | | | 10 |
| 05071094001 | 115584 | TX 30 | 89 | 3 1/2" | 6,0 | | | 10 |

867/4 Z TORX® BO Take it easy bits with hole

Premium bits for TORX® socket screws. TORX® BO screws have a protruding pin in their drive profile. This prevents unauthorized loosening, as these screws cannot be operated with "normal" TORX® tools.

Only special TORX® BO tools have a bore which can mount the pin. Tough, for universal use. 1/4" hexagonal, suitable for holders as per DIN ISO 1173-F 6.3.

- Take it easy tool finder: colour coding according to profile and size

867/4 Z TORX® BO Take it easy bits with hole



| Code | EAN | | | | | | | |
|-------------|---------|-------|----|--------|-----|--|--|---|
| | 4013288 | | mm | | mm | | | |
| 05059568001 | 226495 | TX 10 | 89 | 3 1/2" | 4,0 | | | 5 |
| 05059569001 | 226501 | TX 15 | 89 | 3 1/2" | 4,0 | | | 5 |
| 05059570001 | 226518 | TX 20 | 89 | 3 1/2" | 4,5 | | | 5 |
| 05059571001 | 226525 | TX 25 | 89 | 3 1/2" | 6,0 | | | 5 |
| 05059572001 | 226532 | TX 30 | 89 | 3 1/2" | 6,0 | | | 5 |

867/4 Z TORX® BO bits with bore hole

Tough viscous for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D F.3.

867/4 Z TORX® BO bits with bore hole



| Code | EAN | | | | | | | |
|-------------|---------|-------|----|--------|-----|--|--|----|
| | 4013288 | | mm | | mm | | | |
| 05060139001 | 030733 | TX 8 | 70 | 2 3/4" | 3,0 | | | 10 |
| 05060048001 | 094513 | TX 8 | 89 | 3 1/2" | 3,0 | | | 10 |
| 05060049001 | 094520 | TX 9 | 89 | 3 1/2" | 3,0 | | | 10 |
| 05060140001 | 026897 | TX 10 | 70 | 2 3/4" | 4,0 | | | 10 |
| 05060050001 | 094537 | TX 10 | 89 | 3 1/2" | 4,0 | | | 5 |
| 05060141001 | 030740 | TX 15 | 70 | 2 3/4" | 4,0 | | | 10 |
| 05060051001 | 094544 | TX 15 | 89 | 3 1/2" | 4,0 | | | 5 |
| 05060142001 | 026903 | TX 20 | 70 | 2 3/4" | 4,5 | | | 10 |
| 05060052001 | 094551 | TX 20 | 89 | 3 1/2" | 4,5 | | | 5 |
| 05060143001 | 026910 | TX 25 | 70 | 2 3/4" | 6,0 | | | 10 |
| 05060053001 | 094568 | TX 25 | 89 | 3 1/2" | 6,0 | | | 10 |
| 05060144001 | 026927 | TX 27 | 70 | 2 3/4" | 6,0 | | | 10 |
| 05060057001 | 094643 | TX 27 | 89 | 3 1/2" | 6,0 | | | 5 |
| 05060145001 | 026934 | TX 30 | 70 | 2 3/4" | 6,0 | | | 10 |
| 05060054001 | 094575 | TX 30 | 89 | 3 1/2" | 6,0 | | | 5 |
| 05060146001 | 026941 | TX 40 | 70 | 2 3/4" | - | | | 10 |
| 05060056001 | 094582 | TX 40 | 89 | 3 1/2" | - | | | 5 |

867/4 Z TORX® B0 bits with bore hole SB



| Code | EAN | | | |
|-------------|---------|--|--|---|
| | 4013288 | | | |
| 05073070001 | 202604 | | 867/4 Z TORX® B0 2x TX 20x70 | 5 |
| 05073071001 | 202611 | | 867/4 Z TORX® B0 2x TX 25x70 | 5 |
| 05073072001 | 202628 | | 867/4 Z TORX® B0 2x TX 30x70 | 5 |
| 05073073001 | 202574 | | 867/4 Z TORX® B0 2x TX 40x70 | 5 |

867/1 IP TORX PLUS® bits

High quality bits for recessed TORX PLUS® screws. TORX PLUS® profile: in comparison to normal TORX® profiles, the enlargement of the 6 torque-transferring flanks between the tool and the screw is effected by means of an ellipse-shaped profile design and not a circular one.

This means that the power applied when screwdriving is spread over a larger area. Higher torque is transferred and the service life of the screw and tool is also enhanced. Tough viscous. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

867/1 IP TORX PLUS® bits



| Code | EAN | | 1" | 1" | | | | |
|-------------|---------|-------|----|----|--|--|--|----|
| | 4013288 | | mm | | | | | |
| 05135120001 | 112606 | 1 IP | 25 | 1" | | | | 10 |
| 05135121001 | 112613 | 2 IP | 25 | 1" | | | | 10 |
| 05160956001 | 113313 | 3 IP | 25 | 1" | | | | 10 |
| 05134695001 | 103109 | 4 IP | 25 | 1" | | | | 10 |
| 05066272001 | 035684 | 5 IP | 25 | 1" | | | | 10 |
| 05066274001 | 031556 | 6 IP | 25 | 1" | | | | 10 |
| 05066276001 | 031563 | 7 IP | 25 | 1" | | | | 10 |
| 05066278001 | 031570 | 8 IP | 25 | 1" | | | | 10 |
| 05066279001 | 033635 | 9 IP | 25 | 1" | | | | 10 |
| 05066280001 | 031549 | 10 IP | 25 | 1" | | | | 10 |
| 05066282001 | 031587 | 15 IP | 25 | 1" | | | | 10 |
| 05066284001 | 031594 | 20 IP | 25 | 1" | | | | 10 |
| 05066286001 | 031600 | 25 IP | 25 | 1" | | | | 10 |
| 05066287001 | 031617 | 27 IP | 25 | 1" | | | | 10 |
| 05066288001 | 031624 | 30 IP | 25 | 1" | | | | 10 |
| 05066290001 | 031631 | 40 IP | 25 | 1" | | | | 10 |

867/4 IP TORX PLUS® bits



| | EAN | | 1" | 1" | ∅ | | | |
|-------------|---------|-------|-----|--------|-----|--|--|----|
| Code | 4013288 | | mm | | mm | | | |
| 05134664001 | 112514 | 1 IP | 50 | 2" | 2,0 | | | 10 |
| 05134665001 | 112521 | 2 IP | 50 | 2" | 2,0 | | | 10 |
| 05134668001 | 106568 | 3 IP | 50 | 2" | 2,0 | | | 10 |
| 05134691001 | 103093 | 4 IP | 50 | 2" | 3,0 | | | 10 |
| 05134678001 | 098030 | 5 IP | 50 | 2" | 3,0 | | | 10 |
| 05134680001 | 037220 | 6 IP | 50 | 2" | 3,0 | | | 10 |
| 05134667001 | 095596 | 6 IP | 89 | 3 1/2" | 3,0 | | | 10 |
| 05134690001 | 095602 | 6 IP | 152 | 6" | 3,0 | | | 10 |
| 05134681001 | 037237 | 7 IP | 50 | 2" | 3,0 | | | 10 |
| 05134679001 | 037190 | 8 IP | 50 | 2" | 3,0 | | | 10 |
| 05134670001 | 032812 | 8 IP | 89 | 3 1/2" | 3,0 | | | 10 |
| 05134682001 | 037244 | 8 IP | 152 | 6" | 3,0 | | | 10 |
| 05160917001 | 038951 | 9 IP | 50 | 2" | 3,0 | | | 10 |
| 05134669001 | 033871 | 9 IP | 89 | 3 1/2" | 3,0 | | | 10 |
| 05134683001 | 037251 | 10 IP | 50 | 2" | 4,0 | | | 10 |
| 05134684001 | 037268 | 10 IP | 70 | 2 3/4" | 4,0 | | | 10 |
| 05134671001 | 032829 | 10 IP | 89 | 3 1/2" | 4,0 | | | 10 |
| 05134685001 | 037275 | 15 IP | 50 | 2" | 4,0 | | | 10 |
| 05134686001 | 037282 | 15 IP | 70 | 2 3/4" | 4,0 | | | 10 |
| 05134672001 | 032836 | 15 IP | 89 | 3 1/2" | 4,0 | | | 10 |
| 05134687001 | 037299 | 20 IP | 50 | 2" | 4,5 | | | 10 |
| 05134688001 | 037305 | 20 IP | 70 | 2 3/4" | 4,5 | | | 10 |
| 05134673001 | 032843 | 20 IP | 89 | 3 1/2" | 4,5 | | | 10 |
| 05134609001 | 224767 | 25 IP | 50 | 2" | 6,0 | | | 10 |
| 05134674001 | 032850 | 25 IP | 89 | 3 1/2" | 6,0 | | | 10 |
| 05134675001 | 032867 | 27 IP | 89 | 3 1/2" | 6,0 | | | 10 |
| 05320430001 | 113382 | 30 IP | 50 | 2" | 6,0 | | | 10 |
| 05134676001 | 032874 | 30 IP | 89 | 3 1/2" | 6,0 | | | 10 |
| 05134677001 | 032881 | 40 IP | 89 | 3 1/2" | - | | | 10 |

867/9 C IP TORX PLUS® bits, halfmoon

Drive: 4 mm halfmoon for direct power tool connection.

867/9 C IP TORX PLUS® bits, halfmoon



| | EAN | | 1" | 1" | ∅ | 1" | 1" | |
|-------------|---------|-------|----|----------|------|----|--------|----|
| Code | 4013288 | | mm | | mm | mm | | |
| 05135230001 | 112668 | 1 IP | 44 | 1 47/64" | 1,5 | 20 | 25/32" | 10 |
| 05135231001 | 112675 | 2 IP | 44 | 1 47/64" | 1,5 | 20 | 25/32" | 10 |
| 05135232001 | 112682 | 3 IP | 44 | 1 47/64" | 1,7 | 20 | 25/32" | 10 |
| 05326310001 | 113399 | 4 IP | 44 | 1 47/64" | 2,0 | 20 | 25/32" | 10 |
| 05345019001 | 113511 | 4 IP | 64 | 2 33/64" | 2,0 | 20 | 25/32" | 10 |
| 05135233001 | 112699 | 5 IP | 44 | 1 47/64" | 2,0 | 20 | 25/32" | 10 |
| 05344900001 | 113498 | 6 IP | 44 | 1 47/64" | 2,25 | 20 | 25/32" | 10 |
| 05135234001 | 112705 | 8 IP | 44 | 1 47/64" | 3,0 | 20 | 25/32" | 10 |
| 05332606001 | 037091 | 8 IP | 70 | 2 3/4" | 3,0 | 20 | 25/32" | 10 |
| 05135235001 | 112712 | 10 IP | 44 | 1 47/64" | 3,0 | 20 | 25/32" | 10 |



IPR TORX PLUS®

A 5-flank TORX PLUS® profile with a borehole.

This drive geometry has only five flanks instead of the usual six and a borehole to protect safety screws against unauthorised unfastening. The screws cannot be turned with conventional, widely available tools.

867/1 IPR TORX PLUS® bits with bore hole



| | EAN | | | | | | |
|-------------|---------|--------|----|--------|--|--|----|
| Code | 4013288 | | | mm | | | |
| 05134699001 | 034878 | 8 IPR | 25 | 1" | | | 10 |
| 05134698001 | 037817 | 9 IPR | 25 | 1" | | | 10 |
| 05134700001 | 034823 | 10 IPR | 25 | 1" | | | 10 |
| 05134701001 | 034724 | 15 IPR | 25 | 1" | | | 10 |
| 05134702001 | 034731 | 20 IPR | 25 | 1" | | | 10 |
| 05134703001 | 034748 | 25 IPR | 25 | 1" | | | 10 |
| 05134704001 | 034847 | 27 IPR | 25 | 1" | | | 10 |
| 05134705001 | 034830 | 30 IPR | 25 | 1" | | | 10 |
| 05134706001 | 034854 | 40 IPR | 35 | 1 3/8" | | | 10 |
| 05134707001 | 034861 | 45 IPR | 35 | 1 3/8" | | | 10 |

867/4 IPR TORX PLUS® bits with bore hole


High quality bits for recessed TORX PLUS® screws. A 5-flank TORX PLUS® profile. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

867/4 IPR TORX PLUS® bits with bore hole



| | EAN | | | | | | | |
|-------------|---------|--------|----|--------|-----|----|----|--|
| Code | 4013288 | | | mm | | mm | | |
| 05160821001 | 160867 | 10 IPR | 50 | 2" | 4,0 | | 10 | |
| 05134657001 | 155665 | 10 IPR | 89 | 3 1/2" | 4,0 | | 10 | |
| 05134654001 | 155641 | 15 IPR | 50 | 2" | 4,0 | | 10 | |
| 05134720001 | 037206 | 15 IPR | 89 | 3 1/2" | 4,0 | | 10 | |
| 05204126001 | 160874 | 20 IPR | 50 | 2" | 4,5 | | 10 | |
| 05259135001 | 160881 | 20 IPR | 89 | 3 1/2" | 4,5 | | 10 | |
| 05134655001 | 155658 | 25 IPR | 50 | 2" | 6,0 | | 10 | |
| 05134722001 | 160904 | 25 IPR | 89 | 3 1/2" | 6,0 | | 10 | |
| 05134656001 | 156952 | 27 IPR | 50 | 2" | 6,0 | | 10 | |
| 05134658001 | 155672 | 27 IPR | 89 | 3 1/2" | 6,0 | | 10 | |
| 05134732001 | 160911 | 30 IPR | 50 | 2" | 6,0 | | 10 | |
| 05134723001 | 160935 | 30 IPR | 89 | 3 1/2" | 6,0 | | 10 | |

BiTorsion system - for longer service life



Smaller impacts are absorbed by the holder

Higher impacts are cushioned in the torsion zone of the bit

No premature wear caused by impacts

800/1 BDC bits

Bits with tiny diamond particles on the bit tip. This ensures a secure fit of the bit in the screw, reduces the contact pressure required and lowers the risk of slipping.

Comes with Torsion zone – where kinetic energy is diverted from peak loads. This greatly extends the product service life; 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

800/1 BDC bits



| | EAN | | | | | | |
|-------------|---------|-----|-----|----|----|--|----|
| Code | 4013288 | mm | mm | mm | | | |
| 05056172001 | 033949 | 0,8 | 5,5 | 25 | 1" | | 10 |
| 05056174001 | 033956 | 1,0 | 5,5 | 25 | 1" | | 10 |
| 05056176001 | 033963 | 1,2 | 6,5 | 25 | 1" | | 10 |

800/1 BTZ bits

Comes with Torsion zone – where kinetic energy is diverted from peak loads.

This greatly extends the product service life. Tough viscous, for universal use; 1/4" inch hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

800/1 BTZ bits



| Code | EAN | mm | mm | mm | mm | mm | mm | mm |
|-------------|--------|-----|-----|----|----|----|----|----|
| 05056064001 | 034427 | 0,8 | 5,5 | 25 | 1" | | | 10 |
| 05056066001 | 034434 | 1,0 | 5,5 | 25 | 1" | | | 10 |
| 05056068001 | 034441 | 1,2 | 6,5 | 25 | 1" | | | 10 |

800/1 TZ bits

Bits with Torsion zone to combat premature wear.

Tough viscous for universal use; 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

800/1 TZ bits



| Code | EAN | mm | mm | mm | mm | mm | mm | mm |
|-------------|--------|-----|-----|----|----|-----|----|----|
| 05056203001 | 011145 | 0,5 | 4,0 | 25 | 1" | 4,0 | | 10 |
| 05056210001 | 011152 | 0,6 | 4,5 | 25 | 1" | 4,5 | | 10 |
| 05056220001 | 011169 | 0,8 | 5,5 | 25 | 1" | 5,5 | | 10 |
| 05056225001 | 011176 | 1,0 | 5,5 | 25 | 1" | 5,5 | | 10 |
| 05056233001 | 011183 | 1,2 | 6,5 | 25 | 1" | 6,2 | | 10 |
| 05056240001 | 011190 | 1,6 | 8,0 | 25 | 1" | 8,0 | | 10 |

800/1 Z bits

Tough viscous Wera bits for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

800/1 Z bits



| Code | EAN | mm | mm | mm | mm | mm | mm | mm |
|-------------|--------|-----|-----|----|----|-----|----|----|
| 05056200001 | 040831 | 0,5 | 3,0 | 25 | 1" | 3,0 | | 10 |
| 05072050001 | 030467 | 0,5 | 4,0 | 25 | 1" | 4,0 | | 10 |
| 05072055001 | 010933 | 0,6 | 4,5 | 25 | 1" | 4,5 | | 10 |
| 05072057001 | 010940 | 0,8 | 5,5 | 25 | 1" | 5,5 | | 10 |
| 05072059001 | 010957 | 1,0 | 5,5 | 25 | 1" | 5,5 | | 10 |
| 05072061001 | 010964 | 1,2 | 6,5 | 25 | 1" | 6,2 | | 10 |
| 05072063001 | 030450 | 1,2 | 8,0 | 25 | 1" | 8,0 | | 10 |
| 05072065001 | 010971 | 1,6 | 8,0 | 25 | 1" | 8,0 | | 10 |

Kraftform Stainless - stainless steel to prevent rust



High quality stainless steel bits for slotted screws. Made out of stainless steel which prevents the formation of unsightly extraneous rust. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.



3800/4 Bits, stainless



| Code | EAN | mm | mm | mm | mm | mm | mm | mm |
|-------------|--------|-----|-----|----|--------|----|----|----|
| 05071080001 | 115669 | 1,0 | 5,5 | 89 | 3 1/2" | | | 10 |

800/4 Z Take it easy bits

Tough Wera bits for slotted screws, for universal use.

1/4" hexagonal, suitable for holders as per DIN ISO 1173-F 6.3.

- Take it easy tool finder: colour coding according to profile and size

800/4 Z Take it easy bits



| | EAN | mm | mm | mm | mm | mm | |
|-------------|---------|-----|-----|----|----|-----|----|
| Code | 4013288 | mm | mm | mm | mm | mm | |
| 05059560001 | 226419 | 1,0 | 5,5 | 89 | 2" | 5,5 | 10 |

800/4 Z bits

Tough viscous Wera bits for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

800/4 Z bits



| | EAN | mm | mm | mm | mm | mm | |
|-------------|---------|-----|-----|-----|--------|-----|----|
| Code | 4013288 | mm | mm | mm | mm | mm | |
| 05059305001 | 011480 | 0,5 | 3,0 | 50 | 2" | 3,0 | 10 |
| 05059466001 | 011497 | 0,5 | 3,0 | 70 | 2 3/4" | 3,0 | 10 |
| 05059307001 | 011503 | 0,5 | 4,0 | 50 | 2" | 4,0 | 10 |
| 05059310001 | 011510 | 0,6 | 3,5 | 50 | 2" | 3,5 | 10 |
| 05059472001 | 011527 | 0,6 | 3,5 | 70 | 2 3/4" | 3,5 | 10 |
| 05059450001 | 031471 | 0,6 | 3,5 | 152 | 6" | 3,5 | 10 |
| 05059315001 | 011534 | 0,6 | 4,5 | 50 | 2" | 4,5 | 10 |
| 05059489001 | 094230 | 0,6 | 4,5 | 89 | 3 1/2" | 4,5 | 10 |
| 05059320001 | 011541 | 0,8 | 4,0 | 50 | 2" | 4,0 | 10 |
| 05059478001 | 011558 | 0,8 | 4,0 | 70 | 2 3/4" | 4,0 | 10 |
| 05059480001 | 011565 | 0,8 | 4,0 | 89 | 3 1/2" | 4,0 | 10 |
| 05059451001 | 031389 | 0,8 | 4,0 | 152 | 6" | 4,0 | 10 |
| 05059325001 | 011572 | 0,8 | 5,5 | 50 | 2" | 5,5 | 10 |
| 05059330001 | 011589 | 1,0 | 5,5 | 50 | 2" | 5,5 | 10 |
| 05059486001 | 011596 | 1,0 | 5,5 | 70 | 2 3/4" | 5,5 | 10 |
| 05059488001 | 011602 | 1,0 | 5,5 | 89 | 3 1/2" | 5,5 | 10 |
| 05059452001 | 031235 | 1,0 | 5,5 | 152 | 6" | 5,5 | 10 |
| 05059335001 | 035004 | 1,0 | 6,0 | 50 | 2" | 6,0 | 10 |
| 05059337001 | 011619 | 1,2 | 6,5 | 50 | 2" | 6,2 | 10 |
| 05059492001 | 011626 | 1,2 | 6,5 | 70 | 2 3/4" | 6,2 | 10 |
| 05059490001 | 094247 | 1,2 | 6,5 | 89 | 3 1/2" | 6,2 | 10 |
| 05059453001 | 031488 | 1,2 | 6,5 | 152 | 6" | 6,2 | 10 |
| 05059340001 | 011633 | 1,2 | 8,0 | 50 | 2" | 8,0 | 10 |
| 05059496001 | 011640 | 1,2 | 8,0 | 89 | 3 1/2" | 8,0 | 10 |
| 05059345001 | 011657 | 1,6 | 8,0 | 50 | 2" | 8,0 | 10 |
| 05059500001 | 011664 | 1,6 | 8,0 | 89 | 3 1/2" | 8,0 | 10 |

800/9 C bits

Hard bits against premature breakage.

Drive: halfmoon, 4 mm.

800/9 C bits



| | EAN | mm | mm | mm | mm | mm | |
|-------------|---------|------|-----|----|----------|-----|----|
| Code | 4013288 | mm | mm | mm | mm | mm | |
| 05135265001 | 168276 | 0,23 | 1,5 | 44 | 1 47/64" | 1,5 | 10 |
| 05135264001 | 194770 | 0,35 | 2,5 | 44 | 1 47/64" | 2,5 | 10 |
| 05135266001 | 168283 | 0,40 | 2,0 | 44 | 1 47/64" | 2,0 | 10 |
| 05135267001 | 168290 | 0,50 | 3,0 | 44 | 1 47/64" | 3,0 | 10 |

800/2 Z bits

5/16" hexagon, suitable for holders as per DIN ISO 1173-D 8.

800/2 Z bits



| | EAN | mm | mm | mm | mm | mm | |
|-------------|---------|-----|------|----|----------|------|----|
| Code | 4013288 | mm | mm | mm | mm | mm | |
| 05057225001 | 011275 | 1,2 | 8,0 | 41 | 1 19/32" | 7,8 | 10 |
| 05057235001 | 011299 | 1,6 | 10,0 | 41 | 1 19/32" | 7,8 | 10 |
| 05057240001 | 011305 | 2,0 | 12,0 | 41 | 1 19/32" | 12,0 | 10 |

Impaktor system - For an above-average service life

Impaktor system - for extreme demands

Impaktor holder technology

Particularly high strength
Superior service life
Diamond coating

TriTorsion

Impaktor stainless steel holder

High quality Impaktor bits for hexagon socket screws. The Impaktor technology offers an above-average service life even under extreme circumstances.

Enhanced friction resistance, thanks to the rough diamond-particle coating on the bit tip, prevents any slipping out of the screw head. Hex-Plus ensures a greater contact surface in the head of the screw.

The notching effect is therefore reduced to a minimum and damage to the screw head more or less eliminated. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

840/1 IMP DC Hex-Plus DIY Impaktor bits




| Code | EAN | | | |
|-------------|---------|--|----------------------------|---|
| | 4013288 | | | |
| 05057603001 | 178701 | | 840/1 IMP DC 10x 3.0x25 | 1 |
| 05057604001 | 157560 | | 840/1 IMP DC 10x 4.0x25 | 1 |
| 05057605001 | 157423 | | 840/1 IMP DC 10x 5.0x25 | 1 |
| 05057606001 | 157430 | | 840/4 IMP DC 10x 6.0x25 | 1 |

840/1 IMP DC SB Impaktor bits



| Code | EAN | | | |
|-------------|---------|--|---------------------------|---|
| | 4013288 | | | |
| 05073904001 | 158338 | | 840/1 IMP DC 1x 4.0x25 | 5 |
| 05073905001 | 158345 | | 840/1 IMP DC 1x 5.0x25 | 5 |
| 05073906001 | 158352 | | 840/1 IMP DC 1x 6.0x25 | 5 |

Kraftform Stainless - stainless steel to prevent rust



High quality bits out of stainless steel for hexagon socket screws. Prevents the formation of unsightly extraneous rust.

The Hex-Plus profile offers a greater contact surface in the head of the screw. The notching effect is therefore reduced to a minimum and damage to the screw head more or less eliminated.

Come with Torsion zone: Torsion bits take-up torque peaks and absorb them in the Torsion zone. This prevents premature wear and extends the service life of the bit. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

3840/1 TS bits, stainless



| Code | EAN | | | | | | | | |
|-------------|---------|-----|--|----|----|--|--|--|----|
| | 4013288 | mm | | mm | | | | | |
| 05071070001 | 111197 | 1,5 | | 25 | 1" | | | | 10 |
| 05071071001 | 111203 | 2,0 | | 25 | 1" | | | | 10 |
| 05071072001 | 111210 | 2,5 | | 25 | 1" | | | | 10 |
| 05071073001 | 111227 | 3,0 | | 25 | 1" | | | | 10 |
| 05071074001 | 111234 | 4,0 | | 25 | 1" | | | | 10 |
| 05071075001 | 111241 | 5,0 | | 25 | 1" | | | | 10 |
| 05071077001 | 115478 | 5,5 | | 25 | 1" | | | | 10 |
| 05071076001 | 111258 | 6,0 | | 25 | 1" | | | | 10 |



840/1 Z Sets SB



| Code | EAN | | | |
|-------------|---------|--|--|---|
| | 4013288 | | | |
| 05073050001 | 202567 | | 840/1 Z Hex-Plus 2x 2.0x25 | 5 |
| 05073051001 | 202550 | | 840/1 Z Hex-Plus 2x 2.5x25 | 5 |
| 05073052001 | 202512 | | 840/1 Z Hex-Plus 2x 3.0x25 | 5 |
| 05073053001 | 202529 | | 840/1 Z Hex-Plus 2x 4.0x25 | 5 |
| 05073054001 | 202536 | | 840/1 Z Hex-Plus 2x 5.0x25 | 5 |
| 05073055001 | 202543 | | 840/1 Z Hex-Plus 2x 6.0x25 | 5 |
| 05073342001 | 029607 | | 840/1 Z Hex-Plus 1x 2.0x25; 1x 2.5x25; 1x 3.0x25 | 5 |
| 05073344001 | 029614 | | 840/1 Z Hex-Plus 1x 4.0x25; 1x 5.0x25; 1x 6.0x25 | 5 |

842/1 Z bits

The ballpoint drive profile means that it is possible to swivel the tool axis away from the screwdriving axis, thus enabling „round the corner“ screwdriving.

1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

842/1 Z bits



| Code | EAN | | | | | | | | |
|-------------|---------|-----|--|----|----|--|--|--|----|
| | 4013288 | mm | | mm | | | | | |
| 05056350001 | 013156 | 2,5 | | 25 | 1" | | | | 10 |
| 05056352001 | 013163 | 3,0 | | 25 | 1" | | | | 10 |
| 05056354001 | 013170 | 4,0 | | 25 | 1" | | | | 10 |
| 05056356001 | 013187 | 5,0 | | 25 | 1" | | | | 10 |
| 05056358001 | 013194 | 6,0 | | 25 | 1" | | | | 10 |

Impaktor system - For an above-average service life



High quality Impaktor bits for hexagonal socket screws. The Impaktor technology offers an above-average service life even under extreme circumstances.

Enhanced friction resistance, thanks to the rough diamond-particle coating on the bit tip, prevents any slipping out of the screw head.

Hex-Plus ensures a greater contact surface in the head of the screw. The notching effect is therefore reduced to a minimum and damage to the screw head more or less eliminated. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

840/4 IMP DC Hex-Plus DIY Impaktor bits



| Code | EAN | | | |
|-------------|---------|--|----------------------------------|---|
| | 4013288 | | | |
| 05057644001 | 157577 | | 840/4 IMP DC 5x 4.0x50 | 1 |
| 05057645001 | 157492 | | 840/4 IMP DC 5x 5.0x50 | 1 |
| 05057646001 | 157508 | | 840/4 IMP DC 5x 6.0x50 | 1 |



840/4 IMP DC Impaktor bits SB



| Code | EAN | | | |
|-------------|--------|---|---------------------------|---|
| 05073944001 | 158451 | ○ | 840/4 IMP DC 1x 4.0x50 | 5 |
| 05073945001 | 158468 | ○ | 840/4 IMP DC 1x 5.0x50 | 5 |
| 05073946001 | 158475 | ○ | 840/4 IMP DC 1x 6.0x50 | 5 |

Kraffform Stainless - stainless steel to prevent rust



Wera stainless steel bits prevent the formation of unsightly extraneous rust. The Hex-Plus profile offers a greater contact surface in the head of the screw.

The notching effect is therefore reduced to a minimum and damage to the screw head more or less eliminated. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

3840/4 Bits, stainless



| | EAN | ○ | ○ | ┆ | ┆ | | |
|-------------|---------|-----|-------|----|--------|--|----|
| Code | 4013288 | mm | | mm | | | |
| 05071101001 | 115621 | 3,0 | | 89 | 3 1/2" | | 10 |
| 05071102001 | 115638 | 4,0 | | 89 | 3 1/2" | | 10 |
| 05071103001 | 115645 | 5,0 | | 89 | 3 1/2" | | 10 |
| 05071104001 | 115652 | 6,0 | | 89 | 3 1/2" | | 10 |
| 05071105001 | 115676 | | 3/32" | 89 | 3 1/2" | | 10 |
| 05071106001 | 115683 | | 1/8" | 89 | 3 1/2" | | 10 |
| 05071107001 | 115690 | | 5/32" | 89 | 3 1/2" | | 10 |
| 05071108001 | 115706 | | 3/16" | 89 | 3 1/2" | | 10 |

Hex-Plus - lets hexagon socket screws last longer

Deformation of the screws is reduced

Above-average service life



840/4 Z Take it easy bits

- Take it easy tool finder: colour coding according to profile and size

840/4 Z Take it easy bits



| | EAN | ○ | ┆ | ┆ | ⊘ | | |
|-------------|---------|-----|----|--------|-----|--|---|
| Code | 4013288 | mm | mm | | mm | | |
| 05059561001 | 226426 | 3,0 | 89 | 3 1/2" | 4,0 | | 5 |
| 05059562001 | 226433 | 4,0 | 89 | 3 1/2" | 5,0 | | 5 |
| 05059563001 | 226440 | 5,0 | 89 | 3 1/2" | 6,0 | | 5 |

840/4 Z bits



| | EAN | Ø | Ø | L | L | Ø | | |
|-------------|---------|-----|-------|-----|--------|-----|--|----|
| Code | 4013288 | mm | | mm | | mm | | |
| 05160885001 | 200976 | 0,9 | | 50 | 2" | 2,6 | | 10 |
| 05059602001 | 112408 | 1,5 | | 50 | 2" | 2,0 | | 10 |
| 05059603001 | 034694 | 2,0 | | 50 | 2" | 4,0 | | 10 |
| 05059628001 | 155450 | 2,0 | | 89 | 3 1/2" | 4,0 | | 5 |
| 05059604001 | 034700 | 2,5 | | 50 | 2" | 4,0 | | 10 |
| 05059629001 | 155467 | 2,5 | | 89 | 3 1/2" | 4,0 | | 5 |
| 05059605001 | 012906 | 3,0 | | 50 | 2" | 4,0 | | 10 |
| 05059630001 | 094254 | 3,0 | | 89 | 3 1/2" | 4,0 | | 5 |
| 05380033001 | 156433 | 3,0 | | 152 | 6" | 4,0 | | 5 |
| 05059610001 | 012913 | 4,0 | | 50 | 2" | 5,0 | | 10 |
| 05059631001 | 094261 | 4,0 | | 89 | 3 1/2" | 5,0 | | 5 |
| 05059634001 | 122964 | 4,0 | | 152 | 6" | 5,0 | | 5 |
| 05059615001 | 012920 | 5,0 | | 50 | 2" | 6,0 | | 10 |
| 05059632001 | 094278 | 5,0 | | 89 | 3 1/2" | 6,0 | | 5 |
| 05059635001 | 122971 | 5,0 | | 152 | 6" | 6,0 | | 5 |
| 05059620001 | 012937 | 6,0 | | 50 | 2" | 5,0 | | 10 |
| 05059633001 | 094285 | 6,0 | | 89 | 3 1/2" | - | | 5 |
| 05059636001 | 122988 | 6,0 | | 152 | 6" | - | | 5 |
| 05059625001 | 012944 | 8,0 | | 50 | 2" | - | | 10 |
| 05059637001 | 215031 | 8,0 | | 89 | 3 1/2" | - | | 5 |
| 05350430001 | 161406 | | 0,05" | 50 | 2" | 2,5 | | 10 |
| 05135090001 | 107053 | | 1/16" | 50 | 2" | 2,5 | | 10 |
| 05380045001 | 156730 | | 1/8" | 152 | 6" | 4,0 | | 5 |
| 05135091001 | 036414 | | 5/64" | 50 | 2" | 3,0 | | 10 |
| 05059660001 | 155474 | | 5/64" | 89 | 3 1/2" | 3,0 | | 5 |
| 05135092001 | 036421 | | 3/32" | 50 | 2" | 3,0 | | 10 |
| 05059661001 | 155481 | | 3/32" | 89 | 3 1/2" | 3,5 | | 5 |
| 05135093001 | 036438 | | 7/64" | 50 | 2" | 3,5 | | 10 |
| 05059662001 | 155498 | | 7/64" | 89 | 3 1/2" | 4,0 | | 5 |
| 05135094001 | 036445 | | 1/8" | 50 | 2" | 4,0 | | 10 |
| 05059663001 | 155504 | | 1/8" | 89 | 3 1/2" | 4,0 | | 5 |
| 05135095001 | 036377 | | 9/64" | 50 | 2" | 4,5 | | 10 |
| 05059664001 | 155511 | | 9/64" | 89 | 3 1/2" | 4,5 | | 5 |
| 05380046001 | 156822 | | 9/64" | 152 | 6" | 4,5 | | 5 |
| 05135096001 | 036384 | | 5/32" | 50 | 2" | 5,0 | | 10 |
| 05059665001 | 155528 | | 5/32" | 89 | 3 1/2" | 5,0 | | 5 |
| 05380047001 | 156839 | | 5/32" | 152 | 6" | 5,0 | | 5 |
| 05135097001 | 036391 | | 3/16" | 50 | 2" | 6,0 | | 10 |
| 05059666001 | 155535 | | 3/16" | 89 | 3 1/2" | 6,0 | | 5 |
| 05380048001 | 156846 | | 3/16" | 152 | 6" | 6,0 | | 5 |
| 05135098001 | 036407 | | 7/32" | 50 | 2" | - | | 10 |
| 05059667001 | 155542 | | 7/32" | 89 | 3 1/2" | - | | 5 |
| 05380049001 | 156853 | | 7/32" | 152 | 6" | - | | 5 |
| 05135099001 | 095589 | | 1/4" | 50 | 2" | - | | 10 |
| 05059668001 | 155559 | | 1/4" | 89 | 3 1/2" | - | | 5 |
| 05380050001 | 156860 | | 1/4" | 152 | 6" | - | | 5 |
| 05346288001 | 103895 | | 5/16" | 50 | 2" | - | | 10 |

840/4 Z SB bits



| Code | EAN | | | |
|-------------|--------|---|--------------------------------|---|
| 05073056001 | 202468 | ⊙ | 840/4 Z Hex-Plus 2x 2.0x50 | 3 |
| 05073057001 | 202475 | ⊙ | 840/4 Z Hex-Plus 2x 2.5x50 | 3 |
| 05073058001 | 202482 | ⊙ | 840/4 Z Hex-Plus 2x 3.0x50 | 3 |
| 05136301001 | 213792 | ⊙ | 840/4 Z Hex-Plus 1x 3.0x152 | 3 |
| 05073059001 | 202499 | ⊙ | 840/4 Z Hex-Plus 2x 4.0x50 | 3 |
| 05136302001 | 213808 | ⊙ | 840/4 Z Hex-Plus 1x 4.0x152 | 3 |
| 05073060001 | 202505 | ⊙ | 840/4 Z Hex-Plus 2x 5.0x50 | 3 |
| 05136303001 | 213815 | ⊙ | 840/4 Z Hex-Plus 1x 5.0x152 | 3 |
| 05073061001 | 202444 | ⊙ | 840/4 Z Hex-Plus 2x 6.0x50 | 3 |
| 05136304001 | 213822 | ⊙ | 840/4 Z Hex-Plus 1x 6.0x152 | 3 |

840/4 Ni Bits

- Chemically nickel-plated

840/4 Ni Bits



| Code | EAN | Ø | L | L | | | | |
|-------------|--------|-----|----|--------|--|--|--|---|
| 05059573001 | 226600 | 6,0 | 89 | 3 1/2" | | | | 5 |

842/4 Bits

The ballpoint drive profile means that it is possible to swivel the tool axis away from the screwdriving axis, thus enabling „round the corner“ screwdriving. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

842/4 Bits



| Code | EAN | ⊙ | ⊙ | ⌈ | ⌈ | | | |
|-------------|---------|-----|-------|----|--------|--|--|---|
| Code | 4013288 | mm | | mm | ⌈ | | | |
| 05059680001 | 155931 | 3,0 | | 89 | 3 1/2" | | | 5 |
| 05059681001 | 155948 | 4,0 | | 89 | 3 1/2" | | | 5 |
| 05059682001 | 155955 | 5,0 | | 89 | 3 1/2" | | | 5 |
| 05059683001 | 155962 | 6,0 | | 89 | 3 1/2" | | | 5 |
| 05380124001 | 156587 | | 3/32" | 89 | 3 1/2" | | | 5 |
| 05380125001 | 156594 | | 7/64" | 89 | 3 1/2" | | | 5 |
| 05380126001 | 156600 | | 1/8" | 89 | 3 1/2" | | | 5 |
| 05380127001 | 156617 | | 9/64" | 89 | 3 1/2" | | | 5 |
| 05380128001 | 156624 | | 5/32" | 89 | 3 1/2" | | | 5 |
| 05380129001 | 156631 | | 3/16" | 89 | 3 1/2" | | | 5 |
| 05380130001 | 156648 | | 7/32" | 89 | 3 1/2" | | | 5 |
| 05380131001 | 156655 | | 1/4" | 89 | 3 1/2" | | | 5 |

840/2 Z Bits

Tough viscous Wera bits for hexagon socket screws for universal use. Hex-Plus offers a greater contact surface in the head of the screw. The notching effect is therefore reduced to a minimum and damage to the screw head more or less eliminated. 5/16" hexagon, suitable for holders as per DIN ISO 1173-D 8.

840/2 Z Bits



| Code | EAN | ⊙ | ⊙ | ⌈ | ⌈ | | | |
|-------------|---------|----|---|----|---------|--|--|----|
| Code | 4013288 | mm | | mm | ⌈ | | | |
| 05057505001 | 012753 | 3 | | 30 | 1 3/16" | | | 10 |
| 05057510001 | 012760 | 4 | | 30 | 1 3/16" | | | 10 |
| 05057515001 | 012777 | 5 | | 30 | 1 3/16" | | | 10 |
| 05057520001 | 012784 | 6 | | 30 | 1 3/16" | | | 10 |
| 05057525001 | 012791 | 8 | | 30 | 1 3/16" | | | 10 |
| 05057530001 | 012807 | 10 | | 30 | 1 3/16" | | | 10 |

840/9 C Bits

Drive: 4 mm halfmoon for direct power tool connection.

840/9 C Bits



| Code | EAN | ⊙ | ⌈ | ⌈ | ∅ | | | |
|-------------|---------|-----|----|----------|-----|--|--|----|
| Code | 4013288 | mm | mm | ⌈ | mm | | | |
| 05135268001 | 168306 | 1,5 | 44 | 1 47/64" | 2,6 | | | 10 |
| 05135269001 | 168313 | 2,0 | 44 | 1 47/64" | 2,6 | | | 10 |

840/1 Z Tamper-proof Hex-Plus BO bits

Hexagon socket BO screws have a protruding pin in their drive profile.

This prevents any unauthorised loosening since the "normal" hex tools cannot move these screws. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

840/1 Z Tamper-proof Hex-Plus BO bits



| Code | EAN | ⊙ | ⌈ | ⌈ | | | | |
|-------------|---------|-----|----|----|--|--|--|----|
| Code | 4013288 | mm | mm | ⌈ | | | | |
| 05056341001 | 038548 | 2,0 | 25 | 1" | | | | 10 |
| 05056342001 | 038555 | 2,5 | 25 | 1" | | | | 10 |
| 05056343001 | 038562 | 3,0 | 25 | 1" | | | | 10 |
| 05056344001 | 038593 | 4,0 | 25 | 1" | | | | 10 |
| 05056345001 | 038579 | 5,0 | 25 | 1" | | | | 10 |
| 05056346001 | 038586 | 6,0 | 25 | 1" | | | | 10 |

840/4 Z Tamper-proof Hex-Plus B0 bits

1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

840/4 Z Tamper-proof Hex-Plus B0 bits



| | EAN | | | | | | |
|-------------|---------|-----|----|--------|-----|--|---|
| Code | 4013288 | mm | mm | | mm | | |
| 05059640001 | 094292 | 2,0 | 89 | 3 1/2" | 4,0 | | 5 |
| 05059641001 | 094308 | 2,5 | 89 | 3 1/2" | 4,0 | | 5 |
| 05059642001 | 094315 | 3,0 | 89 | 3 1/2" | 4,0 | | 5 |
| 05059643001 | 094322 | 4,0 | 89 | 3 1/2" | 5,0 | | 5 |
| 05059644001 | 094339 | 5,0 | 89 | 3 1/2" | 6,0 | | 5 |
| 05059645001 | 094346 | 6,0 | 89 | 3 1/2" | - | | 5 |

9506 SB 4-in-1 Bit 1

Four different screw profiles (hexagonal socket screws sizes 3.0; 4.0; 5.0; 6.0) can be operated with only one bit. Significant weight savings of over 50 %.

The operability of the large profiles is made possible by the spring compression of the small tips.

The bit has a 1/4" hexagon drive (Wera connection series 1) and can therefore also be used with e.g. bit ratchets and bitholding screwdrivers with Rapidaptor.

- Innovative, extremely compact quadruple bit – only one bit for four different screw sizes
- Suitable for hexagonal socket screws sizes 3.0; 4.0; 5.0 and 6.0
- Tough for hard materials
- 1/4" hexagon drive (Wera connecting series 1)

9506 SB 4-in-1 Bit 1



| | EAN | | | |
|-------------|---------|--|----------------------------------|---|
| Code | 4013288 | | | |
| 05073201001 | 225269 | | | 1 |
| | | | 9506 1x 3,0; 4,0; 5,0; 6,0x37 | |

9507 SB 4-in-1 Bit 2

Four different screw profiles (hexagonal socket screws sizes 2.5; 5.0; 6.0 and TORX® screws size TX 25) can be operated with just one bit.

The enormous space savings make the bit perfect for mobile use. Significant weight savings of over 50 %. The operability of the large profiles is made possible by the spring compression of the small tips.

The bit with a 1/4" hexagon drive (Wera connection series 1) can also be used with e.g. bit ratchets and bitholding screwdrivers with Rapidaptor.

- Innovative, extremely compact quadruple bit – only one bit for four different screw sizes
- Suitable for hexagonal socket screws sizes 2.5; 5.0; 6.0 and TORX® screws TX 25
- Tough for hard materials
- 1/4" hexagon drive (Wera connecting series 1)

9507 SB 4-in-1 Bit 2



| | EAN | | | |
|-------------|---------|--|------------------------------------|---|
| Code | 4013288 | | | |
| 05073202001 | 225276 | | | 1 |
| | | | 9507 1x 2,5; 5,0; 6,0; TX 25x37 | |



Impaktor system - For an above-average service life



High quality bits for square socket screws. The Impaktor technology offers an above-average service life even under extreme circumstances.

Enhanced friction resistance, thanks to the rough diamond-particle coating on the bit tip, prevents any slipping out of the screw head. Particularly suitable for use with customary impact drivers. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

868/1 IMP DC DIY Impaktor square head socket bits



| Code | EAN | | |
|-------------|--------|----------------------------|---|
| 05057631001 | 157478 | 868/1 IMP DC 10x # 2x25 | 1 |
| 05057632001 | 157485 | 868/1 IMP DC 10x # 3x25 | 1 |

868/1 IMP DC SB Impaktor Square-Plus bits



| Code | EAN | | |
|-------------|--------|---------------------------|---|
| 05073931001 | 158437 | 868/1 IMP DC 1x # 2x25 | 5 |
| 05073932001 | 158444 | 868/1 IMP DC 1x # 3x25 | 5 |

868/1 V Square-Plus bits

High quality bits for square socket screws with wedging function.

The wedging forces resulting from the contact pressure between the drive tip and the screw profile securely hold the screw on the tool. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

868/1 V Square-Plus bits



| Code | EAN | | mm | 1" | mm | | |
|-------------|--------|-----|----|----|-----|--|----|
| 05340245001 | 118202 | # 1 | 25 | 1" | 6,1 | | 10 |
| 05066394001 | 113603 | # 2 | 25 | 1" | 6,1 | | 10 |
| 05066396001 | 169228 | # 3 | 25 | 1" | 6,1 | | 10 |

Bit-Box 20 V Robertson



| Code | EAN | | |
|-------------|--------|-----------------------|----|
| 05057790001 | 188083 | 868/1 V 20x # 2x25 | 20 |

868/1 Z Square-Plus bits

High quality bits for square socket screws. Tough viscous for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

868/1 Z Square-Plus bits




| | EAN | | | | | | |
|-------------|---------|------|----|----|-----|--|----|
| Code | 4013288 | | mm | | mm | | |
| 05066395001 | 030214 | # 00 | 25 | 1" | 3,5 | | 10 |
| 05066400001 | 030221 | # 0 | 25 | 1" | 3,5 | | 10 |
| 05066405001 | 030207 | # 1 | 25 | 1" | 4,5 | | 10 |
| 05066410001 | 030238 | # 2 | 25 | 1" | 6,0 | | 10 |
| 05066415001 | 030245 | # 3 | 25 | 1" | 6,0 | | 10 |
| 05066420001 | 030252 | # 4 | 25 | 1" | 8,0 | | 10 |

868/1 Z SB Square-Plus bits



| | EAN | | | | | |
|-------------|---------|--|---------|-----------|--|---|
| Code | 4013288 | | | | | |
| 05073074001 | 202727 | | 868/1 Z | 2x # 1x25 | | 5 |
| 05073075001 | 202710 | | 868/1 Z | 2x # 2x25 | | 5 |

Impaktor system - For an above-average service life



High quality bits for square socket screws. The Impaktor technology offers an above-average service life even under extreme circumstances.

Enhanced friction resistance, thanks to the rough diamond-particle coating on the bit tip, prevents any slipping out of the screw head. Particularly suitable for use with customary impact drivers. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

868/4 IMP DC DIY Impaktor square head socket bits



| | EAN | | | | |
|-------------|---------|--|--------------|-----------|---|
| Code | 4013288 | | | | |
| 05057671001 | 157546 | | 868/4 IMP DC | 5x # 2x50 | 1 |
| 05057672001 | 157553 | | 868/4 IMP DC | 5x # 3x50 | 1 |



868/4 IMP DC SB Impaktor Square-Plus bits



| Code | EAN | | |
|-------------|--------|---------------------------|---|
| 05073971001 | 158550 | 868/4 IMP DC 1x # 2x50 | 5 |
| 05073972001 | 158567 | 868/4 IMP DC 1x # 3x50 | 5 |

Kraftform Stainless - stainless steel to prevent rust



High quality bits out of stainless steel for square socket screws prevent the formation of unsightly extraneous rust. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

3868/4 Square-Plus bits, stainless



| Code | EAN | □ | ┆ | ┆ | ∅ | |
|-------------|--------|-----|----|--------|-----|----|
| 05071097001 | 115591 | # 1 | 89 | 3 1/2" | 4,5 | 10 |
| 05071098001 | 115607 | # 2 | 89 | 3 1/2" | 5,0 | 10 |
| 05071099001 | 115614 | # 3 | 89 | 3 1/2" | 5,5 | 10 |

868/4 BTZ Square-Plus bits



| Code | EAN | □ | ┆ | ┆ | ∅ | |
|-------------|--------|----|----|----|-----|----|
| 05060147001 | 041272 | #1 | 50 | 2" | 4,2 | 10 |
| 05060148001 | 041289 | #2 | 50 | 2" | 4,2 | 10 |
| 05060149001 | 041296 | #3 | 50 | 2" | 5,5 | 10 |

868/4 Square-Plus bits



| Code | EAN | □ | ┆ | ┆ | ∅ | |
|-------------|--------|------|-----|--------|-----|----|
| 05060150001 | 030269 | # 00 | 50 | 2" | 3,5 | 10 |
| 05060155001 | 030276 | # 0 | 50 | 2" | 3,5 | 10 |
| 05060160001 | 030283 | # 1 | 50 | 2" | 4,5 | 10 |
| 05060180001 | 041043 | # 1 | 70 | 2 3/4" | 4,5 | 10 |
| 05134800001 | 040930 | # 1 | 89 | 3 1/2" | 4,5 | 10 |
| 05134805001 | 040923 | # 1 | 152 | 6" | 4,5 | 10 |
| 05060165001 | 030290 | # 2 | 50 | 2" | 6,0 | 10 |
| 05060182001 | 041050 | # 2 | 70 | 2 3/4" | 6,0 | 10 |
| 05134801001 | 040947 | # 2 | 89 | 3 1/2" | 6,0 | 10 |
| 05134806001 | 040954 | # 2 | 152 | 6" | 6,0 | 10 |
| 05060170001 | 030306 | # 3 | 50 | 2" | 6,0 | 10 |
| 05060184001 | 032805 | # 3 | 70 | 2 3/4" | 6,0 | 10 |
| 05134802001 | 040961 | # 3 | 89 | 3 1/2" | 6,0 | 10 |
| 05134807001 | 040978 | # 3 | 152 | 6" | 6,0 | 10 |
| 05060175001 | 030313 | # 4 | 50 | 2" | 8,0 | 10 |

868/4 Z SB Square-Plus bits



| Code | EAN | □ | |
|-------------|--------|--------------------------------|---|
| 05073076001 | 202703 | 868/4 Square-Plus 2x # 1x50 | 5 |
| 05073077001 | 202697 | 868/4 Square-Plus 2x # 2x50 | 5 |

868/4 V Square-Plus bits

With wedging function.

868/4 V Square-Plus bits




| | EAN | | | | | | |
|-------------|---------|-----|-----|--------|-----|--|----|
| Code | 4013288 | | mm | | mm | | |
| 05060300001 | 169211 | # 1 | 50 | 2" | 4,5 | | 10 |
| 05060297001 | 169198 | # 1 | 89 | 3 1/2" | 4,5 | | 10 |
| 05060301001 | 113610 | # 2 | 50 | 2" | 6,0 | | 10 |
| 05060302001 | 113627 | # 2 | 70 | 2 3/4" | 6,0 | | 10 |
| 05060303001 | 113634 | # 2 | 89 | 3 1/2" | 6,0 | | 10 |
| 05060304001 | 113641 | # 2 | 152 | 6" | 6,0 | | 10 |
| 05060296001 | 169181 | # 3 | 50 | 2" | 6,0 | | 10 |
| 05060298001 | 169204 | # 3 | 89 | 3 1/2" | 6,0 | | 10 |

Diamond-coated bits

Minute diamond particles on the tip of the tool literally bite into the screw

Bits fit securely into the head of the screw



High quality bits with Mplus advantage for more breaking torque and thereby enhanced durability; diamond coating for a secure fit in the screw head.

871/1 DC TORQ-SET® Mplus bits



| | EAN | | | | | | | |
|-------------|---------|----|------|----|--------|------|--|----|
| Code | 4013288 | | | mm | | mm | | |
| 05066638001 | 099525 | 4 | | 25 | 1" | 4,7 | | 10 |
| 05066640001 | 033161 | 6 | | 25 | 1" | 4,7 | | 10 |
| 05066642001 | 033178 | 8 | | 25 | 1" | 6,0 | | 10 |
| 05066644001 | 033185 | 10 | | 25 | 1" | 6,0 | | 10 |
| 05066646001 | 033192 | -- | 1/4" | 32 | 1 1/4" | 11,0 | | 10 |

871/1 TORQ-SET® Mplus bits

TORQ-SET® Mplus: The stronger flanks – when compared with the conventional TORQ-SET® profile – result in 70% more breaking torque and thereby enhanced durability whilst at the same time providing a perfect fit in the screw head.

Tough viscous for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

871/1 TORQ-SET® Mplus bits, 25 mm



| | EAN | | | | | | | |
|-------------|---------|----|------|----|----|-----|--|----|
| Code | 4013288 | | | mm | | mm | | |
| 05066618001 | 093073 | 0 | | 25 | 1" | 4,7 | | 10 |
| 05066619001 | 041562 | 1 | | 25 | 1" | 4,7 | | 10 |
| 05066620001 | 033086 | 2 | | 25 | 1" | 4,7 | | 10 |
| 05066622001 | 033093 | 3 | | 25 | 1" | 4,7 | | 10 |
| 05066624001 | 033109 | 4 | | 25 | 1" | 4,7 | | 10 |
| 05066626001 | 033116 | 5 | | 25 | 1" | 4,7 | | 10 |
| 05066628001 | 033123 | 6 | | 25 | 1" | 4,7 | | 10 |
| 05066630001 | 033130 | 8 | | 25 | 1" | 6,0 | | 10 |
| 05066632001 | 033147 | 10 | | 25 | 1" | 6,0 | | 10 |
| 05066633001 | 037558 | -- | 1/4" | 25 | 1" | 6,0 | | 10 |

871/1 TORQ-SET® Mplus bits, 32 mm



| | EAN | | | | | | | |
|-------------|---------|-------|--|----|--------|------|--|----|
| Code | 4013288 | | | mm | | mm | | |
| 05066634001 | 033154 | 1/4" | | 32 | 1 1/4" | 11,0 | | 10 |
| 05066635001 | 093011 | 5/16" | | 32 | 1 1/4" | 11,0 | | 10 |

871/4 DC TORQ-SET® Mplus bits

High quality bits with Mplus advantage for more breaking torque and thereby enhanced durability; diamond coating for a secure fit in the screw head.

1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

871/4 DC TORQ-SET® Mplus bits



| | EAN | | | | | | | |
|-------------|---------|----|------|----|----|--|--|----|
| Code | 4013288 | | | mm | | | | |
| 05324901001 | 162984 | 2 | | 50 | 2" | | | 10 |
| 05066688001 | 099532 | 4 | | 50 | 2" | | | 10 |
| 05066690001 | 033345 | 6 | | 50 | 2" | | | 10 |
| 05066692001 | 033352 | 8 | | 50 | 2" | | | 10 |
| 05066694001 | 033369 | 10 | | 50 | 2" | | | 10 |
| 05066696001 | 033376 | -- | 1/4" | 50 | 2" | | | 10 |



871/4 TORQ-SET® Mplus bits



| | EAN | | | | | | |
|-------------|---------|----|-------|----|--------|--|----|
| Code | 4013288 | | | mm | | | |
| 05066660001 | 033239 | 2 | | 50 | 2" | | 10 |
| 05066683001 | 094469 | 2 | | 89 | 3 1/2" | | 5 |
| 05066662001 | 033246 | 3 | | 50 | 2" | | 10 |
| 05066684001 | 094476 | 3 | | 89 | 3 1/2" | | 5 |
| 05066664001 | 033253 | 4 | | 50 | 2" | | 10 |
| 05066685001 | 094483 | 4 | | 89 | 3 1/2" | | 5 |
| 05066666001 | 033260 | 5 | | 50 | 2" | | 10 |
| 05066668001 | 033277 | 6 | | 50 | 2" | | 10 |
| 05066676001 | 033307 | 6 | | 70 | 2 3/4" | | 5 |
| 05066686001 | 094490 | 6 | | 89 | 3 1/2" | | 10 |
| 05066670001 | 033055 | 8 | | 50 | 2" | | 10 |
| 05066678001 | 033314 | 8 | | 70 | 2 3/4" | | 5 |
| 05066687001 | 094506 | 8 | | 89 | 3 1/2" | | 10 |
| 05066672001 | 033284 | 10 | | 50 | 2" | | 10 |
| 05066680001 | 033321 | 10 | | 70 | 2 3/4" | | 5 |
| 05066682001 | 033338 | 10 | | 89 | 3 1/2" | | 5 |
| 05066674001 | 033291 | -- | 1/4" | 50 | 2" | | 10 |
| 05221110001 | 035851 | -- | 5/16" | 50 | 2" | | 10 |

871/2 TORQ-SET® Mplus bits

5/16" hexagon, suitable for holders as per DIN ISO 1173-D 8.

871/2 TORQ-SET® Mplus bits



| | EAN | | | | | | |
|-------------|---------|----|-------|----|--------|--|---|
| Code | 4013288 | | | mm | | | |
| 05066654001 | 033208 | -- | 1/4" | 32 | 1 1/4" | | 5 |
| 05066656001 | 033215 | -- | 5/16" | 32 | 1 1/4" | | 5 |

875/1 TRI-WING® bits, 25 mm

High quality bits for TRI-WING® screws. Tough viscous for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

875/1 TRI-WING® bits, 25 mm



| | EAN | | | | | | |
|-------------|---------|---|----|----|-----|--|----|
| Code | 4013288 | | mm | | mm | | |
| 05066758001 | 093059 | 0 | 25 | 1" | 4,7 | | 10 |
| 05066760001 | 033482 | 1 | 25 | 1" | 4,7 | | 10 |
| 05066762001 | 033499 | 2 | 25 | 1" | 4,7 | | 10 |
| 05066764001 | 033505 | 3 | 25 | 1" | 4,7 | | 10 |
| 05066766001 | 033512 | 4 | 25 | 1" | 6,2 | | 10 |
| 05066768001 | 033529 | 5 | 25 | 1" | 6,2 | | 10 |

875/4 TRI-WING® bits

Tough viscous for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.



| | EAN | | | | | | |
|-------------|---------|---|----|--------|--|--|---|
| Code | 4013288 | | mm | | | | |
| 05066785001 | 094605 | 1 | 89 | 3 1/2" | | | 5 |
| 05066786001 | 094612 | 2 | 89 | 3 1/2" | | | 5 |
| 05066787001 | 094629 | 3 | 89 | 3 1/2" | | | 5 |
| 05066788001 | 094636 | 4 | 89 | 3 1/2" | | | 5 |

860/1 XZN Multi-point bits

High quality bits for recessed multi-point screws. Tough viscous for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

860/1 XZN Multi-point bits



| | EAN | | | | | | |
|-------------|---------|------|----|----|------|--|----|
| Code | 4013288 | | mm | | mm | | |
| 05066150001 | 034953 | M 4 | 25 | 1" | 4,17 | | 10 |
| 05066155001 | 034960 | M 5 | 25 | 1" | 5,14 | | 10 |
| 05066160001 | 034977 | M 6 | 25 | 1" | - | | 10 |
| 05066165001 | 034984 | M 8 | 25 | 1" | 8,0 | | 5 |
| 05066170001 | 034991 | M 10 | 25 | 1" | 10,0 | | 5 |

872/9 bits for Microstix® screws

With 4 mm halfmoon drive for direct insertion in the power tool.

872/9 bits for Microstix® screws



| | EAN | | | | | | |
|-------------|---------|----|----|-----|----------|--|----|
| Code | 4013288 | | mm | mm | | | |
| 05066850001 | 179272 | m | 44 | 2,0 | 1 47/64" | | 10 |
| 05066851001 | 179296 | 00 | 44 | 2,0 | 1 47/64" | | 10 |
| 05066852001 | 179302 | F | 44 | 2,0 | 1 47/64" | | 10 |
| 05066853001 | 179319 | 0 | 44 | 2,0 | 1 47/64" | | 10 |
| 05066854001 | 179326 | 1 | 44 | 2,0 | 1 47/64" | | 10 |

857/1 Z Spanner bits

Bits for spanner screws. Tough viscous for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

857/1 Z Spanner bits



| | EAN | | | | | | |
|-------------|---------|----|----|----|------|--|----|
| Code | 4013288 | | mm | | mm | | |
| 05057150001 | 038609 | 4 | 25 | 1" | 3,18 | | 10 |
| 05057151001 | 038616 | 6 | 25 | 1" | 4,32 | | 10 |
| 05057152001 | 038623 | 8 | 25 | 1" | 5,21 | | 10 |
| 05057153001 | 038630 | 10 | 25 | 1" | 6,10 | | 10 |

857/4 Z Spanner bits


Tough viscous for universal use. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

857/4 Z Spanner bits



| | EAN | | | | | | |
|-------------|---------|----|----|--------|------|--|---|
| Code | 4013288 | | mm | | mm | | |
| 05057160001 | 094810 | 4 | 89 | 3 1/2" | 3,18 | | 5 |
| 05057161001 | 094827 | 6 | 89 | 3 1/2" | 4,32 | | 5 |
| 05057162001 | 094834 | 8 | 89 | 3 1/2" | 5,21 | | 5 |
| 05057163001 | 094841 | 10 | 89 | 3 1/2" | 6,10 | | 5 |

Kraftform Stainless - stainless steel to prevent rust



High quality nutsetter out of stainless steel for hexagon head screws. Stainless to prevent the risk of extraneous rust. Non-magnetic design with retaining spring. 1/4" hexagon, suitable for holders as per, DIN ISO 1173-F 6.3.

3869/4 Nutsetters, stainless



| | EAN | | | | | | |
|-------------|---------|------|------|------|------|--|---|
| Code | 4013288 | mm | | mm | mm | | |
| 05071222001 | 118127 | 7,0 | | 50,0 | 12,5 | | 5 |
| 05071223001 | 118257 | 8,0 | | 50,0 | 14,0 | | 5 |
| 05071224001 | 118141 | 10,0 | | 50,0 | 16,0 | | 5 |
| 05071225001 | 118158 | 13,0 | | 50,0 | 19,5 | | 5 |
| 05071228001 | 118189 | | 3/8" | 50,0 | 16,0 | | 5 |

869/4 Nutsetters

Non-magnetic design. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

869/4 Nutsetters



| | EAN | | | | | | |
|-------------|---------|------|-------|------|------|--|---|
| Code | 4013288 | mm | | mm | mm | | |
| 05060400001 | 100948 | 5,5 | | 50,0 | 11,0 | | 5 |
| 05060272001 | 016546 | 5,5 | | 65,0 | 9,0 | | 5 |
| 05060401001 | 100955 | 6,0 | | 50,0 | 11,0 | | 5 |
| 05060274001 | 016553 | 6,0 | | 65,0 | 11,0 | | 5 |
| 05060402001 | 100962 | 7,0 | | 50,0 | 11,0 | | 5 |
| 05060276001 | 016560 | 7,0 | | 65,0 | 11,0 | | 5 |
| 05060403001 | 100979 | 8,0 | | 50,0 | 12,5 | | 5 |
| 05060278001 | 016577 | 8,0 | | 65,0 | 12,5 | | 5 |
| 05060404001 | 100986 | 9,0 | | 50,0 | 14,0 | | 5 |
| 05060280001 | 016584 | 9,0 | | 65,0 | 14,0 | | 5 |
| 05060405001 | 100993 | 10,0 | | 50,0 | 14,0 | | 5 |
| 05060282001 | 016591 | 10,0 | | 65,0 | 14,0 | | 5 |
| 05060406001 | 101006 | 11,0 | | 50,0 | 16,0 | | 5 |
| 05060281001 | 031327 | 11,0 | | 65,0 | 16,0 | | 5 |
| 05060407001 | 101013 | 12,0 | | 50,0 | 18,0 | | 5 |
| 05060283001 | 031334 | 12,0 | | 65,0 | 18,0 | | 5 |
| 05060408001 | 101020 | 13,0 | | 50,0 | 18,0 | | 5 |
| 05060284001 | 016607 | 13,0 | | 65,0 | 19,0 | | 5 |
| 05060409001 | 101037 | | 1/4" | 50,0 | 11,0 | | 5 |
| 05060286001 | 016614 | | 1/4" | 65,0 | 11,0 | | 5 |
| 05060410001 | 101044 | | 5/16" | 50,0 | 12,5 | | 5 |
| 05060290001 | 016638 | | 5/16" | 65,0 | 12,5 | | 5 |
| 05060411001 | 101051 | | 3/8" | 50,0 | 14,0 | | 5 |
| 05060288001 | 016621 | | 3/8" | 65,0 | 14,0 | | 5 |
| 05060412001 | 101068 | | 7/16" | 50,0 | 16,0 | | 5 |



869/4 M Nutsetters, magnetic



| | EAN | | | | | | |
|-------------|---------|------|-------|------|------|--|---|
| Code | 4013288 | mm | | mm | mm | | |
| 05060420001 | 101075 | 5,5 | | 50,0 | 11,0 | | 5 |
| 05060210001 | 016652 | 5,5 | | 65,0 | 11,0 | | 5 |
| 05060421001 | 101082 | 6,0 | | 50,0 | 11,0 | | 5 |
| 05060215001 | 016669 | 6,0 | | 65,0 | 11,0 | | 5 |
| 05060422001 | 101099 | 7,0 | | 50,0 | 11,0 | | 5 |
| 05060220001 | 016676 | 7,0 | | 65,0 | 11,0 | | 5 |
| 05060423001 | 101105 | 8,0 | | 50,0 | 12,5 | | 5 |
| 05060225001 | 016683 | 8,0 | | 65,0 | 12,5 | | 5 |
| 05060424001 | 101112 | 9,0 | | 50,0 | 14,0 | | 5 |
| 05060230001 | 016690 | 9,0 | | 65,0 | 14,0 | | 5 |
| 05060425001 | 101129 | 10,0 | | 50,0 | 14,0 | | 5 |
| 05060235001 | 016706 | 10,0 | | 65,0 | 14,0 | | 5 |
| 05060426001 | 101136 | 11,0 | | 50,0 | 16,0 | | 5 |
| 05060237001 | 031501 | 11,0 | | 65,0 | 16,0 | | 5 |
| 05060427001 | 101143 | 12,0 | | 50,0 | 18,0 | | 5 |
| 05060238001 | 031495 | 12,0 | | 65,0 | 17,0 | | 5 |
| 05060428001 | 101150 | 13,0 | | 50,0 | 18,0 | | 5 |
| 05060240001 | 016713 | 13,0 | | 65,0 | 19,0 | | 5 |
| 05060429001 | 101167 | | 1/4" | 50,0 | 11,0 | | 5 |
| 05060255001 | 016720 | | 1/4" | 65,0 | 11,0 | | 5 |
| 05060430001 | 101174 | | 5/16" | 50,0 | 12,5 | | 5 |
| 05060260001 | 016737 | | 5/16" | 65,0 | 12,5 | | 5 |
| 05060431001 | 101181 | | 3/8" | 50,0 | 14,0 | | 5 |
| 05060265001 | 016744 | | 3/8" | 65,0 | 14,0 | | 5 |
| 05060432001 | 101198 | | 7/16" | 50,0 | 16,0 | | 5 |

869/4 M SB Nutsetters, magnetic



| Code | EAN | | | |
|-------------|---------|--|--------------------------------|---|
| | 4013288 | | | |
| 05073500001 | 105691 | | 869/4 M 1x 5.5x50.0 | 3 |
| 05073501001 | 105707 | | 869/4 M 1x 6.0x50.0 | 3 |
| 05073502001 | 106506 | | 869/4 M 1x 7.0x50.0 | 3 |
| 05073503001 | 105714 | | 869/4 M 1x 8.0x50.0 | 3 |
| 05073504001 | 105721 | | 869/4 M 1x 9.0x50.0 | 3 |
| 05073505001 | 105738 | | 869/4 M 1x 10.0x50.0 | 3 |
| 05073506001 | 105745 | | 869/4 M 1x 11.0x50.0 | 3 |
| 05073507001 | 105752 | | 869/4 M 1x 12.0x50.0 | 3 |
| 05073508001 | 105769 | | 869/4 M 1x 13.0x50.0 | 3 |
| 05073509001 | 105776 | | 869/4 M 1x 1/4"x50.0 | 3 |
| 05073510001 | 105783 | | 869/4 M 1x 3/8"x50.0 | 3 |

869/4 M Set A SB



| Code | EAN | | | |
|-------------|--------|---|---|---|
| 05073495001 | 144584 | ● | 869/4 M 1x 7.0x50.0; 1x 8.0x50.0; 1x 10.0x50.0; 1x 12.0x50.0; 1x 13.0x50.0; 1x 1/4"x50.0; 1x 5/16"x50.0; 1x 3/8"x50.0 | 1 |

869/9 Nutsetters

Metric nutsetter for hexagon head screws. Non-magnetic design. With 4 mm halfmoon drive for direct insertion in the power tool.

869/9 Nutsetters



| | EAN | ⊙ | ⌈ | ∅ | | | | |
|-------------|---------|-----|------|-----|--|--|--|----|
| Code | 4013288 | mm | mm | mm | | | | |
| 05135224001 | 190505 | 2,5 | 44,0 | 5,0 | | | | 10 |
| 05135225001 | 190499 | 3,0 | 44,0 | 5,0 | | | | 10 |

879/4 Internal thread insertion tool

Insertion tool with internal thread for hanger bolts and threaded rods. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

879/4 Internal thread insertion tool



| | EAN | ⊕ | ⌈ | ⌈ | ∅ | | | |
|-------------|---------|-----|------|----|------|--|--|---|
| Code | 4013288 | | mm | | mm | | | |
| 05135903001 | 035059 | M8 | 50,0 | 2" | 12,0 | | | 5 |
| 05135904001 | 035066 | M10 | 50,0 | 2" | 12,0 | | | 5 |





HOLDERS and ADAPTORS



Impaktor system - For an above-average service life



Wera Impaktor holder for the absorption of impulse peaks. Particular torsion effect thanks to the double-torsion spring.

The retaining ring ensures an optimum fit of the tool in the holder. The magnet provides for additional fixing of the bit and screw.

The Impaktor stainless holder with retaining ring and magnet meets the extremely dynamic demands by doing without any small, mechanical parts that are often susceptible.

Used mostly for industrial assembly applications such as e.g. with screwdriving robots. Output: suitable for bits with 1/4" hexagon head drive as per DIN ISO 1173-C 6.3. Drive: 1/4" hexagon, suitable for power screwdrivers with take-up as per DIN ISO 1173-F 6.3.

897/4 IMP Impaktor holder with retaining ring and magnet



| Code | EAN | | | | | | |
|-------------|--------|------|----|----|------|--|---|
| 05057675001 | 157805 | 1/4" | 75 | 3" | 1/4" | | 5 |

897/4 IMP R Impaktor holder with retaining ring and ring magnet

The Impaktor holder additionally holds long and heavy screws extremely securely with its ring magnet. This enables rapid and dependable positioning of the screw.

Should, situation-related, the magnet not be desired e.g. when working with metal, it can be removed from the screwdriving zone and thereby be neutralised.

Used mostly for manual power tool applications. Output: suitable for bits with 1/4" hexagon head drive as per DIN ISO 1173-C 6.3. Drive: 1/4" hexagon, suitable for power screwdrivers with take-up as per DIN ISO 1173-F 6.3.

897/4 IMP R Impaktor holder with retaining ring and ring magnet




| Code | EAN | | | | | | |
|-------------|--------|------|----|----|------|--|---|
| 05057676001 | 157812 | 1/4" | 75 | 3" | 1/4" | | 5 |

897/4 IMP R SB Impaktor holder with retaining ring and ring magnet



| Code | EAN | | | | |
|-------------|--------|--|--|--------------------------------|---|
| 05073990001 | 157836 | | | 897/4 Impaktor R 1x 1/4"x75 | 3 |

Radidaptor - the amazing compact multifunction tool



Universal holder for the take-up of bits with 1/4" hexagon head drive as per DIN ISO 1173-C 6.3 (ISO 1173). Stainless design to prevent extraneous rust.

Comes with Rapidaptor technology, which allows bits to be attached without any need to actuate the sleeve. The removal of the bit is simple, just by pushing the sleeve forward – for rapid bit change with just one hand. 1/4" hexagon, suitable for power screwdrivers with take-up as per DIN ISO 1173-F 6.3.

3888/4/1 K Rapidaptor Universal Bit Holder, stainless




| | EAN | | | | | | | |
|-------------|---------|------|----|----|------|------|--|---|
| Code | 4013288 | | mm | | | mm | | |
| 05071100001 | 111487 | 1/4" | 50 | 2" | 1/4" | 15,0 | | 5 |

3888/4/1 K SB Rapidaptor Universal Bit Holder, stainless



| Code | EAN | | | | | | | |
|-------------|--------|--|--|------------|--|--|------------|---|
| 05073616001 | 112170 | | | 3888/4/1 K | | | 1x 1/4"x50 | 3 |

BiTorsion system - for longer service life



Universal holder for bits with 1/4" hexagon head drive as per DIN ISO 1173-C 6.3 and E 6.3 (ISO 1173). BiTorsion holders by Wera have a torsion spring that absorbs low peak loads during screwdriving jobs.

The combined use with BiTorsion bits and their torsion zones extends the service life of the tool considerably. BiTorsion holders by Wera can, however, also be used with conventional bits. The Rapidaptor technology allows bits to be attached without any need to actuate the sleeve.

The removal of the bit is simple, just by pushing the sleeve forward. This enables rapid bit change with just one hand. 1/4" hexagonal, suitable for power screwdrivers with take-up as per DIN ISO 1173-F 6.3.

897/4 R Rapidaptor BiTorsion Universal Bit Holder



| | EAN | | | | | | | |
|-------------|---------|------|----|----|------|------|--|---|
| Code | 4013288 | | mm | | | mm | | |
| 05053923001 | 095633 | 1/4" | 75 | 3" | 1/4" | 15,0 | | 5 |

897/4 R SB Rapidaptor BiTorsion Universal Bit Holder



| Code | EAN | | | | | | | |
|-------------|--------|--|--|---------|--|--|------------|---|
| 05073420001 | 099464 | | | 897/4 R | | | 1x 1/4"x75 | 3 |

889/4/1 K Rapidaptor Universal Bit Holder

Rapidaptor universal holder for bits with 1/4" hexagon head drive as per DIN ISO 1173-C 6.3 and E 6.3 (ISO 1173). The Rapidaptor allows bits to be attached without any need to actuate the sleeve.

The removal of the bit is simple, just by pushing the sleeve forward. This enables rapid bit change with just one hand. The strong permanent magnet holds the bits absolutely securely. 1/4" hexagonal, suitable for power screwdrivers with take-up as per DIN ISO 1173-F 6.3.

889/4/1 K Rapidaptor Universal Bit Holder



| | EAN | | | | | | |
|-------------|---------|------|----|----|------|------|---|
| Code | 4013288 | | mm | | | mm | |
| 05052502001 | 095619 | 1/4" | 50 | 2" | 1/4" | 15,0 | 5 |

889/4/1 K SB Rapidaptor Universal Bit Holder



| Code | EAN | | | | | | |
|-------------|--------|--|------------|--|--|--|---|
| 05073421001 | 099440 | | 889/4/1 K | | | | 3 |
| | | | 1x 1/4"x50 | | | | |

889/4/1 Rapidaptor Universal Bit Holder



| | EAN | | | | | | |
|-------------|---------|------|----|----|------|------|---|
| Code | 4013288 | | mm | | | mm | |
| 05052503001 | 098016 | 1/4" | 75 | 3" | 1/4" | 15,0 | 5 |

889/4 R Rapidaptor Universal Bit Holder



| | EAN | | | | | | |
|-------------|---------|------|-----|----|------|------|---|
| Code | 4013288 | | mm | | | mm | |
| 05052504001 | 101242 | 1/4" | 100 | 4" | 1/4" | 15,0 | 2 |

888/4/1 K Rapidaptor Universal Bit holder

- Non-magnetic design

888/4/1 K Rapidaptor Universal Bit Holder



| | EAN | | | | | | |
|-------------|---------|------|----|----|------|------|---|
| Code | 4013288 | | mm | | | mm | |
| 05052500001 | 095619 | 1/4" | 50 | 2" | 1/4" | 15,0 | 5 |

887/4 RR Rapidaptor Universal Bit Holder with ring magnet

Rapidaptor universal holder for bits with hexagon head drive as per DIN ISO 1173-C 6.3 and E 6.3 (ISO 1173). The floating, free-turning magnetic sleeve securely holds even large and heavy screws. The Rapidaptor allows bits to be attached without any need to actuate the sleeve.

The removal of the bit is simple, just by pushing the sleeve forward. This enables rapid bit change with just one hand. 1/4" hexagonal, suitable for power screwdrivers with take-up as per DIN ISO 1173-F 6.3.

887/4 RR Rapidaptor Universal Bit Holder with ring magnet



| | EAN | | | | | | |
|-------------|---------|------|----|--------|------|----|---|
| Code | 4013288 | | mm | | | mm | |
| 05052490001 | 104045 | 1/4" | 57 | 2 1/4" | 1/4" | 16 | 5 |

887/4 RR SB Rapidaptor Universal Bit Holder with ring magnet



| Code | EAN | | | | | | |
|-------------|--------|--|------------|--|--|--|---|
| 05073511001 | 105790 | | 887/4 RR | | | | 3 |
| | | | 1x 1/4"x57 | | | | |

889/4/1 F Rapidaptor free-running bit holder for torque screwdrivers with pistol handle

The free-running feature allows for a particularly quick return movement without having to remove the screwdriver when tightening screws.

Especially for application with Wera torque screwdrivers with pistol handle for fast and ergonomic working.

The Rapidaptor technology allows mounting bits without activating the sleeve. Remove the bits by simply pushing the sleeve forward - for rapid bit change, all with one hand.

- Avoids annoying re-positioning when tightening screws with Wera torque screwdrivers with pistol handle
- Fast and fatigue-free work due to precise free-running mechanism
- Maintenance-free construction with especially slim and solid bearing by leading free-running manufacturer
- Maximum transmissible tightening moment 10,0 Nm
- Bit mounting with Rapidaptor technology for rapid bit change, suitable for bits with 1/4"- external hexagon drive as per DIN ISO 1173-C 6.3 and E 6.3 and Wera connection series 1 and 4

889/4/1 F Rapidaptor free-running bit holder for torque screwdrivers with pistol handle



| | EAN | | | | | | | |
|-------------|---------|------|----|----------|------|------|--|---|
| Code | 4013288 | | mm | | | mm | | |
| 05052501001 | 217585 | 1/4" | 64 | 2 33/64" | 1/4" | 16,5 | | 5 |

894/4/1 K Universal Bit Holder

Universal holder for the take-up of bits with 1/4" hexagon head drive as per DIN ISO 1173-C 6.3.

Quick-release chuck for rapid bit change. 1/4" hexagonal, suitable for power screwdrivers with take-up as per DIN ISO 1173-F 6.3.

894/4/1 K Universal Bit Holder



| | EAN | | | | | | | |
|-------------|---------|------|----|----|------|------|--|---|
| Code | 4013288 | | mm | | | mm | | |
| 05053522001 | 017512 | 1/4" | 51 | 2" | 1/4" | 14,3 | | 5 |

894/4/1 Universal Bit Holder



| | EAN | | | | | | | |
|-------------|---------|------|----|----|------|------|--|---|
| Code | 4013288 | | mm | | | mm | | |
| 05053520001 | 017505 | 1/4" | 75 | 3" | 1/4" | 14,3 | | 5 |

895/4/1 K Universal Bit Holder

Universal holder for the take-up of bits with 1/4" hexagon head drive as per DIN ISO 1173-C 6.3. Quick-release chuck for rapid bit change.

The strong permanent magnet holds the bits absolutely securely. 1/4" hexagonal, suitable for power screwdrivers with take-up as per DIN ISO 1173-F 6.3.

895/4/1 K Universal Bit Holder



| | EAN | | | | | | | |
|-------------|---------|------|----|----|------|------|--|---|
| Code | 4013288 | | mm | | | mm | | |
| 05053872001 | 035158 | 1/4" | 52 | 2" | 1/4" | 14,3 | | 5 |

895/4/1 K SB Universal Bit Holder



| | EAN | | | | | | | |
|-------------|---------|--|--|-----------|--|--|------------|---|
| Code | 4013288 | | | | | | | |
| 05073318001 | 029195 | | | 895/4/1 K | | | 1x 1/4"x52 | 3 |

895/4/1 Universal Bit Holder



| | EAN | | | | | | | |
|-------------|---------|------|----|----|------|------|--|---|
| Code | 4013288 | | mm | | | mm | | |
| 05053870001 | 017574 | 1/4" | 77 | 3" | 1/4" | 14,3 | | 5 |

898/4 Combination Bit Holder

Combination holder for bits with 4 mm halfmoon drive (Wera series 9) and 4 mm HIOS drive (Wera series 21): quick-release chuck, 1/4" hexagonal drive, suitable for power screwdrivers with a take-up as per DIN ISO 1173-F 6.3.

898/4 Combination Bit Holder



| | EAN | | | | | | |
|-------------|---------|----|----|------|------|--|---|
| Code | 4013288 | mm | | mm | | | |
| 05051500001 | 184177 | 50 | 2" | 1/4" | 10,0 | | 5 |

898/9 Combination Bit Holder

Suitable for bits with 4 mm halfmoon drive (Wera series 9) and 4 mm HIOS drive (Wera series 21): with quick-release chuck, 4 mm halfmoon drive.

898/9 Combination Bit Holder



| | EAN | | | | | | |
|-------------|---------|----|----|------|--|--|---|
| Code | 4013288 | mm | | mm | | | |
| 05051501001 | 184184 | 50 | 2" | 10,0 | | | 5 |

898/21 Combination Bit Holder

Suitable for bits with 4 mm halfmoon drive (Wera series 9) and 4 mm HIOS drive (Wera series 21): with quick-release chuck, 4 mm HIOS drive.

898/21 Combination Bit Holder



| | EAN | | | | | | |
|-------------|---------|----|----|------|--|--|---|
| Code | 4013288 | mm | | mm | | | |
| 05051502001 | 184191 | 50 | 2" | 10,0 | | | 5 |

890/4/1 Universal Bit Holder

Universal holder for the take-up of bits with 1/4" hexagon head drive as per DIN ISO 1173-C 6.3. The retaining ring ensures an optimum fit of the tool in the holder.

1/4" hexagonal, suitable for power screwdrivers with take-up as per DIN ISO 1173-F 6.3.

890/4/1 Universal Bit Holder



| | EAN | | | | | | | |
|-------------|---------|------|----|--------|------|------|--|---|
| Code | 4013288 | | mm | | mm | | | |
| 05052575001 | 017239 | 1/4" | 57 | 2 1/4" | 1/4" | 11,1 | | 5 |

893/4/1 K Universal Bit Holder

Universal holder for the take-up of bits with 1/4" hexagon head drive as per DIN ISO 1173-C 6.3.

Stainless sleeve for special corrosion protection. 1/4" hexagon, suitable for power screwdrivers with a take-up as per DIN ISO 1173-F 6.3.

893/4/1 K Universal Bit Holder



| | EAN | | | | | | | |
|-------------|---------|------|----|----|------|------|--|---|
| Code | 4013288 | | mm | | mm | | | |
| 05134480001 | 017468 | 1/4" | 50 | 2" | 1/4" | 10,5 | | 5 |

893/4/1 K SB Universal Bit Holder



| | EAN | | | | | | |
|-------------|---------|--|--|-----------|------------|--|---|
| Code | 4013288 | | | | | | |
| 05073401001 | 029133 | | | 893/4/1 K | 1x 1/4"x50 | | 3 |

899/3/1 Universal Bit Holder

Stainless steel sleeve for very special corrosion protection. The strong permanent magnet holds the bits absolutely securely.

Universal holder for the take-up of bits with 1/4" hexagon head drive as per DIN ISO 1173-C 6.3. 5.5 mm, suitable for power screwdrivers with take-up as per DIN ISO 1173-B 5.5.

899/3/1 Universal Bit Holder



| | EAN | | | | | | | |
|-------------|---------|------|----|--------|-----|------|--|---|
| Code | 4013288 | | mm | | mm | mm | | |
| 05053425001 | 017659 | 1/4" | 72 | 2 3/4" | 5,5 | 10,5 | | 5 |

899/4/1 Universal Bit Holder

Stainless steel sleeve for very special corrosion protection. The retaining ring ensures an optimum fit of the tool in the holder. The strong permanent magnet holds the bits absolutely securely.

Universal holder for the take-up of bits with 1/4" hexagon head drive as per DIN ISO 1173-C 6.3. 1/4" hexagonal, suitable for power screwdrivers with take-up as per DIN ISO 1173-F 6.3.

899/4/1 Universal Bit Holder



| | EAN | | | | | | | |
|-------------|---------|-------------|------|-----|----|------|------|---|
| Code | 4013288 | Art.No. | | mm | | | mm | |
| 05053457001 | 017673 | 899/4/1 K | 1/4" | 50 | 2" | 1/4" | 10,5 | 5 |
| 05053455001 | 017666 | 899/4/1 75 | 1/4" | 75 | 3" | 1/4" | 10,5 | 5 |
| 05053459001 | 036711 | 899/4/1 100 | 1/4" | 100 | 4" | 1/4" | 10,5 | 5 |
| 05053458001 | 036728 | 899/4/1 152 | 1/4" | 152 | 6" | 1/4" | 10,5 | 5 |

899/4/1 SB Universal Bit Holder



| Code | EAN | | | | | | | |
|-------------|---------|--|--|---------|-------------|--|--|---|
| | 4013288 | | | | | | | |
| 05347100001 | 095268 | | | 899/4/1 | 1x 1/4"x50 | | | 3 |
| 05073357001 | 029720 | | | 899/4/1 | 1x 1/4"x75 | | | 3 |
| 05134398001 | 099907 | | | 899/4/1 | 1x 1/4"x152 | | | 3 |

899/4/1 S Universal Bit Holder with strong retaining ring

The particularly strong retaining ring ensures an optimum fixing of the tool in the holder. The especially strong permanent magnet makes sure that the bits are held absolutely securely.

Universal holder for the take-up of bits with 1/4" hexagon head drive as per DIN ISO 1173-C 6.3. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

899/4/1 S Universal Bit Holder with strong retaining ring



| | EAN | | | | | | | |
|-------------|---------|------|-----|-----|------|------|--|---|
| Code | 4013288 | | mm | | | mm | | |
| 05160976001 | 105271 | 1/4" | 50 | 2" | 1/4" | 10,5 | | 5 |
| 05160924001 | 105264 | 1/4" | 75 | 3" | 1/4" | 10,5 | | 5 |
| 05160977001 | 105288 | 1/4" | 100 | 4" | 1/4" | 10,5 | | 5 |
| 05160979001 | 105301 | 1/4" | 200 | 8" | 1/4" | 10,5 | | 1 |
| 05160981001 | 105325 | 1/4" | 300 | 12" | 1/4" | 10,5 | | 1 |

899/8/1 Universal Bit Holder

7 mm, suitable for power screwdrivers with take-up as per DIN ISO 1173-H 7.

899/8/1 Universal Bit Holder



| | EAN | | | | | | | |
|-------------|---------|------|----|----|----|------|--|---|
| Code | 4013288 | | mm | | mm | mm | | |
| 05053475001 | 017697 | 1/4" | 75 | 3" | 7 | 10,5 | | 5 |

899/14/1 Universal Bit Holder

Drive: SDS plus.

899/14/1 SB Universal Bit Holder



| Code | EAN | | | | | | | |
|-------------|---------|--|--|----------|------------|--|--|---|
| | 4013288 | | | | | | | |
| 05134397001 | 099891 | | | 899/14/1 | 1x 1/4"x79 | | | 3 |

881/4/1 SB Bit holder with variable screw depth limitation

For patio construction, the screws should be countersunk to be evenly flush with the decking.

The 881/4/1 bit holder with variable screw depth limitation and felt ring allows for a uniform depth and protects the surface from brush marks. Two spare felt rings included.

- Bit holder for evenly flush countersunk screws in patio construction
- With adjustable screw depth limitation
- Felt ring (exchangeable) prevents brush marks on decking
- Included: 2 spare felt rings

881/4/1 SB Bit holder with variable screw depth limitation



| | | | | | | | | | |
|-------------|--|--------|----|---------|--------------------------|--|--|--|---|
| Code | | EAN | | | | | | | |
| 05130002001 | | 219282 | | | | | | | 1 |
| | | | ●● | 881/4/1 | 1x 1/4"x90 ¹⁾ | | | | |
| | | | | 9201 | 2x 27,0 | | | | |

¹⁾The spare part kit with 5x felt rings can be ordered with the code number 05130003001.

9200 Spare part kit felt rings for 881/4/1 bit holder

- Five spare felt rings for the 881/4/1 SB bit holder with variable screw depth limitation.
- Felt rings prevent brush marks on decking.

9200 Spare part kit felt rings for 881/4/1 bit holder



| | | | | | | | | | |
|-------------|--|--------|--|------|---------|--|--|--|---|
| Code | | EAN | | | | | | | |
| 05130003001 | | 219299 | | | | | | | 1 |
| | | | | 9201 | 5x 27,0 | | | | |

896/4/1 SB Bit Holder with adjustable depth-control stop

High quality spacer out of aluminium: the screwdriving depth can be infinitely adjusted and allows the flush-mounting of screws.

896/4/1 SB Bit Holder with adjustable depth-control stop



| | | | | | | | | | |
|-------------|--|--------|----|---------|------------|--|--|--|---|
| Code | | EAN | | | | | | | |
| 05073210001 | | 178725 | ●● | 896/4/1 | 1x 1/4"x50 | | | | 1 |

870/1 Adaptor

Tool shaft for nutsetters. Output: 1/4" square head; drive: 1/4" hexagon.

870/1 Adaptor



| | | | | | | | | | |
|---------------------------|--|--------|------|----|----|------|--|--|---|
| Code | | EAN | □ | ⋈ | ⋈ | ○ | | | |
| 05136000001 ¹⁾ | | 016997 | 1/4" | 25 | 1" | 1/4" | | | 5 |

¹⁾With friction ball; for manual nut spinner sockets

870/4 Adaptor

Tool shaft for manual nutsetter inserts; with ball. Output: 1/4" square head; drive 1/4" hexagon.

870/4 Adaptor



| | | | | | | | | | |
|---------------------------|--|--------|------|----|----|------|--|--|----|
| Code | | EAN | □ | ⋈ | ⋈ | ○ | | | |
| 05311517001 ¹⁾ | | 098214 | 1/4" | 50 | 2" | 1/4" | | | 10 |

¹⁾With friction ball; for manual nut spinner sockets

870/4 SB



| Code | EAN | | | | |
|-------------|--------|---------|---------|--------------------------|---|
| 05134399001 | 099914 | 4013288 | 870/4 A | 1x 1/4"x50 ¹⁾ | 3 |

¹⁾With friction ball; for manual nut spinner sockets

870/2 Adaptor

Tool shaft for power tool nutsetter inserts with square head drive.
5/16" hexagon drive.

870/2 Adaptor



| Code | EAN | □ | ⌀ | ⌀ | ⌀ | | | |
|---------------------------|--------|------|----|---------|-------|--|--|---|
| 05136001001 ¹⁾ | 184245 | 3/8" | 30 | 1 3/16" | 5/16" | | | 5 |
| 05136002001 ¹⁾ | 184269 | 1/2" | 35 | 1 3/8" | 5/16" | | | 5 |

¹⁾With friction ball; for manual nut spinner sockets

870/4 Adaptor

Tool shaft (adaptor) for power tool sockets with hexagon head drive by Wera.
Drive: 1/4" hexagon.

870/4 Adaptor



| Code | EAN | □ | ⌀ | ⌀ | ⌀ | | | |
|---------------------------|--------|------|-----|----|------|--|--|---|
| 05050205001 ¹⁾ | 017055 | 1/4" | 50 | 2" | 1/4" | | | 5 |
| 05050210001 ¹⁾ | 017062 | 1/4" | 100 | 4" | 1/4" | | | 5 |
| 05050215001 ¹⁾ | 017079 | 3/8" | 50 | 2" | 1/4" | | | 5 |
| 05050220001 ¹⁾ | 017086 | 3/8" | 100 | 4" | 1/4" | | | 5 |

¹⁾With locking pin; for machine-operated nut spinner sockets

870/4/7 Set A SB



| Code | EAN | | | | |
|-------------|--------|---------|-------|---|---|
| 05073200001 | 139115 | 4013288 | 870/4 | 1x 1/4"x50 ¹⁾ ; 1x 3/8"x50 ¹⁾ | 1 |
| | | | 870/7 | 1x 1/2"x75 ¹⁾ | |

¹⁾With locking pin; for machine-operated nut spinner sockets

870/14 Adaptor

Tool shaft for power tool sockets with square head drive.
Drive: SDS plus.

870/14 Adaptor



| Code | EAN | □ | ⌀ | ⌀ | ⌀ | | | |
|---------------------------|--------|------|----|--------|---|--|--|---|
| 05050650001 ¹⁾ | 017208 | 1/4" | 70 | 2 3/4" | | | | 5 |

¹⁾With locking pin; for machine-operated nut spinner sockets

870/7 Adaptor

Tool shank for power tool sockets; square head output.
7/16" hexagonal, suitable for power screwdrivers with take-up as per DIN ISO 1173-F 11.2.

870/7 Adaptor



| Code | EAN | □ | ⌀ | ⌀ | ⌀ | | | |
|---------------------------|--------|------|----|----|-------|--|--|---|
| 05050510001 ¹⁾ | 017178 | 1/2" | 75 | 3" | 7/16" | | | 5 |

¹⁾With locking pin; for machine-operated nut spinner sockets

781 A 1/4" Connection parts

Connection part 1/4" square head socket to 3/8" (1/2") external square head. For manual and machine-operated tools (non-impact), with ball stop groove to safely lock the socket, knurling at the rear end for manageability during manual use; chrome-vanadium, brushed chrome-plated finish.

- With 1/4" square head socket drive
- With secure socket fixing
- Made of chrome-vanadium for high load capacity

781 A 1/4" Connection parts



| Code | EAN | Art.No. | mm | mm | mm | mm | mm |
|-------------|--------|---------|------|------|----------|------|----|
| 05042670001 | 221193 | 781 A/B | 3/8" | 25,2 | 1" | 1/4" | 1 |
| 05042671001 | 221209 | 781 A/C | 1/2" | 36,0 | 1 27/64" | 1/4" | 1 |

781 B 3/8" Connection parts

Connection part 3/8" square head socket to 1/4" (1/2") external square head. For manual and machine-operated tools (non-impact), with ball stop groove to safely lock the socket, knurling at the rear end for manageability during manual use; chrome-vanadium, brushed chrome-plated finish.

- With 3/8" square head socket drive
- With secure socket fixing
- Made of chrome-vanadium for high load capacity

781 B 3/8" Connection parts



| Code | EAN | Art.No. | mm | mm | mm | mm | mm |
|-------------|--------|---------|------|------|----------|------|----|
| 05042672001 | 221247 | 781 B/A | 1/4" | 27,0 | 1 1/16" | 3/8" | 1 |
| 05042673001 | 221056 | 781 B/C | 1/2" | 36,0 | 1 27/64" | 3/8" | 1 |

781 C 1/2" Connection parts

Connection part 1/2" square head socket to 3/8" external square head. For manual and machine-operated tools (non-impact), with ball stop groove to safely lock the socket, knurling at the rear end for manageability during manual use; chrome-vanadium, brushed chrome-plated finish.

- With 1/2" square head socket drive
- With secure socket fixing
- Made of chrome-vanadium for high load capacity

781 C 1/2" Connection parts



| Code | EAN | Art.No. | mm | mm | mm | mm | mm |
|-------------|--------|---------|------|------|----------|------|----|
| 05042674001 | 221216 | 781 C/B | 3/8" | 35,5 | 1 25/64" | 1/2" | 1 |

781/5 Set 1

Robust textile belt with 5 connection parts: 781 A: 1/4" square head socket drive, for 3/8" and 1/2" square head socket wrench inserts with ball lock; 781 B: 3/8" square head socket drive, for 1/4" and 1/2" square head socket wrench inserts with ball lock; 781 C: 1/2" square head socket drive, for 3/8" square head socket wrench inserts with ball lock.

- Set with 5 connection parts (adapters) for square head socket wrench inserts
- With secure socket fixing
- With square head socket drive
- With external square head drive
- Made of chrome-vanadium for high load capacity

781/5 Set 1



| Code | EAN | Art.No. | mm | mm | mm | mm | mm |
|-------------|--------|--------------|---|----|----|----|----|
| 05042680001 | 221223 | | | | | | 1 |
| | | 781 A | 1x 781 A/B, 3/8"x25,2x1/4"; 1x 781 A/C, 1/2"x36,0x1/4" | | | | |
| | | 781 B | 1x 781 B/A, 1/4"x27,0x3/8"; 1x 781 B/C, 1/2"x36,0x3/8" | | | | |
| | | 781 C | 1x 781 C/B, 3/8"x35,5x1/2" | | | | |
| | | Belt 781 0/5 | 1x 45,0x210,0 | | | | |

784 A 1/4" Adaptor with quick-release chuck

Adaptor from square to hexagonal. Comes with quick-release chuck for rapid bit change.

Suitable for the attachment of bits with 1/4" hexagon drive as per DIN ISO 1173-C 6.3. Drive: 1/4" square.

784 A 1/4" Adaptor with quick-release chuck



| | EAN | | | | | | |
|-------------|---------|---------|------|----|---------|------|---|
| Code | 4013288 | Art.No. | | mm | | | |
| 05042750001 | 008022 | 784 A/1 | 1/4" | 30 | 1 3/16" | 1/4" | 5 |

784 B 3/8" Adaptor with quick-release chuck



| | EAN | | | | | | |
|-------------|---------|---------|-------|----|--------|------|---|
| Code | 4013288 | Art.No. | | mm | | | |
| 05042755001 | 008039 | 784 B/1 | 1/4" | 43 | 1 5/8" | 3/8" | 5 |
| 05042765001 | 008046 | 784 B/2 | 5/16" | 50 | 2" | 3/8" | 5 |

784 C 1/2" Adaptor with quick-release chuck



| | EAN | | | | | | |
|-------------|---------|---------|-------|----|----|------|---|
| Code | 4013288 | Art.No. | | mm | | | |
| 05042760001 | 008053 | 784 C/1 | 1/4" | 50 | 2" | 1/2" | 5 |
| 05042768001 | 008060 | 784 C/2 | 5/16" | 50 | 2" | 1/2" | 5 |

780 A 1/4" Adaptor

Adaptor from square to hexagonal. Suitable for bits with 1/4" hexagon drive as per DIN ISO 1173-C 6.3.

Drive: 1/4" square.

780 A 1/4" Adaptor



| | EAN | | | | | | |
|-------------|---------|---------|------|----|----|------|---|
| Code | 4013288 | Art.No. | | mm | | | |
| 05042605001 | 007940 | 780 A/1 | 1/4" | 25 | 1" | 1/4" | 5 |

780 B 3/8" Adaptor



| | EAN | | | | | | |
|---------------------------|---------|-----------|-------|----|---------|------|---|
| Code | 4013288 | Art.No. | | mm | | | |
| 05042655001 | 007971 | 780 B/1 | 1/4" | 30 | 1 3/16" | 3/8" | 5 |
| 05344511001 ¹⁾ | 113450 | 780 B/1-S | 1/4" | 30 | 1 3/16" | 3/8" | 5 |
| 05042665001 | 007988 | 780 B/2 | 5/16" | 30 | 1 3/16" | 3/8" | 5 |
| 05344512001 ¹⁾ | 113467 | 780 B/2-S | 5/16" | 30 | 1 3/16" | 3/8" | 5 |

¹⁾S = extra strong

780 C 1/2" Adaptor



| | EAN | | | | | | |
|---------------------------|---------|-----------|-------|----|--------|------|---|
| Code | 4013288 | Art.No. | | mm | | | |
| 05042705001 | 007995 | 780 C/1 | 1/4" | 35 | 1 3/8" | 1/2" | 5 |
| 05344513001 | 113474 | 780 C/1-S | 1/4" | 35 | 1 3/8" | 1/2" | 5 |
| 05042715001 | 008008 | 780 C/2 | 5/16" | 35 | 1 3/8" | 1/2" | 5 |
| 05344514001 ¹⁾ | 113481 | 780 C/2-S | 5/16" | 35 | 1 3/8" | 1/2" | 5 |

¹⁾S = extra strong



Tool-Check PLUS

Wera

5.5 6 7 8 10 12 13

Wera
Be a Tool Pro

Bit Sets



Impaktor system - For an above-average service life



The Impaktor technology offers an above-average service life even under extreme circumstances thanks to the best possible utilisation of the material properties and the optimised geometry; particularly suitable for use with customary impact drivers.

The rough diamond-coating of the bits reduces the risk of a slipping out of the screw head thanks to the enhanced frictional resistance.

The profile and size of the bits are easy to recognise thanks to the Wera Take it easy Tool Finder with its colour coding and clearly visible imprint.

The multi-component Bit-Check is convincing on account of its low weight and the maximum possible degree of compactness. In this respect, the soft material in the lower section of the Bit-Check ensures that the bits are securely held whilst being simple to remove at the same time.

Bit-Check 30 Impaktor 1



| Code | EAN | | |
|-------------|-------------------|---|---|
| 05057690001 | 4013288 156778 | | 1 |
| | | <ul style="list-style-type: none"> ● 897/4 Impaktor R 1x 1/4"x75 ⊕ 851/1 IMP DC 2x PH 1x25; 3x PH 2x25; 2x PH 3x25 ⊕ 855/1 IMP DC 2x PZ 1x25; 3x PZ 2x25; 2x PZ 3x25 ⊕ 867/1 IMP DC 1x TX 10x25; 1x TX 15x25; 2x TX 20x25; 3x TX 25x25; 2x TX 30x25; 2x TX 40x25 ○ 840/1 IMP DC 1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25 | |

Bit-Check 30 Impaktor 2



| Code | EAN | | |
|-------------|-------------------|---|---|
| 05057697001 | 4013288 203946 | | 1 |
| | | <ul style="list-style-type: none"> ● 897/4 Impaktor 1x 1/4"x75 ⊕ 851/1 IMP DC 2x PH 1x25; 3x PH 2x25; 2x PH 3x25 ⊕ 855/1 IMP DC 2x PZ 1x25; 3x PZ 2x25; 2x PZ 3x25 ⊕ 867/1 IMP DC 1x TX 10x25; 1x TX 15x25; 2x TX 20x25; 3x TX 25x25; 2x TX 30x25; 2x TX 40x25 ○ 840/1 IMP DC 1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25 | |

Bit-Check 10 Impaktor 1



| Code | EAN | | |
|-------------|-------------------|--|----|
| 05057680001 | 4013288 156785 | | 10 |
| | | <ul style="list-style-type: none"> ● 897/4 Impaktor R 1x 1/4"x75 ⊕ 851/1 IMP DC 1x PH 2x25; 1x PH 3x25 ⊕ 855/1 IMP DC 1x PZ 2x25; 1x PZ 3x25 ⊕ 867/1 IMP DC 1x TX 20x25; 1x TX 25x25; 1x TX 30x25 ○ 840/1 IMP DC 1x 4,0x25; 1x 5,0x25 | |

Bit-Check 10 Impaktor 1 SB



| Code | EAN | | | |
|-------------|--------|----|---|---|
| 05073980001 | 158574 | ●○ | 897/4 Impaktor R 1x 1/4"x75 | 1 |
| | | + | 851/1 IMP DC 1x PH 2x25 1x PH 3x25 | |
| | | + | 855/1 IMP DC 1x PZ 2x25 1x PZ 3x25 | |
| | | ✳ | 867/1 IMP DC 1x TX 20x25 1x TX 25x25 1x TX 30x25 | |
| | | ○ | 840/1 IMP DC 1x 4.0x25 1x 5.0x25 | |

Bit-Check 10 Impaktor 2



| Code | EAN | | | |
|-------------|--------|----|---|----|
| 05057682001 | 156792 | ●○ | 897/4 Impaktor R 1x 1/4"x75 | 10 |
| | | + | 851/1 IMP DC 3x PH 2x25; 1x PH 3x25 | |
| | | ✳ | 867/1 IMP DC 3x TX 25x25; 1x TX 30x25; 1x TX 40x25 | |

Bit-Check 10 Impaktor 3



| Code | EAN | | | |
|-------------|--------|----|---|----|
| 05057683001 | 156761 | ●○ | 897/4 Impaktor R 1x 1/4"x75 | 10 |
| | | + | 855/1 IMP DC 3x PZ 2x25; 1x PZ 3x25 | |
| | | ✳ | 867/1 IMP DC 3x TX 25x25; 1x TX 30x25; 1x TX 40x25 | |

Bit-Check 10 Impaktor 4



| Code | EAN | | | |
|-------------|--------|----|---|----|
| 05057417001 | 180148 | ●○ | 897/4 Impaktor 1x 1/4"x75 | 10 |
| | | + | 855/1 IMP DC 3x PZ 2x25; 1x PZ 3x25 | |
| | | ✳ | 867/1 IMP DC 2x TX 20x25; 2x TX 25x25; 1x TX 30x25 | |

Bit-Check 10 PZ Impaktor 1



| Code | EAN | | | |
|-------------|--------|----|--|----|
| 05057684001 | 157829 | ●○ | 897/4 Impaktor R 1x 1/4"x75 | 10 |
| | | + | 855/1 IMP DC 7x PZ 2x25; 2x PZ 3x25 | |

Bit-Check 10 TX Impaktor 1



| Code | EAN | | | |
|-------------|--------|----|---|----|
| 05057688001 | 163394 | ●○ | 897/4 Impaktor R 1x 1/4"x75 | 10 |
| | | ✳ | 867/1 IMP DC 3x TX 20x25; 3x TX 25x25; 2x TX 30x25; 1x TX 40x25 | |

Bit-Check 6 Impaktor 1



| Code | EAN | | |
|-------------|---------|---|--|
| | 4013288 | | |
| 05057695001 | 157751 | | 10 |
| | | + | 851/4 IMP DC 1x PH 2x50; 1x PH 3x50 |
| | | + | 855/4 IMP DC 1x PZ 2x50; 1x PZ 3x50 |
| | | * | 867/4 IMP DC 1x TX 25x50; 1x TX 30x50 |

Bit-Check 6 Impaktor 1 SB



| Code | EAN | | |
|-------------|---------|---|--|
| | 4013288 | | |
| 05073890001 | 158635 | | 1 |
| | | + | 851/4 IMP DC 1x PH 2x50; 1x PH 3x50 |
| | | + | 855/4 IMP DC 1x PZ 2x50; 1x PZ 3x50 |
| | | * | 867/4 IMP DC 1x TX 25x50; 1x TX 30x50 |

Bit-Check 6 PH Impaktor 1



| Code | EAN | | |
|-------------|---------|---|--|
| | 4013288 | | |
| 05057691001 | 157713 | | 20 |
| | | + | 851/4 IMP DC 4x PH 2x50; 2x PH 3x50 |

Bit-Check 6 PZ Impaktor 1




| Code | EAN | | |
|-------------|---------|---|--|
| | 4013288 | | |
| 05057692001 | 157737 | | 20 |
| | | + | 855/4 IMP DC 4x PZ 2x50; 2x PZ 3x50 |

Bit-Check 6 TX Impaktor 1



| Code | EAN | | |
|-------------|---------|---|---|
| | 4013288 | | |
| 05057693001 | 157744 | | 20 |
| | | * | 867/4 IMP DC 2x TX 20x50; 2x TX 25x50; 1x TX 30x50; 1x TX 40x50 |


Kraftform Stainless - stainless steel to prevent rust



Bit-Check that can be positioned upright with high quality bits out of stainless steel. Wera stainless tools are manufactured out of stainless steel, thus preventing the formation of unsightly extraneous rust. The multi-component Bit-Check is convincing on account of its low weight and the maximum possible degree of compactness.

In this respect, the soft material in the lower section of the Bit-Check ensures that the bits are securely held whilst being simple to remove at the same time. The profile and size of the bits are easy to recognise thanks to the Wera Take it easy Tool Finder with its colour coding and clearly visible imprint.

Bit-Check 30 Stainless 1



| Code | EAN | | | |
|-------------|--------|---|---|---|
| 05071109001 | 115126 | | | 1 |
| | | ● | 3888/4/1 K 1x 1/4"x50 | |
| | | + | 3851/1 TS PH 1x PH 1x25; 3x PH 2x25; 1x PH 3x25 | |
| | | + | 3855/1 TS PZ 2x PZ 1x25; 3x PZ 2x25; 1x PZ 3x25 | |
| | | ✦ | 3867/1 TS TORX® 2x TX 10x25; 2x TX 15x25; 3x TX 20x25; 3x TX 25x25; 2x TX 30x25; 1x TX 40x25 | |
| | | ○ | 3840/1 TS 1x 2,5x25; 1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 5,5x25 | |

Bit-Check 10 Stainless 1



| Code | EAN | | | |
|-------------|--------|---|--|----|
| 05071110001 | 111494 | | | 10 |
| | | ● | 3888/4/1 K 1x 1/4"x50 | |
| | | + | 3851/1 TS PH 1x PH 2x25 | |
| | | + | 3855/1 TS PZ 1x PZ 1x25; 2x PZ 2x25 | |
| | | ✦ | 3867/1 TS TORX® 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25 | |

Bit-Check 10 Stainless 1 SB



| Code | EAN | | | |
|-------------|--------|---|--|---|
| 05073630001 | 112163 | | | 1 |
| | | ● | 3888/4/1 K 1x 1/4"x50 | |
| | | + | 3851/1 TS PH 1x PH 2x25 | |
| | | + | 3855/1 TS PZ 1x PZ 1x25; 2x PZ 2x25 | |
| | | ✦ | 3867/1 TS TORX® 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25 | |


Bit-Check 6 Stainless 1 SB



| Code | EAN | | | |
|-------------|--------|---|---|---|
| 05073634001 | 164636 | | | 1 |
| | | + | 3855/4 2x PZ 2x50 | |
| | | ✦ | 3867/4 TORX® 1x TX 20x50; 2x TX 25x50 | |
| | | ○ | 3840/4 Hex-Plus 1x 5.5x50 | |



BiTorsion system - for longer service life



Bit-Safe 61 BiTorsion 1

Robust textile box with bits and holder, 61-piece. 49 BiTorsion bits for long service life, in diamond-coated design (BDC) for a secure fit in the screw head, tough-absorbing (BTZ), for universal use, extra hard (BTH); 11 bits, tough-absorbing (Z), for universal use. 1 universal holder 889/4/1 K with quick-release chuck for take-up in the power screwdriver or use in the chuck of the power drill.

The profile and size of the bits are easy to recognise thanks to the Wera Take it easy Tool Finder with its colour coding and clearly visible imprint. The textile box allows users a high degree of mobility with a minimum space requirement.

The greatly reduced weight of a set makes carrying far more pleasant. Sensitive surfaces are protected when the box is set down – yet the textile box is still very robust. The box and the tools will even survive a fall unscathed.

Bit-Safe 61 BiTorsion 1



| Code | EAN | | |
|-------------|-------------------|--|---|
| 05057441001 | 4013288 179937 | | 1 |
| | | ●○ 889/4/1 K 1x 1/4"x50 | |
| | | ⊕ 851/1 BDC PH 1x PH 1x25; 2x PH 2x25; 1x PH 3x25 | |
| | | ⊕ 851/1 BTZ PH 2x PH 1x25; 8x PH 2x25; 1x PH 3x25 | |
| | | ⊕ 855/1 BDC PZ 1x PZ 1x25; 2x PZ 2x25; 1x PZ 3x25 | |
| | | ⊕ 855/1 BTH PZ 2x PZ 1x25; 8x PZ 2x25; 1x PZ 3x25 | |
| | | ⊕ 867/1 TORX® BTZ 3x TX 10x25; 2x TX 15x25; 4x TX 20x25; 4x TX 25x25; 2x TX 30x25; 1x TX 40x25 | |
| | | ● 800/1 BDC 1x 0,8x5,5x25; 1x 1,0x5,5x25; 1x 1,2x6,5x25 | |
| | | ○ 840/1 BTZ Hex-Plus 3x 2,5x25; 3x 3,0x25; 3x 4,0x25; 2x 5,0x25 | |

Bit-Checks BiTorsion

BiTorsion bits with an torsion zone – where kinetic energy is diverted from peak loads. This greatly extends the product service life. Offer the best possible service life with the appropriate holder.

The multi-component Bit-Check is convincing on account of its low weight and the maximum possible degree of compactness.

In this respect, the soft material in the lower section of the Bit-Check ensures that the bits are securely held whilst being simple to remove at the same time.

The profile and size of the bits are easy to recognise thanks to the Wera Take it easy Tool Finder with its colour coding and clearly visible imprint.

Bit-Check 30 BiTorsion 1



| Code | EAN | | | |
|-------------|-------------------|----|---|---|
| 05057430001 | 4013288 179821 | | | 1 |
| | | ●○ | 889/4/1 K 1x 1/4"x50 | |
| | | + | 851/1 BTZ PH 2x PH 1x25; 5x PH 2x25; 2x PH 3x25 | |
| | | + | 855/1 BTZ PZ 2x PZ 1x25; 6x PZ 2x25; 2x PZ 3x25 | |
| | | ✳ | 867/1 TORX® BTZ 1x TX 10x25; 2x TX 15x25; 2x TX 20x25; 2x TX 25x25; 2x TX 30x25; 1x TX 40x25 | |

Bit-Check 12 BiTorsion 1



| Code | EAN | | | |
|-------------|-------------------|----|--|----|
| 05057420001 | 4013288 179869 | | | 10 |
| | | ●○ | 889/4/1 K 1x 1/4"x50 | |
| | | + | 851/1 BTZ PH 1x PH 1x25; 2x PH 2x25 | |
| | | + | 855/1 BTZ PZ 1x PZ 1x25; 2x PZ 2x25 | |
| | | ✳ | 867/1 TORX® BTZ 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25 | |

Bit-Check 12 BiTorsion 1 SB



| Code | EAN | | | |
|-------------|-------------------|----|--|---|
| 05136385001 | 4013288 213969 | | | 1 |
| | | ●○ | 889/4/1 K 1x 1/4"x50 | |
| | | + | 851/1 BTZ PH 1x PH 1x25; 2x PH 2x25 | |
| | | + | 855/1 BTZ PZ 1x PZ 1x25; 2x PZ 2x25 | |
| | | ✳ | 867/1 TORX® BTZ 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25 | |



Bit-Check 10 BiTorsion 1



| Code | EAN | | |
|-------------|-------------------|--|----|
| 05056374001 | 4013288 095688 | | 10 |
| | | ● 897/4 R 1x 1/4"x75 | |
| | | ⊕ 851/1 BTZ PH 1x PH 1x25; 1x PH 2x25; 1x PH 3x25 | |
| | | ⊕ 855/1 BTZ PZ 1x PZ 1x25; 1x PZ 2x25; 1x PZ 3x25 | |
| | | ⊖ 800/1 BTZ 1x 0,8x5,5x25; 1x 1,0x5,5x25; 1x 1,2x6,5x25 | |

Bit-Check 10 BiTorsion 3 SB



| Code | EAN | | |
|-------------|-------------------|---|---|
| 05073418001 | 4013288 128157 | | 1 |
| | | ● 897/4 R 1x 1/4"x75 | |
| | | ⊕ 851/1 BTZ PH 1x PH 2x25 | |
| | | ⊕ 855/1 BTZ PZ 1x PZ 1x25; 1x PZ 2x25; 1x PZ 3x25 | |
| | | ⊕ 867/1 TORX® BTZ 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25 | |

Bit-Check 10 PZ BiTorsion 2




| Code | EAN | | |
|-------------|-------------------|--|----|
| 05347153001 | 4013288 107152 | | 10 |
| | | ● 897/4 R 1x 1/4"x75 | |
| | | ⊕ 855/1 BTH PZ 1x PZ 1x25; 7x PZ 2x25; 1x PZ 3x25 | |

Diamond-coated bits

Minute diamond particles on the tip of the tool literally bite into the screw

Bits fit securely into the head of the screw



Bits with tiny diamond particles on the bit tip. This ensures a secure fit in the screw head, reduces the contact pressure required and lowers the risk of slipping.

BiTorsion bits with a torsion zone – where kinetic energy is diverted from peak loads. This greatly extends the product service life.

The multi-component Bit-Check is convincing on account of its low weight and the maximum possible degree of compactness. In this respect, the soft material in the lower section of the Bit-Check ensures that the bits are securely held whilst being simple to remove at the same time.

The profile and size of the bits are easy to recognise thanks to the Wera Take it easy Tool Finder with its colour coding and clearly visible imprint.

Bit-Check 30 Diamond 1



| Code | EAN | | | |
|-------------|---------|--|---|---|
| | 4013288 | | | |
| 05057431001 | 179814 | | | 1 |
| | | | 889/4/1 K 1x 1/4"x50 | |
| | | | 851/1 BDC PH 2x PH 1x25; 4x PH 2x25; 1x PH 3x25 | |
| | | | 855/1 BDC PZ 2x PZ 1x25; 4x PZ 2x25; 1x PZ 3x25 | |
| | | | 867/1 TORX® BDC 2x TX 10x25; 2x TX 15x25; 3x TX 20x25; 3x TX 25x25; 1x TX 30x25; 1x TX 40x25 | |
| | | | 800/1 BDC 1x 0,8x5,5x25; 1x 1,0x5,5x25; 1x 1,2x6,5x25 | |

Bit-Check 12 Diamond 1



| Code | EAN | | | |
|-------------|---------|--|--|----|
| | 4013288 | | | |
| 05057421001 | 180025 | | | 10 |
| | | | 889/4/1 K 1x 1/4"x50 | |
| | | | 851/1 BDC PH 1x PH 1x25; 2x PH 2x25 | |
| | | | 855/1 BDC PZ 1x PZ 1x25; 2x PZ 2x25 | |
| | | | 867/1 TORX® BDC 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25 | |

Bit-Check 12 Diamond 1 SB



| Code | EAN | | | |
|-------------|---------|--|--|---|
| | 4013288 | | | |
| 05136392001 | 213976 | | 889/4/1 K 1x 1/4"x50 | 1 |
| | | | 851/1 BDC PH 1x PH 1x25; 2x PH 2x25 | |
| | | | 855/1 BDC PZ 1x PZ 1x25; 2x PZ 2x25 | |
| | | | 867/1 TORX® BDC 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25 | |

Bit-Check 7 Diamond 1



| Code | EAN | | | |
|-------------|---------|--|--|----|
| | 4013288 | | | |
| 05057416001 | 179999 | | | 10 |
| | | | 889/4/1 K 1x 1/4"x50 | |
| | | | 851/1 BDC PH 1x PH 1x25; 1x PH 2x25 | |
| | | | 855/1 BDC PZ 1x PZ 1x25; 1x PZ 2x25 | |
| | | | 800/1 BDC 1x 1,0x5,5x25; 1x 1,2x6,5x25 | |



Bit-Check 7 Diamond 1 SB



| Code | EAN | | |
|-------------|--------|--|---|
| 05073419001 | 183682 | 889/4/1 K 1x 1/4"x50 | 1 |
| | | 851/1 BDC PH 1x PH 1x25; 1x PH 2x25 | |
| | | 855/1 BDC PZ 1x PZ 1x25; 1x PZ 2x25 | |
| | | 800/1 BDC 1x 1.0x5.5x25; 1x 1.2x6.5x25 | |

Bit-Check 7 PZ Diamond 1



| Code | EAN | | |
|-------------|--------|---|----|
| 05057412001 | 180001 | 889/4/1 K 1x 1/4"x50 | 10 |
| | | 855/1 BDC PZ 2x PZ 1x25; 3x PZ 2x25; 1x PZ 3x25 | |

Bit-Check 7 TX Diamond 1



| Code | EAN | | |
|-------------|--------|---|----|
| 05057415001 | 180018 | 889/4/1 K 1x 1/4"x50 | 10 |
| | | 867/1 TORX® BDC 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25; 1x TX 40x25 | |

Textile boxes



Bit-Safe 61 Universal 1

Comprehensive 61-piece bit set in a robust Bit-Safe. Provides a quick overview of the tools available and bits not needed are simply reinserted into the set and do not get lost.

1 universal holder with Rapidaptor technology: allows bits to be attached without any need to actuate the sleeve. The removal of the bit is simple, just by pushing the sleeve forward – for rapid bit change with just one hand.

The strong permanent magnet holds the bits absolutely securely. Can be inserted in the power screwdriver or for use in the chuck of the electric drill.

Bit-Safe 61 Universal 1



| Code | EAN | | | |
|-------------|-------------------|----|--|---|
| 05057122001 | 4013288 100689 | | | 1 |
| | | ●○ | 889/4/1 K 1x 1/4"x50 | |
| | | + | 851/1 TZ PH 3x PH 1x25; 10x PH 2x25; 2x PH 3x25 | |
| | | + | 855/1 TZ PZ 3x PZ 1x25; 10x PZ 2x25; 2x PZ 3x25 | |
| | | ✦ | 867/1 TZ TORX® 2x TX 10x25; 3x TX 15x25; 3x TX 20x25; 3x TX 25x25; 3x TX 30x25; 2x TX 40x25 | |
| | | ◐ | 800/1 TZ 1x 0,6x4,5x25; 1x 1,0x5,5x25; 1x 1,2x6,5x25 | |
| | | ○ | 840/1 Z Hex-Plus 3x 2,5x25; 3x 3,0x25; 3x 4,0x25; 2x 5,0x25 | |

Bit-Safe 43 Universal 1

43-piece; robust textile box with bits for universal applications.

1 universal holder 899/4/1 with stainless sleeve, retaining ring and strong permanent magnet for insertion in the power screwdriver or for use in the chuck of the electric drill.

Bit-Safe 43 Universal 1



| Code | EAN | | | |
|-------------|-------------------|----|---|---|
| 05057450001 | 4013288 179951 | | | 1 |
| | | ●○ | 899/4/1 1x 1/4"x50 | |
| | | + | 851/1 Z PH 1x PH 2x25 | |
| | | + | 851/4 TZ PH 1x PH 1x50; 2x PH 2x50 | |
| | | + | 855/1 Z PZ 2x PZ 1x25; 5x PZ 2x25; 2x PZ 3x25 | |
| | | + | 855/4 TZ PZ 1x PZ 1x50; 2x PZ 2x50 | |
| | | ✦ | 867/1 TORX® 3x TX 10x25; 4x TX 15x25; 4x TX 20x25; 4x TX 25x25; 4x TX 30x25; 1x TX 40x25 | |
| | | ✦ | 867/4 Z TORX® 1x TX 10x50; 1x TX 15x50; 1x TX 20x50; 1x TX 25x50; 1x TX 30x50; 1x TX 40x50 | |



Bit-Check 30 Universal 1

29 bits in a minimum of space; simple removal and reinsertion of the bits. Rapidaptor holder ensures rapid bit change.

Universal bits fitted for diverse applications.

Bit-Check 30 Universal 1



| Code | EAN | | | |
|-------------|--------|----|--|---|
| 05056440001 | 115096 | | | 1 |
| | | ●○ | 889/4/1 K 1x 1/4"x50 | |
| | | + | 851/1 TZ PH 2x PH 1x25; 3x PH 2x25; 1x PH 3x25 | |
| | | + | 855/1 TH PZ 2x PZ 1x25; 3x PZ 2x25; 1x PZ 3x25 | |
| | | ✳ | 867/1 TZ TORX® 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25; 1x TX 40x25 | |
| | | ✳ | 867/1 Z TORX® B0 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25 | |
| | | ⊖ | 800/1 TZ 1x 1,0x5,5x25 | |
| | | ○ | 840/1 Z Hex-Plus 1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25; 1x 8,0x25 | |

Bit-Check 30 TX Universal 1

30-piece. Tough-absorbing bits for universal use. 1 universal holder 899/4/1 K for take-up in the power screwdriver or use in the chuck of the power drill.

Comes with tough viscous TORX® bits for universal use.

Bit-Check 30 TX Universal 1



| Code | EAN | | | |
|-------------|--------|----|---|----|
| 05057908001 | 163820 | | | 10 |
| | | ●○ | 899/4/1 1x 1/4"x50 | |
| | | ✳ | 867/1 TORX® 3x TX 10x25; 5x TX 15x25; 8x TX 20x25; 7x TX 25x25; 4x TX 30x25; 2x TX 40x25 | |

Bit-Check 10 Universal 1

- Tough viscous bits for universal use
- Universal holder with quick-release chuck for rapid bit change

Bit-Check 10 Universal 1



| Code | EAN | | | |
|-------------|--------|----|--|----|
| 05056161001 | 033772 | | | 10 |
| | | ●○ | 895/4/1 K 1x 1/4"x52 | |
| | | + | 851/1 TZ PH 1x PH 1x25; 1x PH 2x25; 1x PH 3x25 | |
| | | + | 855/1 TZ PZ 1x PZ 1x25; 1x PZ 2x25; 1x PZ 3x25 | |
| | | ⊖ | 800/1 TZ 1x 0,8x5,5x25; 1x 1,0x5,5x25; 1x 1,2x6,5x25 | |

Bit-Check 10 Universal 2

- Extra-hard bits
- Torsion design against premature wear
- Universal holder with quick-release chuck and strong permanent magnet

Bit-Check 10 Universal 2



| Code | EAN | | | |
|------------|-------------------|----|--|----|
| 0513420001 | 4013288 038821 | | | 10 |
| | | ●○ | 895/4/1 K 1x 1/4"x52 | |
| | | + | 855/1 TH PZ 1x PZ 1x25; 2x PZ 2x25 | |
| | | ✦ | 867/1 TORX® 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25; 1x TX 40x25 | |

Bit-Check 10 Universal 3

- Tough viscous bits for universal use
- Rapidaptor holder for rapid bit change

Bit-Check 10 Universal 3



| Code | EAN | | | |
|-------------|-------------------|----|---|----|
| 05056375001 | 4013288 095695 | | | 10 |
| | | ●○ | 889/4/1 K 1x 1/4"x50 | |
| | | + | 851/1 TZ PH 1x PH 1x25; 1x PH 2x25; 1x PH 3x25 | |
| | | + | 855/1 TZ PZ 1x PZ 1x25; 1x PZ 2x25; 1x PZ 3x25 | |
| | | — | 800/1 TZ 1x 0,8x5,5x25; 1x 1,0x5,5x25; 1x 1,2x6,5x25 | |

Bit-Check 10 Universal 3 SB



| Code | EAN | | | |
|-------------|-------------------|----|---|---|
| 05073410001 | 4013288 099495 | | | 1 |
| | | ●○ | 889/4/1 K 1x 1/4"x50 | |
| | | — | 800/1 TZ 1x 0,8x5,5x25; 1x 1,0x5,5x25; 1x 1,2x6,5x25 | |
| | | + | 851/1 TZ PH 1x PH 1x25; 1x PH 2x25; 1x PH 3x25 | |
| | | + | 855/1 TZ PZ 1x PZ 1x25; 1x PZ 2x25; 1x PZ 3x25 | |

Bit-Check 10 Universal 4

- Tough viscous bits for universal use
- Universal holder with stainless sleeve, retaining ring and strong permanent magnet

Bit-Check 10 Universal 4



| Code | EAN | | | |
|-------------|-------------------|----|---|----|
| 05056159001 | 4013288 033758 | | | 10 |
| | | ●○ | 899/4/1 1x 1/4"x50 | |
| | | + | 851/1 TZ PH 1x PH 1x25; 1x PH 2x25; 1x PH 3x25 | |
| | | + | 855/1 TZ PZ 1x PZ 1x25; 1x PZ 2x25; 1x PZ 3x25 | |
| | | — | 800/1 TZ 1x 0,8x5,5x25; 1x 1,0x5,5x25; 1x 1,2x6,5x25 | |



Bit-Check 10 Universal 5 SB

- Tough viscous bits for universal use
- Includes universal holder for the take-up of bits with 1/4" hex head drive

Bit-Check 10 Universal 5 SB



| Code | EAN | | |
|-------------|--------|--|---|
| 05073416001 | 128164 | | 899/4/1 1x 1/4"x50 |
| | | | 851/1 Z PH 1x PH 2x25 |
| | | | 855/1 Z PZ 1x PZ 1x25; 1x PZ 2x25; 1x PZ 3x25 |
| | | | 867/1 TORX® 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25 |

Bit-Check 10 TX Universal 1

- Tough viscous bits for universal use
- Torsion design against premature wear
- Universal holder with quick-release chuck for rapid bit change

Bit-Check 10 TX Universal 1



| Code | EAN | | |
|-------------|--------|--|---|
| 05056164001 | 033802 | | 894/4/1 K 1x 1/4"x51 |
| | | | 867/1 TZ TORX® 1x TX 8x25; 1x TX 9x25; 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 27x25; 1x TX 30x25; 1x TX 40x25 |

Bit-Check 10 TX Universal 2

- Tough viscous bits for universal use
- Rapidaptor holder for rapid bit change

Bit-Check 10 TX Universal 2



| Code | EAN | | |
|-------------|--------|--|---|
| 05057115001 | 127747 | | 888/4/1 K 1x 1/4"x50 |
| | | | 867/1 TORX® 1x TX 6x25; 1x TX 8x25; 1x TX 9x25; 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25; 1x TX 40x25 |

Bit-Check 7 Universal 1

- Tough viscous bits for universal use
- Universal holder with stainless sleeve and strong permanent magnet

Bit-Check 7 Universal 1



| Code | EAN | | |
|-------------|--------|--|---|
| 05056295001 | 038166 | | 893/4/1 K 1x 1/4"x50 |
| | | | 851/1 Z PH 1x PH 1x25; 1x PH 2x25 |
| | | | 855/1 Z PZ 1x PZ 1x25; 1x PZ 2x25 |
| | | | 800/1 Z 1x 1,0x5,5x25; 1x 1,2x6,5x25 |

Bit-Check 7 Universal 1 SB



| Code | EAN | | |
|-------------|--------|--|--|
| 05073406001 | 036186 | | 893/4/1 K 1x 1/4"x50 |
| | | | 851/1 Z PH 1x PH 1x25; 1x PH 2x25 |
| | | | 855/1 Z PZ 1x PZ 1x25; 1x PZ 2x25 |
| | | | 800/1 Z 1x 1.0x5.5x25; 1x 1.2x6.5x25 |

Bit-Check 7 Universal 4



| Code | EAN | | |
|-------------|--------|--|---|
| 05135810001 | 179265 | | 893/4/1 K 1x 1/4"x50 |
| | | | 851/1 Z PH 1x PH 2x25 |
| | | | 855/1 Z PZ 1x PZ 1x25; 1x PZ 2x25 |
| | | | 867/1 TORX® 1x TX 15x25; 1x TX 20x25; 1x TX 25x25 |

Bit-Check 7 PZ Universal 1



| Code | EAN | | |
|-------------|--------|--|---|
| 05056296001 | 038135 | | 893/4/1 K 1x 1/4"x50 |
| | | | 855/1 Z PZ 2x PZ 1x25; 3x PZ 2x25; 1x PZ 3x25 |

Bit-Check 7 TX Universal 1

- Tough viscous bits for universal use
- Universal holder with stainless sleeve and strong permanent magnet

Bit-Check 7 TX Universal 1



| Code | EAN | | |
|-------------|--------|--|---|
| 05056294001 | 041500 | | 893/4/1 K 1x 1/4"x50 |
| | | | 867/1 TORX® 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25; 1x TX 40x25 |

Bit-Check 7 TX Universal 1 SB



| Code | EAN | | |
|-------------|--------|--|---|
| 05073404001 | 038111 | | 893/4/1 K 1x 1/4"x50 |
| | | | 867/1 TORX® 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25; 1x TX 40x25 |

Bit-Check 7 TX BO Universal 1


- Tough viscous bits for universal use
- Universal holder with quick-release chuck for rapid bit change

Bit-Check 7 TX BO Universal 1



| Code | EAN | | |
|-------------|-------------------|--|----|
| 05056158001 | 4013288 033741 | | 20 |
| | | ● 894/4/1 K 1x 1/4"x51 | |
| | | ♻️ 867/1 Z TORX® BO 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25; 1x TX 40x25 | |

Hex-Plus - lets hexagon socket screws last longer



Bit-Check 7 Hex-Plus 1



| Code | EAN | | |
|-------------|-------------------|---|----|
| 05056168001 | 4013288 033840 | | 20 |
| | | ● 895/4/1 K 1x 1/4"x52 | |
| | | ○ 840/1 Z Hex-Plus 1x 2,0x25; 1x 2,5x25; 1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25 | |

Bit-Check 6 Universal 1

- Tough viscous bits for universal use
- The Torsion design absorbs torque peaks
- Prevents premature breakage of the drive tip

Bit-Check 6 Universal 1



| Code | EAN | | |
|-------------|-------------------|---|----|
| 05056474001 | 4013288 156143 | | 20 |
| | | ⊕ 851/4 TZ PH 1x PH 1x50; 1x PH 2x50 | |
| | | ⊕ 855/4 TZ PZ 1x PZ 1x50; 1x PZ 2x50 | |
| | | ⊖ 800/4 Z 1x 1,0x5,5x50; 1x 1,2x6,5x50 | |

Bit-Check 6 Universal 1 SB



| Code | EAN | | |
|-------------|-------------------|---|---|
| 05073635001 | 4013288 155276 | | 1 |
| | | ⊕ 851/4 TZ PH 1x PH 1x50; 1x PH 2x50 | |
| | | ⊕ 855/4 TZ PZ 1x PZ 1x50; 1x PZ 2x50 | |
| | | ⊖ 800/4 Z 1x 1,0x5,5x50; 1x 1,2x6,5x50 | |

Bit-Check 6 Universal 2



| Code | EAN | | | |
|-------------|---------|--|---|----|
| | 4013288 | | | |
| 05056473001 | 156136 | | | 20 |
| | | | 851/4 TZ PH 1x PH 2x50 | |
| | | | 855/4 TZ PZ 1x PZ 1x50; 1x PZ 2x50 | |
| | | | 867/4 Z TORX® 1x TX 15x50; 1x TX 20x50; 1x TX 25x50 | |

Bit-Check 6 Universal 2 SB



| Code | EAN | | | |
|-------------|---------|--|---|---|
| | 4013288 | | | |
| 05073638001 | 155245 | | | 1 |
| | | | 851/4 TZ PH 1x PH 2x50 | |
| | | | 855/4 TZ PZ 1x PZ 1x50; 1x PZ 2x50 | |
| | | | 867/4 Z TORX® 1x TX 15x50; 1x TX 20x50; 1x TX 25x50 | |

Bit-Check 6 TX Universal 1

- Tough viscous bits for universal use

Bit-Check 6 TX Universal 1



| Code | EAN | | | |
|-------------|---------|--|---|----|
| | 4013288 | | | |
| 05056472001 | 156112 | | | 20 |
| | | | 867/4 Z TORX® 1x TX 10x50; 1x TX 15x50; 1x TX 20x50; 1x TX 25x50; 1x TX 30x50; 1x TX 40x50 | |

Bit-Check 6 TX Universal 1 SB



| Code | EAN | | | |
|-------------|---------|--|---|---|
| | 4013288 | | | |
| 05073637001 | 155252 | | | 1 |
| | | | 867/4 Z TORX® 1x TX 10x50; 1x TX 15x50; 1x TX 20x50; 1x TX 25x50; 1x TX 30x50; 1x TX 40x50 | |



Bit-Check 6 PZ Universal 1

6 50 mm-long Pozidriv bits tidily arranged in a minimum of space in a practical Bit-Check.

The tough viscous bits are suitable for universal use. Torsion design to combat premature wear.

Bit-Check 6 PZ Universal 1



| Code | EAN | | |
|-------------|---------|---|----|
| | 4013288 | | |
| 05056471001 | 156105 | | 20 |
| | | 855/4 TZ PZ 2x PZ 1x50; 3x PZ 2x50; 1x PZ 3x50 | |

Bit-Check 6 V Universal 1

6 50 mm-long bits tidily arranged in a minimum of space in a practical Bit-Check. Bits for square socket screws with holding function.

The wedging forces resulting from the contact pressure between the drive tip and the screw profile securely hold the screw on the tool. 1/4" hexagon, suitable for holders as per DIN ISO 1173-F 6.3.

Bit-Check 6 V Universal 1



| Code | EAN | | |
|-------------|---------|--|----|
| | 4013288 | | |
| 05056478001 | 190802 | | 10 |
| | | 868/4 V 1x # 1x50; 3x # 2x50; 2x # 3x50 | |

Bit-Check 30 Wood TX HF 1

Bits and holder set, particularly suitable for woodworking. With their special geometry and as per the Acument Intellectual Properties specification, the 867/1 TORX® HF bits hold TORX® screws securely on the tool!

This is particularly helpful in hard-to-reach work areas where the second hand cannot be used to hold the screw.

They are also suitable for Würth ASSY screws as well as Altenloh SPAX T-STAR plus screws.

With Take it easy tool finder: Colour coding by size. Rapidaptor holder for lightning-fast bit changes. The Bit-Check allows a quick overview of the available tools.

Unused bits are simply put back in the holder and will not be lost. Easy transport e.g. in the shirt pocket. The Bit-Check can be set up at the work place, which allows for quick access of the tools.

- Holding function for recessed TORX® screws
- Also suitable for Würth ASSY screws as well as Altenloh SPAX T-STAR plus screws

Bit-Check 30 Wood TX HF 1



| Code | EAN | | |
|-------------|---------|---|----|
| | 4013288 | | |
| 05057436001 | 226204 | | 10 |
| | | 887/4 RR 1x 1/4"x57 | |
| | | 851/1 TZ 2x PH 2x25; 1x PH 3x25 | |
| | | 855/1 TH 3x PZ 1x25; 6x PZ 2x25; 2x PZ 3x25 | |
| | | 867/1 TORX® HF 2x TX 10x25; 2x TX 15x25; 4x TX 20x25; 4x TX 25x25; 2x TX 30x25; 1x TX 40x25 ¹⁾ | |

¹⁾Pound-thru hexagonal; no Take it easy.

Bit-Check 30 Wood 1

- Ring magnet Rapidaptor, holder for holding even longer and heavier screws

Bit-Check 30 Wood 1



| Code | EAN | | | |
|-------------|-------------------|----|--|---|
| 05057433001 | 4013288 179807 | | | 1 |
| | | ●○ | 887/4 RR 1x 1/4"x57 | |
| | | + | 851/1 TZ PH 2x PH 2x25; 1x PH 3x25 | |
| | | + | 855/1 TH PZ 3x PZ 1x25; 6x PZ 2x25; 2x PZ 3x25 | |
| | | ✦ | 867/1 TZ TORX® 2x TX 10x25; 2x TX 15x25; 4x TX 20x25; 4x TX 25x25; 2x TX 30x25; 1x TX 40x25 | |

Bit-Check 30 Wood 2

- Universal holder with stainless sleeve

Bit-Check 30 Wood 2



| Code | EAN | | | |
|-------------|-------------------|----|---|----|
| 05057432001 | 4013288 179845 | | | 10 |
| | | ●○ | 899/4/1 1x 1/4"x50 | |
| | | + | 851/1 Z PH 1x PH 2x25 | |
| | | + | 855/1 Z PZ 2x PZ 1x25; 5x PZ 2x25; 2x PZ 3x25 | |
| | | ✦ | 867/1 TORX® 3x TX 10x25; 4x TX 15x25; 4x TX 20x25; 4x TX 25x25; 3x TX 30x25; 1x TX 40x25 | |

Bit-Check 12 Wood TX HF 1

Bits and holder set, particularly suitable for woodworking. With their special geometry and as per the Acument Intellectual Properties specification, the 867/1 TORX® HF bits hold TORX® screws securely on the tool!

This is particularly helpful in hard-to-reach work areas where the second hand cannot be used to hold the screw. They are also suitable for Würth ASSY screws as well as Altenloh SPAX T-STAR plus screws.

With Take it easy tool finder: Colour coding by size. Ring magnet Rapidaptor holding tool to hold long and heavy screws.

The Bit-Check allows a quick overview of the available tools. Unused bits are simply put back in the holder and will not be lost.

Easy transport e.g. in the shirt pocket. The Bit-Check can be set up at the work place, which allows for quick access of the tools.

- 867/1 TORX® HF bits with holding function for TORX® screws as per the Acument Intellectual Properties specification
- Also suitable for Würth ASSY screws as well as Altenloh SPAX T-STAR plus screws

Bit-Check 12 Wood TX HF 1



| Code | EAN | | | |
|-------------|-------------------|----|--|----|
| 05057435001 | 4013288 226198 | | | 10 |
| | | ●○ | 887/4 RR 1x 1/4"x57 | |
| | | + | 855/1 Z 1x PZ 1x25; 1x PZ 2x25 | |
| | | ✦ | 867/1 TORX® HF 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 2x TX 25x25; 1x TX 30x25; 1x TX 40x25 ¹⁾ | |
| | | ✦ | 867/1 TORX® 1x TX 20x25; 1x TX 25x25 | |

¹⁾Pound-thru hexagonal; no Take it easy.



Bit-Check 12 Wood 1

- Ring magnet Rapidaptor, holder for holding even longer and heavier screws

Bit-Check 12 Wood 1



| Code | EAN | | |
|-------------|---------|--|----|
| | 4013288 | | |
| 05057423001 | 179876 | | 10 |
| | | ●○ 887/4 RR 1x 1/4"x57 | |
| | | ⊕ 855/1 TH PZ 1x PZ 1x25; 2x PZ 2x25; 1x PZ 3x25 | |
| | | ⊕ 851/1 TH PH 1x PH 2x25 | |
| | | ⊕ 867/1 TORX® 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25; 1x TX 40x25 | |

Bit-Check 12 Wood 1 SB



| Code | EAN | | |
|-------------|---------|--|---|
| | 4013288 | | |
| 05136390001 | 214070 | ●○ 887/4 RR 1x 1/4"x57 | 1 |
| | | ⊕ 851/1 TH PH 1x PH 2x25 | |
| | | ⊕ 855/1 TH PZ 1x PZ 1x25; 2x PZ 2x25; 1x PZ 3x25 | |
| | | ⊕ 867/1 TORX® 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25; 1x TX 40x25 | |

Bit-Check 12 Wood 2

- Universal holder with stainless sleeve

Bit-Check 12 Wood 2



| Code | EAN | | |
|-------------|---------|--|----|
| | 4013288 | | |
| 05057422001 | 179890 | | 10 |
| | | ●○ 899/4/1 1x 1/4"x50 | |
| | | ⊕ 851/1 Z PH 1x PH 2x25 | |
| | | ⊕ 855/1 Z PZ 1x PZ 1x25; 2x PZ 2x25; 1x PZ 3x25 | |
| | | ⊕ 867/1 TORX® 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25; 1x TX 40x25 | |

Bit-Check 12 Wood 2 SB



| Code | EAN | | |
|-------------|---------|--|---|
| | 4013288 | | |
| 05136391001 | 214027 | ●○ 899/4/1 1x 1/4"x50 | 1 |
| | | ⊕ 851/1 Z PH 1x PH 2x25 | |
| | | ⊕ 855/1 Z PZ 1x PZ 1x25; 2x PZ 2x25; 1x PZ 3x25 | |
| | | ⊕ 867/1 TORX® 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25; 1x TX 40x25 | |

Bit-Check 6 Wood TX HF 1

Bit-Set, particularly suitable for woodworking. With their special geometry and as per the Acument Intellectual Properties specification, the 867/4 TORX® HF bits hold TORX® screws securely on the tool!

This is particularly helpful in hard-to-reach work areas where the second hand cannot be used to hold the screw. They are also suitable for Würth ASSY screws as well as Altenloh SPAX T-STAR plus screws.

With Take it easy tool finder: Colour coding by size.

The Bit-Check allows a quick overview of the available tools. Unused bits are simply put back in the holder and will not be lost.

Easy transport e.g. in the shirt pocket. The Bit-Check can be set up at the work place, which allows for quick access of the tools.

- Particularly for wood applications
- For TORX® socket screws
- Holding function for TORX® screws
- Also suitable for Würth ASSY screws as well as Altenloh SPAX T-STAR plus screws
- 50 mm-long bits

Bit-Check 6 Wood TX HF 1



| Code | EAN | | |
|-------------|---------|--|--|
| | 4013288 | | |
| 05056470001 | 226181 | | 20 |
| | | | 867/4 TORX® HF 2x TX 20x50; 2x TX 25x50; 1x TX 30x50; 1x TX 40x50 ¹⁾ |

¹⁾Pound-thru hexagonal; no Take it easy.

Bit-Check 30 Metal 1

- Tough viscous bits for universal use
- Universal holder with stainless sleeve and strong permanent magnet

Bit-Check 30 Metal 1



| Code | EAN | | |
|-------------|---------|--|---|
| | 4013288 | | |
| 05057434001 | 179838 | | 10 |
| | | | 899/4/1 1x 1/4"x50 |
| | | | 851/1 Z PH 3x PH 1x25; 3x PH 2x25; 2x PH 3x25 |
| | | | 855/1 Z PZ 3x PZ 1x25; 3x PZ 2x25; 3x PZ 3x25 |
| | | | 867/1 TORX® 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25; 1x TX 40x25 |
| | | | 800/1 Z 1x 0,6x4,5x25; 1x 1,0x5,5x25; 1x 1,2x6,5x25 |
| | | | 840/1 Z Hex-Plus 1x 4,0x25; 1x 5,0x25; 1x 6,0x25 |



Bit-Check 12 Metal 1



| Code | EAN | | | |
|-------------|---------|--|--|----|
| | 4013288 | | | |
| 05057424001 | 179883 | | | 10 |
| | | | 899/4/1 1x 1/4"x50 | |
| | | | 851/1 Z PH 1x PH 1x25; 1x PH 2x25 | |
| | | | 855/1 Z PZ 1x PZ 1x25; 1x PZ 2x25 | |
| | | | 867/1 TORX® 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25 | |
| | | | 840/1 Z Hex-Plus 1x 3,0x25; 1x 4,0x25; 1x 5,0x25 | |

Bit-Check 12 Metal 1 SB



| Code | EAN | | | |
|-------------|---------|--|--|---|
| | 4013288 | | | |
| 05136393001 | 214003 | | | 1 |
| | | | 899/4/1 1x 1/4"x50 | |
| | | | 851/1 Z PH 1x PH 1x25; 1x PH 2x25 | |
| | | | 855/1 Z PZ 1x PZ 1x25; 1x PZ 2x25 | |
| | | | 867/1 TORX® 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25 | |
| | | | 840/1 Z Hex-Plus 1x 3,0x25; 1x 4,0x25; 1x 5,0x25 | |

843 Stepped drill bits, 4-20 mm

9 drill steps increasing by 2 mm for material with a maximum thickness of 4.5 mm. Comes with edge breaker for 1 mm sheet metal. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

843 Stepped drill bits, 4-20 mm



| | EAN | | | | | | | | | |
|-------------|---------|------|--|--|--|--|--|--|--|---|
| Code | 4013288 | mm | | | | | | | | |
| 05104672001 | 117632 | 75,0 | | | | | | | | 1 |

844 Single Tap Bits

To cut metric threads. The hexagonal shaft ensures very good power transfer. The finely-tuned material elasticity provides for great durability.

Perfect chip removal and a low tilt risk.

1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

844 Single Tap Bits



| | EAN | | | | | | | | | |
|-------------|---------|------|-------|------|------|--|--|--|--|---|
| Code | 4013288 | mm | mm | mm | | | | | | |
| 05104666001 | 117571 | 3,0 | 10,00 | 33,0 | M 3 | | | | | 1 |
| 05104667001 | 117588 | 4,0 | 11,00 | 35,0 | M 4 | | | | | 1 |
| 05104668001 | 117595 | 5,0 | 12,50 | 36,0 | M 5 | | | | | 1 |
| 05104669001 | 117601 | 6,0 | 18,00 | 40,0 | M 6 | | | | | 1 |
| 05104670001 | 117618 | 8,0 | 20,00 | 40,0 | M 8 | | | | | 1 |
| 05104671001 | 117625 | 10,0 | 20,00 | 40,0 | M 10 | | | | | 1 |

888/4/1 K

Rapidaptor universal holder for bits with 1/4" hexagon drive.
Non-magnetic design.

844/7 Tap Bits Set



| Code | EAN | | | |
|-------------|-------------------|----|--|---|
| 05104654001 | 4013288 119278 | | | 1 |
| | | ●● | 888/4/1 K 1x 1/4"x50 | |
| | | ● | 844 1x 3,0x33,0; 1x 4,0x35,0; 1x 5,0x36,0; 1x 6,0x40,0; 1x 8,0x40,0; 1x 10,0x40,0 | |

845 1-flute Countersink Bits

1-flute countersink bit by Wera. For countersinking and deburring. The hexagon shaft ensures very good power transfer, vibration-free and score-free working.

Perfect chip removal and long service life. 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

845 1-flute Countersink Bits



| Code | EAN | ● | ↓ | ↓ | ● | | | |
|-------------|---------|-------|-------|------|------|--|--|---|
| | 4013288 | mm | mm | mm | | | | |
| 05104660001 | 117519 | 6,30 | 21,00 | 32,0 | M 3 | | | 1 |
| 05104661001 | 117526 | 8,30 | 21,00 | 32,0 | M 4 | | | 1 |
| 05104662001 | 117533 | 10,40 | 21,00 | 34,0 | M 5 | | | 1 |
| 05104663001 | 117540 | 12,40 | 21,00 | 36,0 | M 6 | | | 1 |
| 05104664001 | 117557 | 16,50 | 22,00 | 40,0 | M 8 | | | 1 |
| 05104665001 | 117564 | 20,50 | 22,00 | 43,0 | M 10 | | | 1 |

816 R

Bit holder with Rapidaptor quick-release chuck for bits with 1/4" hexagon drive.

888/4/1 K

Rapidaptor universal holder for bits with 1/4" hexagon drive.
Non-magnetic design.

845/8 1-flute Countersink Bits Set



| Code | EAN | | | |
|-------------|-------------------|----|---|---|
| 05104655001 | 4013288 119285 | | | 1 |
| | | ● | 816 R 1x 1/4"x119 | |
| | | ●● | 888/4/1 K 1x 1/4"x50 | |
| | | ● | 845 1x 6,30x32,0; 1x 8,30x32,0; 1x 10,40x34,0; 1x 12,40x36,0; 1x 16,50x40,0; 1x 20,50x43,0 | |



846 3-flute Countersink Bit

3-flute countersink bit for deburring, chamfering and countersinking. A finely-tuned material elasticity provides for great durability.

Perfect chip removal and a low tilt risk ensure pleasant working. Cutting section as per DIN 335-C, 90° with 3 cutters. 1/4" hexagon, suitable for holders with take-up as per DIN ISO 1173-D 6.3.

846 3-flute Countersink Bit



| Code | EAN | | | | | | |
|-------------|----------------|-------|-------|------|------|--|---|
| 05104630001 | 4013288 101440 | 6,30 | 20,00 | 31,0 | M 3 | | 1 |
| 05104631001 | 4013288 101457 | 8,30 | 20,00 | 31,0 | M 4 | | 1 |
| 05104632001 | 4013288 101464 | 10,40 | 20,00 | 34,0 | M 5 | | 1 |
| 05104633001 | 4013288 101471 | 12,40 | 20,00 | 35,0 | M 6 | | 1 |
| 05104634001 | 4013288 101488 | 16,50 | 20,00 | 40,0 | M 8 | | 1 |
| 05104635001 | 4013288 101495 | 20,50 | 20,00 | 41,0 | M 10 | | 1 |

816 R

Bit holder with Rapidaptor quick-release chuck for bits with 1/4" hexagon drive.

888/4/1 K

Rapidaptor universal holder for bits with 1/4" hexagon drive. Non-magnetic design.

846/8 3-flute Countersink Bits Set



| Code | EAN | | |
|-------------|----------------|---|---|
| 05104650001 | 4013288 111678 | | 1 |
| | | 816 R 1x 1/4"x119 | |
| | | 888/4/1 K 1x 1/4"x50 | |
| | | 846 HSS 1x 6,30x31,0; 1x 8,30x31,0; 1x 10,40x34,0; 1x 12,40x35,0; 1x 16,50x40,0; 1x 20,50x41,0 | |

847 HSS Combined Tap Bits

Combination tapping drill bits for drilling, tapping and deburring. Made out of high speed steel (HSS). A finely-tuned material elasticity provides for great durability.

The very good centring properties, perfect chip removal and a low tilt risk ensure pleasant working. The hexagonal shaft ensures very good power transfer. Drive: 1/4" hexagon, suitable for holders with take-up as per DIN ISO 1173-D 6.3.

847 HSS Combined Tap Bits



| | EAN | | | | | | |
|-------------|---------|-----|-------|------|------|--|---|
| Code | 4013288 | mm | mm | mm | | | |
| 05104640001 | 101501 | 2,5 | 12,00 | 36,0 | M 3 | | 1 |
| 05104641001 | 101518 | 3,3 | 12,00 | 39,0 | M 4 | | 1 |
| 05104642001 | 101525 | 4,2 | 12,00 | 41,0 | M 5 | | 1 |
| 05104643001 | 101532 | 5,0 | 12,00 | 44,0 | M 6 | | 1 |
| 05104644001 | 101549 | 6,8 | 12,00 | 51,0 | M 8 | | 1 |
| 05104645001 | 101556 | 8,5 | 12,00 | 59,0 | M 10 | | 1 |

888/4/1 K Rapidaptor Universal Bit holder

- Non-magnetic design

847/7 Set Combination Drill Bits Set



| Code | EAN | | | | | |
|-------------|--------|--|--|--|--|---|
| 05104651001 | 111685 | | | | | 1 |
| | | | | | 888/4/1 K 1x 1/4"x50 | |
| | | | | | 847 HSS 1x 2,5x36,0; 1x 3,3x39,0; 1x 4,2x41,0; 1x 5,0x44,0; 1x 6,8x51,0; 1x 8,5x59,0 | |

848 HSS Metal Twist Drill Bits

Metal twist drill bits for precise drilling in metal. Made out of high speed steel (HSS). A finely-tuned material elasticity provides for a long service life. Very good concentricity.

Tough viscous tempered bits ensure a particularly long service life. The hexagonal shaft ensures very good power transfer.

Drive: 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

848 HSS Metal Twist Drill Bits



| | EAN | | | | | |
|-------------|---------|------|-------|------|--|---|
| Code | 4013288 | mm | mm | mm | | |
| 05104610001 | 101310 | 3,0 | 16,00 | 38,0 | | 1 |
| 05104611001 | 101327 | 3,1 | 18,00 | 40,0 | | 1 |
| 05104612001 | 101334 | 3,3 | 18,00 | 40,0 | | 1 |
| 05104613001 | 101341 | 4,0 | 20,00 | 44,0 | | 1 |
| 05104614001 | 101358 | 4,1 | 20,00 | 44,0 | | 1 |
| 05104615001 | 101365 | 4,2 | 20,00 | 45,0 | | 1 |
| 05104616001 | 101372 | 5,0 | 26,00 | 50,0 | | 1 |
| 05104617001 | 101389 | 5,1 | 26,00 | 50,0 | | 1 |
| 05104618001 | 101396 | 6,0 | 26,00 | 50,0 | | 1 |
| 05104619001 | 101402 | 6,8 | 30,00 | 50,0 | | 1 |
| 05104620001 | 101419 | 8,0 | 32,00 | 51,0 | | 1 |
| 05104621001 | 101426 | 8,5 | 33,00 | 53,0 | | 1 |
| 05104622001 | 101433 | 10,0 | 38,00 | 54,0 | | 1 |

849 HSS Twist Wood Drill Bits

Wood twist drill bits for precise, splinter-free drilling in soft wood, hard wood and laminated panel material. Made out of high speed steel (HSS).

The hexagonal shaft ensures very good power transfer. A finely-tuned material elasticity provides for a long service life. Very good concentricity. 1/4" drive suitable for holders as per DIN ISO 1173-D 6.3.

849 HSS Twist Wood Drill Bits



| | EAN | | | | | |
|-------------|---------|------|-------|-------|--|---|
| Code | 4013288 | mm | mm | mm | | |
| 05104600001 | 101259 | 3,0 | 32,00 | 70,0 | | 1 |
| 05104601001 | 101266 | 4,0 | 32,00 | 74,0 | | 1 |
| 05104602001 | 101273 | 5,0 | 43,00 | 85,0 | | 1 |
| 05104603001 | 101280 | 6,0 | 45,00 | 95,0 | | 1 |
| 05104604001 | 101297 | 8,0 | 60,00 | 110,0 | | 1 |
| 05104605001 | 101303 | 10,0 | 70,00 | 120,0 | | 1 |

848/851/867/19 Metal Twist Drill Bits and Bits Set

19-piece metal twist drill bit and bit set. High quality metal twist drill bits for precise drilling in metal.

Made out of high speed steel (HSS). A finely-tuned material elasticity provides for great durability.

Very good concentricity. The hexagonal shaft ensures very good power transfer. Tough viscous bits for universal use.

Drive: 1/4" hexagon, suitable for holders as per DIN ISO 1173-D 6.3. Includes robust belt pouch for secure storage.

848/851/867/19 Metal Twist Drill Bits and Bits Set



| Code | | EAN | | 1 |
|-------------|--------|---------|---|---|
| 05104652001 | 111654 | 4013288 | | |
| | | ●● | 888/4/1 K 1x 1/4"x50 | |
| | | ⊕ | 851/1 TZ PH 2x PH 1x25; 3x PH 2x25; 1x PH 3x25 | |
| | | ⊗ | 848 HSS 1x 3,0x38,0; 1x 4,0x44,0; 1x 4,2x45,0; 1x 5,0x50,0; 1x 6,0x50,0; 1x 8,0x51,0 | |
| | | ⊛ | 867/1 TORX® 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25; 1x TX 40x25 | |

849/855/867/18 Wood Twist Drill Bits and Bits Set

18-piece wood twist drill bit and bit set. High quality, metal twist drill bits for precise, splinter-free drilling in soft wood, hard wood and laminated panel material.

Made out of high speed steel (HSS). A finely-tuned material elasticity provides for great durability. Very good concentricity.

The hexagonal shaft ensures very good power transfer. The Rapidaptor universal holder ensures rapid bit change without any extra tools. Drive: 1/4" hexagon, suitable for holders with take-up as per DIN ISO 1173-D 6.3.

849/855/867/18 Wood Twist Drill Bits and Bits Set



| Code | | EAN | | 1 |
|-------------|--------|---------|---|---|
| 05104653001 | 111661 | 4013288 | | |
| | | ●● | 889/4/1 K 1x 1/4"x50 | |
| | | ⊗ | 849 HSS 1x 3,0x70,0; 1x 4,0x74,0; 1x 5,0x85,0; 1x 6,0x95,0; 1x 8,0x110,0 | |
| | | ⊕ | 855/1 TH PZ 2x PZ 1x25; 3x PZ 2x25; 1x PZ 3x25 | |
| | | ⊛ | 867/1 TORX® 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25; 1x TX 40x25 | |

Patio construction set T 1

Compact Wera tool set with the 17 most common screwdriving tools for patio construction. Bits in stainless steel design prevent extraneous rust.

With extra smart bit holder, which enables a uniform depth thanks to the variable screw depth limitation, and prevents damage to decking with the fitted felt ring.

- High-quality 17-piece tool set for evenly flush countersunk screw heads for decking in patio construction
- Bit holder with adjustable screw depth limitation and protective felt ring for surface protection
- 15 bits (TORX®, PH, PZ) made from stainless steel to prevent extraneous rust plus 3888/4/1 K Rapidaptor stainless steel bit holder
- Take it easy tool finder: colour coding according to profile and size
- Compact folding bag with Wera 2go compatibility incl. 4 spare felt rings

Patio construction set T 1



| Code | EAN | | | |
|-------------|-------------------|----|---|---|
| 05134021001 | 4013288 219510 | | | 1 |
| | | ●● | 881/4/1 1x 1/4"x90 ¹⁾ | |
| | | ●● | 3888/4/1 K 1x 1/4"x50 | |
| | | + | 3851/1 TS PH 1x PH 1x25; 1x PH 2x25; 1x PH 3x25 | |
| | | + | 3855/1 TS PZ 1x PZ 1x25; 2x PZ 2x25; 1x PZ 3x25 | |
| | | ✦ | 3867/1 TS TORX® 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25; 1x TX 40x25 | |
| | | ✦ | 3867/1 TS P TORX® 2x TX 25x25 | |
| | | | 9201 4x 27,0 | |

¹⁾The spare part kit with 5x felt rings can be ordered with the code number 05130003001.

Bit-Check 10 Drywall 1

Bit-Check for drywall construction. High quality spacer out of aluminium; the screwdriving depth can be infinitely adjusted and allows the flush-mounting of screws; 9 drywall bits with modified output shaft, 25 mm in length.

Bit-Check 10 Drywall 1



| Code | EAN | | | |
|-------------|-------------------|----|----------------------------------|---|
| 05136011001 | 4013288 178657 | | | 1 |
| | | ●● | 896/4/1 1x 1/4"x50 | |
| | | + | 851/1 RZ PH 9x PH 2x25 | |





Torque Tools

Series 7400 Krafftform adjustable torque screwdrivers with Rapidaptor quick-release chuck

Variable torque setting option with highest precision. Simple adjustment of the required torque value without any special tools. Easy-to-read scale value; audible click signal. Rapidaptor quick-release technology for rapid bit change. Unlimited torque to loosen seized screws.

Multi-component Krafftform handle with hard and soft zones for high working speeds, whilst being easy on the hand.

Suitable for bits with 1/4" hexagon head drive as per DIN ISO 1173-C 6.3 and E 6.3 (ISO 1173).

Series 7400 Krafftform adjustable torque screwdrivers (0.1-3.0 Nm) with Rapidaptor quick-release chuck



| Code | EAN | Art.No. | | | | | | |
|---------------------------|--------|---------|------|-----------|-------|-----|-----|---|
| | | | | Nm | Nm | mm | mm | |
| 05074770001 ¹⁾ | 179012 | 7430 | 1/4" | 0,10-0,34 | 0,015 | 89 | 142 | 1 |
| 05074772001 ¹⁾ | 179128 | 7431 | 1/4" | 0,30-1,00 | 0,05 | 89 | 142 | 1 |
| 05074774001 ¹⁾ | 179135 | 7432 | 1/4" | 0,90-1,50 | 0,05 | 89 | 142 | 1 |
| 05074700001 | 100641 | 7440 | 1/4" | 0,3-1,2 | 0,05 | 105 | 155 | 1 |
| 05074701001 | 100658 | 7441 | 1/4" | 1,2-3,0 | 0,10 | 105 | 155 | 1 |

¹⁾With attachable magnifying glass, dramatically improving visibility.

Series 7400 Krafftform pistol grip, adjustable torque screwdrivers (3.0-8.8 Nm) with Rapidaptor quick-release chuck



| Code | EAN | Art.No. | | | | | | |
|-------------|--------|---------|------|---------|------|-----|-----|---|
| | | | | Nm | Nm | mm | mm | |
| 05074702001 | 101730 | 7442 | 1/4" | 3,0-6,0 | 0,25 | 150 | 100 | 1 |
| 05074705001 | 119308 | 7443 | 1/4" | 4,0-8,8 | 0,40 | 150 | 100 | 1 |

Series 7400 Krafftform ESD adjustable torque screwdrivers (0.1-3.0 Nm) with Rapidaptor quick-release chuck

- ESD-safe tool thanks to surface resistance of $\leq 10^9$ Ohm

Series 7400 Krafftform ESD adjustable torque screwdrivers (0.1-3.0 Nm) with Rapidaptor quick-release chuck



| Code | EAN | Art.No. | | | | | | |
|---------------------------|--------|----------|------|-----------|-------|-----|-----|---|
| | | | | Nm | Nm | mm | mm | |
| 05074780001 ¹⁾ | 179159 | 7430 ESD | 1/4" | 0,10-0,34 | 0,015 | 89 | 142 | 1 |
| 05074782001 ¹⁾ | 179166 | 7431 ESD | 1/4" | 0,30-1,00 | 0,05 | 89 | 142 | 1 |
| 05074784001 ¹⁾ | 179173 | 7432 ESD | 1/4" | 0,90-1,50 | 0,05 | 89 | 142 | 1 |
| 05074730001 | 106964 | 7440 ESD | 1/4" | 0,3-1,2 | 0,05 | 105 | 155 | 1 |
| 05074731001 | 106971 | 7441 ESD | 1/4" | 1,2-3,0 | 0,10 | 105 | 155 | 1 |

¹⁾With attachable magnifying glass, dramatically improving visibility.

Series 7400 Krafftform adjustable torque screwdrivers (2.5-29.0 in. lbs.) with Rapidaptor quick-release chuck



| Code | EAN | Art.No. | | | | | | |
|-------------|--------|---------|------|-----------|----------|-----|-----|---|
| | | | | in. lbs. | in. lbs. | mm | mm | |
| 05074710001 | 102881 | 7445 | 1/4" | 2,5-11,5 | 0,5 | 105 | 155 | 1 |
| 05074711001 | 102898 | 7446 | 1/4" | 11,0-29,0 | 1,0 | 105 | 155 | 1 |

Series 7400 Krafftform pistol grip, adjustable torque screwdrivers (25.0-55.0 in. lbs.) with Rapidaptor quick-release chuck



| | EAN | Art.No. | ⊙ | | | ⚡ | ⚡ | ⊞ |
|-------------|---------|---------|------|-----------|----------|-----|-----|---|
| Code | 4013288 | | | in. lbs. | in. lbs. | mm | mm | |
| 05074712001 | 102904 | 7447 | 1/4" | 25,0-55,0 | 2,5 | 150 | 100 | 1 |

Series 7400 Krafftform ESD adjustable torque screwdrivers (2.5-29.0 in. lbs.) with Rapidaptor quick-release chuck

- ESD-safe tool thanks to surface resistance of $\leq 10^9$ Ohm

Series 7400 Krafftform ESD adjustable torque screwdrivers (2.5-29.0 in. lbs.) with Rapidaptor quick-release chuck



| | EAN | Art.No. | ⊙ | | | ⚡ | ⚡ | ⊞ |
|-------------|---------|----------|------|-----------|----------|-----|-----|---|
| Code | 4013288 | | | in. lbs. | in. lbs. | mm | mm | |
| 05074733001 | 106988 | 7445 ESD | 1/4" | 2,5-11,5 | 0,5 | 105 | 155 | 1 |
| 05074734001 | 106995 | 7446 ESD | 1/4" | 11,0-29,0 | 1,0 | 105 | 155 | 1 |

Series 7400 Krafftform ESD adjustable torque screwdrivers (0.1-1.0 Nm)

- ESD-safe tool thanks to surface resistance of $\leq 10^9$ Ohm
- Suitable for bits with 4 mm halfmoon and 4 mm HIOS drive

Series 7400 Krafftform ESD adjustable torque screwdrivers (0.1-1.0 Nm)



| | EAN | Art.No. | | | ⚡ | ⚡ | ⊞ |
|---------------------------|---------|----------|-----------|-------|----|-----|-----------|
| Code | 4013288 | | Nm | Nm | mm | mm | |
| 05074786001 ¹⁾ | 179036 | 7435 ESD | 0,10-0,34 | 0,015 | 89 | 142 | 5 7/16" 1 |
| 05074788001 ¹⁾ | 179029 | 7436 ESD | 0,30-1,00 | 0,05 | 89 | 142 | 5 7/16" 1 |

¹⁾With attachable magnifying glass, dramatically improving visibility.

1430 Krafftform Micro ESD adjustable torque screwdrivers (0.02-0.11 Nm) with quick-release chuck

- ESD-safe tool thanks to surface resistance of $\leq 10^9$ Ohm
- Suitable for bits with 4 mm halfmoon and 4 mm HIOS drive
- Applications e.g. on smartphones, mobile phones, cameras, electronic equipment

1430 Krafftform Micro ESD adjustable torque screwdrivers (0.02-0.11 Nm) with quick-release chuck



| | EAN | Art.No. | | | ⚡ | ⚡ | ⊞ |
|---------------------------|---------|----------|-----------|--------|-----|---|-----------|
| Code | 4013288 | | Nm | Nm | mm | | |
| 05074802001 ¹⁾ | 179043 | 1430 ESD | 0,02-0,06 | 0,0025 | 141 | | 5 7/16" 1 |
| 05074804001 ¹⁾ | 179104 | 1431 ESD | 0,05-0,11 | 0,005 | 141 | | 5 7/16" 1 |

¹⁾With attachable magnifying glass, dramatically improving visibility.

7440/41 Krafftform torque screwdriver set 0.3-3.0 Nm


Two torque screwdrivers with variable torque setting option with highest precision. Simple adjustment of the required torque value without any special tools.

Easy-to-read scale value. Rapidaptor quick-release technology for rapid bit change. Unlimited torque to loosen seized screws.

Multi-component Krafftform handle with hard and soft zones for high working speeds, whilst being easy on the hand.


Includes bit assortment in a high quality and stable plastic case.

7440/41 Krafftform torque screwdriver set 0.3-3.0 Nm




| Code | EAN | | |
|-------------|-------------------|---|---|
| 05074738001 | 4013288 112354 | | 1 |
| | | <ul style="list-style-type: none"> ● 7400 1x 7440, 1/4", 0,3-1,2 Nm; 1x 7441, 1/4", 1,2-3,0 Nm ⊛ 867/1 TZ TORX® 1x TX 6x25; 1x TX 7x25; 1x TX 8x25; 1x TX 9x25; 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25 ⊛ 867/1 IP TORX PLUS® 1x 6 IPx25; 1x 7 IPx25; 1x 8 IPx25; 1x 9 IPx25; 1x 10 IPx25; 1x 15 IPx25; 1x 20 IPx25; 1x 25 IPx25; 1x 30 IPx25 ○ 840/1 Z Hex-Plus 1x 2,0x25; 1x 2,5x25; 1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25 | |

7445/46/47 Krafftform torque screwdriver set 2.5-55.0 in. lbs.



| Code | EAN | | |
|-------------|-------------------|--|---|
| 05350451001 | 4013288 167383 | | 1 |
| | | <ul style="list-style-type: none"> ● 7400 inch 1x 7445, 1/4", 2,5-11,5 in. lbs; 1x 7446, 1/4", 11,0-29,0 in. lbs ● 7400 Pistole inch 1x 7447, 25,0-55,0 in. lbs ⊛ 867/1 TZ TORX® 1x TX 6x25; 1x TX 7x25; 1x TX 8x25; 1x TX 9x25; 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25 ⊛ 867/1 IP TORX PLUS® 1x 6 IPx25; 1x 7 IPx25; 1x 8 IPx25; 1x 9 IPx25; 1x 10 IPx25; 1x 15 IPx25; 1x 20 IPx25; 1x 25 IPx25; 1x 30 IPx25 ○ 840/1 Z Hex-Plus 1x 2,0x25; 1x 2,5x25; 1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25 | |

7440/41/42 Krafftform torque screwdriver set 0.3-6.0 Nm




| Code | EAN | | |
|-------------|-------------------|--|---|
| 05074739001 | 4013288 113924 | | 1 |
| | | <ul style="list-style-type: none"> ● 7400 1x 7440, 1/4", 0,3-1,2 Nm; 1x 7441, 1/4", 1,2-3,0 Nm ● 7400 Pistole 1x 7442, 3,0-6,0 Nm ⊛ 867/1 TZ TORX® 1x TX 6x25; 1x TX 7x25; 1x TX 8x25; 1x TX 9x25; 1x TX 10x25; 1x TX 15x25; 1x TX 20x25; 1x TX 25x25; 1x TX 30x25 ⊛ 867/1 IP TORX PLUS® 1x 6 IPx25; 1x 7 IPx25; 1x 8 IPx25; 1x 9 IPx25; 1x 10 IPx25; 1x 15 IPx25; 1x 20 IPx25; 1x 25 IPx25; 1x 30 IPx25 ○ 840/1 Z Hex-Plus 1x 2,0x25; 1x 2,5x25; 1x 3,0x25; 1x 4,0x25; 1x 5,0x25; 1x 6,0x25 | |

7443/61/9 Assembly set for tyre pressure control systems

9-piece tool set for the proper assembly and disassembly of tyre pressure control systems. Comes with torque technology for controlled screw tightening.

Hand tool with multi-component Kraftform handle for high working speeds and ergonomic working. Two pre-set tools to connect the union nut with the screw and to fasten the sensor component to the valve. An adjustable Kraftform pistol handle for torque values of between 4.0 and 8.8 Nm. Two TX bits with holding function, socket adaptor, two sockets plus a valve dolly (for applications up to 4.5 Nm). Suitable for tyre control, systems from e.g. Schrader®, Alligator®, VDO®.

7443/61/9 Assembly set for tyre pressure control systems




| Code | EAN | | |
|-------------|-------------------|--|---|
| 05074745001 | 4013288 168818 | | 1 |
| | | ● 7400 vor 1x 7461, 1,2 Nm | |
| | | ● 7400 Pistole 1x 7443, 4,0-8,8 Nm | |
| | | ✱ 300 TX 1x TX 10x1,4 | |
| | | ○ 870/1 1x 1/4"x25 ¹⁾ | |
| | | ● 790 A/50 1x 11,0x50,0; 1x 12,0x50,0 | |
| | | ✱ 867/4 TORX® HF 1x TX 15x50; 1x TX 20x50 | |
| | | ○ 327 1x 32 | |

¹⁾With friction ball; for manual nut spinner sockets

7443/12 Assembly set for tyre pressure control systems

12-piece tool set for the proper assembly and disassembly of tyre pressure control systems. Comes with torque technology for controlled screw tightening. Hand tool with multi-component Kraftform handle for high working speeds and ergonomic working. Five pre-set tools to connect the union nut with the screw and to fasten the sensor component to the valve. Two pre-set valve insertion tools with 0.25 and 0.45 Nm. An adjustable Kraftform pistol handle for torque values of between 4.0 and 8.8 Nm. Suitable for all customary tyre pressure control systems. Dependable fastening thanks to distinctly coloured marking of the pre-set torque values (Beru/Huf®: TX 10 yellow 1.25 Nm; Schrader®: TX 10 green 1.4 Nm; Cup®/RTS®: TX 20 grey 2.0 Nm). Two TX bits with holding function, socket adaptor, two sockets plus a valve dolly (for applications up to 4.5 Nm). Suitable for tyre control, systems from e.g. Schrader®, Alligator®, VDO®. The pre-set torque screwdriver fixed at 3.3 Nm actuates both the union nut as well as the connecting screw on the sensors of the Alligator system. Additionally included: socket adaptor, two bits, valve dolly (for applications up to 4.5 Nm).

7443/12 Assembly set for tyre pressure control systems



| Code | EAN | | |
|-------------|-------------------|--|---|
| 05074746001 | 4013288 178404 | | 1 |
| | | ● 7400 Pistole 1x 7443, 4,0-8,8 Nm | |
| | | ● 7400 vor 1x 7464, 3,3 Nm | |
| | | ✱ 300 TX 1x TX 10x1,25; 1x TX 10x1,4 | |
| | | ● 790 A/50 1x 11,0x50,0; 1x 12,0x50,0 | |
| | | ✱ 867/4 TORX® HF 1x TX 15x50; 1x TX 20x50 | |
| | | ○ 870/1 1x 1/4"x25 ¹⁾ | |
| | | ● 300 V 1x 0,25; 1x 0,45 | |
| | | ○ 327 1x 32 | |

¹⁾With friction ball; for manual nut spinner sockets

Series 7400 Krafftform pre-set, adjustable torque screwdrivers (0,1-1,5 Nm) with Rapidaptor quick-release chuck, handle size 89 mm

Wera torque screwdriver. With a factory pre-set torque value set to the smallest scale value. For all applications, where the same constant torque and repeat accuracy are required. The torque can be changed with an extra tool within the measuring range (re-calibration kit can be ordered with the code number 05137003001).

Afterwards you can check the set value using an off-the-shelf torque tester. Unlimited loosening torque for slackening stuck screws. Rapidaptor quick-release technology for rapid bit changes.

Suitable for bits with a 1/4" external hexagon drive as per DIN ISO 1173-C 6.3 and E 6.3 (ISO 1173).

Multi-component Krafftform handle with hard and soft zones for high working speeds, whilst being easy on the hand.

Please note: 1 Ncm = 0.01 Nm.

Series 7400 Krafftform pre-set, adjustable torque screwdrivers (0,1-1,5 Nm) with Rapidaptor quick-release chuck, handle size 89 mm



| Code | EAN | Art.No. | 1/4" | Nm | Nm | mm | mm | |
|-------------|--------|---------|------|-----|----------|----|-----|---|
| 05074790001 | 179395 | 7450 | 1/4" | 0,1 | 0,1-0,34 | 89 | 133 | 1 |
| 05074792001 | 179203 | 7451 | 1/4" | 0,3 | 0,3-1,0 | 89 | 133 | 1 |
| 05074794001 | 179197 | 7452 | 1/4" | 0,9 | 0,9-1,5 | 89 | 133 | 1 |

Series 7400 Krafftform pre-set, adjustable torque screwdrivers (0.3-3.0 Nm) with Rapidaptor quick-release chuck, handle size 105 mm

Wera torque screwdrivers. With a factory pre-set torque value set to the smallest scale value. For all applications, where the same constant torque and repeat accuracy are required. The torque can be changed with an extra tool within the measuring range (re-calibration kit can be ordered with the code number 05137001001).

Afterwards you can check the set value using an off-the-shelf torque tester. Unlimited loosening torque for slackening stuck screws. Rapidaptor quick-release technology for rapid bit changes.

Suitable for bits with a 1/4" external hexagon drive as per DIN ISO 1173-C 6.3 and E 6.3 (ISO 1173).

Multi-component Krafftform handle with hard and soft zones for high working speeds, whilst being easy on the hand.

Please note: 1 Ncm = 0.01 Nm.

Series 7400 Krafftform pre-set, adjustable torque screwdrivers (0.3-3.0 Nm) with Rapidaptor quick-release chuck, handle size 105 mm



| Code | EAN | Art.No. | 1/4" | Nm | Nm | mm | mm | |
|-------------|--------|---------|------|-----|---------|-----|-----|---|
| 05074715001 | 102911 | 7460 | 1/4" | 0,3 | 0,3-1,2 | 105 | 155 | 1 |
| 05074716001 | 102928 | 7461 | 1/4" | 1,2 | 1,2-3,0 | 105 | 155 | 1 |

Series 7400 Kraftform pistol grip, pre-set adjustable torque screwdrivers (3.0-8.8 Nm) with Rapidaptor quick-release chuck

Wera torque screwdriver. Kraftform pistol handle for particularly high torque transmission, multi-component for high working speeds and particularly ergonomic screwdriving. With a factory pre-set torque value set to the smallest scale value. For all applications, where the same constant torque and repeat accuracy are required. The torque can be changed with an extra tool within the measuring range (re-calibration kit can be ordered with the code number 05137002001).

Afterwards you can check the set value using an off-the-shelf torque tester. Unlimited loosening torque for slackening stuck screws. Rapidaptor quick-release technology for rapid bit changes.


Suitable for bits with a 1/4" external hexagon drive as per DIN ISO 1173-C 6.3 and E 6.3 (ISO 1173).

Multi-component Kraftform handle with hard and soft zones for high working speeds, whilst being easy on the hand.

Suitable for bits with a 1/4" hexagon drive as per DIN ISO 1173-C 6.3 and E 6.3 (ISO 1173).

Please note: 1 Ncm = 0.01 Nm.

Series 7400 Kraftform pistol grip, pre-set adjustable torque screwdrivers (3.0-8.8 Nm) with Rapidaptor quick-release chuck



| | EAN | | | | | | | |
|-------------|---------|---------|------|-----|---------|-----|-----|---|
| Code | 4013288 | Art.No. | Nm | Nm | mm | mm | | |
| 05074717001 | 102935 | 7462 | 1/4" | 3,0 | 3,0-6,0 | 150 | 100 | 1 |
| 05074728001 | 156167 | 7463 | 1/4" | 4,0 | 4,0-8,8 | 150 | 100 | 1 |

Series 7400 ESD Kraftform pre-set, adjustable torque screwdrivers (0,1-1,5 Nm) with Rapidaptor quick-release chuck, handle size 89 mm

Wera torque screwdriver. Safe protection against electrostatic charge and associated damage. With a factory pre-set torque value set to the smallest scale value. For all applications, where the same constant torque and repeat accuracy are required.

The torque can be changed with an extra tool within the measuring range (re-calibration kit can be ordered with the code number 05137003001).

Afterwards you can check the set value using an off-the-shelf torque tester. Rapidaptor quick-release technology for rapid bit changes. Unlimited loosening torque for slackening stuck screws.

Multi-component Kraftform handle with hard and soft zones for high working speeds, whilst being easy on the hand.

Suitable for bits with a 1/4" hexagon drive as per DIN ISO 1173-C 6.3 and E 6.3 (ISO 1173).

Please note: 1 Ncm = 0.01 Nm.

- ESD-safe tool thanks to surface resistance of $\leq 10^9$ Ohm

Series 7400 ESD Kraftform pre-set, adjustable torque screwdrivers (0,1-1,5 Nm) with Rapidaptor quick-release chuck, handle size 89 mm



| | EAN | | | | | | | |
|-------------|---------|----------|------|-----|----------|----|-----|---|
| Code | 4013288 | Art.No. | Nm | Nm | mm | mm | | |
| 05074820001 | 179210 | 7450 ESD | 1/4" | 0,1 | 0,1-0,34 | 89 | 133 | 1 |
| 05074822001 | 179470 | 7451 ESD | 1/4" | 0,3 | 0,3-1,0 | 89 | 133 | 1 |
| 05074824001 | 179227 | 7452 ESD | 1/4" | 0,9 | 0,9-1,5 | 89 | 133 | 1 |

Series 7400 ESD Krafftform pre-set, adjustable torque screwdrivers (0,1-1,5 Nm) with Rapidaptor quick-release chuck, handle size 105 mm

Wera torque screwdriver. Safe protection against electrostatic charge and associated damage. With a factory pre-set torque value set to the smallest scale value.

For all applications, where the same constant torque and repeat accuracy are required. The torque can be changed with an extra tool within the measuring range (re-calibration kit can be ordered with the code number 05137001001).

Afterwards you can check the set value using an off-the-shelf torque tester. Unlimited loosening torque for slackening stuck screws. Rapidaptor quick-release technology for rapid bit changes.

Suitable for bits with a 1/4" hexagon drive as per DIN ISO 1173-C 6.3 and E 6.3 (ISO 1173). Multi-component Krafftform handle with hard and soft zones for high working speeds, whilst being easy on the hand.

Please note: 1 Ncm = 0.01 Nm.

- ESD-safe tool thanks to surface resistance of $\leq 10^9$ Ohm

Series 7400 ESD Krafftform pre-set, adjustable torque screwdrivers (0,1-1,5 Nm) with Rapidaptor quick-release chuck, handle size 105 mm



| Code | EAN | Art.No. | Hexagon Drive | Torque Range (Nm) | Length (mm) | Weight (mm) | Box Qty | |
|-------------|--------|----------|---------------|-------------------|-------------|-------------|---------|---|
| 05074840001 | 179487 | 7460 ESD | 1/4" | 0,3 | 0,3-1,2 | 105 | 155 | 1 |
| 05074842001 | 179098 | 7461 ESD | 1/4" | 1,2 | 1,2-3,0 | 105 | 155 | 1 |

Series 7400 Imperial Krafftform pre-set adjustable torque screwdrivers (2.5-29.0 in. lbs.) with Rapidaptor quick-release chuck, handle size 105 mm

Wera torque screwdrivers. With a factory pre-set torque value set to the smallest scale value. For all applications, where the same constant torque and repeat accuracy are required.

The torque can be changed with an extra tool within the measuring range (re-calibration kit can be ordered with the code number 05137001001).

Afterwards you can check the set value using an off-the-shelf torque tester. Unlimited loosening torque for slackening stuck screws. Rapidaptor quick-release technology for rapid bit changes.

Suitable for bits with a 1/4" external hexagon drive as per DIN ISO 1173-C 6.3 and E 6.3 (ISO 1173). Multi-component Krafftform handle with hard and soft zones for high working speeds, whilst being easy on the hand.

Please note: 1 Ncm = 0.01 Nm.

Series 7400 Imperial Krafftform pre-set adjustable torque screwdrivers (2.5-29.0 in. lbs.) with Rapidaptor quick-release chuck, handle size 105 mm



| Code | EAN | Art.No. | Hexagon Drive | Torque Range (in. lbs.) | Torque Range (in. lbs.) | Length (mm) | Weight (mm) | Box Qty |
|-------------|--------|---------|---------------|-------------------------|-------------------------|-------------|-------------|---------|
| 05074720001 | 102942 | 7465 | 1/4" | 2,5 | 2,5-11,5 | 105 | 155 | 1 |
| 05074722001 | 103116 | 7466 | 1/4" | 11,0 | 11,0-29,0 | 105 | 155 | 1 |

Series 7400Imperial Kraftform pistol grip, pre-set adjustable torque screwdriver (25.0-55.0 in. lbs.) with Rapidaptor quick-release chuck

Wera torque screwdriver. Kraftform pistol handle for particularly high torque transmission, multi-component for high working speeds and particularly ergonomic screwdriving.

With a factory pre-set torque value set to the smallest scale value. For all applications, where the same constant torque and repeat accuracy are required. The torque can be changed with an extra tool within the measuring range (re-calibration kit can be ordered with the code number 05137002001).

Afterwards you can check the set value using an off-the-shelf torque tester. Unlimited loosening torque for slackening stuck screws. Rapidaptor quick-release technology for rapid bit changes. Suitable for bits with a 1/4" external hexagon drive as per DIN ISO 1173-C 6.3 and E 6.3 (ISO 1173).

Multi-component Kraftform handle with hard and soft zones for high working speeds, whilst being easy on the hand.

Suitable for bits with a 1/4" hexagon drive as per DIN ISO 1173-C 6.3 and E 6.3 (ISO 1173).

Please note: 1 Ncm = 0.01 Nm.

Series 7400Imperial Kraftform pistol grip, pre-set adjustable torque screwdriver (25.0-55.0 in. lbs.) with Rapidaptor quick-release chuck



| Code | EAN | Art.No. | 1/4" | in. lbs. | in. lbs. | mm | mm | |
|-------------|--------|---------|------|----------|-----------|-----|-----|---|
| 05074721001 | 102959 | 7467 | 1/4" | 25,0 | 25,0-55,0 | 150 | 100 | 1 |

Serie 7400 ESD Kraftform pre-set adjustable torque screwdrivers (0.1-1.0 Nm) with quick-release chuck

Wera torque screwdriver. Safe protection against electrostatic charge and associated damage. With a factory pre-set torque value set to the smallest scale value.

For all applications, where the same constant torque and repeat accuracy are required. The torque can be changed with an extra tool within the measuring range (re-calibration kit can be ordered with the code number 05137003001).

Afterwards you can check the set value using an off-the-shelf torque tester. With quick-release chuck for rapid bit change. Unlimited loosening torque for slackening stuck screws.

Multi-component Kraftform handle with hard and soft zones for high working speeds, whilst being easy on the hand.

Suitable for bits with a 4 mm Halfmoon drive (Wera series 9) and a 4 mm HIOS drive (Wera series 21).

Please note: 1 Ncm = 0.01 Nm.

- ESD-safe tool thanks to surface resistance of $\leq 10^9$ Ohm
- Suitable for bits with 4 mm halfmoon and 4 mm HIOS drive

Serie 7400 ESD Kraftform pre-set adjustable torque screwdrivers (0.1-1.0 Nm) with quick-release chuck



| Code | EAN | Art.No. | Nm | Nm | mm | mm | | |
|-------------|--------|----------|-----|----------|----|-----|--------|---|
| 05074826001 | 179067 | 7455 ESD | 0,1 | 0,1-0,34 | 89 | 138 | 5 1/4" | 1 |
| 05074828001 | 179050 | 7456 ESD | 0,3 | 0,3-1,0 | 89 | 138 | 5 1/4" | 1 |

1460 ESD Kraftform Micro pre-set adjustable torque screwdrivers (0.02-0.11 Nm) with quick-release chuck

With a factory pre-set torque value set to the smallest scale value. For all applications, where the same constant torque and repeat accuracy are required. The torque can be changed within the measuring range with the extra tool 05137004001.

Afterwards you can check the set value using an off-the-shelf torque tester.

Compact handle/interchangeable blades system for torque-controlled precision screwdriving. The Kraftform Micro ESD torque screwdriver is ideal for torque-controlled jobs on electrostatically sensitive components. Suitable for bits with a 4 mm Halfmoon drive (Wera series 9) and a 4 mm HIOS drive (Wera series 21). Tamper-proof. Clearly audible and tactile signal when the set torque is reached. Repeatability is 100% guaranteed. Unlimited manual loosening torque.

Electrical surface resistance $\leq 10^9$ ohms for safe protection against electrostatic charge.

Manufactured as per DIN EN 61340-5-1. Handle/interchangeable blades system for rapid blade changes. Kraftform Micro handle with rotating cap and free-turning zone for rapid turning, making any time-consuming repositioning of the fingers unnecessary.

Power zone with integrated soft zones ensures the transmission of high tightening and loosening torques. Precision zone directly above the blade for the correct rotation angle for adjustment work.

Rapid bit fixing: Simply push the bit into the holder for automatic locking and a secure fit. To change the bit, simply push the sleeve forward and remove the bit. Free-running actuating sleeve for easy handling of the tool during the screwdriving process.

Bits suitable for manual and machine operated screwdriving connections with electric screwdrivers (including HIOS, Delvo, Sehan). Use with e.g. smartphones, mobile phones, cameras, electronic devices, in dental laboratories and dental surgeries.

Please note: 1 Ncm = 0.01 Nm.

- ESD-safe tool thanks to surface resistance of $\leq 10^9$ Ohm
- Suitable for the take-up of bits with 4 mm halfmoon drive and 4 mm HIOS drive
- Applications e.g. on smartphones, mobile phones, cameras, electronic equipment

1460 ESD Kraftform Micro pre-set adjustable torque screwdrivers (0.02-0.11 Nm) with quick-release chuck



| | EAN | | | | | | | |
|-------------|---------|----------|-------|-----------|-----|--------|--|---|
| Code | 4013288 | Art.No. | Nm | Nm | mm | | | |
| 05074800001 | 168351 | 1460 ESD | 0,035 | 0,02-0,06 | 131 | 5 1/4" | | 1 |
| 05074810001 | 179463 | 1461 ESD | 0,050 | 0,05-0,11 | 131 | 5 1/4" | | 1 |

Series 7400 Kraftform torque screwdrivers with a customised factory pre-set measurement value, handle size 89 mm

Wera torque screwdriver. With a customised factory pre-set torque value. For all applications, where the same constant torque and repeat accuracy are required.

The torque can be changed with an extra tool within the measuring range (re-calibration kit can be ordered with the code number 05137003001). Afterwards you can check the set value using an off-the-shelf torque tester.

Unlimited loosening torque for slackening stuck screws. Rapidaptor quick-release technology for rapid bit changes.

Suitable for bits with a 1/4" external hexagon drive as per DIN ISO 1173-C 6.3 and E 6.3 (ISO 1173).

Multi-component Kraftform handle with hard and soft zones for high working speeds, whilst being easy on the hand.

Please note: 1 Ncm = 0.01 Nm.

Series 7400 Kraftform torque screwdrivers with a customised factory pre-set measurement value, handle size 89 mm



| | EAN | | | | | | | |
|-------------|---------|---------|------|----------|----|-----|--------|---|
| Code | 4013288 | Art.No. | Nm | mm | mm | | | |
| 05074790010 | 188106 | 7450 | 1/4" | 0,1-0,34 | 89 | 133 | 5 1/4" | 1 |
| 05074792010 | 188113 | 7451 | 1/4" | 0,3-1,0 | 89 | 133 | 5 1/4" | 1 |
| 05074794010 | 188137 | 7452 | 1/4" | 0,9-1,5 | 89 | 133 | 5 1/4" | 1 |

Series 7400 Kraftform torque screwdrivers with a customised factory pre-set measurement value, handle size 105 mm

Wera torque screwdriver. With a customised factory pre-set torque value. For all applications, where the same constant torque and repeat accuracy are required.

The torque can be changed with an extra tool within the measuring range (re-calibration kit can be ordered with the code number 05137001001). Afterwards you can check the set value using an off-the-shelf torque tester.

Unlimited loosening torque for slackening stuck screws.
Rapidaptor quick-release technology for rapid bit changes.

Suitable for bits with a 1/4" external hexagon drive as per DIN ISO 1173-C 6.3 and E 6.3 (ISO 1173).

Multi-component Kraftform handle with hard and soft zones for high working speeds, whilst being easy on the hand.

Please note: 1 Ncm = 0.01 Nm.

- Customized pre-set torque screwdriver with Rapidaptor quick-release chuck
- Only adjustable with an extra tool
- Suitable for bits with 1/4" hex head drive
- Distinct signal when pre-set value is reached
- Multi-component Kraftform handle for high working speeds

Series 7400 Kraftform torque screwdrivers with a customised factory pre-set measurement value, handle size 105 mm



| | EAN | | | | | | | | |
|-------------|---------|---------|------|---------|-----|-----|----|---|--|
| Code | 4013288 | Art.No. | | Nm | mm | mm | | | |
| 05074715010 | 188144 | 7460 | 1/4" | 0,3-1,2 | 105 | 155 | 6" | 1 | |
| 05074716010 | 188151 | 7461 | 1/4" | 1,2-3,0 | 105 | 155 | 6" | 1 | |

Series 7400 Kraftform torque screwdrivers with a customised factory pre-set measurement value, pistol handle

Wera torque screwdriver. Kraftform pistol handle for particularly high torque transmission, multi-component for high working speeds and particularly ergonomic screwdriving.

With a customised factory pre-set torque value. For all applications, where the same constant torque and repeat accuracy are required. The torque can be changed with an extra tool within the measuring range (re-calibration kit can be ordered with the code number 05137002001). Afterwards you can check the set value using an off-the-shelf torque tester.

Rapidaptor quick-release technology for rapid bit changes.
Unlimited loosening torque for slackening stuck screws.

Multi-component Kraftform handle with hard and soft zones for high working speeds, whilst being easy on the hand.

Please note: 1 Ncm = 0.01 Nm.

Series 7400 Kraftform torque screwdrivers with a customised factory pre-set measurement value, pistol handle



| | EAN | | | | | | | | |
|-------------|---------|---------|------|---------|-----|-----|----|---|--|
| Code | 4013288 | Art.No. | | Nm | mm | mm | | | |
| 05074717010 | 188168 | 7462 | 1/4" | 3,0-6,0 | 150 | 100 | 6" | 1 | |
| 05074728010 | 188199 | 7463 | 1/4" | 4,0-8,8 | 150 | 100 | 6" | 1 | |

Series 7400 ESD Krafftform torque screwdrivers with a customised factory pre-set measurement value, handle size 89 mm

Wera torque screwdriver. Safe protection against electrostatic charge and associated damage.

With a customised factory pre-set torque value.

For all applications, where the same constant torque and repeat accuracy are required.

The torque can be changed with an extra tool within the measuring range (re-calibration kit can be ordered with the code number 05137003001). Afterwards you can check the set value using an off-the-shelf torque tester.

Unlimited loosening torque for slackening stuck screws. Rapidaptor quick-release technology for rapid bit changes.

Suitable for bits with a 1/4" external hexagon drive as per DIN ISO 1173-C 6.3 and E 6.3 (ISO 1173).

Multi-component Krafftform handle with hard and soft zones for high working speeds, whilst being easy on the hand.

Please note: 1 Ncm = 0.01 Nm.

- ESD-safe tool thanks to surface resistance of $\leq 10^9$ Ohm

Series 7400 ESD Krafftform torque screwdrivers with a customised factory pre-set measurement value, handle size 105 mm

Wera torque screwdriver. Safe protection against electrostatic charge and associated damage. With a customised factory pre-set torque value.

For all applications, where the same constant torque and repeat accuracy are required.

The torque can be changed with an extra tool within the measuring range (re-calibration kit can be ordered with the code number 05137001001). Afterwards you can check the set value using an off-the-shelf torque tester.

Rapidaptor quick-release technology for rapid bit changes. Unlimited loosening torque for slackening stuck screws.

Multi-component Krafftform handle with hard and soft zones for high working speeds, whilst being easy on the hand.

Suitable for bits with a 1/4" external hexagon drive as per DIN ISO 1173-C 6.3 and E 6.3 (ISO 1173).

Please note: 1 Ncm = 0.01 Nm.

- ESD-safe tool thanks to surface resistance of $\leq 10^9$ Ohm

Series 7400 ESD Krafftform torque screwdrivers with a customised factory pre-set measurement value, handle size 89 mm



| | EAN | | | | | | | |
|-------------|---------|----------|------|----------|----|-----|--------|---|
| Code | 4013288 | Art.No. | | Nm | mm | mm | | |
| 05074820010 | 188205 | 7450 ESD | 1/4" | 0,1-0,34 | 89 | 133 | 5 1/4" | 1 |
| 05074822010 | 188212 | 7451 ESD | 1/4" | 0,3-1,0 | 89 | 133 | 5 1/4" | 1 |
| 05074824010 | 188229 | 7452 ESD | 1/4" | 0,9-1,5 | 89 | 133 | 5 1/4" | 1 |

Series 7400 ESD Krafftform torque screwdrivers with a customised factory pre-set measurement value, handle size 105 mm



| | EAN | | | | | | | |
|-------------|---------|----------|------|---------|-----|-----|----|---|
| Code | 4013288 | Art.No. | | Nm | mm | mm | | |
| 05074840010 | 188236 | 7460 ESD | 1/4" | 0,3-1,2 | 105 | 133 | 6" | 1 |
| 05074842010 | 188243 | 7461 ESD | 1/4" | 1,2-3,0 | 105 | 155 | 6" | 1 |

Series 7400 Imperial Kraftform torque screwdrivers with a customised factory pre-set measurement value, handle size 105 mm

Wera torque screwdriver. With a customised factory pre-set torque value.

For all applications, where the same constant torque and repeat accuracy are required.

The torque can be changed with an extra tool within the measuring range (re-calibration kit can be ordered with the code number 05137001001). Afterwards you can check the set value using an off-the-shelf torque tester.

Unlimited loosening torque for slackening stuck screws.
Rapidaptor quick-release technology for rapid bit changes.

Suitable for bits with a 1/4" external hexagon drive as per DIN ISO 1173-C 6.3 and E 6.3 (ISO 1173).

Multi-component Kraftform handle with hard and soft zones for high working speeds, whilst being easy on the hand.

Please note: 1 Ncm = 0.01 Nm.

Series 7400 Imperial Kraftform torque screwdrivers with a customised factory pre-set measurement value, handle size 105 mm



| | EAN | | | | | | | |
|-------------|---------|---------|------|-----------|-----|-----|----|---|
| Code | 4013288 | Art.No. | | in. lbs. | mm | mm | | |
| 05074720010 | 188250 | 7465 | 1/4" | 2,5-11,5 | 105 | 155 | 6" | 1 |
| 05074722010 | 188267 | 7466 | 1/4" | 11,0-29,0 | 105 | 155 | 6" | 1 |

Series 7400 Imperial Kraftform torque screwdrivers with a customised factory pre-set measurement value, pistol handle

Wera torque screwdriver. Kraftform pistol handle for particularly high torque transmission, multi-component for high working speeds and particularly ergonomic screwdriving.

With a customised factory pre-set torque value. For all applications, where the same constant torque and repeat accuracy are required.

The torque can be changed with an extra tool within the measuring range (re-calibration kit can be ordered with the code number 05137002001). Afterwards you can check the set value using an off-the-shelf torque tester.

Rapidaptor quick-release technology for rapid bit changes.
Unlimited loosening torque for slackening stuck screws.

Multi-component Kraftform handle with hard and soft zones for high working speeds, whilst being easy on the hand.

Please note: 1 Ncm = 0.01 Nm.

Series 7400 Imperial Kraftform torque screwdrivers with a customised factory pre-set measurement value, pistol handle



| | EAN | | | | | | | |
|-------------|---------|---------|------|-----------|-----|-----|----|---|
| Code | 4013288 | Art.No. | | in. lbs. | mm | mm | | |
| 05074721010 | 188274 | 7467 | 1/4" | 25,0-55,0 | 150 | 100 | 6" | 1 |

Series 7400 ESD Krafftform torque screwdrivers with a customised factory pre-set measurement value, with quick-release chuck

Wera torque screwdriver. Safe protection against electrostatic charge and associated damage. With a customised factory pre-set torque value.

For all applications, where the same constant torque and repeat accuracy are required.

The torque can be changed within the measuring range with the extra tool 05137003001. Afterwards you can check the set value using an off-the-shelf torque tester.

Rapidaptor quick-release technology for rapid bit changes. Unlimited loosening torque for slackening stuck screws.

Multi-component Krafftform handle with hard and soft zones for high working speeds, whilst being easy on the hand.

Suitable for bits with a 4 mm Halfmoon drive (Wera series 9) and a 4 mm HIOS drive (Wera series 21).

Please note: 1 Ncm = 0.01 Nm.

- ESD-safe tool thanks to surface resistance of $\leq 10^9$ Ohm
- Suitable for bits with 4 mm halfmoon and 4 mm HIOS drive

Series 7400 ESD Krafftform torque screwdrivers with a customised factory pre-set measurement value, with quick-release chuck



| | EAN | Art.No. | Nm | mm | mm | | |
|-------------|---------|----------|----------|----|-----|--------|---|
| Code | 4013288 | | | | | | |
| 05074826010 | 188281 | 7455 ESD | 0,1-0,34 | 89 | 138 | 5 1/4" | 1 |
| 05074828010 | 188298 | 7456 ESD | 0,3-1,0 | 89 | 138 | 5 1/4" | 1 |

1460 ESD Krafftform Micro torque screwdrivers with a customised factory pre-set measurement value with quick-release chuck

With a customised factory pre-set torque value. The torque can be changed with an extra tool within the measuring range (re-calibration kit can be ordered with the code number 05137004001).

Afterwards you can check the set value using an off-the-shelf torque tester. Compact handle/interchangeable blades system for torque-controlled precision screwdriving.

The Krafftform Micro ESD torque screwdriver is ideal for torque-controlled jobs on electrostatically sensitive components. Suitable for bits with a 4 mm Halfmoon drive (Wera series 9) and a 4 mm HIOS drive (Wera series 21).

Tamper-proof. Clearly audible and tactile signal when the set torque is reached. Repeatability is 100% guaranteed. Unlimited manual loosening torque.

Electrical surface resistance $\leq 10^9$ ohms for safe protection against electrostatic charge.

Manufactured as per DIN EN 61340-5-1. Handle/interchangeable blades system for rapid blade changes.

Krafftform Micro handle with rotating cap and free-turning zone for rapid turning, making any time-consuming repositioning of the fingers unnecessary.

Power zone with integrated soft zones ensures the transmission of high tightening and loosening torques. Precision zone directly above the blade for the correct rotation angle for adjustment work. Rapid bit fixing: Simply push the bit into the holder for automatic locking and a secure fit.

To change the bit, simply push the sleeve forward and remove the bit. Free-running actuating sleeve for easy handling of the tool during the screwdriving process.


Bits suitable for manual and machine operated screwdriving connections with electric screwdrivers (including HIOS, Delvo, Sehan).

Use with e.g. smartphones, mobile phones, cameras, electronic devices, in dental laboratories and dental surgeries.

Please note: 1 Ncm = 0.01 Nm.

- ESD-safe tool thanks to surface resistance of $\leq 10^9$ Ohm
- Suitable for the take-up of bits with 4 mm halfmoon drive and 4 mm HIOS drive
- Applications e.g. on smartphones, mobile phones, cameras, electronic equipment

1460 ESD Kraffform Micro torque screwdrivers with a customised factory pre-set measurement value with quick-release chuck



| | EAN | Art.No. | Nm | mm | | | | |
|-------------|---------|----------|-----------|-----|--------|--|--|---|
| Code | 4013288 | | | | | | | |
| 05074800010 | 188304 | 1460 ESD | 0,02-0,06 | 131 | 5 1/4" | | | 1 |
| 05074810010 | 188311 | 1461 ESD | 0,05-0,11 | 131 | 5 1/4" | | | 1 |

300 Hex Torque-indicator

Wera torque screwdriver with fixed torque for hexagon socket screws. Tamperproof and with a slim hex blade. Unlimited torque for loosening seized screws.

Multi-component Kraffform handle for pleasant, ergonomic working that prevents blisters and calluses. Hard gripping zones for high working speeds whereas soft zones ensure high torque transfer.

Comes with Hex-Plus profile which avoids any rounding of the screw head. The Black Point tip offers high corrosion protection and an exact fit.

300 Hex Torque-indicator



| | EAN | | Nm | ft. lb. | mm | mm | mm | |
|-------------|---------|-----|-----|---------|----|-----|----|---|
| Code | 4013288 | | | | | | | |
| 05027910001 | 096425 | 2,0 | 1,4 | 1,0 | 4 | 3,5 | 65 | 1 |
| 05027911001 | 096432 | 2,5 | 2,0 | 1,5 | 4 | 3,8 | 65 | 1 |
| 05027912001 | 096449 | 3,0 | 3,0 | 2,2 | 4 | 3,8 | 65 | 1 |

300 Hex Torque-indicator, pistol handle



| | EAN | | Nm | ft.lb. | mm | mm | mm | |
|-------------|---------|-----|-----|--------|-----|-----|----|---|
| Code | 4013288 | | | | | | | |
| 05027913001 | 099150 | 4,0 | 5,0 | 3,7 | 160 | 100 | 65 | 1 |

300 TX TORX® Torque-indicator

- For recessed TORX® screws

300 TX TORX® Torque-indicator



| | EAN | | Nm | ft. lb. | mm | mm | mm | |
|-------------|---------|-------|-----|---------|----|-----|----|---|
| Code | 4013288 | | | | | | | |
| 05027930001 | 093325 | TX 6 | 0,6 | 0,4 | 4 | 3,5 | 65 | 1 |
| 05027931001 | 093332 | TX 7 | 0,9 | 0,7 | 4 | 3,5 | 65 | 1 |
| 05027932001 | 093349 | TX 8 | 1,2 | 0,9 | 4 | 3,5 | 65 | 1 |
| 05027933001 | 093356 | TX 9 | 1,4 | 1,0 | 4 | 3,5 | 65 | 1 |
| 05027934001 | 093370 | TX 10 | 2,0 | 1,5 | 4 | 3,8 | 65 | 1 |
| 05027935001 | 093363 | TX 15 | 3,0 | 2,2 | 4 | 3,8 | 65 | 1 |

300 TX TORX® Torque-indicator, pistol handle



| | EAN | | Nm | ft.lb. | mm | mm | mm | |
|-------------|---------|-------|-----|--------|-----|-----|----|---|
| Code | 4013288 | | | | | | | |
| 05027936001 | 099143 | TX 20 | 5,0 | 3,7 | 160 | 100 | 65 | 1 |

300 IP TORX PLUS® Torque-indicator

- For TORX PLUS® screws

300 IP TORX PLUS® Torque-indicator



| | EAN | | Nm | ft. lb. | mm | mm | mm | |
|-------------|---------|-------|-----|---------|----|-----|----|---|
| Code | 4013288 | | | | | | | |
| 05028040001 | 093387 | 6 IP | 0,6 | 0,4 | 4 | 3,5 | 65 | 1 |
| 05028041001 | 093394 | 7 IP | 0,9 | 0,7 | 4 | 3,5 | 65 | 1 |
| 05028042001 | 093431 | 8 IP | 1,2 | 0,9 | 4 | 3,5 | 65 | 1 |
| 05028043001 | 093400 | 9 IP | 1,4 | 1,0 | 4 | 3,5 | 65 | 1 |
| 05028044001 | 093417 | 10 IP | 2,0 | 1,5 | 4 | 3,8 | 65 | 1 |
| 05028045001 | 093424 | 15 IP | 3,0 | 2,2 | 4 | 3,8 | 65 | 1 |

300 IP TORX PLUS® Torque-indicator, pistol handle



| | EAN | | | | | | | |
|-------------|---------|-------|-----|--------|-----|-----|----|---|
| Code | 4013288 | | Nm | ft.lb. | mm | mm | mm | |
| 05028046001 | 099136 | 20 IP | 5,0 | 3,7 | 160 | 100 | 65 | 1 |

400 Hex Torque-indicator

Wera torque indicator with fixed torque for hexagon sockets. Tamper proof. The robust slip clutch guarantees a clearly audible and tactile trigger signal when the set torque value is reached, and it is therefore impossible to apply any further torque.

The loosening torque is significantly higher than the set tightening torque, therefore no additional tools are needed for loosening screw connections. The shape of the handle fills the whole hand well and the fingers lie in the softly rounded recessed grips. This ensures optimal, ergonomic power transmission.

400 Hex Torque-indicator



| | EAN | | | | | | | |
|-------------|---------|-----|-----|----|----|-----|--------|---|
| Code | 4013288 | | Nm | mm | mm | mm | | |
| 05005080001 | 208835 | 4,0 | 4,0 | 60 | 48 | 100 | 2 3/8" | 1 |
| 05005081001 | 208842 | 5,0 | 5,0 | 60 | 48 | 100 | 2 3/8" | 1 |

400 TX Torque-indicator

- For recessed TORX® screws

400 TX Torque-indicator



| | EAN | | | | | | | |
|-------------|---------|-------|-----|----|----|-----|--------|---|
| Code | 4013288 | | Nm | mm | mm | mm | | |
| 05005090001 | 208811 | TX 20 | 4,0 | 60 | 48 | 100 | 2 3/8" | 1 |
| 05005091001 | 208828 | TX 25 | 5,0 | 60 | 48 | 100 | 2 3/8" | 1 |

Click-Torque A 5 torque wrench with reversible ratchet

Click-Torque wrench in the unmistakable, robust Wera design with high accuracy as per DIN EN ISO 6789-1: 2017-07. Easy setting and saving of the default value.

The audible and tactile clicks on reaching the scale values also facilitate the safe setting of the desired torque value. The robust release mechanism guarantees a clearly audible and tactile release signal when the set torque is reached.

For right-hand use (clockwise torque-control) and with 45-tooth reversible ratchet mechanism.

- With 1/4" square drive, reversible ratchet, 45 teeth
- Measuring range: 2.5-25 Nm; precise to +/- 4% as per DIN EN ISO 6789-1:2017-07

Click-Torque A 5 torque wrench with reversible ratchet, 2.5-25 Nm



| | EAN | | | | | | | |
|-------------|---------|------|--------|-----|----------|-----|-----|---|
| Code | 4013288 | | Nm | Nm | lbf. ft. | mm | mm | |
| 05075604001 | 193179 | 1/4" | 2,5-25 | 1,0 | 1-18 | 290 | 121 | 1 |

Click-Torque A 6 torque wrench with reversible ratchet

- With 1/4" hex drive, reversible ratchet, 45 teeth
- Measuring range: 2.5-25 Nm; precise to +/- 4% as per DIN EN ISO 6789-1:2017-07

Click-Torque A 6 torque wrench with reversible ratchet, 2.5-25 Nm



| | | | | | | | | |
|-------------|---------|------|--------|-----|----------|-----|-----|---|
| | EAN | | | | | | | |
| Code | 4013288 | | Nm | Nm | lbf. ft. | mm | mm | |
| 05075605001 | 193186 | 1/4" | 2,5-25 | 1,0 | 1-18 | 290 | 121 | 1 |

Click-Torque A 6 Set 1

Click torque wrench in the unmistakable Wera design. Very robust design with high accuracy as per DIN EN ISO 6789-1: 2017-07.

Easy setting and saving of the default value. The audible and tactile clicks on reaching the scale values facilitate the safe setting of the desired torque value. The robust release mechanism guarantees a clearly audible and tactile release signal when the set torque is reached.

Provides clockwise torque-control and 45-tooth ratchet mechanism. The Wera click torque wrench is accompanied with various accessories in a compact set arrangement.

Included are: Click-Torque A 6 1/4" from 2.5 to 25 Nm, 6 sockets with 1/4" drive, 11 Hex-Plus hexagon bits, Phillips head bits and TORX® bits, plus an extension and socket adaptor.

Click-Torque A 6 Set 1



| | | | | |
|--|-------------|--------|---|---|
| | Code | EAN | | |
| | 05130110001 | 205643 | | 1 |
| | | | Click-Torque A 6 1x 1/4", 2,5-25 Nm | |
| | | | 851/4 TZ PH 1x PH 2x50 | |
| | | | 867/4 Z TORX® 1x TX 15x50; 1x TX 20x50; 1x TX 25x50; 1x TX 27x50; 1x TX 30x50; 1x TX 40x50 | |
| | | | 840/4 Z Hex-Plus 1x 3,0x50; 1x 4,0x50; 1x 5,0x50; 1x 6,0x50 | |
| | | | 870/1 1x 1/4"x25 ¹⁾ | |
| | | | 8794 SA 1x 1/4"x75,0 | |
| | | | 8790 HMA 1x 6,0x23,0; 1x 7,0x23,0; 1x 8,0x23,0; 1x 10,0x23,0; 1x 12,0x23,0; 1x 13,0x23,0 | |
| | | | K240 1x 50,0x240,0 | |

¹⁾With friction ball; for manual nut spinner sockets



Bicycle Set Torque 1

The 16-piece set from the screwdriving tool specialist Wera solves the most important screwdriving problems associated with bicycles, with reliable control of applied torque to protect sensitive components. With a click-torque wrench in the unmistakable Wera design.

Very robust design with high accuracy as per DIN EN ISO 6789-1:2017-07. Easy setting and saving of the default values. The audible and tactile snapping on reaching the scale values also facilitates the safe setting of the desired torque values.

The robust release mechanism guarantees a clearly audible and tactile trigger signal when the set torque is reached.

For clockwise torque-control and with a reversible 45-tooth ratchet. The torque wrench is extremely space-saving and supplemented with accessories that are suitable for the torque range and adapted to the most common screwed connections on bicycles; in a robust, surface-friendly textile box.

Included are: Click Torque A 5, 1/4", 2.5 - 25 Nm, 4 sockets with 1/4" drive, 7 Hex Plus hexagon bit sockets and 4 TORX® bit sockets. Sockets and bit sockets with Take it easy tool finder with colour coding by size - for easy and quick location of the required tool.

Bit sockets with holding function for extra comfortable screwdriving without the screw falling off the tool. Incredibly compact arrangement for a lot of tools in a small space.

Textile box with very high robustness and longevity. Additional surface protection through the textile outer material.

Low weight and volume for easier mobility. Bit sockets with all the benefits of Wera bit technology such as fitting accuracy, wear resistance and concentric run-out properties.

Bicycle Set Torque 1



| Code | EAN | | |
|-------------|-------------------|---|---|
| 05004180001 | 4013288 207685 | | 1 |
| | | Click-Torque A 5 1x 1/4", 2,5-25 Nm | |
| | | 8790 HMA 1x 10,0x23,0; 1x 13,0x23,0; 1x 14,0x23,0; 1x 15,0x23,0 | |
| | | 8767 A 1x TX 10x28,0; 1x TX 20x28,0; 1x TX 25x28,0; 1x TX 30x28,0 | |
| | | 8740 A HF 1x 3,0x28,0; 1x 4,0x28,0; 1x 5,0x28,0; 1x 5,0x100,0; 1x 6,0x28,0; 1x 6,0x100,0; 1x 8,0x28,0 | |
| | | K240 1x 50,0x240,0 | |

Click-Torque B 1 torque wrench with reversible ratchet

- With 3/8" square drive, reversible ratchet, 45 teeth
- Measuring range: 10-50 Nm; precise to +/- 3% as per DIN EN ISO 6789-1:2017-07

Click-Torque B 1 torque wrench with reversible ratchet, 10-50 Nm



| Code | EAN | | Nm | Nm | lbf. ft. | mm | mm | |
|-------------|-------------------|------|-------|-----|----------|-----|-----|---|
| 05075610001 | 4013288 193193 | 3/8" | 10-50 | 2,5 | 8-36 | 360 | 140 | 1 |

Click-Torque B 2 torque wrench with reversible ratchet

- With 3/8" square drive, reversible ratchet, 45 teeth
- Measuring range: 20-100 Nm; precise to +/- 3% as per DIN EN ISO 6789-1:2017-07

Click-Torque B 2 torque wrench with reversible ratchet, 20-100 Nm



| Code | EAN | □ | | | | — | — | ⊞ |
|-------------|--------|------|--------|-----|----------|-----|-----|---|
| Code | EAN | □ | Nm | Nm | lbf. ft. | mm | mm | ⊞ |
| 05075611001 | 193209 | 3/8" | 20-100 | 5,0 | 15-73 | 405 | 140 | 1 |

Click-Torque C 1 torque wrench with reversible ratchet

- With 1/2" square drive, reversible ratchet, 45 teeth
- Measuring range: 10-50 Nm; precise to +/- 3% as per DIN EN ISO 6789-1:2017-07

Click-Torque C 1 torque wrench with reversible ratchet, 10-50 Nm



| Code | EAN | □ | | | | — | — | ⊞ |
|-------------|--------|------|-------|-----|----------|-----|-----|---|
| Code | EAN | □ | Nm | Nm | lbf. ft. | mm | mm | ⊞ |
| 05075620001 | 193216 | 1/2" | 10-50 | 2,5 | 8-36 | 360 | 140 | 1 |

Click-Torque C 2 torque wrench with reversible ratchet

- With 1/2" square drive, reversible ratchet, 45 teeth
- Measuring range: 20-100 Nm; precise to +/- 3% as per DIN EN ISO 6789-1:2017-07

Click-Torque C 2 torque wrench with reversible ratchet, 20-100 Nm



| Code | EAN | □ | | | | — | — | ⊞ |
|-------------|--------|------|--------|-----|----------|-----|-----|---|
| Code | EAN | □ | Nm | Nm | lbf. ft. | mm | mm | ⊞ |
| 05075621001 | 193223 | 1/2" | 20-100 | 5,0 | 15-73 | 405 | 140 | 1 |

Click-Torque C 3 torque wrench with reversible ratchet

- With 1/2" square drive, reversible ratchet, 45 teeth
- Measuring range: 40-200 Nm; precise to +/- 3% as per DIN EN ISO 6789-1:2017-07

Click-Torque C 3 torque wrench with reversible ratchet, 40-200 Nm



| Code | EAN | □ | | | | — | — | ⊞ |
|-------------|--------|------|--------|------|----------|-----|-----|---|
| Code | EAN | □ | Nm | Nm | lbf. ft. | mm | mm | ⊞ |
| 05075622001 | 193230 | 1/2" | 40-200 | 10,0 | 30-146 | 510 | 140 | 1 |



Click-Torque C 3 Set 1

Click torque wrench set in the unmistakable Wera design. Very robust design with high accuracy as per DIN EN ISO 6789-1: 2017-07.

Easy setting and saving of the default values. The audible and tactile snapping on reaching the scale values also facilitates the safe setting of the desired torque values.

The robust release mechanism guarantees a clearly audible and tactile trigger signal when the set torque is reached. For clockwise torque-control and with reversible 45-tooth ratchet.

Torque wrenches and torque-compatible accessories are packed in an extremely space-saving, robust, surface-friendly textile box.

Contains: Click Torque C 3, 1/2", 40-200 Nm, 4 sockets with 1/2" drive, 7 hex plus hexagon socket and TORX® bit sockets plus extension.

Click-Torque C 3 Set 1, 40-200 Nm



| Code | EAN | | |
|-------------|-------------------|---|---|
| 05075680001 | 4013288 207609 | | 1 |
| | | Click-Torque C 3 1x 1/2", 40-200 Nm | |
| | | ● 8790 HMC 1x 10,0x37,0; 1x 13,0x37,0; 1x 17,0x37,0; 1x 19,0x37,0 | |
| | | ⊕ 8767 C HF 1x TX 30x60,0; 1x TX 40x60,0; 1x TX 45x60,0; 1x TX 50x60,0 | |
| | | ○ 8740 C HF 1x 6,0x60,0; 1x 8,0x60,0; 1x 10,0x60,0 | |
| | | ◐ 8794 SC 1x 1/2"x125,0 | |

Click-Torque C 3 set 2 for cement screwdriving, 40-200 Nm

11-piece set for fitting security-relevant cement screws with defined torque moments as per screw manufacturer instructions.

With Take it easy tool finder with colour coding and size stamping - for easy and fast location of the required tool.

- For fitting security-relevant cement screws with defined torque moments as per screw manufacturer instructions
- 8790 C Impaktor socket wrench inserts for the application with compressed air or electrically driven impact wrenches with 12.5 mm = 1/2" drive (13 mm to 21 mm)
- Click-Torque C 3 torque wrench with reversible ratchet (measuring range: 40-200 Nm; precision ± 3 % as per DIN EN ISO 6789-1:2017-07)
- 11-piece set in premium textile tool box

Click-Torque C 3 set 2 for cement screwdriving, 40-200 Nm



| Code | EAN | | |
|-------------|-------------------|--|---|
| 05075681001 | 4013288 217561 | | 1 |
| | | Click-Torque C 3 1x 1/2", 40-200 Nm | |
| | | ● 8790 C Impaktor 1x 13,0x38,0; 1x 14,0x38,0; 1x 15,0x38,0; 1x 16,0x38,0; 1x 17,0x38,0; 1x 18,0x38,0; 1x 19,0x38,0; 1x 20,0x38,0; 1x 21,0x38,0 | |
| | | ◐ 8894 SC 1x 1/2"x125,0 | |

Click-Torque C 4 torque wrench with reversible ratchet

- With 1/2" square drive, reversible ratchet, 45 teeth
- Measuring range: 60-300 Nm; precise to +/- 3% as per DIN EN ISO 6789-1:2017-07

Click-Torque C 4 torque wrench with reversible ratchet, 60-300 Nm



| | | EAN | | | | | | | |
|-------------|--|---------|------|--------|------|----------|-----|-----|---|
| Code | | 4013288 | | Nm | Nm | lbf. ft. | mm | mm | |
| 05075623001 | | 193247 | 1/2" | 60-300 | 10,0 | 45-220 | 595 | 140 | 1 |

Click-Torque C 5 torque wrench with reversible ratchet

- With 1/2" square drive, reversible ratchet, 45 teeth
- Measuring range: 80-400 Nm; precise to +/- 3% as per DIN EN ISO 6789-1:2017-07

Click-Torque C 5 torque wrench with reversible ratchet, 80-400 Nm



| | | EAN | | | | | | | |
|-------------|--|---------|------|--------|------|----------|-----|-----|---|
| Code | | 4013288 | | Nm | Nm | lbf. ft. | mm | mm | |
| 05075624001 | | 193254 | 1/2" | 80-400 | 10,0 | 60-295 | 680 | 140 | 1 |

Click-Torque E 1 torque wrench with reversible ratchet

- With 3/4" square drive, reversible ratchet, 45 teeth
- Measuring range: 200-1000 Nm; precise to +/- 3% as per DIN EN ISO 6789-1:2017-07

Click-Torque E 1 torque wrench with reversible ratchet, 200-1000 Nm



| | | EAN | | | | | | | |
|-------------|--|---------|------|----------|------|----------|------|-----|---|
| Code | | 4013288 | | Nm | Nm | lbf. ft. | mm | mm | |
| 05075630001 | | 193261 | 3/4" | 200-1000 | 20,0 | 148-737 | 1250 | 140 | 1 |

Click-Torque C 2 Push R/L adjustable torque wrenches for clockwise and anti-clockwise torque-control


Click torque wrench in the unmistakable Wera design. For clockwise and anti-clockwise torque-control. Very robust design with high accuracy as per DIN EN ISO 6789-1: 2017-07. Easy setting and saving of the default value.

The audible and tactile clicks on reaching the scale values facilitate the safe setting of the desired torque value. The robust release mechanism guarantees a clearly audible and tactile release signal when the set torque is reached.

With captive 3/4" square head insert to change direction. 1/2" square head drive with socket locking.

- For clockwise and anti-clockwise torque-control thanks to the smooth reversing of the captive square head insert
- Measuring range: 20-100 Nm; precise to +/- 3% as per DIN EN ISO 6789-1:2017-07
- 45 teeth and 1/2" square head drive with socket locking
- Easy setting and saving of the desired torque value with audible and tactile clicks when reaching the scale values
- Audible and tactile release mechanism when the set torque value is reached

Click-Torque C 2 Push R/L adjustable torque wrench for clockwise and anti-clockwise torque-control, 20-100 Nm



| | | EAN | | | | | | | |
|-------------|--|---------|------|--------|-----|----------|-----|-----|---|
| Code | | 4013288 | | Nm | Nm | lbf. ft. | mm | mm | |
| 05075625001 | | 218926 | 1/2" | 20-100 | 5,0 | 15-73 | 405 | 140 | 1 |

Click-Torque C 3 Push R/L adjustable torque wrench for clockwise and anti-clockwise torque-control, 40-200 Nm

- Measuring range: 40-200 Nm; precise to +/- 3% as per DIN EN ISO 6789-1:2017-07
- For clockwise and anti-clockwise torque-control thanks to the smooth reversing of the captive square head insert
- 45 teeth and 1/2" square head drive with socket locking

Click-Torque C 3 Push R/L adjustable torque wrench for clockwise and anti-clockwise torque-control, 40-200 Nm



| | EAN | | | | | | | |
|-------------|---------|------|--------|------|----------|-----|-----|---|
| Code | 4013288 | | Nm | Nm | lbf. ft. | mm | mm | |
| 05075626001 | 218933 | 1/2" | 40-200 | 10,0 | 30-146 | 510 | 140 | 1 |

Click-Torque E 1 Push R/L adjustable torque wrench for clockwise and anti-clockwise torque-control, 200-1000 Nm

- For clockwise and anti-clockwise torque-control thanks to smooth reversing of the captive square head insert
- Measuring range: 200-1000 Nm; precise to +/- 3% as per DIN EN ISO 6789-1:2017-07
- 45 teeth and 3/4" square head drive

Click-Torque E 1 Push R/L adjustable torque wrench for clockwise and anti-clockwise torque-control, 200-1000 Nm



| | EAN | | | | | | | |
|-------------|---------|------|----------|------|----------|------|-----|---|
| Code | 4013288 | | Nm | Nm | lbf. ft. | mm | mm | |
| 05075631001 | 219053 | 3/4" | 200-1000 | 20,0 | 148-737 | 1250 | 140 | 1 |

Click-Torque X 1 torque wrench for insert tools

Click-Torque wrench in the unmistakable, robust Wera design with high accuracy as per DIN EN ISO 6789-1: 2017-07. Easy setting and saving of the default value.

The audible and tactile clicks on reaching the scale values also facilitate the safe setting of the desired torque value. The robust release mechanism guarantees a clearly audible and tactile release signal when the set torque is reached.

For right-hand and left-hand use and with 9x12mm insert square for the insertion of insert tools.

- For 9x12 mm interchangeable insert tools.
- Measuring range: 2.5-25 Nm; precise to +/- 4% as per DIN EN ISO 6789-1:2017-07

Click-Torque X 1 torque wrench for insert tools, 2.5-25 Nm



| | EAN | | | | | | | |
|-------------|---------|------|--------|-----|----------|-----|-----|---|
| Code | 4013288 | | Nm | Nm | lbf. ft. | mm | mm | |
| 05075651001 | 193773 | 9x12 | 2,5-25 | 1,0 | 1-18 | 283 | 121 | 1 |

Click-Torque X 2 torque wrench for insert tools

- For 9x12 mm interchangeable insert tools.
- Measuring range: 10-50 Nm; precise to +/- 3% as per DIN EN ISO 6789-1:2017-07

Click-Torque X 2 torque wrench for insert tools, 10-50 Nm



| | EAN | | | | | | | |
|-------------|---------|------|-------|-----|----------|-----|-----|---|
| Code | 4013288 | | Nm | Nm | lbf. ft. | mm | mm | |
| 05075652001 | 193797 | 9x12 | 10-50 | 2,5 | 8-36 | 338 | 140 | 1 |

Click-Torque X 3 torque wrench for insert tools

- For 9x12 mm interchangeable insert tools.
- Measuring range: 20-100 Nm; precise to +/- 3% as per DIN EN ISO 6789-1:2017-07

Click-Torque X 3 torque wrench for insert tools, 20-100 Nm



| | | EAN | | | | | | | |
|-------------|---------|------|--------|-----|----------|-----|-----|---|--|
| Code | 4013288 | | Nm | Nm | lbf. ft. | mm | mm | | |
| 05075653001 | 193780 | 9x12 | 20-100 | 5,0 | 15-73 | 372 | 140 | 1 | |

Click-Torque X 4 torque wrench for insert tools

- For 14x18 mm interchangeable insert tools
- Measuring range: 40-200 Nm; precise to +/- 3% as per DIN EN ISO 6789-1:2017-07

Click-Torque X 4 torque wrench for insert tools, 40-200 Nm



| | | EAN | | | | | | | |
|-------------|---------|-------|--------|------|----------|-----|-----|---|--|
| Code | 4013288 | | Nm | Nm | lbf. ft. | mm | mm | | |
| 05075654001 | 193803 | 14x18 | 40-200 | 10,0 | 30-146 | 480 | 140 | 1 | |

Click-Torque X 5 torque wrench for insert tools

- For 14x18 mm interchangeable insert tools
- Measuring range: 60-300 Nm; precise to +/- 3% as per DIN EN ISO 6789-1:2017-07

Click-Torque X 5 torque wrench for insert tools, 60-300 Nm



| | | EAN | | | | | | | |
|-------------|---------|-------|--------|------|----------|-----|-----|---|--|
| Code | 4013288 | | Nm | Nm | lbf. ft. | mm | mm | | |
| 05075655001 | 193810 | 14x18 | 60-300 | 10,0 | 45-220 | 570 | 140 | 1 | |

Click-Torque X 6 torque wrench for insert tools

- For 14x18 mm interchangeable insert tools
- Measuring range: 80-400 Nm; precise to +/- 3% as per DIN EN ISO 6789-1:2017-07

Click-Torque X 6 torque wrench for insert tools, 80-400 Nm



| | | EAN | | | | | | | |
|-------------|---------|-------|--------|------|----------|-----|-----|---|--|
| Code | 4013288 | | Nm | Nm | lbf. ft. | mm | mm | | |
| 05075656001 | 193827 | 14x18 | 80-400 | 10,0 | 60-295 | 655 | 140 | 1 | |

Click-Torque XP 1 pre-set adjustable torque wrench for insert tools

Torque wrench with pre-set torque value for all applications where the same torque and repeat accuracy is required. The torque value can be changed within the metered range.

The robust release mechanism guarantees a clearly audible and tactile trigger signal when the set torque value is reached.

Square socket for interchangeable plug-in tools for clockwise and anti-clockwise torque-control.

A presetting which deviates from this value to a desired torque value within the specified metered range is possible on request.

- With square socket (9x12 mm) for interchangeable plug-in tools; clockwise and anti-clockwise torque-control
- Pre-set click torque wrench in unmistakable Wera design
- Measuring range: 2.5-25 Nm; precise to +/- 2% as per DIN EN ISO 6789-1:2017-07
- Pre-set torque values can be changed within the metered range in the test laboratory

Click-Torque XP 1 pre-set adjustable torque wrench for insert tools, 2.5-25 Nm



| | | EAN | | | | | | | |
|---------------------------|---------|------|-----|--------|----------|-----|-----|---|--|
| Code | 4013288 | | Nm | Nm | lbf. ft. | mm | mm | | |
| 05075670001 | 206169 | 9x12 | 2,5 | 2,5-25 | 2-18 | 217 | 137 | 1 | |
| 05075670010 ¹⁾ | 206206 | 9x12 | 2,5 | 2,5-25 | 2-18 | 217 | 137 | 1 | |

¹⁾Any presetting which differs from this value, can be set to a desired torque value within the specified metered range upon request.

Click-Torque XP 2 pre-set adjustable torque wrench for insert tools

- With square socket (9x12 mm) for interchangeable plug-in tools; clockwise and anti-clockwise torque-control
- Measuring range: 10-50 Nm; precise to +/- 2% as per DIN EN ISO 6789-1:2017-07
- Pre-set torque values can be changed within the metered range in the test laboratory

Click-Torque XP 2 pre-set adjustable torque wrench for insert tools, 10-50 Nm



| | | EAN | | | | | | | |
|---------------------------|---------|------|------|-------|----------|-----|-----|---|--|
| Code | 4013288 | | Nm | Nm | lbf. ft. | mm | mm | | |
| 05075671001 | 206176 | 9x12 | 10,0 | 10-50 | 8-36 | 262 | 137 | 1 | |
| 05075671010 ¹⁾ | 206213 | 9x12 | 10,0 | 10-50 | 8-36 | 262 | 137 | 1 | |

¹⁾Any presetting which differs from this value, can be set to a desired torque value within the specified metered range upon request.

Click-Torque XP 3 pre-set adjustable torque wrench for insert tools

- With square socket (9x12 mm) for interchangeable plug-in tools; clockwise and anti-clockwise torque-control
- Measuring range: 15-100 Nm; precise to +/- 2% as per DIN EN ISO 6789-1:2017-07
- Pre-set torque values can be changed within the metered range in the test laboratory

Click-Torque XP 3 pre-set adjustable torque wrench for insert tools, 15-100 Nm



| | | EAN | | | | | | | |
|---------------------------|---------|------|------|--------|----------|-----|-----|---|--|
| Code | 4013288 | | Nm | Nm | lbf. ft. | mm | mm | | |
| 05075672001 | 206183 | 9x12 | 15,0 | 15-100 | 11-74 | 332 | 137 | 1 | |
| 05075672010 ¹⁾ | 207999 | 9x12 | 15,0 | 15-100 | 11-74 | 332 | 137 | 1 | |

¹⁾Any presetting which differs from this value, can be set to a desired torque value within the specified metered range upon request.

Click-Torque XP 4 pre-set adjustable torque wrench for insert tools

- With square socket (14x18) for interchangeable plug-in tools; clockwise and anti-clockwise torque-control
- Measuring range: 20-250 Nm; precise to +/- 2% as per DIN EN ISO 6789-1:2017-07
- Pre-set torque values can be changed within the metered range in the test laboratory

Click-Torque XP 4 pre-set adjustable torque wrench for insert tools, 20-250 Nm



| | | EAN | | | | | | | |
|---------------------------|---------|-------|------|--------|---------|-----|-----|---|--|
| Code | 4013288 | | Nm | Nm | lb. ft. | mm | mm | | |
| 05075673001 | 206190 | 14x18 | 20,0 | 20-250 | 15-184 | 457 | 145 | 1 | |
| 05075673010 ¹⁾ | 206220 | 14x18 | 20,0 | 20-250 | 15-184 | 457 | 145 | 1 | |

¹⁾Any presetting which differs from this value, can be set to a desired torque value within the specified metered range upon request.

7770 Open end insert, 9x12 mm

- Square insert tool 9x12 mm
- For torque wrenches of the Click-Torque X and XP series with 9x12 mm holder
- Application: Hexagon screw heads or nuts
- With safety pin
- The chrome-vanadium steel version makes the plug-in tools suitable for heavy loads

A Form

05078600001
05078601001
05078602001
05078603001
05078604001
05078605001



B Form

05078606001
05078607001
05078608001
05078609001
05078610001
05078611001
05078612001



7770 Open end insert, 9x12 mm







| | EAN | | | | | | | |
|-------------|---------|----|------|------|------|-----|----|---|
| Code | 4013288 | mm | mm | mm | mm | mm | mm | |
| 05078600001 | 196101 | 7 | 39,0 | 22,0 | 22,0 | 5,0 | | 1 |
| 05078601001 | 196095 | 8 | 39,0 | 22,0 | 22,0 | 5,0 | | 1 |
| 05078602001 | 196088 | 9 | 39,0 | 22,0 | 22,0 | 5,0 | | 1 |
| 05078603001 | 196071 | 10 | 39,0 | 22,0 | 22,0 | 5,0 | | 1 |
| 05078604001 | 196064 | 11 | 39,0 | 22,0 | 22,0 | 5,0 | | 1 |
| 05078605001 | 196057 | 12 | 39,0 | 22,0 | 22,0 | 5,0 | | 1 |
| 05078606001 | 196040 | 13 | 41,0 | 24,0 | 30,0 | 7,0 | | 1 |
| 05078607001 | 196033 | 14 | 41,0 | 24,0 | 30,0 | 7,0 | | 1 |
| 05078608001 | 196026 | 15 | 41,0 | 24,0 | 30,0 | 7,0 | | 1 |
| 05078609001 | 196019 | 16 | 41,0 | 24,0 | 30,0 | 7,0 | | 1 |
| 05078610001 | 196002 | 17 | 41,0 | 24,0 | 30,0 | 7,0 | | 1 |
| 05078611001 | 196118 | 18 | 41,0 | 24,0 | 30,0 | 7,0 | | 1 |
| 05078612001 | 196125 | 19 | 41,0 | 24,0 | 30,0 | 7,0 | | 1 |










7780 Open end insert, 14x18 mm

Open end insert, for hexagon screw heads or nuts; for torque wrenches of the Click-Torque X and XP series with 14x18 mm holder.

| | |
|---------------|--|
| A Form |  |
| 05078670001 | |
| B Form |  |
| 05078671001 | |
| 05078672001 | |
| 05078673001 | |
| 05078674001 | |
| 05078675001 | |
| 05078676001 | |
| C Form |  |
| 05078677001 | |
| 05078678001 | |
| 05078679001 | |
| 05078680001 | |
| 05078681001 | |
| D Form |  |
| 05078682001 | |
| 05078683001 | |
| 05078684001 | |
| 05078685001 | |
| 05078686001 | |
| 05078687001 | |




7780 Open end insert, 14x18 mm



| | EAN |  |  |  |  |  |  |  |
|-------------|---------|---|---|---|---|---|---|---|
| Code | 4013288 | mm | mm | mm | mm | mm | mm | |
| 05078670001 | 196729 | 13 | 56,0 | 32,0 | 30,0 | 7,0 | | 1 |
| 05078671001 | 196736 | 14 | 58,0 | 33,0 | 32,0 | 8,0 | | 1 |
| 05078672001 | 196743 | 15 | 58,0 | 33,0 | 32,0 | 8,0 | | 1 |
| 05078673001 | 196750 | 16 | 58,0 | 33,0 | 32,0 | 9,0 | | 1 |
| 05078674001 | 196767 | 17 | 58,0 | 33,0 | 32,0 | 9,0 | | 1 |
| 05078675001 | 196774 | 18 | 58,0 | 33,0 | 32,0 | 9,7 | | 1 |
| 05078676001 | 196781 | 19 | 58,0 | 33,0 | 32,0 | 9,7 | | 1 |
| 05078677001 | 196798 | 21 | 61,0 | 36,0 | 52,0 | 11,0 | | 1 |
| 05078678001 | 196804 | 22 | 61,0 | 36,0 | 52,0 | 11,0 | | 1 |
| 05078679001 | 196811 | 24 | 61,0 | 36,0 | 52,0 | 12,0 | | 1 |
| 05078680001 | 196828 | 26 | 61,0 | 36,0 | 52,0 | 13,0 | | 1 |
| 05078681001 | 196835 | 27 | 61,0 | 36,0 | 52,0 | 13,0 | | 1 |
| 05078682001 | 196842 | 29 | 61,0 | 36,0 | 52,0 | 14,0 | | 1 |
| 05078683001 | 196859 | 30 | 61,0 | 36,0 | 52,0 | 14,0 | | 1 |
| 05078684001 | 196866 | 32 | 61,0 | 36,0 | 52,0 | 14,0 | | 1 |
| 05078685001 | 196873 | 36 | 61,0 | 36,0 | 52,0 | 15,0 | | 1 |
| 05078686001 | 196880 | 38 | 61,0 | 36,0 | 52,0 | 15,0 | | 1 |
| 05078687001 | 196897 | 41 | 61,0 | 36,0 | 52,0 | 15,0 | | 1 |








7771 Ring spanner insert, 9x12 mm

Ring spanner insert, for hexagon screw heads or nuts; for torque wrenches of the Click-Torque X and XP series with 9x12 mm holder.

| | |
|---------------|---|
| A Form |  |
| 05078620001 | |
| 05078621001 | |
| 05078622001 | |
| 05078623001 | |
| 05078624001 | |
| B Form |  |
| 05078625001 | |
| 05078626001 | |
| 05078627001 | |
| 05078628001 | |
| 05078629001 | |
| 05078630001 | |
| 05078631001 | |
| 05078632001 | |
| C Form |  |
| 05078633001 | |

7771 Ring spanner insert, 9x12 mm



| | EAN |  |  |  |  |  |  |  |
|-------------|---------|---|---|---|---|---|---|---|
| Code | 4013288 | mm | mm | mm | mm | mm | mm | |
| 05078620001 | 196163 | 7 | 41,0 | 24,0 | 22,0 | 8,0 | | 1 |
| 05078621001 | 196156 | 8 | 41,0 | 24,0 | 22,0 | 8,0 | | 1 |
| 05078622001 | 196170 | 9 | 41,0 | 24,0 | 22,0 | 8,0 | | 1 |
| 05078623001 | 196187 | 10 | 41,0 | 24,0 | 22,0 | 8,0 | | 1 |
| 05078624001 | 196194 | 11 | 41,0 | 24,0 | 22,0 | 8,0 | | 1 |
| 05078625001 | 196200 | 12 | 44,0 | 27,0 | 22,0 | 11,0 | | 1 |
| 05078626001 | 196217 | 13 | 44,0 | 27,0 | 22,0 | 11,0 | | 1 |
| 05078627001 | 196224 | 14 | 44,0 | 27,0 | 22,0 | 11,0 | | 1 |
| 05078628001 | 196231 | 15 | 44,0 | 27,0 | 22,0 | 11,0 | | 1 |
| 05078629001 | 196248 | 16 | 44,0 | 27,0 | 22,0 | 11,0 | | 1 |
| 05078630001 | 196255 | 17 | 44,0 | 27,0 | 22,0 | 11,0 | | 1 |
| 05078631001 | 196262 | 18 | 44,0 | 27,0 | 22,0 | 11,0 | | 1 |
| 05078632001 | 196279 | 19 | 44,0 | 27,0 | 22,0 | 11,0 | | 1 |
| 05078633001 | 196286 | 21 | 51,0 | 34,0 | 33,0 | 15,0 | | 1 |

7781 Ring spanner insert, 14x18 mm

Ring spanner insert, for hexagon screw heads or nuts; for torque wrenches of the Click-Torque X and XP series with 14x18 mm holder.

A Form
 05078690001
 05078691001
 05078692001



B Form
 05078693001
 05078694001
 05078695001
 05078696001
 05078697001
 05078698001
 05078699001



C Form
 05078700001
 05078701001
 05078702001
 05078703001
 05078704001
 05078705001



7781 Ring spanner insert, 14x18 mm



| Code | EAN | | | | | | | |
|-------------|--------|----|------|------|------|------|--|---|
| 05078690001 | 196132 | 13 | 62,0 | 37,0 | 30,0 | 11,0 | | 1 |
| 05078691001 | 196576 | 14 | 62,0 | 37,0 | 30,0 | 11,0 | | 1 |
| 05078692001 | 196583 | 15 | 62,0 | 37,0 | 30,0 | 11,0 | | 1 |
| 05078693001 | 196590 | 16 | 64,0 | 39,0 | 28,0 | 12,0 | | 1 |
| 05078694001 | 196606 | 17 | 64,0 | 39,0 | 28,0 | 12,0 | | 1 |
| 05078695001 | 196620 | 18 | 64,0 | 39,0 | 28,0 | 12,0 | | 1 |
| 05078696001 | 196637 | 19 | 64,0 | 39,0 | 28,0 | 12,0 | | 1 |
| 05078697001 | 196644 | 21 | 64,0 | 39,0 | 28,0 | 12,0 | | 1 |
| 05078698001 | 196613 | 22 | 64,0 | 39,0 | 28,0 | 12,0 | | 1 |
| 05078699001 | 196651 | 24 | 64,0 | 39,0 | 28,0 | 12,0 | | 1 |
| 05078700001 | 196668 | 27 | 81,0 | 56,0 | 53,0 | 21,0 | | 1 |
| 05078701001 | 196675 | 30 | 81,0 | 56,0 | 53,0 | 21,0 | | 1 |
| 05078702001 | 196682 | 32 | 81,0 | 56,0 | 53,0 | 21,0 | | 1 |
| 05078703001 | 196699 | 34 | 81,0 | 56,0 | 53,0 | 21,0 | | 1 |
| 05078704001 | 196705 | 36 | 81,0 | 56,0 | 53,0 | 21,0 | | 1 |
| 05078705001 | 196712 | 41 | 81,0 | 56,0 | 53,0 | 21,0 | | 1 |

7772 A Ratchet insert, reversible, 9x12 mm

Ratchet insert, reversible, for 1/4" square socket wrench inserts and 1/4" connecting parts with square drive; for torque wrenches of the Click-Torque X and XP series with 9x12 mm holder.

7772 A Ratchet insert, reversible, 9x12 mm



| Code | EAN | | | | | | |
|-------------|--------|------|------|------|------|------|---|
| 05078635001 | 196347 | 1/4" | 49,0 | 32,0 | 28,0 | 15,0 | 1 |

7772 B Ratchet insert, reversible, 9x12 mm

Ratchet insert, reversible, for 3/8" square socket wrench inserts and 3/8" connecting parts with square drive; for torque wrenches of the Click-Torque X and XP series with 9x12 mm holder.

7772 B Ratchet insert, reversible, 9x12 mm



| Code | EAN | | | | | | |
|-------------|--------|------|------|------|------|------|---|
| 05078636001 | 196446 | 3/8" | 52,0 | 35,0 | 35,0 | 21,0 | 1 |

7772 C Ratchet insert, reversible, 9x12 mm

Ratchet insert, reversible, for 1/2" square socket wrench inserts and 1/2" connecting parts with square drive; for torque wrenches of the Click-Torque X and XP series with 9x12 mm holder.

7772 C Ratchet insert, reversible, 9x12 mm



| Code | EAN | | | | | | |
|-------------|--------|------|------|------|------|------|---|
| 05078637001 | 196453 | 1/2" | 58,0 | 41,0 | 42,0 | 23,0 | 1 |

7782 C Ratchet insert, reversible, 14x18 mm

Ratchet insert, reversible, for 1/2" square socket wrench inserts and 1/2" connecting parts with square drive; for torque wrenches of the Click-Torque X and XP series with 14x18 mm holder.

7782 C Ratchet insert, reversible, 14x18 mm



| | EAN | | | | | | | |
|-------------|---------|------|------|------|------|------|--|---|
| Code | 4013288 | | mm | mm | mm | mm | | |
| 05078707001 | 196552 | 1/2" | 66,0 | 41,0 | 42,0 | 23,0 | | 1 |

7782 E Ratchet insert, reversible, 14x18 mm

Ratchet insert, reversible, for 3/4" square socket wrench inserts and 3/4" connecting parts with square drive; for torque wrenches of the Click-Torque X and XP series with 14x18 mm holder.

7782 E Ratchet insert, reversible, 14x18 mm



| | EAN | | | | | | | |
|-------------|---------|------|------|------|------|------|--|---|
| Code | 4013288 | | mm | mm | mm | mm | | |
| 05078708001 | 196569 | 3/4" | 90,0 | 65,0 | 65,0 | 36,0 | | 1 |

7773 A Square drive insert, 9x12 mm

Square drive insert, for 1/4" square socket wrench inserts and 1/4" connecting parts with square drive; for torque wrenches of the Click-Torque X and XP series with 9x12 mm holder.

7773 A Square drive insert, 9x12 mm



| | EAN | | | | | | | |
|-------------|---------|------|------|------|------|------|--|---|
| Code | 4013288 | | mm | mm | | | | |
| 05078200001 | 023742 | 1/4" | 44,0 | 28,0 | 21,0 | 14,0 | | 1 |

7773 B Square drive insert, 9x12 mm



| | EAN | | | | | | | |
|-------------|---------|------|------|------|------|------|--|---|
| Code | 4013288 | | mm | mm | | | | |
| 05078205001 | 023759 | 3/8" | 44,0 | 28,0 | 21,0 | 14,0 | | 1 |

7773 C Square drive insert, 9x12 mm



| | EAN | | | | | | | |
|-------------|---------|------|------|------|------|------|--|---|
| Code | 4013288 | | mm | mm | mm | mm | | |
| 05078210001 | 023766 | 1/2" | 44,0 | 28,0 | 21,0 | 14,0 | | 1 |

7783 C Square drive insert, 14x18 mm

Square drive insert, for 1/2" square socket wrench inserts and 1/2" connecting parts with square drive; for torque wrenches of the Click-Torque X and XP series with 14x18 mm holder.

7783 C Square drive insert, 14x18 mm



| | EAN | | | | | | | |
|-------------|---------|------|------|------|------|------|--|---|
| Code | 4013288 | | mm | mm | | | | |
| 05078345001 | 024183 | 1/2" | 65,0 | 40,0 | 30,0 | 18,0 | | 1 |

7783 E Push-through square insert tool, 14x18 mm

Square drive insert, for 3/4" square socket wrench inserts and 3/4" connecting parts with square drive; for torque wrenches of the Click-Torque X and XP series with 14x18 mm holder.

7783 E Push-through square insert tool, 14x18 mm



| | EAN | | | | | | | |
|-------------|---------|------|------|------|------|------|--|---|
| Code | 4013288 | | mm | mm | mm | mm | | |
| 05078710001 | 196460 | 3/4" | 70,0 | 45,0 | 40,0 | 25,0 | | 1 |

7774/1 Bit adapter insert, 1/4", 9x12 mm

Bit adapter insert, 1/4"; for torque wrenches of the Click-Torque X and XP series with 9x12 mm holder.

7774/1 Bit adapter insert, 1/4", 9x12 mm



| | EAN | | | | | | | |
|-------------|---------|------|------|------|------|------|--|---|
| Code | 4013288 | | mm | mm | mm | mm | | |
| 05078640001 | 196316 | 1/4" | 42,0 | 25,0 | 22,0 | 12,5 | | 1 |

7774/2 Bit adapter insert, 5/16", 9x12 mm

Bit adapter insert, 5/16"; for torque wrenches of the Click-Torque X and XP series with 9x12 mm holder.

7774/2 Bit adapter insert, 5/16", 9x12 mm



| | EAN | | | | | | | |
|-------------|---------|-------|------|------|------|------|--|---|
| Code | 4013288 | | mm | mm | mm | mm | | |
| 05078641001 | 196309 | 5/16" | 42,0 | 25,0 | 22,0 | 12,5 | | 1 |

7774/3 Bit adapter insert, 5/16", 14x18 mm

Bit adapter insert, 5/16"; for torque wrenches of the Click-Torque X and XP series with 14x18 mm holder.

7774/3 Bit adapter insert, 5/16", 14x18 mm



| | EAN | | | | | | | |
|-------------|---------|-------|------|------|------|------|--|---|
| Code | 4013288 | | mm | mm | mm | mm | | |
| 05078642001 | 196293 | 5/16" | 58,0 | 33,0 | 30,0 | 13,0 | | 1 |

7775 Open ring spanner insert, 9x12 mm

Open ring spanner insert, for hexagon screw heads or nuts; for torque wrenches of the Click-Torque X and XP series with 9x12 mm holder.

A Form

05078650001
05078651001
05078652001
05078653001
05078654001
05078655001



B Form

05078656001
05078657001
05078658001



7775 Open ring spanner insert, 9x12 mm



| | EAN | | | | | | | | | |
|-------------|---------|----|------|------|------|------|----|----|----|---|
| Code | 4013288 | mm | mm | mm | mm | mm | mm | mm | mm | |
| 05078650001 | 196330 | 10 | 44,0 | 27,0 | 22,0 | 11,0 | | | | 1 |
| 05078651001 | 196361 | 11 | 44,0 | 27,0 | 22,0 | 11,0 | | | | 1 |
| 05078652001 | 196378 | 12 | 44,0 | 27,0 | 22,0 | 11,0 | | | | 1 |
| 05078653001 | 196385 | 13 | 44,0 | 27,0 | 22,0 | 11,0 | | | | 1 |
| 05078654001 | 196392 | 14 | 44,0 | 27,0 | 22,0 | 11,0 | | | | 1 |
| 05078655001 | 196408 | 17 | 44,0 | 27,0 | 22,0 | 11,0 | | | | 1 |
| 05078656001 | 196415 | 18 | 49,0 | 32,0 | 33,0 | 15,0 | | | | 1 |
| 05078657001 | 196422 | 19 | 49,0 | 32,0 | 33,0 | 15,0 | | | | 1 |
| 05078658001 | 196439 | 22 | 49,0 | 32,0 | 33,0 | 15,0 | | | | 1 |

7776 External TORX® insert, 9x12 mm

External TORX® insert; for torque wrenches of the Click-Torque X and XP series with 9x12 mm holder.

A Form

05078660001
05078661001
05078662001
05078663001



B Form

05078664001



7776 External TORX® insert, 9x12 mm



| | EAN | | | | | | | |
|-------------|---------|-------|------|------|------|------|----|---|
| Code | 4013288 | | mm | mm | mm | mm | mm | |
| 05078660001 | 195968 | TX 6 | 40,0 | 23,0 | 22,0 | 8,0 | | 1 |
| 05078661001 | 195975 | TX 8 | 40,0 | 23,0 | 22,0 | 8,0 | | 1 |
| 05078662001 | 195982 | TX 10 | 40,0 | 23,0 | 22,0 | 8,0 | | 1 |
| 05078663001 | 195999 | TX 12 | 40,0 | 23,0 | 22,0 | 8,0 | | 1 |
| 05078664001 | 196149 | TX 14 | 45,0 | 28,0 | 22,0 | 11,0 | | 1 |

7786 External TORX® insert, 14x18 mm

External TORX® insert; for torque wrenches of the Click-Torque X and XP series with 14x18 mm holder.

A Form

05078714001
05078715001



B Form

05078716001
05078717001



7786 External TORX® insert, 14x18 mm



| | EAN | | | | | | |
|-------------|---------|-------|------|------|------|------|---|
| Code | 4013288 | | mm | mm | mm | mm | |
| 05078714001 | 196507 | TX 14 | 37,0 | 62,0 | 30,0 | 11,0 | 1 |
| 05078715001 | 196514 | TX 18 | 37,0 | 62,0 | 30,0 | 11,0 | 1 |
| 05078716001 | 196521 | TX 20 | 40,0 | 65,0 | 32,0 | 12,0 | 1 |
| 05078717001 | 196538 | TX 24 | 40,0 | 65,0 | 32,0 | 12,0 | 1 |

7779/1 Adapter insert, 9x12 mm

Adapter insert for the use of square plug-in tools 14x18 mm in torque wrenches with internal square 9x12 mm; for torque wrenches of the Click-Torque X and XP series with 9x12 mm holder.

7779/1 Adapter insert, 9x12 mm



| | EAN | | | | | | |
|-------------|---------|-------|------|------|------|------|---|
| Code | 4013288 | mm | mm | mm | mm | mm | |
| 05078666001 | 196323 | 14x18 | 9x12 | 49,0 | 33,0 | 32,0 | 1 |

7779/2 Adapter insert, 14x18 mm

Adapter insert for the use of square plug-in tools 9x12 mm in torque wrenches with internal square 14x18 mm; for torque wrenches of the Click-Torque X and XP series with 14x18 mm holder.

7779/2 Adapter insert, 14x18 mm



| | EAN | | | | | | |
|--------------|---------|------|-------|------|------|------|---|
| Code | 4013288 | mm | mm | mm | mm | mm | |
| 050786667001 | 196545 | 9x12 | 14x18 | 52,0 | 27,0 | 28,0 | 1 |

7790/1 Push-fit weld-on adapter, 9x12 mm

Push-fit weld-on adapter; for torque wrenches of the Click-Torque X series with 9x12 mm holder.

7790/1 Push-fit weld-on adapter, 9x12 mm



| | EAN | | | | | |
|-------------|---------|------|-----|------|------|---|
| Code | 4013288 | mm | mm | mm | mm | |
| 05078720001 | 196354 | 24,0 | 8,0 | 22,0 | 14,0 | 1 |

7790/2 Push-fit weld-on adapter, 14x18 mm

Push-fit weld-on adapter; for torque wrenches of the Click-Torque X and XP series with 14x18 mm holder.

7790/2 Push-fit weld-on adapter, 14x18 mm



| | EAN | | | | | |
|-------------|---------|------|------|------|------|---|
| Code | 4013288 | mm | mm | mm | mm | |
| 05078721001 | 196477 | 38,0 | 13,0 | 31,0 | 22,0 | 1 |

Click-Torque collar

The collar prevents the handle of the Click-Torque torque wrench from touching the ground. Dirt and damage are avoided when putting down the tool while working.

Also prevents the tool from rolling away, and it serves to fix the Click-Torque torque wrench in the storage/transport box. The collar can be easily attached to the torque wrench tube and is removable.



7762 Click-Torque collar M3

Click-Torque collar as an accessory for Click-Torque Torque wrenches B 1, B 2, C 1, C 2, C 3, C 4, X 2, X 3, X 4, X 5, XP 4, Click-Torque Push R/L C 2 and Click-Torque Push R/L C 3.

7762 Click-Torque collar M3



| | EAN | | | | | | | |
|-------------|---------|------|------|------|--|--|--|---|
| Code | 4013288 | mm | mm | mm | | | | |
| 05078709001 | 211767 | 55,0 | 70,0 | 21,5 | | | | 1 |

7761 Click-Torque collar M4

Click-Torque collar as an accessory for Click-Torque Torque wrenches C 5 and X 6.

7761 Click-Torque collar M4



| | EAN | | | | | | | |
|-------------|---------|------|------|------|--|--|--|---|
| Code | 4013288 | mm | mm | mm | | | | |
| 05078706001 | 211750 | 55,0 | 68,0 | 21,5 | | | | 1 |

7763 Click-Torque collar M5

Click-Torque collar as an accessory for Click-Torque Torque wrench E 1 and Click-Torque Push R/L E 1.

7763 Click-Torque collar M5



| | EAN | | | | | | | |
|-------------|---------|------|------|------|--|--|--|---|
| Code | 4013288 | mm | mm | mm | | | | |
| 05078711001 | 211774 | 73,0 | 88,0 | 27,0 | | | | 1 |

Safe-Torque A 1 torque wrench with 1/4" square head drive, 2-12 Nm

Torque wrench with slide-over mechanism. Once the set torque has been reached, the tool cannot be overtightened, so that excessive torque cannot be applied.

Setting range of 2 to 12 Nm for controlled clockwise and counterclockwise torque operation. Easy setting and saving of the default value: The audible and tactile clicks on reaching the scale values facilitate the safe setting of the desired torque value. With Torque Lock function for use as a standard ratchet without torque function.

Max. breaking torque of the 1/4" square head as per DIN 3122. The return angle of only 5° allows the ratchet to be used even in confined spaces and therefore also for applications with angles of rotation.

- Slip-over release mechanism – the set torque can never be overtightened
- Torque Lock function: The torque function can be deactivated and the tool can then be used as a standard ratchet for high loosening moments and for applications with defined angles of rotation
- For controlled clockwise and counterclockwise torque operation – tightening and loosening with or without torque
- Easy setting and saving of the desired torque value with audible and tactile clicks when reaching the scale values
- Comfortable working thanks to a small release angle of only 30°
- 1/4" square head drive with socket locking

Safe-Torque A 1 torque wrench with 1/4" square head drive, 2-12 Nm



| Code | EAN | Drive | Range | Resolution | Max. Torque | Length | Weight | Quantity |
|------------|--------|-------|-------|------------|-------------|--------|--------|----------|
| 0507580001 | 223012 | 1/4" | 2-12 | 0,10 | 2-9 | 244 | 94 | 1 |

Safe-Torque A 2 torque wrench with 1/4" hexagon drive, 2-12 Nm

- 1/4" hexagon drive for the use of 1/4" bits

Safe-Torque A 2 torque wrench with 1/4" hexagon drive, 2-12 Nm



| Code | EAN | Drive | Range | Resolution | Max. Torque | Length | Weight | Quantity |
|-------------|--------|-------|-------|------------|-------------|--------|--------|----------|
| 05075801001 | 223036 | 1/4" | 2-12 | 0,10 | 2-9 | 244 | 94 | 1 |

Safe-Torque A 1 Set 1, 1/4" square head drive, 2-12 Nm

10-piece 1/4" torque wrench set in a robust textile box; torque wrench with slide-over mechanism. Once the set torque has been reached, the tool cannot be overtightened, so that excessive torque cannot be applied.

Setting range of 2 to 12 Nm for controlled clockwise and counterclockwise torque operation. Easy setting and saving of the default value: The audible and tactile clicks on reaching the scale values facilitate the safe setting of the desired torque value.

The Torque Lock function allows use as a standard ratchet without torque function. Thus also usable for applications with angles of rotation. Max. breaking torque of the 1/4" square head as per DIN 3122. The return angle of only 5° allows the ratchet to be used even in confined spaces.

Included are: Safe-Torque A 1 torque wrench, 1/4" square head, 2-12 Nm, 8 sockets with 1/4" drive and one short extension.

- 1/4" square head drive with socket locking

Safe-Torque A 1 Set 1, 1/4" square head drive, 2-12 Nm



| Code | EAN | Contents | Quantity |
|-------------|--------|--|----------|
| 05075830001 | 223005 | Safe-Torque A 1 1x 1/4", 2-12 Nm | 1 |
| | | 8790 HMA 1x 5,5x23,0; 1x 6,0x23,0; 1x 7,0x23,0; 1x 8,0x23,0; 1x 10,0x23,0; 1x 11,0x23,0; 1x 12,0x23,0; 1x 13,0x23,0 | |
| | | 8794 SA 1x 1/4"x75,0 | |
| | | Hook and Loop Fastener Strip 70 1x 50,0x240,0 | |

Safe-Torque A 1 Imperial Set 1, 1/4" square head drive, 2-12 Nm

10-piece 1/4" torque wrench set in a robust textile box; torque wrench with slide-over mechanism. Once the set torque has been reached, the tool cannot be overtightened, so that excessive torque cannot be applied.

Setting range of 2 to 12 Nm for controlled clockwise and counterclockwise torque operation. Easy setting and saving of the default value: The audible and tactile clicks on reaching the scale values facilitate the safe setting of the desired torque value.

The Torque Lock function allows use as a standard ratchet without torque function. Thus also usable for applications with angles of rotation. Max. breaking torque of the 1/4" square head as per DIN 3122. The return angle of only 5° allows the ratchet to be used even in confined spaces.

Included are: Safe-Torque A 1 torque wrench, 1/4" square head, 2-12 Nm, 8 sockets with 1/4" drive and one short extension.

- 1/4" square head drive with socket locking

Safe-Torque A 1 Imperial Set 1, 1/4" square head drive, 2-12 Nm



| Code | EAN | | |
|-------------|--------|---|---|
| 05075831001 | 223074 | | 1 |
| | | ☐ Safe-Torque A 1 1x 1/4", 2-12 Nm | |
| | | ● 8790 HMA 1x 3/16"x23,0; 1x 7/32"x23,0; 1x 1/4"x23,0; 1x 9/32"x23,0; 1x 5/16"x23,0; 1x 3/8"x23,0; 1x 7/16"x23,0; 1x 1/2"x23,0 | |
| | | ●☐ 8794 SA 1x 1/4"x75,0 | |
| | | Hook and Loop Fastener Strip 70 1x 50,0x240,0 | |

Safe-Torque A 2 Set 1, 1/4" hexagonal, 2-12 Nm

23-piece set; in surface-friendly, compact and extremely robust textile box. Small size and low weight for better mobility.

1 Safe-Torque A 2 torque wrench with 1/4" hexagonal drive, measuring range 2-12 Nm; for controlled clockwise and counterclockwise torque operation; tightening and loosening with or without torque, disengageable torque function (Torque Lock function); 72 teeth; low return angle of 5°; easy setting and saving of the desired torque value, with audible and tactile locking when the scale values are reached, slip-over release mechanism when the set torque is reached; ergonomic 2-component handle; 9 Zyklop sockets, 12 bits (1/4", 50 mm long), one connector for sockets (1/4" external hexagon to 1/4" external square head).

- 1/4" hexagon drive for the use of 1/4" bits
- Use of 1/4" sockets also possible with the Wera adaptor 870/1

Safe-Torque A 2 Set 1, 1/4" hexagonal, 2-12 Nm



| Code | EAN | | |
|-------------|--------|---|---|
| 05075832001 | 223043 | | 1 |
| | | ● Safe-Torque A 2 1x 1/4", 2-12 Nm | |
| | | ● 8790 HMA 1x 5,5x23,0; 1x 6,0x23,0; 1x 7,0x23,0; 1x 8,0x23,0; 1x 9,0x23,0; 1x 10,0x23,0; 1x 11,0x23,0; 1x 12,0x23,0; 1x 13,0x23,0 | |
| | | ☐☐ 870/1 1x 1/4"x25 ¹⁾ | |
| | | ●+ 851/4 Z 1x PH 2x50 | |
| | | ●* 867/4 Z TORX® 1x TX 10x50; 1x TX 15x50; 1x TX 20x50; 1x TX 25x50; 1x TX 27x50; 1x TX 30x50 | |
| | | ○ 840/4 Z 1x 2,5x50; 1x 3,0x50; 1x 4,0x50; 1x 5,0x50; 1x 6,0x50 | |
| | | Hook and Loop Fastener Strip 240 1x 50,0x240,0 | |

¹⁾ With friction ball, for manual nut spinner sockets

2090 Impact driver 90 Nm

High quality impact driver that can loosen rigid connections without the use of power tools simply by the force of the impact. The Wera impact drivers have a particularly high efficiency thanks to their robust, double-curved design.

Impact forces are converted into rotary motion. The use of compressed air equipment becomes unnecessary. For M 4 to M 8 screws. Drive: 5/16" hexagon socket.

- To loosen and tighten screws without the use of power tools
- Impact forces are converted into rotary motion
- The double-curved design is particularly efficient
- 5/16" hexagon socket take-up

2090 Impact driver 90 Nm



| | EAN | ⊙ | ⌀ | ℓ | | | | |
|-------------|---------|-------|-------|----------|--|--|--|---|
| Code | 4013288 | | mm | | | | | |
| 05072014001 | 180926 | 5/16" | 142,0 | 5 19/32" | | | | 1 |

2090/17 Impact driver set

- 2090 impact driver, 90 Nm with many accessories
- In robust pouch

2090/17 Impact driver set



| Code | EAN | | |
|-------------|--------|--|---|
| 05072017001 | 179777 | | 1 |
| | | 2090 90 Nm 1x 5/16"x142,0 | |
| | | 851/2 Z PH 1x PH 2x32; 1x PH 3x32 | |
| | | 851/2 PH 1x PH 4x32 | |
| | | 800/2 1x 2,0x12,0x41 | |
| | | 840/2 Z 1x 5x30; 1x 6x30; 1x 8x30; 1x 10x30 | |
| | | 840/2 1x 7,0x30 | |
| | | 867/2 Z TORX® 1x TX 30x35; 1x TX 40x35; 1x TX 45x35; 1x TX 50x35; 1x TX 55x35 | |
| | | 870/2 1x 3/8"x5/16" ¹⁾ ; 1x 1/2"x5/16" ¹⁾ | |

¹⁾With friction ball; for manual nut spinner sockets

100 Soft-faced hammer with Cellidor head sections

Wera soft-face hammers. Double-sided conical design for a secure, inseparable connection between the hammer handle and head. The hammer head is made out of cellidor; the handle out of high quality ash wood. For heavy-duty applications with diverse uses thanks to interchangeable soft-face hammer heads. Suitable for very demanding jobs.

100 Soft-faced hammer with Cellidor head sections



| | EAN | # | ⌀ | ℓ | ℓ | | |
|-------------|---------|---|------|-------|-------|--|---|
| Code | 4013288 | | mm | mm | mm | | |
| 05000005001 | 001139 | 1 | 23,0 | 76,0 | 250,0 | | 2 |
| 05000010001 | 001146 | 2 | 28,0 | 87,0 | 265,0 | | 2 |
| 05000015001 | 001153 | 3 | 33,0 | 96,0 | 280,0 | | 2 |
| 05000020001 | 001160 | 4 | 36,0 | 102,0 | 290,0 | | 2 |
| 05000025001 | 001177 | 5 | 41,0 | 108,0 | 320,0 | | 2 |
| 05000030001 | 001184 | 6 | 51,0 | 117,0 | 340,0 | | 2 |
| 05000035001 | 001191 | 7 | 61,0 | 131,0 | 380,0 | | 2 |



101 Soft-faced hammer with nylon head sections

The hammer head is made out of nylon. Suitable for sheet metal and renovation work as well as for tent, hall and fair booth construction jobs.

101 Soft-faced hammer with nylon head sections



| Code | EAN | # | mm | mm | mm | | |
|-------------|--------|---|------|-------|-------|--|---|
| 05000305001 | 001351 | 1 | 23,0 | 76,0 | 250,0 | | 2 |
| 05000310001 | 001368 | 2 | 28,0 | 87,0 | 265,0 | | 2 |
| 05000315001 | 001375 | 3 | 33,0 | 96,0 | 280,0 | | 2 |
| 05000320001 | 001382 | 4 | 36,0 | 102,0 | 290,0 | | 2 |
| 05000325001 | 001399 | 5 | 41,0 | 108,0 | 320,0 | | 2 |
| 05000330001 | 001405 | 6 | 51,0 | 117,0 | 340,0 | | 2 |
| 05000335001 | 001412 | 7 | 61,0 | 131,0 | 380,0 | | 2 |

102 Soft-faced hammer with urethane head sections

The hammer head is made out of semi-hard urethane. Suitable for car body, engineering and automotive applications.

102 Soft-faced hammer with urethane head sections



| Code | EAN | # | mm | mm | mm | | |
|-------------|--------|---|------|-------|-------|--|---|
| 05000505001 | 001498 | 1 | 23,0 | 76,0 | 250,0 | | 2 |
| 05000510001 | 001504 | 2 | 28,0 | 87,0 | 265,0 | | 2 |
| 05000515001 | 001511 | 3 | 33,0 | 96,0 | 280,0 | | 2 |
| 05000520001 | 001528 | 4 | 36,0 | 102,0 | 290,0 | | 2 |
| 05000525001 | 001535 | 5 | 41,0 | 108,0 | 320,0 | | 2 |
| 05000530001 | 001542 | 6 | 51,0 | 117,0 | 340,0 | | 2 |
| 05000535001 | 001559 | 7 | 61,0 | 131,0 | 380,0 | | 2 |

100 S Replacement ashwood handles for hammers 100, 101, 102

Handles for hammers 100, 101, 102 out of best-quality ash wood.

100 S Replacement ashwood handles for hammers 100, 101, 102



| Code | EAN | # | mm | | | | |
|-------------|--------|---|-------|--|--|--|---|
| 05000205001 | 001283 | 1 | 250,0 | | | | 1 |
| 05000210001 | 001290 | 2 | 265,0 | | | | 1 |
| 05000215001 | 001306 | 3 | 280,0 | | | | 1 |
| 05000220001 | 001313 | 4 | 290,0 | | | | 1 |
| 05000225001 | 001320 | 5 | 320,0 | | | | 1 |
| 05000230001 | 001337 | 6 | 340,0 | | | | 1 |
| 05000235001 | 001344 | 7 | 380,0 | | | | 1 |

100 L Replacement head sections out of Cellidor for hammer 100

Interchangeable soft-face heads out of cellidor for demanding repair and maintenance applications.

100 L Replacement head sections out of Cellidor for hammer 100



| Code | EAN | # | mm | | | | |
|-------------|--------|---|------|--|--|--|----|
| 05000105001 | 001214 | 1 | 23,0 | | | | 10 |
| 05000110001 | 001221 | 2 | 28,0 | | | | 10 |
| 05000115001 | 001238 | 3 | 33,0 | | | | 10 |
| 05000120001 | 001245 | 4 | 36,0 | | | | 10 |
| 05000125001 | 001252 | 5 | 41,0 | | | | 10 |
| 05000130001 | 001269 | 6 | 51,0 | | | | 10 |
| 05000135001 | 001276 | 7 | 61,0 | | | | 10 |

101 L Replacement head sections out of nylon for hammer 101

Interchangeable soft-face heads out of nylon for sheet metal and renovation work as well as for tent, hall and fair booth construction jobs.

101 L Replacement head sections out of nylon for hammer 101



| Code | EAN | # | mm | | | | |
|-------------|--------|---|------|--|--|--|----|
| 05000405001 | 001429 | 1 | 23,0 | | | | 10 |
| 05000410001 | 001436 | 2 | 28,0 | | | | 10 |
| 05000415001 | 001443 | 3 | 33,0 | | | | 10 |
| 05000420001 | 001450 | 4 | 36,0 | | | | 10 |
| 05000425001 | 001467 | 5 | 41,0 | | | | 10 |
| 05000430001 | 001474 | 6 | 51,0 | | | | 10 |
| 05000435001 | 001481 | 7 | 61,0 | | | | 10 |

102 L Replacement head sections out of urethane for hammer 102

Interchangeable soft-face heads out of semi-hard urethane for car body, engineering and automotive applications.

102 L Replacement head sections out of urethane for hammer 102



| Code | EAN | # | mm | | | | |
|-------------|--------|---|------|--|--|--|----|
| 05000605001 | 001566 | 1 | 23,0 | | | | 10 |
| 05000610001 | 001573 | 2 | 28,0 | | | | 10 |
| 05000615001 | 001580 | 3 | 33,0 | | | | 10 |
| 05000620001 | 001597 | 4 | 36,0 | | | | 10 |
| 05000625001 | 001603 | 5 | 41,0 | | | | 10 |
| 05000630001 | 001610 | 6 | 51,0 | | | | 10 |
| 05000635001 | 001627 | 7 | 61,0 | | | | 10 |

TORQUE Test Values



Slotted Tools

Drives: DIN ISO 2380, VSM 35601.
TORQUE values evaluated in test gages according to DIN ISO 2380 on TORQUE testing equipment.



Hexagon Tools

Drives: DIN ISO 2936. TORQUE values evaluated in test gages according to DIN ISO 2936 on TORQUE testing equipment.



PH and PZ Tools

Drives: DIN 5260, ISO 8764 and SMS-SS 1687.
TORQUE values evaluated in test gages according to DIN 5261, ISO 8764 on TORQUE testing equipment.



Tools with TORQ-SET® drive

TORQUE values evaluated with testing gages of Phillips Screw Company, licensor of TORQ-SET®, on TORQUE testing equipment.

| a x b mm | TORQUE in Nm (min) | |
|-------------|-----------------------|----------|
| | handuse | poweruse |
| 0,3 x 2,0 | 0,18 | 0,20 |
| 0,4 x 2,0 | 0,30 | 0,35 |
| 0,4 x 2,5 | 0,40 | 0,45 |
| 0,5 x 3,0 | 0,70 | 0,80 |
| 0,5 x 3,5 | 0,90 | 0,98 |
| 0,6 x 3,5 | 1,30 | 1,40 |
| 0,6 x 4,0 | 1,40 | 1,61 |
| 0,6 x 4,5 | - | 1,80 |
| 0,8 x 4,0 | 2,60 | 2,90 |
| 0,8 x 4,5 | 2,88 | |
| 0,8 x 5,0 | 3,20 | 3,58 |
| 0,8 x 5,5 | 3,50 | 3,90 |
| 1,0 x 5,5 | 5,50 | 6,20 |
| 1,0 x 6,5 | 6,50 | 7,28 |
| 1,0 x 7,0 | 7,0 | 7,80 |
| 1,2 x 6,5 | 9,40 | 10,50 |
| 1,2 x 7,0 | 10,0 | 11,28 |
| 1,2 x 8,0 | 11,5 | 12,90 |
| 1,4 x 9,0 | 17,6 | 19,70 |
| 1,5 x 13 | 29 | 32 |
| 1,6 x 8,0 | 20,5 | 22,9 |
| 1,6 x 9,0 | 23 | 25 |
| 1,6 x 10 | 25,6 | 28,7 |
| 2,0 x 12 | 48,0 | 53 |
| 2,0 x 13 | 52 | 58 |
| 2,5 x 14 | 87 | 98 |
| 2,5 x 16 | 100 | 112 |
| 3,0 x 18 | 162 | 181 |

| SW (mm) | TORQUE in Nm (min) |
|------------|-----------------------|
| 0,7 | 0,08 |
| 0,9 | 0,18 |
| 1,3 | 0,53 |
| 1,5 | 0,82 |
| 2,0 | 1,9 |
| 2,5 | 3,8 |
| 3 | 6,6 |
| 3,5 | 11 |
| 4 | 16 |
| 4,5 | 24 |
| 5 | 30 |
| 6 | 52 |
| 7 | 78 |
| 8 | 120 |
| 9 | 180 |
| 10 | 220 |
| 11 | 295 |
| 12 | 370 |
| 13 | 480 |
| 14 | 590 |
| 17 | 1000 |
| 19 | 1000 |
| 22 | 1000 |
| 24 | 1000 |
| 27 | 1000 |

| | TORQUE in Nm (min) | |
|---|-----------------------|----------|
| | handuse | poweruse |
| 0 | 1,0 | 1,0 |
| 1 | 3,5 | 3,9 |
| 2 | 8,2 | 10,3 |
| 3 | 19,5 | 32,0 |
| 4 | 38,0 | 88,7 |



| | TORQUE in Nm (min) | |
|-------|-----------------------|-------------------|
| | Bits | Screw- drivers |
| 2 | 1,1 | 1,1 |
| 3 | 1,7 | 1,7 |
| 4 | 2,8 | 2,8 |
| 5 | 4,0 | 4,0 |
| 6 | 5,1 | 5,1 |
| 8 | 8,5 | 8,5 |
| 10 | 11,3 | 11,3 |
| 1/4" | 28 | 17 |
| 5/16" | 56 | 28 |
| 3/8" | 102 | 62 |
| 7/16" | 147 | |
| 1/2" | 249 | |
| 9/16" | 271 | |
| 5/8" | 339 | |

Important device:


After TORQUE testing with the minimum value, screwdrivers shall not show any deformation or injuries at the tip.

| | TORQUE in Nm (min.) TORX® | | | TORX PLUS® | | |
|----|-------------------------------------|-----------|------------------|------------|-----------|-------------------|
| | Bit | Resis-Bit | Screw- driver | Bit | Resis-Bit | Screw- drivers |
| 1 | 0,10 | - | 0,08 | 0,11 | | |
| 2 | 0,14 | - | 0,12 | 0,16 | | |
| 3 | 0,25 | - | 0,21 | 0,28 | | |
| 4 | 0,37 | - | 0,31 | 0,44 | | |
| 5 | 0,51 | - | 0,43 | 0,61 | | |
| 6 | 0,91 | - | 0,75 | 1,11 | | 0,92 |
| 7 | 1,7 | 1,4 | 1,4 | 2,10 | | 1,68 |
| 8 | 2,6 | 2,2 | 2,2 | 3,21 | 2,5 | 2,79 |
| 9 | 3,4 | 2,9 | 2,8 | 4,19 | 3,3 | 3,49 |
| 10 | 4,5 | 3,8 | 3,7 | 5,42 | 4,3 | 4,47 |
| 15 | 7,7 | 6,5 | 6,4 | 9,62 | 7,3 | 8,06 |
| 20 | 12,7 | 10,8 | 10,5 | 16,15 | 11,9 | 13,41 |
| 25 | 19,0 | 16,1 | 15,9 | 23,50 | 17,4 | 19,58 |
| 27 | 26,9 | 22,9 | 22,5 | 34,62 | 25,1 | 28,95 |
| 30 | 37,4 | 31,8 | 31,1 | 47,18 | 33,5 | 39,34 |
| 40 | 65,1 | 55,3 | 54,1 | 82,08 | 59,4 | 68,40 |
| 45 | 104 | 88 | 86 | 137,38 | 97,3 | 114,44 |
| 50 | 159 | 135 | 132 | 194,54 | 152,4 | 162,14 |
| 55 | 257 | 218 | 218 | 352,10 | 291,5 | 299,25 |
| 60 | 445 | 379 | 379 | 566,11 | 483,0 | 481,24 |
| 70 | 701 | 596 | 600 | 910,40 | 713,3 | 773,91 |




Dimensions Of Profiles

TORX® Recess Screws




| | |
|-------|-------|
| TX 1 | 0,84 |
| TX 2 | 0,94 |
| TX 3 | 1,12 |
| TX 4 | 1,30 |
| TX 5 | 1,37 |
| TX 6 | 1,65 |
| TX 7 | 1,97 |
| TX 8 | 2,30 |
| TX 9 | 2,48 |
| TX 10 | 2,72 |
| TX 15 | 3,26 |
| TX 20 | 3,84 |
| TX 25 | 4,40 |
| TX 27 | 4,96 |
| TX 30 | 5,49 |
| TX 40 | 6,60 |
| TX 45 | 7,77 |
| TX 50 | 8,79 |
| TX 55 | 11,17 |
| TX 60 | 13,20 |
| TX 70 | 15,49 |

TORX PLUS® Recess Screws




| | |
|-------|-------|
| 1 IP | 0,84 |
| 2 IP | 0,95 |
| 3 IP | 1,13 |
| 4 IP | 1,29 |
| 5 IP | 1,41 |
| 6 IP | 1,69 |
| 7 IP | 1,97 |
| 8 IP | 2,29 |
| 9 IP | 2,48 |
| 10 IP | 2,72 |
| 15 IP | 3,25 |
| 20 IP | 3,84 |
| 25 IP | 4,39 |
| 27 IP | 4,95 |
| 30 IP | 5,49 |
| 40 IP | 6,60 |
| 45 IP | 7,77 |
| 50 IP | 8,79 |
| 55 IP | 11,16 |
| 60 IP | 13,20 |
| 70 IP | 15,48 |

TORQ-SET® Recess Screws




| | |
|-------|------|
| 0 | 0,43 |
| 1 | 0,43 |
| 2 | 0,43 |
| 3 | 0,48 |
| 4 | 0,56 |
| 5 | 0,63 |
| 6 | 0,71 |
| 8 | 0,84 |
| 10 | 0,96 |
| 1/4" | 1,27 |
| 5/16" | 1,60 |
| 3/8" | 1,90 |
| 7/16" | 2,23 |
| 1/2" | 2,54 |

TRI-WING® Recess Screws




| | |
|----|------|
| 0 | 0,45 |
| 1 | 0,57 |
| 2 | 0,75 |
| 3 | 0,95 |
| 4 | 1,08 |
| 5 | 1,23 |
| 6 | 1,54 |
| 7 | 1,87 |
| 8 | 2,17 |
| 9 | 2,48 |
| 10 | 2,78 |

XZN Recess Screws




| | |
|------|-------|
| M 4 | 3,83 |
| M 5 | 4,80 |
| M 6 | 6,00 |
| M 8 | 7,20 |
| M 10 | 9,60 |
| M 12 | 11,41 |
| M 14 | 13,22 |
| M 16 | 15,63 |
| M 18 | 16,85 |
| M 20 | 19,25 |

Square Recess Screws



| | | |
|----|------|-----|
| 00 | 1,27 | 1,4 |
| 0 | 1,78 | 2 |
| 1 | 2,31 | 2,5 |
| 2 | 2,85 | 3,1 |
| 3 | 3,37 | 3,7 |
| 4 | 4,84 | 5,1 |

Spanner Recess Screws



| | |
|----|------|
| 4 | 1,52 |
| 6 | 2,41 |
| 8 | 2,79 |
| 10 | 3,30 |

TORQUE Conversion Table

| Conversion Units | SI Units | | | Metric scale | | USA GB scale | | |
|-------------------|----------|---------|--------|--------------|--------|--------------|---------|-----------|
| | cNm | dNm | Nm | cmkg | mkg | ft.lb | in.lb | in.oz |
| 1 cNm = | 1 | 0,1 | 0,01 | 0,1020 | 0,0010 | 0,0074 | 0,0885 | 1,4161 |
| 1 dNm = | 10 | 1 | 0,1 | 1,0197 | 0,0102 | 0,0738 | 0,8851 | 14,1612 |
| 1 Nm = | 100 | 10 | 1 | 10,1972 | 0,1020 | 0,7376 | 8,8508 | 141,6123 |
| 1 cmkg = | 9,8067 | 0,9807 | 0,0981 | 1 | 0,0100 | 0,0723 | 0,8680 | 13,8874 |
| 1 mkg = | 980,6650 | 98,0665 | 9,8067 | 100 | 1 | 7,2330 | 86,7964 | 1388,7422 |
| 1 ft.lb = | 135,5818 | 13,5581 | 1,3558 | 13,8255 | 0,1383 | 1 | 12 | 192 |
| 1 in.lb = | 11,2985 | 1,1298 | 0,1130 | 1,1521 | 0,0115 | 0,0833 | 1 | 16 |
| 1 in. oz = | 0,7062 | 0,0706 | 0,0071 | 0,0720 | 0,0007 | 0,0052 | 0,0625 | 1 |

Example 1
 1 Nm = 0,102 mkg
 17,4 Nm = 17,4 x 0,102 mkg
 17,4 Nm = 1,775 mkg

Example 2
 1 mkg = 9,8067 Nm
 12,5 mkg = 12,5 x 9,8067 Nm
 12,5 mkg = 122,58 Nm

Conversion Nm in mkg **1 Nm = 0,10197 mkg**

| Nm | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 0 | 0,00 | 0,10 | 0,20 | 0,31 | 0,41 | 0,51 | 0,61 | 0,71 | 0,82 | 0,92 |
| 10 | 1,02 | 1,12 | 1,22 | 1,33 | 1,43 | 1,53 | 1,63 | 1,73 | 1,84 | 1,94 |
| 20 | 2,04 | 2,14 | 2,24 | 2,35 | 2,45 | 2,55 | 2,65 | 2,75 | 2,86 | 2,96 |
| 30 | 3,06 | 3,16 | 3,26 | 3,37 | 3,47 | 3,57 | 3,67 | 3,77 | 3,87 | 3,98 |
| 40 | 4,08 | 4,18 | 4,28 | 4,38 | 4,49 | 4,59 | 4,69 | 4,79 | 4,89 | 5,00 |
| 50 | 5,10 | 5,20 | 5,30 | 5,40 | 5,51 | 5,61 | 5,71 | 5,81 | 5,91 | 6,02 |
| 60 | 6,12 | 6,22 | 6,32 | 6,42 | 6,53 | 6,63 | 6,73 | 6,83 | 6,93 | 7,04 |
| 70 | 7,14 | 7,24 | 7,34 | 7,44 | 7,55 | 7,65 | 7,75 | 7,85 | 7,95 | 8,06 |
| 80 | 8,16 | 8,26 | 8,36 | 8,46 | 8,57 | 8,67 | 8,77 | 8,87 | 8,97 | 9,08 |
| 90 | 9,18 | 9,28 | 9,38 | 9,48 | 9,59 | 9,69 | 9,79 | 9,89 | 9,99 | 10,10 |
| 100 | 10,20 | 10,30 | 10,40 | 10,50 | 10,60 | 10,71 | 10,81 | 10,91 | 11,01 | 11,11 |

Conversion mkg in Nm **1 mkg = 9,80665 Nm**

| mkg | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
|-----|--------|--------|---------|---------|---------|---------|---------|---------|---------|---------|
| 0 | 0,00 | 9,81 | 19,61 | 29,42 | 39,23 | 49,03 | 58,84 | 68,65 | 78,45 | 88,26 |
| 10 | 98,07 | 107,87 | 117,68 | 127,49 | 137,29 | 147,10 | 156,91 | 166,71 | 176,52 | 186,33 |
| 20 | 196,13 | 205,94 | 215,75 | 225,55 | 235,36 | 245,17 | 254,97 | 264,78 | 274,59 | 284,39 |
| 30 | 294,20 | 304,01 | 313,81 | 323,62 | 333,43 | 343,23 | 353,04 | 362,85 | 372,65 | 382,46 |
| 40 | 392,27 | 402,07 | 411,88 | 421,69 | 431,49 | 441,30 | 451,11 | 460,91 | 470,72 | 480,53 |
| 50 | 490,33 | 500,14 | 509,95 | 519,75 | 529,56 | 539,37 | 549,17 | 558,98 | 568,79 | 578,59 |
| 60 | 588,40 | 598,21 | 608,01 | 617,82 | 627,63 | 637,43 | 647,24 | 657,05 | 666,85 | 676,66 |
| 70 | 686,47 | 696,27 | 706,08 | 715,89 | 725,69 | 735,50 | 745,31 | 755,11 | 764,92 | 774,73 |
| 80 | 784,53 | 794,34 | 804,15 | 813,95 | 823,76 | 833,57 | 843,37 | 853,18 | 862,99 | 872,79 |
| 90 | 882,60 | 892,41 | 902,21 | 912,02 | 921,83 | 931,63 | 941,44 | 951,25 | 961,05 | 970,86 |
| 100 | 980,67 | 990,47 | 1000,28 | 1010,08 | 1019,89 | 1029,70 | 1039,50 | 1049,31 | 1059,12 | 1068,92 |

Conversion Nm in ft.lb **1 Nm = 0,73756 ft.lb**

| Nm | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 0 | 0,00 | 0,74 | 1,48 | 2,21 | 2,95 | 3,69 | 4,43 | 5,16 | 5,90 | 6,64 |
| 10 | 7,38 | 8,11 | 8,85 | 9,59 | 10,33 | 11,06 | 11,80 | 12,54 | 13,28 | 14,01 |
| 20 | 14,75 | 15,49 | 16,23 | 16,96 | 17,70 | 18,44 | 19,18 | 19,91 | 20,65 | 21,39 |
| 30 | 22,13 | 22,86 | 23,60 | 24,34 | 25,08 | 25,81 | 26,55 | 27,29 | 28,03 | 28,76 |
| 40 | 29,50 | 30,24 | 30,98 | 31,72 | 32,45 | 33,19 | 33,93 | 34,67 | 35,40 | 36,14 |
| 50 | 36,88 | 37,62 | 38,35 | 39,09 | 39,83 | 40,57 | 41,30 | 42,04 | 42,78 | 43,52 |
| 60 | 44,25 | 44,99 | 45,73 | 46,47 | 47,20 | 47,94 | 48,68 | 49,42 | 50,15 | 50,89 |
| 70 | 51,63 | 52,37 | 53,10 | 53,84 | 54,58 | 55,32 | 56,05 | 56,79 | 57,53 | 58,27 |
| 80 | 59,00 | 59,74 | 60,48 | 61,22 | 61,96 | 62,69 | 63,43 | 64,17 | 64,91 | 65,64 |
| 90 | 66,38 | 67,12 | 67,86 | 68,59 | 69,33 | 70,07 | 70,81 | 71,54 | 72,28 | 73,02 |
| 100 | 73,76 | 74,49 | 75,23 | 75,97 | 76,71 | 77,44 | 78,18 | 78,92 | 79,66 | 80,39 |

Conversion ft.lb in Nm **1 ft.lb = 1,35581 Nm**

| ft.lb | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0 | 0,00 | 1,36 | 2,71 | 4,07 | 5,42 | 6,78 | 8,13 | 9,49 | 10,85 | 12,20 |
| 10 | 13,56 | 14,91 | 16,27 | 17,63 | 18,98 | 20,34 | 21,69 | 23,05 | 24,40 | 25,76 |
| 20 | 27,12 | 28,47 | 29,83 | 31,18 | 32,54 | 33,90 | 35,25 | 36,61 | 37,96 | 39,32 |
| 30 | 40,67 | 42,03 | 43,39 | 44,74 | 46,10 | 47,45 | 48,81 | 50,16 | 51,52 | 52,88 |
| 40 | 54,23 | 55,59 | 56,94 | 58,30 | 59,66 | 61,01 | 62,37 | 63,72 | 65,08 | 66,43 |
| 50 | 67,79 | 69,15 | 70,50 | 71,86 | 73,21 | 74,57 | 75,93 | 77,28 | 78,64 | 79,99 |
| 60 | 81,35 | 82,70 | 84,06 | 85,42 | 86,77 | 88,13 | 89,48 | 90,84 | 92,20 | 93,55 |
| 70 | 94,91 | 96,26 | 97,62 | 98,97 | 100,33 | 101,69 | 103,04 | 104,40 | 105,75 | 107,11 |
| 80 | 108,46 | 109,82 | 111,18 | 112,53 | 113,89 | 115,24 | 116,60 | 117,96 | 119,31 | 120,67 |
| 90 | 122,02 | 123,38 | 124,73 | 126,09 | 127,45 | 128,80 | 130,16 | 131,51 | 132,87 | 134,23 |
| 100 | 135,58 | 136,94 | 138,29 | 139,65 | 141,00 | 142,36 | 143,72 | 145,07 | 146,43 | 147,78 |

Conversion Nm in in.lb **1 Nm = 8,85077 in.lb**

| Nm | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
|-----|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 0 | 0,00 | 8,85 | 17,70 | 26,55 | 35,40 | 44,25 | 53,10 | 61,96 | 70,81 | 79,66 |
| 10 | 88,51 | 97,36 | 106,21 | 115,06 | 123,91 | 132,76 | 141,61 | 150,46 | 159,31 | 168,16 |
| 20 | 177,02 | 185,87 | 194,72 | 203,57 | 212,42 | 221,27 | 230,12 | 238,97 | 247,82 | 256,67 |
| 30 | 265,52 | 274,37 | 283,22 | 292,08 | 300,93 | 309,78 | 318,63 | 327,48 | 336,33 | 345,18 |
| 40 | 354,03 | 362,88 | 371,73 | 380,58 | 389,43 | 398,28 | 407,14 | 415,99 | 424,84 | 433,69 |
| 50 | 442,54 | 451,39 | 460,24 | 469,09 | 477,94 | 486,79 | 495,64 | 504,49 | 513,34 | 522,20 |
| 60 | 531,05 | 539,90 | 548,75 | 557,60 | 566,45 | 575,30 | 584,15 | 593,00 | 601,85 | 610,70 |
| 70 | 619,55 | 628,40 | 637,26 | 646,11 | 654,96 | 663,81 | 672,66 | 681,51 | 690,36 | 699,21 |
| 80 | 708,06 | 716,91 | 725,76 | 734,61 | 743,46 | 752,32 | 761,17 | 770,02 | 778,87 | 787,72 |
| 90 | 796,57 | 805,42 | 814,27 | 823,12 | 831,97 | 840,82 | 849,67 | 858,52 | 867,38 | 876,23 |
| 100 | 885,08 | 893,93 | 902,78 | 911,63 | 920,48 | 929,33 | 938,18 | 947,03 | 955,88 | 964,73 |

Conversion in.lb in Nm **1 in.lb = 0,11298 Nm**

| in.lb | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 0 | 0,00 | 0,11 | 0,23 | 0,34 | 0,45 | 0,56 | 0,68 | 0,79 | 0,90 | 1,02 |
| 10 | 1,13 | 1,24 | 1,36 | 1,47 | 1,58 | 1,69 | 1,81 | 1,92 | 2,03 | 2,15 |
| 20 | 2,26 | 2,37 | 2,49 | 2,60 | 2,71 | 2,82 | 2,94 | 3,05 | 3,16 | 3,28 |
| 30 | 3,39 | 3,50 | 3,62 | 3,73 | 3,84 | 3,95 | 4,07 | 4,18 | 4,29 | 4,41 |
| 40 | 4,52 | 4,63 | 4,75 | 4,86 | 4,97 | 5,08 | 5,20 | 5,31 | 5,42 | 5,54 |
| 50 | 5,65 | 5,76 | 5,87 | 5,99 | 6,10 | 6,21 | 6,33 | 6,44 | 6,55 | 6,67 |
| 60 | 6,78 | 6,89 | 7,00 | 7,12 | 7,23 | 7,34 | 7,46 | 7,57 | 7,68 | 7,80 |
| 70 | 7,91 | 8,02 | 8,13 | 8,25 | 8,36 | 8,47 | 8,59 | 8,70 | 8,81 | 8,93 |
| 80 | 9,04 | 9,15 | 9,26 | 9,38 | 9,49 | 9,60 | 9,72 | 9,83 | 9,94 | 10,06 |
| 90 | 10,17 | 10,28 | 10,39 | 10,51 | 10,62 | 10,73 | 10,85 | 10,96 | 11,07 | 11,19 |
| 100 | 11,30 | 11,41 | 11,52 | 11,64 | 11,75 | 11,86 | 11,98 | 12,09 | 12,20 | 12,31 |

Conversion Of Inches To Millimeters

| Inches | | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
|--------|----------|--------|--------|--------|---------|---------|---------|---------|---------|---------|---------|
| | | | 25.400 | 50.800 | 76.200 | 101.600 | 127.000 | 152.400 | 177.800 | 203.200 | 228.600 |
| 1/64 | 0.015625 | 0.397 | 25.797 | 51.197 | 76.597 | 101.997 | 127.397 | 152.797 | 178.197 | 203.597 | 228.997 |
| 1/32 | 0.03125 | 0.794 | 26.194 | 51.594 | 76.994 | 102.394 | 127.794 | 153.194 | 178.594 | 203.994 | 229.394 |
| 3/64 | 0.046875 | 1.191 | 26.591 | 51.991 | 77.391 | 102.791 | 128.191 | 153.591 | 178.991 | 204.391 | 229.791 |
| 1/16 | 0.0625 | 1.588 | 26.988 | 52.388 | 77.788 | 103.188 | 128.588 | 153.988 | 179.388 | 204.788 | 230.188 |
| 5/64 | 0.078125 | 1.984 | 27.384 | 52.784 | 78.184 | 103.584 | 128.984 | 154.384 | 179.784 | 205.184 | 230.584 |
| 3/32 | 0.09375 | 2.381 | 27.781 | 53.181 | 78.581 | 103.981 | 129.381 | 154.781 | 180.181 | 205.581 | 230.981 |
| 7/64 | 0.109375 | 2.778 | 28.178 | 53.578 | 78.978 | 104.378 | 129.778 | 155.178 | 180.578 | 205.978 | 231.378 |
| 1/8 | 0.125 | 3.175 | 28.575 | 53.975 | 79.375 | 104.775 | 130.175 | 155.575 | 180.975 | 206.375 | 231.775 |
| 9/64 | 0.140625 | 3.572 | 28.972 | 54.372 | 79.772 | 105.172 | 130.572 | 155.972 | 181.372 | 206.772 | 232.172 |
| 5/32 | 0.15625 | 3.969 | 29.369 | 54.769 | 80.169 | 105.569 | 130.969 | 156.369 | 181.769 | 207.169 | 232.569 |
| 11/64 | 0.171875 | 4.366 | 29.766 | 55.166 | 80.566 | 105.966 | 131.366 | 156.766 | 182.166 | 207.566 | 232.966 |
| 3/16 | 0.1875 | 4.762 | 30.162 | 55.562 | 80.962 | 106.362 | 131.762 | 157.162 | 182.562 | 207.962 | 233.362 |
| 13/64 | 0.203125 | 5.159 | 30.559 | 55.959 | 81.359 | 106.759 | 132.159 | 157.559 | 182.959 | 208.359 | 233.759 |
| 7/32 | 0.21875 | 5.556 | 30.956 | 56.356 | 81.756 | 107.156 | 132.556 | 157.956 | 183.356 | 208.756 | 234.156 |
| 15/64 | 0.234375 | 5.953 | 31.353 | 56.753 | 82.153 | 107.553 | 132.953 | 158.353 | 183.753 | 209.153 | 234.553 |
| 1/4 | 0.25 | 6.350 | 31.750 | 57.150 | 82.550 | 107.950 | 133.350 | 158.750 | 184.150 | 209.550 | 234.950 |
| 17/64 | 0.265625 | 6.747 | 32.147 | 57.547 | 82.947 | 108.347 | 133.747 | 159.147 | 184.547 | 209.947 | 235.347 |
| 9/32 | 0.28125 | 7.144 | 32.544 | 57.944 | 83.344 | 108.744 | 134.144 | 159.544 | 184.944 | 210.344 | 235.744 |
| 19/64 | 0.296875 | 7.541 | 32.941 | 58.341 | 83.741 | 109.141 | 134.541 | 159.941 | 185.341 | 210.741 | 236.141 |
| 5/16 | 0.3125 | 7.938 | 33.338 | 58.738 | 84.138 | 109.538 | 134.938 | 160.338 | 185.738 | 211.138 | 236.538 |
| 21/64 | 0.328125 | 8.334 | 33.734 | 59.134 | 84.534 | 109.934 | 135.334 | 160.734 | 186.134 | 211.534 | 236.934 |
| 11/32 | 0.34375 | 8.731 | 34.131 | 59.531 | 84.931 | 110.331 | 135.731 | 161.131 | 186.531 | 211.931 | 237.331 |
| 23/64 | 0.359375 | 9.128 | 34.528 | 59.928 | 85.328 | 110.728 | 136.128 | 161.528 | 186.928 | 212.328 | 237.728 |
| 3/8 | 0.375 | 9.525 | 34.925 | 60.325 | 85.725 | 111.125 | 136.525 | 161.925 | 187.325 | 212.725 | 238.125 |
| 25/64 | 0.390625 | 9.922 | 35.322 | 60.722 | 86.122 | 111.522 | 136.922 | 162.322 | 187.722 | 213.122 | 238.522 |
| 13/32 | 0.40625 | 10.319 | 35.719 | 61.119 | 86.519 | 111.919 | 137.319 | 162.719 | 188.119 | 213.519 | 238.919 |
| 27/64 | 0.421875 | 10.716 | 36.116 | 61.516 | 86.916 | 112.316 | 137.716 | 163.116 | 188.516 | 213.916 | 239.316 |
| 7/16 | 0.4375 | 11.112 | 36.512 | 61.912 | 87.312 | 112.712 | 138.112 | 163.512 | 188.912 | 214.312 | 239.712 |
| 29/64 | 0.453125 | 11.509 | 36.909 | 62.309 | 87.709 | 113.109 | 138.509 | 163.909 | 189.309 | 214.709 | 240.109 |
| 15/32 | 0.46875 | 11.906 | 37.306 | 62.706 | 88.106 | 113.506 | 138.906 | 164.306 | 189.706 | 215.106 | 240.506 |
| 31/64 | 0.484375 | 12.303 | 37.703 | 63.103 | 88.503 | 113.903 | 139.303 | 164.703 | 190.103 | 215.503 | 240.903 |
| 1/2 | 0.5 | 12.700 | 38.100 | 63.500 | 88.900 | 114.300 | 139.700 | 165.100 | 190.500 | 215.900 | 241.300 |
| 33/64 | 0.515625 | 13.097 | 38.497 | 63.897 | 89.297 | 114.697 | 140.097 | 165.497 | 190.897 | 216.297 | 241.697 |
| 17/32 | 0.53125 | 13.494 | 38.894 | 64.294 | 89.694 | 115.094 | 140.494 | 165.894 | 191.294 | 216.694 | 242.094 |
| 35/64 | 0.546875 | 13.891 | 39.291 | 64.691 | 90.091 | 115.491 | 140.891 | 166.291 | 191.691 | 217.091 | 242.491 |
| 9/16 | 0.5625 | 14.288 | 39.688 | 65.088 | 90.488 | 115.888 | 141.288 | 166.688 | 192.088 | 217.488 | 242.888 |
| 37/64 | 0.578125 | 14.684 | 40.084 | 65.484 | 90.884 | 116.284 | 141.684 | 167.084 | 192.484 | 217.884 | 243.284 |
| 19/32 | 0.59375 | 15.081 | 40.481 | 65.881 | 91.281 | 116.681 | 142.081 | 167.481 | 192.881 | 218.281 | 243.681 |
| 39/64 | 0.609375 | 15.478 | 40.878 | 66.278 | 91.678 | 117.078 | 142.478 | 167.878 | 193.278 | 218.678 | 244.078 |
| 5/8 | 0.625 | 15.875 | 41.275 | 66.675 | 92.075 | 117.475 | 142.875 | 168.275 | 193.675 | 219.075 | 244.475 |
| 41/64 | 0.640625 | 16.272 | 41.672 | 67.072 | 92.472 | 117.872 | 143.272 | 168.672 | 194.072 | 219.472 | 244.872 |
| 21/32 | 0.65625 | 16.669 | 42.069 | 67.469 | 92.869 | 118.269 | 143.669 | 169.069 | 194.469 | 219.869 | 245.269 |
| 43/64 | 0.671875 | 17.066 | 42.466 | 67.866 | 93.266 | 118.666 | 144.066 | 169.466 | 194.866 | 220.266 | 245.666 |
| 11/16 | 0.6875 | 17.462 | 42.862 | 68.262 | 93.662 | 119.062 | 144.462 | 169.862 | 195.262 | 220.662 | 246.062 |
| 45/64 | 0.703125 | 17.859 | 43.259 | 68.659 | 94.059 | 119.459 | 144.859 | 170.259 | 195.659 | 221.059 | 246.459 |
| 23/32 | 0.71875 | 18.256 | 43.656 | 69.056 | 94.456 | 119.856 | 145.256 | 170.656 | 196.056 | 221.456 | 246.856 |
| 47/64 | 0.734375 | 18.653 | 44.053 | 69.453 | 94.853 | 120.253 | 145.653 | 171.053 | 196.453 | 221.853 | 247.253 |
| 3/4 | 0.75 | 19.050 | 44.450 | 69.850 | 95.250 | 120.650 | 146.050 | 171.450 | 196.850 | 222.250 | 247.650 |
| 49/64 | 0.765625 | 19.447 | 44.847 | 70.247 | 95.647 | 121.047 | 146.447 | 171.847 | 197.247 | 222.647 | 248.047 |
| 25/32 | 0.78125 | 19.844 | 45.244 | 70.644 | 96.044 | 121.444 | 146.844 | 172.244 | 197.644 | 223.044 | 248.444 |
| 51/64 | 0.796875 | 20.241 | 45.641 | 71.041 | 96.441 | 121.841 | 147.241 | 172.641 | 198.041 | 223.441 | 248.841 |
| 13/16 | 0.8125 | 20.638 | 46.038 | 71.438 | 96.838 | 122.238 | 147.638 | 173.038 | 198.438 | 223.838 | 249.238 |
| 53/64 | 0.828125 | 21.034 | 46.434 | 71.834 | 97.234 | 122.634 | 148.034 | 173.434 | 198.834 | 224.234 | 249.634 |
| 27/32 | 0.84375 | 21.431 | 46.831 | 72.231 | 97.631 | 123.031 | 148.431 | 173.831 | 199.231 | 224.631 | 250.031 |
| 55/64 | 0.859375 | 21.828 | 47.228 | 72.628 | 98.028 | 123.428 | 148.828 | 174.228 | 199.628 | 225.028 | 250.428 |
| 7/8 | 0.875 | 22.225 | 47.625 | 73.025 | 98.425 | 123.825 | 149.225 | 174.625 | 200.025 | 225.425 | 250.825 |
| 57/64 | 0.890625 | 22.622 | 48.022 | 73.422 | 98.822 | 124.222 | 149.622 | 175.022 | 200.422 | 225.822 | 251.222 |
| 29/32 | 0.90625 | 23.019 | 48.419 | 73.819 | 99.219 | 124.619 | 150.019 | 175.419 | 200.819 | 226.219 | 251.619 |
| 59/64 | 0.921875 | 23.416 | 48.816 | 74.216 | 99.616 | 125.016 | 150.416 | 175.816 | 201.216 | 226.616 | 252.016 |
| 15/16 | 0.9375 | 23.812 | 49.212 | 74.612 | 100.012 | 125.412 | 150.812 | 176.212 | 201.612 | 227.012 | 252.412 |
| 61/64 | 0.953125 | 24.209 | 49.609 | 75.009 | 100.409 | 125.809 | 151.209 | 176.609 | 202.009 | 227.409 | 252.809 |
| 31/32 | 0.96875 | 24.606 | 50.006 | 75.406 | 100.806 | 126.206 | 151.606 | 177.006 | 202.406 | 227.806 | 253.206 |
| 63/64 | 0.984375 | 25.003 | 50.403 | 75.803 | 101.203 | 126.603 | 152.003 | 177.403 | 202.803 | 228.203 | 253.603 |

Values in mm

Code No. Index

| Code No. | Page | Code No. | Page | Code No. | Page | Code No. | Page |
|---------------|------|---------------|------|---------------|------|---------------|------|
| 05 000005 001 | 383 | 05 002946 001 | 237 | 05 003093 001 | 126 | 05 003405 001 | 80 |
| 05 000010 001 | 383 | 05 002948 001 | 237 | 05 003094 001 | 126 | 05 003406 001 | 81 |
| 05 000015 001 | 383 | 05 002950 001 | 237 | 05 003180 001 | 128 | 05 003407 001 | 81 |
| 05 000020 001 | 383 | 05 002960 001 | 237 | 05 003181 001 | 128 | 05 003408 001 | 81 |
| 05 000025 001 | 383 | 05 002966 001 | 237 | 05 003185 001 | 126 | 05 003410 001 | 81 |
| 05 000030 001 | 383 | 05 002968 001 | 237 | 05 003210 001 | 236 | 05 003411 001 | 81 |
| 05 000035 001 | 383 | 05 002970 001 | 237 | 05 003320 001 | 109 | 05 003412 001 | 81 |
| 05 000105 001 | 384 | 05 002973 001 | 237 | 05 003321 001 | 109 | 05 003413 001 | 81 |
| 05 000110 001 | 384 | 05 002976 001 | 237 | 05 003322 001 | 109 | 05 003414 001 | 81 |
| 05 000115 001 | 384 | 05 002980 001 | 237 | 05 003330 001 | 108 | 05 003415 001 | 83 |
| 05 000120 001 | 384 | 05 002990 001 | 235 | 05 003331 001 | 108 | 05 003416 001 | 83 |
| 05 000125 001 | 384 | 05 003010 001 | 102 | 05 003332 001 | 108 | 05 003417 001 | 83 |
| 05 000130 001 | 384 | 05 003030 001 | 126 | 05 003333 001 | 108 | 05 003418 001 | 83 |
| 05 000135 001 | 384 | 05 003031 001 | 126 | 05 003334 001 | 108 | 05 003420 001 | 84 |
| 05 000205 001 | 384 | 05 003032 001 | 126 | 05 003335 001 | 108 | 05 003421 001 | 84 |
| 05 000210 001 | 384 | 05 003033 001 | 126 | 05 003336 001 | 108 | 05 003422 001 | 84 |
| 05 000215 001 | 384 | 05 003034 001 | 126 | 05 003337 001 | 108 | 05 003423 001 | 84 |
| 05 000220 001 | 384 | 05 003035 001 | 126 | 05 003338 001 | 108 | 05 003424 001 | 84 |
| 05 000225 001 | 384 | 05 003036 001 | 126 | 05 003339 001 | 108 | 05 003429 001 | 83 |
| 05 000230 001 | 384 | 05 003037 001 | 126 | 05 003340 001 | 108 | 05 003430 001 | 83 |
| 05 000235 001 | 384 | 05 003038 001 | 126 | 05 003341 001 | 108 | 05 003431 001 | 83 |
| 05 000305 001 | 384 | 05 003039 001 | 126 | 05 003342 001 | 108 | 05 003432 001 | 83 |
| 05 000310 001 | 384 | 05 003040 001 | 126 | 05 003345 001 | 109 | 05 003433 001 | 83 |
| 05 000315 001 | 384 | 05 003041 001 | 126 | 05 003350 001 | 109 | 05 003434 001 | 83 |
| 05 000320 001 | 384 | 05 003042 001 | 126 | 05 003351 001 | 109 | 05 003435 001 | 83 |
| 05 000325 001 | 384 | 05 003043 001 | 126 | 05 003352 001 | 109 | 05 003436 001 | 83 |
| 05 000330 001 | 384 | 05 003044 001 | 126 | 05 003353 001 | 109 | 05 003437 001 | 83 |
| 05 000335 001 | 384 | 05 003050 001 | 127 | 05 003354 001 | 109 | 05 003438 001 | 83 |
| 05 000405 001 | 384 | 05 003051 001 | 127 | 05 003355 001 | 109 | 05 003439 001 | 83 |
| 05 000410 001 | 384 | 05 003052 001 | 127 | 05 003360 001 | 106 | 05 003440 001 | 82 |
| 05 000415 001 | 384 | 05 003054 001 | 127 | 05 003361 001 | 106 | 05 003441 001 | 82 |
| 05 000420 001 | 384 | 05 003056 001 | 127 | 05 003362 001 | 106 | 05 003442 001 | 82 |
| 05 000425 001 | 384 | 05 003059 001 | 124 | 05 003363 001 | 106 | 05 003443 001 | 82 |
| 05 000430 001 | 384 | 05 003060 001 | 124 | 05 003364 001 | 106 | 05 003445 001 | 82 |
| 05 000435 001 | 384 | 05 003061 001 | 124 | 05 003365 001 | 106 | 05 003446 001 | 82 |
| 05 000505 001 | 384 | 05 003062 001 | 124 | 05 003366 001 | 106 | 05 003447 001 | 82 |
| 05 000510 001 | 384 | 05 003063 001 | 124 | 05 003367 001 | 106 | 05 003448 001 | 82 |
| 05 000515 001 | 384 | 05 003064 001 | 124 | 05 003368 001 | 106 | 05 003450 001 | 81 |
| 05 000520 001 | 384 | 05 003065 001 | 124 | 05 003369 001 | 106 | 05 003451 001 | 81 |
| 05 000525 001 | 384 | 05 003066 001 | 124 | 05 003370 001 | 106 | 05 003452 001 | 81 |
| 05 000530 001 | 384 | 05 003067 001 | 124 | 05 003371 001 | 106 | 05 003455 001 | 82 |
| 05 000535 001 | 384 | 05 003068 001 | 124 | 05 003372 001 | 106 | 05 003456 001 | 82 |
| 05 000605 001 | 384 | 05 003069 001 | 124 | 05 003375 001 | 107 | 05 003460 001 | 84 |
| 05 000610 001 | 384 | 05 003070 001 | 124 | 05 003380 001 | 108 | 05 003461 001 | 84 |
| 05 000615 001 | 384 | 05 003071 001 | 124 | 05 003381 001 | 108 | 05 003462 001 | 84 |
| 05 000620 001 | 384 | 05 003072 001 | 124 | 05 003382 001 | 108 | 05 003463 001 | 84 |
| 05 000625 001 | 384 | 05 003073 001 | 124 | 05 003383 001 | 108 | 05 003470 001 | 78 |
| 05 000630 001 | 384 | 05 003074 001 | 125 | 05 003384 001 | 108 | 05 003471 001 | 75 |
| 05 000635 001 | 384 | 05 003075 001 | 125 | 05 003385 001 | 108 | 05 003472 001 | 79 |
| 05 002900 001 | 236 | 05 003080 001 | 126 | 05 003386 001 | 108 | 05 003473 001 | 78 |
| 05 002901 001 | 233 | 05 003081 001 | 126 | 05 003387 001 | 108 | 05 003474 001 | 78 |
| 05 002910 001 | 237 | 05 003082 001 | 126 | 05 003388 001 | 108 | 05 003475 001 | 78 |
| 05 002913 001 | 237 | 05 003083 001 | 126 | 05 003389 001 | 108 | 05 003484 001 | 77 |
| 05 002920 001 | 237 | 05 003084 001 | 126 | 05 003390 001 | 106 | 05 003499 001 | 102 |
| 05 002923 001 | 237 | 05 003085 001 | 126 | 05 003391 001 | 106 | 05 003500 001 | 98 |
| 05 002926 001 | 237 | 05 003086 001 | 126 | 05 003392 001 | 106 | 05 003501 001 | 102 |
| 05 002930 001 | 237 | 05 003087 001 | 126 | 05 003393 001 | 106 | 05 003502 001 | 102 |
| 05 002933 001 | 237 | 05 003088 001 | 126 | 05 003400 001 | 80 | 05 003503 001 | 102 |
| 05 002936 001 | 237 | 05 003089 001 | 126 | 05 003401 001 | 80 | 05 003504 001 | 102 |
| 05 002938 001 | 237 | 05 003090 001 | 126 | 05 003402 001 | 80 | 05 003505 001 | 102 |
| 05 002940 001 | 237 | 05 003091 001 | 126 | 05 003403 001 | 80 | 05 003506 001 | 102 |
| 05 002943 001 | 237 | 05 003092 001 | 126 | 05 003404 001 | 80 | 05 003507 001 | 102 |

Code No. Index

| Code No. | Page | Code No. | Page | Code No. | Page | Code No. | Page |
|---------------|------|---------------|------|---------------|------|---------------|------|
| 05 003508 001 | 102 | 05 003585 001 | 130 | 05 003690 001 | 165 | 05 003832 001 | 146 |
| 05 003509 001 | 102 | 05 003590 001 | 131 | 05 003692 001 | 155 | 05 003833 001 | 146 |
| 05 003510 001 | 102 | 05 003591 001 | 130 | 05 003695 001 | 155 | 05 003834 001 | 146 |
| 05 003511 001 | 102 | 05 003592 001 | 130 | 05 003696 001 | 155 | 05 003835 001 | 146 |
| 05 003512 001 | 102 | 05 003594 001 | 114 | 05 003697 001 | 155 | 05 003836 001 | 146 |
| 05 003513 001 | 102 | 05 003596 001 | 114 | 05 003717 001 | 102 | 05 003837 001 | 146 |
| 05 003514 001 | 102 | 05 003600 001 | 134 | 05 003718 001 | 102 | 05 003838 001 | 146 |
| 05 003515 001 | 102 | 05 003601 001 | 141 | 05 003719 001 | 102 | 05 003840 001 | 148 |
| 05 003516 001 | 102 | 05 003602 001 | 141 | 05 003720 001 | 102 | 05 003841 001 | 148 |
| 05 003517 001 | 102 | 05 003603 001 | 141 | 05 003721 001 | 102 | 05 003842 001 | 148 |
| 05 003518 001 | 102 | 05 003604 001 | 141 | 05 003722 001 | 102 | 05 003843 001 | 148 |
| 05 003519 001 | 102 | 05 003605 001 | 141 | 05 003723 001 | 102 | 05 003844 001 | 148 |
| 05 003520 001 | 102 | 05 003606 001 | 141 | 05 003724 001 | 102 | 05 003845 001 | 148 |
| 05 003521 001 | 102 | 05 003607 001 | 141 | 05 003725 001 | 102 | 05 003850 001 | 146 |
| 05 003522 001 | 102 | 05 003608 001 | 141 | 05 003726 001 | 102 | 05 003851 001 | 146 |
| 05 003523 001 | 102 | 05 003609 001 | 141 | 05 003727 001 | 102 | 05 003852 001 | 146 |
| 05 003524 001 | 110 | 05 003610 001 | 141 | 05 003728 001 | 102 | 05 003853 001 | 146 |
| 05 003525 001 | 110 | 05 003611 001 | 141 | 05 003729 001 | 102 | 05 003854 001 | 146 |
| 05 003526 001 | 110 | 05 003612 001 | 141 | 05 003730 001 | 141 | 05 003855 001 | 146 |
| 05 003527 001 | 111 | 05 003613 001 | 141 | 05 003731 001 | 141 | 05 003856 001 | 146 |
| 05 003528 001 | 110 | 05 003614 001 | 141 | 05 003732 001 | 141 | 05 003857 001 | 146 |
| 05 003529 001 | 111 | 05 003615 001 | 141 | 05 003733 001 | 141 | 05 003858 001 | 146 |
| 05 003530 001 | 110 | 05 003616 001 | 141 | 05 003734 001 | 141 | 05 003880 001 | 103 |
| 05 003531 001 | 109 | 05 003617 001 | 141 | 05 003735 001 | 141 | 05 003881 001 | 108 |
| 05 003533 001 | 96 | 05 003618 001 | 141 | 05 003736 001 | 141 | 05 003882 001 | 107 |
| 05 003535 001 | 97 | 05 003619 001 | 141 | 05 003737 001 | 141 | 05 003883 001 | 103 |
| 05 003536 001 | 112 | 05 003620 001 | 141 | 05 003738 001 | 141 | 05 003884 001 | 104 |
| 05 003550 001 | 115 | 05 003621 001 | 141 | 05 003739 001 | 141 | 05 003890 001 | 111 |
| 05 003551 001 | 120 | 05 003622 001 | 141 | 05 003740 001 | 120 | 05 003891 001 | 111 |
| 05 003552 001 | 120 | 05 003623 001 | 141 | 05 003741 001 | 120 | 05 003892 001 | 155 |
| 05 003553 001 | 120 | 05 003624 001 | 141 | 05 003742 001 | 120 | 05 003893 001 | 156 |
| 05 003554 001 | 120 | 05 003625 001 | 141 | 05 003743 001 | 120 | 05 003970 001 | 121 |
| 05 003555 001 | 120 | 05 003626 001 | 141 | 05 003744 001 | 120 | 05 003971 001 | 127 |
| 05 003556 001 | 120 | 05 003627 001 | 141 | 05 003745 001 | 120 | 05 003972 001 | 125 |
| 05 003557 001 | 120 | 05 003628 001 | 141 | 05 003746 001 | 120 | 05 003973 001 | 121 |
| 05 003558 001 | 120 | 05 003629 001 | 141 | 05 003747 001 | 120 | 05 003974 001 | 129 |
| 05 003559 001 | 120 | 05 003630 001 | 141 | 05 003748 001 | 120 | 05 003980 001 | 131 |
| 05 003560 001 | 120 | 05 003631 001 | 141 | 05 003749 001 | 120 | 05 003981 001 | 131 |
| 05 003561 001 | 120 | 05 003632 001 | 141 | 05 003750 001 | 120 | 05 003982 001 | 89 |
| 05 003562 001 | 120 | 05 003633 001 | 141 | 05 003751 001 | 120 | 05 003990 001 | 79 |
| 05 003563 001 | 120 | 05 003634 001 | 141 | 05 003752 001 | 120 | 05 003991 001 | 71 |
| 05 003564 001 | 120 | 05 003635 001 | 141 | 05 003753 001 | 120 | 05 003995 001 | 142 |
| 05 003565 001 | 120 | 05 003636 001 | 151 | 05 003755 001 | 94 | 05 003996 001 | 149 |
| 05 003566 001 | 120 | 05 003637 001 | 150 | 05 003756 001 | 101 | 05 003997 001 | 146 |
| 05 003567 001 | 120 | 05 003638 001 | 150 | 05 003760 001 | 171 | 05 004003 001 | 100 |
| 05 003568 001 | 120 | 05 003639 001 | 151 | 05 003765 001 | 171 | 05 004004 001 | 101 |
| 05 003569 001 | 120 | 05 003640 001 | 151 | 05 003780 001 | 135 | 05 004016 001 | 95 |
| 05 003570 001 | 120 | 05 003641 001 | 151 | 05 003781 001 | 136 | 05 004016 001 | 256 |
| 05 003571 001 | 120 | 05 003642 001 | 150 | 05 003785 001 | 119 | 05 004017 001 | 99 |
| 05 003572 001 | 120 | 05 003643 001 | 150 | 05 003793 001 | 165 | 05 004018 001 | 100 |
| 05 003573 001 | 120 | 05 003645 001 | 133 | 05 003820 001 | 148 | 05 004019 001 | 95 |
| 05 003574 001 | 120 | 05 003647 001 | 134 | 05 003821 001 | 148 | 05 004020 001 | 99 |
| 05 003575 001 | 120 | 05 003660 001 | 164 | 05 003822 001 | 148 | 05 004021 001 | 101 |
| 05 003576 001 | 120 | 05 003665 001 | 165 | 05 003823 001 | 148 | 05 004033 001 | 117 |
| 05 003577 001 | 120 | 05 003666 001 | 165 | 05 003824 001 | 148 | 05 004034 001 | 119 |
| 05 003578 001 | 120 | 05 003667 001 | 165 | 05 003825 001 | 148 | 05 004046 001 | 113 |
| 05 003579 001 | 120 | 05 003668 001 | 165 | 05 003826 001 | 148 | 05 004047 001 | 116 |
| 05 003580 001 | 120 | 05 003669 001 | 165 | 05 003827 001 | 148 | 05 004048 001 | 118 |
| 05 003581 001 | 130 | 05 003670 001 | 165 | 05 003828 001 | 148 | 05 004049 001 | 113 |
| 05 003582 001 | 130 | 05 003675 001 | 165 | 05 003829 001 | 148 | 05 004050 001 | 117 |
| 05 003583 001 | 130 | 05 003684 001 | 165 | 05 003830 001 | 146 | 05 004051 001 | 119 |
| 05 003584 001 | 131 | 05 003685 001 | 165 | 05 003831 001 | 146 | 05 004063 001 | 137 |

| Code No. | Page | Code No. | Page | Code No. | Page | Code No. | Page |
|---------------|------|---------------|------|---------------|------|---------------|------|
| 05 004064 001 | 138 | 05 004431 001 | 83 | 05 004578 001 | 138 | 05 005300 001 | 64 |
| 05 004076 001 | 132 | 05 004432 001 | 83 | 05 004580 001 | 139 | 05 005305 001 | 64 |
| 05 004077 001 | 136 | 05 004433 001 | 83 | 05 004590 001 | 143 | 05 005310 001 | 64 |
| 05 004078 001 | 137 | 05 004434 001 | 83 | 05 004591 001 | 143 | 05 005315 001 | 64 |
| 05 004079 001 | 133 | 05 004436 001 | 83 | 05 004592 001 | 143 | 05 005320 001 | 64 |
| 05 004080 001 | 137 | 05 004447 001 | 83 | 05 004595 001 | 144 | 05 005325 001 | 64 |
| 05 004081 001 | 138 | 05 004448 001 | 83 | 05 004780 001 | 64 | 05 005330 001 | 64 |
| 05 004090 001 | 135 | 05 004455 001 | 82 | 05 004781 001 | 64 | 05 005335 001 | 64 |
| 05 004095 001 | 135 | 05 004456 001 | 82 | 05 004782 001 | 64 | 05 005340 001 | 64 |
| 05 004170 001 | 162 | 05 004500 001 | 105 | 05 004783 001 | 64 | 05 005400 001 | 104 |
| 05 004171 001 | 212 | 05 004501 001 | 105 | 05 004784 001 | 64 | 05 005410 001 | 106 |
| 05 004172 001 | 163 | 05 004502 001 | 105 | 05 004830 001 | 140 | 05 005420 001 | 104 |
| 05 004173 001 | 188 | 05 004503 001 | 105 | 05 004831 001 | 140 | 05 005430 001 | 122 |
| 05 004174 001 | 48 | 05 004504 001 | 105 | 05 004832 001 | 140 | 05 005440 001 | 124 |
| 05 004175 001 | 115 | 05 004505 001 | 105 | 05 004833 001 | 140 | 05 005450 001 | 122 |
| 05 004176 001 | 129 | 05 004506 001 | 105 | 05 004834 001 | 140 | 05 005460 001 | 147 |
| 05 004177 001 | 163 | 05 004507 001 | 105 | 05 004835 001 | 140 | 05 005470 001 | 145 |
| 05 004178 001 | 175 | 05 004508 001 | 105 | 05 004836 001 | 140 | 05 005480 001 | 142 |
| 05 004179 001 | 223 | 05 004509 001 | 105 | 05 004837 001 | 140 | 05 005490 001 | 139 |
| 05 004180 001 | 366 | 05 004510 001 | 105 | 05 004838 001 | 140 | 05 005655 001 | 64 |
| 05 004181 001 | 176 | 05 004511 001 | 105 | 05 004839 001 | 140 | 05 006100 001 | 60 |
| 05 004182 001 | 33 | 05 004512 001 | 105 | 05 004840 001 | 140 | 05 006105 001 | 60 |
| 05 004184 001 | 33 | 05 004525 001 | 105 | 05 004841 001 | 140 | 05 006110 001 | 60 |
| 05 004185 001 | 223 | 05 004530 001 | 123 | 05 004900 001 | 88 | 05 006115 001 | 60 |
| 05 004190 001 | 30 | 05 004531 001 | 123 | 05 004901 001 | 88 | 05 006116 001 | 60 |
| 05 004201 001 | 149 | 05 004532 001 | 123 | 05 004902 001 | 88 | 05 006120 001 | 60 |
| 05 004202 001 | 147 | 05 004533 001 | 123 | 05 004903 001 | 88 | 05 006121 001 | 60 |
| 05 004203 001 | 143 | 05 004534 001 | 123 | 05 004920 001 | 88 | 05 006125 001 | 60 |
| 05 004210 001 | 149 | 05 004535 001 | 123 | 05 004921 001 | 88 | 05 006126 001 | 60 |
| 05 004211 001 | 147 | 05 004536 001 | 123 | 05 004922 001 | 88 | 05 006130 001 | 60 |
| 05 004212 001 | 148 | 05 004537 001 | 123 | 05 004923 001 | 88 | 05 006135 001 | 60 |
| 05 004280 001 | 152 | 05 004538 001 | 123 | 05 004924 001 | 88 | 05 006140 001 | 60 |
| 05 004281 001 | 153 | 05 004539 001 | 123 | 05 004925 001 | 88 | 05 006145 001 | 65 |
| 05 004282 001 | 152 | 05 004540 001 | 123 | 05 004930 001 | 87 | 05 006147 001 | 66 |
| 05 004283 001 | 154 | 05 004541 001 | 123 | 05 004940 001 | 88 | 05 006148 001 | 66 |
| 05 004310 001 | 65 | 05 004542 001 | 123 | 05 004941 001 | 88 | 05 006150 001 | 61 |
| 05 004313 001 | 22 | 05 004543 001 | 123 | 05 004942 001 | 88 | 05 006152 001 | 61 |
| 05 004350 001 | 252 | 05 004544 001 | 123 | 05 004950 001 | 88 | 05 006153 001 | 61 |
| 05 004351 001 | 252 | 05 004545 001 | 123 | 05 004951 001 | 88 | 05 006154 001 | 61 |
| 05 004351 001 | 256 | 05 004550 001 | 144 | 05 004952 001 | 88 | 05 006156 001 | 61 |
| 05 004352 001 | 253 | 05 004551 001 | 144 | 05 004953 001 | 88 | 05 006158 001 | 61 |
| 05 004353 001 | 254 | 05 004552 001 | 144 | 05 004954 001 | 88 | 05 006159 001 | 61 |
| 05 004354 001 | 254 | 05 004553 001 | 144 | 05 004955 001 | 88 | 05 006160 001 | 62 |
| 05 004355 001 | 254 | 05 004554 001 | 144 | 05 004956 001 | 88 | 05 006162 001 | 62 |
| 05 004356 001 | 254 | 05 004555 001 | 144 | 05 004957 001 | 88 | 05 006163 001 | 62 |
| 05 004357 001 | 253 | 05 004556 001 | 144 | 05 004958 001 | 88 | 05 006164 001 | 62 |
| 05 004400 001 | 80 | 05 004557 001 | 144 | 05 004959 001 | 88 | 05 006165 001 | 62 |
| 05 004401 001 | 80 | 05 004558 001 | 144 | 05 004960 001 | 88 | 05 006166 001 | 62 |
| 05 004402 001 | 80 | 05 004559 001 | 144 | 05 004961 001 | 88 | 05 006168 001 | 62 |
| 05 004403 001 | 80 | 05 004560 001 | 144 | 05 004962 001 | 88 | 05 006169 001 | 64 |
| 05 004404 001 | 80 | 05 004561 001 | 144 | 05 004963 001 | 88 | 05 006170 001 | 64 |
| 05 004405 001 | 80 | 05 004562 001 | 144 | 05 004964 001 | 89 | 05 006172 001 | 64 |
| 05 004406 001 | 81 | 05 004563 001 | 144 | 05 004965 001 | 89 | 05 006174 001 | 64 |
| 05 004407 001 | 81 | 05 004565 001 | 145 | 05 004966 001 | 87 | 05 006176 001 | 64 |
| 05 004408 001 | 81 | 05 004570 001 | 138 | 05 004970 001 | 86 | 05 006177 001 | 64 |
| 05 004413 001 | 81 | 05 004571 001 | 138 | 05 004980 001 | 91 | 05 006178 001 | 64 |
| 05 004414 001 | 81 | 05 004572 001 | 138 | 05 004981 001 | 91 | 05 006179 001 | 64 |
| 05 004420 001 | 84 | 05 004573 001 | 138 | 05 005080 001 | 364 | 05 006181 001 | 64 |
| 05 004421 001 | 84 | 05 004574 001 | 138 | 05 005081 001 | 364 | 05 006182 001 | 64 |
| 05 004422 001 | 84 | 05 004575 001 | 138 | 05 005090 001 | 364 | 05 006183 001 | 64 |
| 05 004423 001 | 84 | 05 004576 001 | 138 | 05 005091 001 | 364 | 05 006184 001 | 64 |
| 05 004424 001 | 84 | 05 004577 001 | 138 | 05 005120 001 | 86 | 05 006190 001 | 63 |

Code No. Index

| Code No. | Page | Code No. | Page | Code No. | Page | Code No. | Page |
|---------------|------|---------------|------|---------------|------|---------------|------|
| 05 006191 001 | 63 | 05 008844 001 | 20 | 05 018142 001 | 220 | 05 020093 001 | 172 |
| 05 006380 001 | 62 | 05 008850 001 | 20 | 05 018150 001 | 219 | 05 020099 001 | 178 |
| 05 006381 001 | 62 | 05 008851 001 | 20 | 05 018151 001 | 219 | 05 020100 001 | 178 |
| 05 006440 001 | 61 | 05 008852 001 | 20 | 05 018152 001 | 219 | 05 020101 001 | 178 |
| 05 006441 001 | 61 | 05 008853 001 | 20 | 05 018153 001 | 219 | 05 020102 001 | 179 |
| 05 006442 001 | 61 | 05 008854 001 | 20 | 05 018154 001 | 219 | 05 020103 001 | 178 |
| 05 006450 001 | 61 | 05 008855 001 | 20 | 05 018155 001 | 219 | 05 020104 001 | 178 |
| 05 006451 001 | 61 | 05 008856 001 | 20 | 05 018156 001 | 219 | 05 020110 001 | 179 |
| 05 006455 001 | 63 | 05 008857 001 | 20 | 05 018157 001 | 219 | 05 020129 001 | 61 |
| 05 006456 001 | 63 | 05 008858 001 | 20 | 05 018160 001 | 218 | 05 020131 001 | 62 |
| 05 006460 001 | 62 | 05 008859 001 | 20 | 05 018161 001 | 218 | 05 020132 001 | 63 |
| 05 006461 001 | 62 | 05 008860 001 | 20 | 05 018162 001 | 218 | 05 020133 001 | 62 |
| 05 006465 001 | 63 | 05 008861 001 | 20 | 05 018163 001 | 219 | 05 020134 001 | 63 |
| 05 006466 001 | 63 | 05 008862 001 | 20 | 05 018164 001 | 219 | 05 020150 001 | 90 |
| 05 006470 001 | 69 | 05 008863 001 | 21 | 05 018165 001 | 219 | 05 020151 001 | 91 |
| 05 006480 001 | 66 | 05 008864 001 | 21 | 05 018166 001 | 219 | 05 020152 001 | 91 |
| 05 007610 001 | 13 | 05 008870 001 | 28 | 05 018167 001 | 219 | 05 020153 001 | 91 |
| 05 007620 001 | 13 | 05 008871 001 | 29 | 05 018168 001 | 219 | 05 020170 001 | 90 |
| 05 007621 001 | 13 | 05 008872 001 | 29 | 05 018169 001 | 219 | 05 020190 001 | 173 |
| 05 007635 001 | 13 | 05 008873 001 | 221 | 05 018170 001 | 219 | 05 020198 001 | 173 |
| 05 007640 001 | 13 | 05 008874 001 | 221 | 05 018171 001 | 220 | 05 020199 001 | 173 |
| 05 007670 001 | 13 | 05 008875 001 | 222 | 05 018172 001 | 220 | 05 020200 001 | 173 |
| 05 007671 001 | 13 | 05 008876 001 | 29 | 05 018173 001 | 220 | 05 020201 001 | 173 |
| 05 007672 001 | 13 | 05 008877 001 | 222 | 05 018260 001 | 8 | 05 020202 001 | 173 |
| 05 007673 001 | 13 | 05 008878 001 | 222 | 05 018262 001 | 8 | 05 020203 001 | 173 |
| 05 007674 001 | 13 | 05 008880 001 | 232 | 05 018264 001 | 8 | 05 020204 001 | 173 |
| 05 007675 001 | 13 | 05 008881 001 | 57 | 05 018266 001 | 8 | 05 020205 001 | 173 |
| 05 007676 001 | 13 | 05 008882 001 | 57 | 05 018268 001 | 8 | 05 020206 001 | 173 |
| 05 007677 001 | 13 | 05 008883 001 | 220 | 05 018270 001 | 8 | 05 020207 001 | 173 |
| 05 007680 001 | 22 | 05 008884 001 | 221 | 05 018272 001 | 8 | 05 020208 001 | 173 |
| 05 007681 001 | 23 | 05 008885 001 | 221 | 05 018274 001 | 8 | 05 020209 001 | 173 |
| 05 008006 001 | 12 | 05 008886 001 | 221 | 05 018282 001 | 11 | 05 020210 001 | 173 |
| 05 008007 001 | 12 | 05 008900 001 | 29 | 05 018283 001 | 11 | 05 020211 001 | 173 |
| 05 008008 001 | 12 | 05 008901 001 | 30 | 05 018287 001 | 11 | 05 020212 001 | 173 |
| 05 008009 001 | 12 | 05 009305 001 | 14 | 05 018300 001 | 8 | 05 020213 001 | 173 |
| 05 008015 001 | 12 | 05 009310 001 | 14 | 05 018301 001 | 8 | 05 020214 001 | 173 |
| 05 008027 001 | 12 | 05 009312 001 | 14 | 05 018302 001 | 8 | 05 020215 001 | 173 |
| 05 008055 001 | 12 | 05 009313 001 | 14 | 05 020012 001 | 169 | 05 020216 001 | 173 |
| 05 008060 001 | 12 | 05 009315 001 | 14 | 05 020013 001 | 169 | 05 020217 001 | 173 |
| 05 008061 001 | 12 | 05 009317 001 | 14 | 05 020022 001 | 169 | 05 020218 001 | 173 |
| 05 008100 001 | 27 | 05 009319 001 | 14 | 05 020064 001 | 170 | 05 020219 001 | 173 |
| 05 008101 001 | 18 | 05 009320 001 | 14 | 05 020065 001 | 170 | 05 020220 001 | 173 |
| 05 008102 001 | 18 | 05 009325 001 | 14 | 05 020066 001 | 170 | 05 020221 001 | 173 |
| 05 008705 001 | 13 | 05 009340 001 | 14 | 05 020067 001 | 170 | 05 020228 001 | 177 |
| 05 008706 001 | 13 | 05 009341 001 | 14 | 05 020068 001 | 170 | 05 020229 001 | 177 |
| 05 008710 001 | 13 | 05 009342 001 | 14 | 05 020069 001 | 170 | 05 020230 001 | 175 |
| 05 008712 001 | 13 | 05 009343 001 | 14 | 05 020070 001 | 170 | 05 020231 001 | 174 |
| 05 008715 001 | 13 | 05 017005 001 | 9 | 05 020071 001 | 170 | 05 020232 001 | 174 |
| 05 008720 001 | 13 | 05 017010 001 | 9 | 05 020072 001 | 170 | 05 020240 001 | 176 |
| 05 008723 001 | 13 | 05 017015 001 | 9 | 05 020073 001 | 170 | 05 020241 001 | 175 |
| 05 008725 001 | 13 | 05 017020 001 | 9 | 05 020074 001 | 170 | 05 020259 001 | 171 |
| 05 008730 001 | 13 | 05 017040 001 | 9 | 05 020075 001 | 171 | 05 020260 001 | 171 |
| 05 008735 001 | 13 | 05 017041 001 | 9 | 05 020076 001 | 171 | 05 020261 001 | 171 |
| 05 008740 001 | 13 | 05 017050 001 | 9 | 05 020077 001 | 171 | 05 020262 001 | 171 |
| 05 008750 001 | 13 | 05 017052 001 | 9 | 05 020078 001 | 171 | 05 020263 001 | 171 |
| 05 008751 001 | 13 | 05 017054 001 | 9 | 05 020079 001 | 171 | 05 020264 001 | 171 |
| 05 008752 001 | 13 | 05 017056 001 | 9 | 05 020080 001 | 171 | 05 020302 001 | 174 |
| 05 008753 001 | 13 | 05 018100 001 | 218 | 05 020081 001 | 171 | 05 020310 001 | 179 |
| 05 008840 001 | 20 | 05 018110 001 | 217 | 05 020082 001 | 171 | 05 020311 001 | 179 |
| 05 008841 001 | 20 | 05 018111 001 | 218 | 05 020090 001 | 172 | 05 020312 001 | 179 |
| 05 008842 001 | 20 | 05 018140 001 | 220 | 05 020091 001 | 171 | 05 020313 001 | 179 |
| 05 008843 001 | 20 | 05 018141 001 | 220 | 05 020092 001 | 172 | 05 020314 001 | 179 |

| Code No. | Page | Code No. | Page | Code No. | Page | Code No. | Page |
|---------------|------|---------------|------|---------------|------|---------------|------|
| 05 020500 001 | 173 | 05 022067 001 | 192 | 05 022665 001 | 189 | 05 022760 001 | 59 |
| 05 020501 001 | 173 | 05 022068 001 | 192 | 05 022666 001 | 189 | 05 022761 001 | 59 |
| 05 020502 001 | 173 | 05 022070 001 | 192 | 05 022667 001 | 189 | 05 022762 001 | 59 |
| 05 020503 001 | 173 | 05 022071 001 | 192 | 05 022668 001 | 189 | 05 022763 001 | 59 |
| 05 020504 001 | 173 | 05 022072 001 | 192 | 05 022669 001 | 182 | 05 022764 001 | 59 |
| 05 020505 001 | 173 | 05 022073 001 | 192 | 05 022670 001 | 191 | 05 022765 001 | 59 |
| 05 020506 001 | 173 | 05 022074 001 | 192 | 05 022671 001 | 191 | 05 022766 001 | 59 |
| 05 020507 001 | 173 | 05 022076 001 | 192 | 05 022672 001 | 191 | 05 022767 001 | 60 |
| 05 021005 001 | 193 | 05 022078 001 | 192 | 05 022673 001 | 191 | 05 022795 001 | 15 |
| 05 021010 001 | 193 | 05 022079 001 | 192 | 05 022674 001 | 191 | 05 022800 001 | 15 |
| 05 021015 001 | 193 | 05 022080 001 | 192 | 05 022675 001 | 191 | 05 022805 001 | 15 |
| 05 021020 001 | 193 | 05 022081 001 | 192 | 05 022676 001 | 191 | 05 022810 001 | 15 |
| 05 021025 001 | 193 | 05 022082 001 | 192 | 05 022677 001 | 191 | 05 022815 001 | 15 |
| 05 021030 001 | 193 | 05 022086 001 | 186 | 05 022678 001 | 191 | 05 022820 001 | 15 |
| 05 021035 001 | 193 | 05 022087 001 | 185 | 05 022680 001 | 197 | 05 022825 001 | 15 |
| 05 021040 001 | 193 | 05 022089 001 | 184 | 05 022681 001 | 197 | 05 022830 001 | 15 |
| 05 021045 001 | 193 | 05 022095 001 | 192 | 05 022682 001 | 197 | 05 022835 001 | 15 |
| 05 021050 001 | 193 | 05 022096 001 | 192 | 05 022683 001 | 197 | 05 022850 001 | 190 |
| 05 021055 001 | 193 | 05 022101 001 | 187 | 05 022684 001 | 197 | 05 022851 001 | 190 |
| 05 021060 001 | 193 | 05 022120 001 | 193 | 05 022685 001 | 197 | 05 022852 001 | 190 |
| 05 021065 001 | 193 | 05 022121 001 | 193 | 05 022686 001 | 197 | 05 022853 001 | 190 |
| 05 021070 001 | 193 | 05 022122 001 | 193 | 05 022687 001 | 197 | 05 022854 001 | 190 |
| 05 021075 001 | 193 | 05 022123 001 | 193 | 05 022688 001 | 197 | 05 022855 001 | 190 |
| 05 021080 001 | 193 | 05 022124 001 | 193 | 05 022689 001 | 195 | 05 022856 001 | 190 |
| 05 021085 001 | 193 | 05 022125 001 | 193 | 05 022693 001 | 189 | 05 022857 001 | 190 |
| 05 021090 001 | 193 | 05 022130 001 | 185 | 05 022694 001 | 189 | 05 022858 001 | 190 |
| 05 021095 001 | 193 | 05 022171 001 | 188 | 05 022695 001 | 189 | 05 022860 001 | 184 |
| 05 021406 001 | 186 | 05 022181 001 | 187 | 05 022696 001 | 189 | 05 022905 001 | 15 |
| 05 021600 001 | 193 | 05 022200 001 | 190 | 05 022697 001 | 189 | 05 022910 001 | 15 |
| 05 021605 001 | 193 | 05 022201 001 | 190 | 05 022698 001 | 189 | 05 022920 001 | 15 |
| 05 021610 001 | 193 | 05 022202 001 | 190 | 05 022699 001 | 182 | 05 023105 001 | 15 |
| 05 021615 001 | 193 | 05 022203 001 | 190 | 05 022700 001 | 190 | 05 023107 001 | 15 |
| 05 021620 001 | 193 | 05 022204 001 | 190 | 05 022701 001 | 190 | 05 023110 001 | 15 |
| 05 021625 001 | 193 | 05 022205 001 | 190 | 05 022702 001 | 190 | 05 023115 001 | 15 |
| 05 021630 001 | 193 | 05 022210 001 | 183 | 05 022703 001 | 190 | 05 023120 001 | 15 |
| 05 021632 001 | 193 | 05 022210 001 | 256 | 05 022704 001 | 190 | 05 023125 001 | 15 |
| 05 021635 001 | 193 | 05 022534 001 | 185 | 05 022705 001 | 190 | 05 023130 001 | 15 |
| 05 021640 001 | 193 | 05 022600 001 | 191 | 05 022706 001 | 190 | 05 023330 001 | 41 |
| 05 021645 001 | 193 | 05 022602 001 | 191 | 05 022708 001 | 190 | 05 023332 001 | 41 |
| 05 021721 001 | 188 | 05 022604 001 | 191 | 05 022709 001 | 190 | 05 023334 001 | 42 |
| 05 021728 001 | 187 | 05 022606 001 | 191 | 05 022710 001 | 190 | 05 023338 001 | 42 |
| 05 021737 001 | 187 | 05 022608 001 | 191 | 05 022711 001 | 190 | 05 023339 001 | 42 |
| 05 021909 001 | 186 | 05 022610 001 | 191 | 05 022712 001 | 190 | 05 023340 001 | 42 |
| 05 022040 001 | 192 | 05 022612 001 | 191 | 05 022713 001 | 190 | 05 023342 001 | 42 |
| 05 022041 001 | 192 | 05 022614 001 | 191 | 05 022714 001 | 190 | 05 023343 001 | 42 |
| 05 022042 001 | 192 | 05 022616 001 | 191 | 05 022715 001 | 190 | 05 023344 001 | 42 |
| 05 022043 001 | 192 | 05 022630 001 | 191 | 05 022716 001 | 190 | 05 023346 001 | 42 |
| 05 022044 001 | 192 | 05 022631 001 | 191 | 05 022717 001 | 190 | 05 023347 001 | 42 |
| 05 022045 001 | 192 | 05 022632 001 | 191 | 05 022718 001 | 190 | 05 023348 001 | 42 |
| 05 022046 001 | 192 | 05 022633 001 | 191 | 05 022720 001 | 183 | 05 023350 001 | 42 |
| 05 022047 001 | 192 | 05 022634 001 | 191 | 05 022721 001 | 183 | 05 023351 001 | 42 |
| 05 022048 001 | 192 | 05 022635 001 | 191 | 05 022728 001 | 59 | 05 023352 001 | 42 |
| 05 022050 001 | 192 | 05 022636 001 | 191 | 05 022729 001 | 59 | 05 023353 001 | 42 |
| 05 022052 001 | 192 | 05 022637 001 | 191 | 05 022730 001 | 59 | 05 023354 001 | 42 |
| 05 022054 001 | 192 | 05 022638 001 | 191 | 05 022731 001 | 59 | 05 023355 001 | 42 |
| 05 022056 001 | 192 | 05 022639 001 | 185 | 05 022732 001 | 59 | 05 023356 001 | 42 |
| 05 022058 001 | 192 | 05 022640 001 | 185 | 05 022733 001 | 59 | 05 023357 001 | 42 |
| 05 022060 001 | 192 | 05 022660 001 | 189 | 05 022734 001 | 59 | 05 023358 001 | 42 |
| 05 022062 001 | 192 | 05 022661 001 | 189 | 05 022740 001 | 59 | 05 023359 001 | 42 |
| 05 022063 001 | 192 | 05 022662 001 | 189 | 05 022741 001 | 59 | 05 023360 001 | 42 |
| 05 022064 001 | 192 | 05 022663 001 | 189 | 05 022745 001 | 59 | 05 023361 001 | 42 |
| 05 022066 001 | 192 | 05 022664 001 | 189 | 05 022750 001 | 60 | 05 023362 001 | 42 |

Code No. Index

| Code No. | Page | Code No. | Page | Code No. | Page | Code No. | Page |
|---------------|------|---------------|------|---------------|------|---------------|------|
| 05 023363 001 | 42 | 05 024171 001 | 197 | 05 024478 001 | 197 | 05 027935 001 | 363 |
| 05 023364 001 | 42 | 05 024172 001 | 197 | 05 024479 001 | 197 | 05 027936 001 | 363 |
| 05 023365 001 | 42 | 05 024173 001 | 197 | 05 024480 001 | 195 | 05 028000 001 | 16 |
| 05 023366 001 | 42 | 05 024174 001 | 197 | 05 024481 001 | 198 | 05 028001 001 | 16 |
| 05 023367 001 | 42 | 05 024175 001 | 197 | 05 024482 001 | 198 | 05 028002 001 | 16 |
| 05 023368 001 | 42 | 05 024176 001 | 197 | 05 024483 001 | 198 | 05 028003 001 | 16 |
| 05 023369 001 | 42 | 05 024177 001 | 197 | 05 024484 001 | 197 | 05 028004 001 | 16 |
| 05 023370 001 | 42 | 05 024178 001 | 197 | 05 024485 001 | 197 | 05 028005 001 | 16 |
| 05 023371 001 | 42 | 05 024179 001 | 195 | 05 024486 001 | 197 | 05 028008 001 | 16 |
| 05 023372 001 | 42 | 05 024199 001 | 199 | 05 024487 001 | 197 | 05 028010 001 | 16 |
| 05 023373 001 | 42 | 05 024200 001 | 199 | 05 024488 001 | 197 | 05 028012 001 | 16 |
| 05 023374 001 | 42 | 05 024202 001 | 199 | 05 024489 001 | 197 | 05 028013 001 | 16 |
| 05 023375 001 | 42 | 05 024204 001 | 199 | 05 026350 001 | 30 | 05 028015 001 | 16 |
| 05 023376 001 | 42 | 05 024206 001 | 199 | 05 026351 001 | 30 | 05 028020 001 | 16 |
| 05 023377 001 | 42 | 05 024208 001 | 199 | 05 026352 001 | 30 | 05 028029 001 | 17 |
| 05 023378 001 | 42 | 05 024210 001 | 199 | 05 026353 001 | 30 | 05 028030 001 | 17 |
| 05 023379 001 | 42 | 05 024242 001 | 196 | 05 026354 001 | 30 | 05 028031 001 | 17 |
| 05 023380 001 | 42 | 05 024244 001 | 195 | 05 026360 001 | 31 | 05 028032 001 | 17 |
| 05 023381 001 | 43 | 05 024335 001 | 196 | 05 026361 001 | 31 | 05 028033 001 | 17 |
| 05 023382 001 | 43 | 05 024350 001 | 198 | 05 026363 001 | 31 | 05 028034 001 | 17 |
| 05 023383 001 | 43 | 05 024351 001 | 198 | 05 026372 001 | 31 | 05 028035 001 | 17 |
| 05 023384 001 | 43 | 05 024352 001 | 198 | 05 026373 001 | 31 | 05 028036 001 | 17 |
| 05 023385 001 | 43 | 05 024353 001 | 198 | 05 026374 001 | 31 | 05 028037 001 | 17 |
| 05 023386 001 | 43 | 05 024354 001 | 198 | 05 026382 001 | 31 | 05 028038 001 | 17 |
| 05 023387 001 | 43 | 05 024355 001 | 198 | 05 027101 001 | 192 | 05 028040 001 | 363 |
| 05 023389 001 | 43 | 05 024356 001 | 198 | 05 027102 001 | 192 | 05 028041 001 | 363 |
| 05 023391 001 | 43 | 05 024357 001 | 198 | 05 027103 001 | 192 | 05 028042 001 | 363 |
| 05 023393 001 | 43 | 05 024358 001 | 198 | 05 027104 001 | 192 | 05 028043 001 | 363 |
| 05 023400 001 | 236 | 05 024400 001 | 9 | 05 027105 001 | 192 | 05 028044 001 | 363 |
| 05 023404 001 | 43 | 05 024401 001 | 9 | 05 027106 001 | 192 | 05 028045 001 | 363 |
| 05 023450 001 | 45 | 05 024402 001 | 9 | 05 027107 001 | 192 | 05 028046 001 | 364 |
| 05 023451 001 | 46 | 05 024403 001 | 9 | 05 027108 001 | 192 | 05 028048 001 | 16 |
| 05 023452 001 | 47 | 05 024404 001 | 9 | 05 027109 001 | 192 | 05 028049 001 | 16 |
| 05 023453 001 | 45 | 05 024405 001 | 9 | 05 027110 001 | 192 | 05 028050 001 | 16 |
| 05 023454 001 | 46 | 05 024410 001 | 11 | 05 027111 001 | 192 | 05 028051 001 | 16 |
| 05 023456 001 | 47 | 05 024450 001 | 195 | 05 027201 001 | 194 | 05 028052 001 | 16 |
| 05 023460 001 | 44 | 05 024451 001 | 198 | 05 027202 001 | 194 | 05 028053 001 | 16 |
| 05 023461 001 | 44 | 05 024452 001 | 198 | 05 027203 001 | 194 | 05 028054 001 | 16 |
| 05 023470 001 | 216 | 05 024453 001 | 198 | 05 027204 001 | 194 | 05 028055 001 | 16 |
| 05 023471 001 | 215 | 05 024454 001 | 198 | 05 027205 001 | 194 | 05 028056 001 | 16 |
| 05 024001 001 | 199 | 05 024455 001 | 198 | 05 027206 001 | 194 | 05 028059 001 | 26 |
| 05 024002 001 | 199 | 05 024456 001 | 198 | 05 027207 001 | 194 | 05 028062 001 | 27 |
| 05 024003 001 | 199 | 05 024457 001 | 198 | 05 027208 001 | 194 | 05 028070 001 | 16 |
| 05 024004 001 | 199 | 05 024458 001 | 198 | 05 027209 001 | 194 | 05 028071 001 | 16 |
| 05 024005 001 | 199 | 05 024459 001 | 198 | 05 027210 001 | 194 | 05 028072 001 | 16 |
| 05 024008 001 | 199 | 05 024460 001 | 196 | 05 027211 001 | 194 | 05 028073 001 | 16 |
| 05 024010 001 | 199 | 05 024461 001 | 199 | 05 027212 001 | 194 | 05 028074 001 | 26 |
| 05 024012 001 | 199 | 05 024462 001 | 199 | 05 027213 001 | 194 | 05 028148 001 | 18 |
| 05 024013 001 | 199 | 05 024463 001 | 199 | 05 027214 001 | 194 | 05 028150 001 | 18 |
| 05 024015 001 | 199 | 05 024464 001 | 198 | 05 027215 001 | 194 | 05 028152 001 | 18 |
| 05 024020 001 | 199 | 05 024465 001 | 198 | 05 027405 001 | 31 | 05 028160 001 | 231 |
| 05 024100 001 | 199 | 05 024466 001 | 198 | 05 027450 001 | 51 | 05 028161 001 | 231 |
| 05 024105 001 | 199 | 05 024467 001 | 198 | 05 027455 001 | 31 | 05 028205 001 | 19 |
| 05 024160 001 | 199 | 05 024468 001 | 198 | 05 027456 001 | 37 | 05 028210 001 | 19 |
| 05 024161 001 | 199 | 05 024469 001 | 198 | 05 027910 001 | 363 | 05 028215 001 | 19 |
| 05 024162 001 | 199 | 05 024470 001 | 195 | 05 027911 001 | 363 | 05 028220 001 | 19 |
| 05 024163 001 | 199 | 05 024471 001 | 197 | 05 027912 001 | 363 | 05 028225 001 | 19 |
| 05 024164 001 | 199 | 05 024472 001 | 197 | 05 027913 001 | 363 | 05 028230 001 | 19 |
| 05 024165 001 | 199 | 05 024473 001 | 197 | 05 027930 001 | 363 | 05 029405 001 | 19 |
| 05 024166 001 | 199 | 05 024474 001 | 197 | 05 027931 001 | 363 | 05 029410 001 | 19 |
| 05 024167 001 | 199 | 05 024475 001 | 197 | 05 027932 001 | 363 | 05 029415 001 | 19 |
| 05 024168 001 | 199 | 05 024476 001 | 197 | 05 027933 001 | 363 | 05 029420 001 | 19 |
| 05 024170 001 | 197 | 05 024477 001 | 197 | 05 027934 001 | 363 | 05 029425 001 | 19 |

| Code No. | Page | Code No. | Page | Code No. | Page | Code No. | Page |
|-----------|--------|-----------|---------|-----------|---------|-----------|---------|
| 05 029430 | 001 19 | 05 030402 | 001 50 | 05 042605 | 001 319 | 05 051603 | 001 85 |
| 05 029435 | 001 19 | 05 030403 | 001 50 | 05 042655 | 001 319 | 05 051611 | 001 85 |
| 05 029440 | 001 19 | 05 030404 | 001 50 | 05 042665 | 001 319 | 05 051613 | 001 85 |
| 05 029445 | 001 19 | 05 030405 | 001 50 | 05 042670 | 001 318 | 05 051835 | 001 236 |
| 05 029450 | 001 19 | 05 030406 | 001 50 | 05 042671 | 001 318 | 05 052490 | 001 312 |
| 05 029460 | 001 19 | 05 030410 | 001 51 | 05 042672 | 001 318 | 05 052500 | 001 312 |
| 05 029461 | 001 19 | 05 030411 | 001 51 | 05 042673 | 001 318 | 05 052501 | 001 313 |
| 05 029462 | 001 19 | 05 030412 | 001 51 | 05 042674 | 001 318 | 05 052502 | 001 312 |
| 05 029463 | 001 19 | 05 030413 | 001 51 | 05 042680 | 001 318 | 05 052503 | 001 312 |
| 05 029464 | 001 19 | 05 030414 | 001 51 | 05 042705 | 001 319 | 05 052504 | 001 312 |
| 05 029465 | 001 19 | 05 030415 | 001 51 | 05 042715 | 001 319 | 05 052575 | 001 314 |
| 05 029466 | 001 19 | 05 030416 | 001 51 | 05 042750 | 001 319 | 05 053425 | 001 315 |
| 05 029501 | 001 19 | 05 030417 | 001 51 | 05 042755 | 001 319 | 05 053455 | 001 315 |
| 05 029502 | 001 19 | 05 030418 | 001 51 | 05 042760 | 001 319 | 05 053457 | 001 315 |
| 05 029503 | 001 19 | 05 032001 | 001 6 | 05 042765 | 001 319 | 05 053458 | 001 315 |
| 05 029504 | 001 19 | 05 032002 | 001 6 | 05 042768 | 001 319 | 05 053459 | 001 315 |
| 05 029505 | 001 19 | 05 032003 | 001 6 | 05 050005 | 001 103 | 05 053475 | 001 315 |
| 05 029506 | 001 19 | 05 032004 | 001 6 | 05 050205 | 001 317 | 05 053520 | 001 313 |
| 05 029507 | 001 19 | 05 032005 | 001 6 | 05 050210 | 001 317 | 05 053522 | 001 313 |
| 05 029510 | 001 28 | 05 032006 | 001 6 | 05 050215 | 001 317 | 05 053870 | 001 313 |
| 05 030080 | 001 51 | 05 032007 | 001 6 | 05 050220 | 001 317 | 05 053872 | 001 313 |
| 05 030081 | 001 51 | 05 032020 | 001 6 | 05 050510 | 001 317 | 05 053923 | 001 311 |
| 05 030082 | 001 51 | 05 032021 | 001 6 | 05 050650 | 001 317 | 05 056064 | 001 291 |
| 05 030083 | 001 51 | 05 032022 | 001 6 | 05 051005 | 001 232 | 05 056066 | 001 291 |
| 05 030084 | 001 51 | 05 032023 | 001 6 | 05 051010 | 001 21 | 05 056068 | 001 291 |
| 05 030099 | 001 49 | 05 032030 | 001 7 | 05 051011 | 001 22 | 05 056158 | 001 336 |
| 05 030100 | 001 49 | 05 032031 | 001 7 | 05 051016 | 001 204 | 05 056159 | 001 333 |
| 05 030101 | 001 49 | 05 032032 | 001 7 | 05 051017 | 001 205 | 05 056161 | 001 332 |
| 05 030102 | 001 49 | 05 032033 | 001 7 | 05 051019 | 001 205 | 05 056164 | 001 334 |
| 05 030103 | 001 49 | 05 032050 | 001 7 | 05 051021 | 001 205 | 05 056168 | 001 336 |
| 05 030104 | 001 49 | 05 032051 | 001 7 | 05 051023 | 001 205 | 05 056172 | 001 290 |
| 05 030105 | 001 49 | 05 032052 | 001 7 | 05 051024 | 001 206 | 05 056174 | 001 290 |
| 05 030106 | 001 49 | 05 032053 | 001 7 | 05 051025 | 001 206 | 05 056176 | 001 290 |
| 05 030107 | 001 49 | 05 032054 | 001 7 | 05 051030 | 001 234 | 05 056200 | 001 291 |
| 05 030108 | 001 49 | 05 032055 | 001 7 | 05 051031 | 001 234 | 05 056203 | 001 291 |
| 05 030109 | 001 50 | 05 032056 | 001 7 | 05 051040 | 001 233 | 05 056210 | 001 291 |
| 05 030110 | 001 49 | 05 032057 | 001 7 | 05 051041 | 001 233 | 05 056220 | 001 291 |
| 05 030111 | 001 49 | 05 032058 | 001 7 | 05 051042 | 001 211 | 05 056225 | 001 291 |
| 05 030112 | 001 49 | 05 032060 | 001 7 | 05 051043 | 001 55 | 05 056233 | 001 291 |
| 05 030113 | 001 50 | 05 032061 | 001 7 | 05 051045 | 001 98 | 05 056240 | 001 291 |
| 05 030114 | 001 50 | 05 032063 | 001 8 | 05 051205 | 001 232 | 05 056294 | 001 335 |
| 05 030115 | 001 50 | 05 032070 | 002 7 | 05 051272 | 001 231 | 05 056295 | 001 334 |
| 05 030116 | 001 50 | 05 032071 | 002 7 | 05 051273 | 001 54 | 05 056296 | 001 335 |
| 05 030117 | 001 49 | 05 033404 | 001 31 | 05 051274 | 001 232 | 05 056303 | 001 294 |
| 05 030118 | 001 49 | 05 033600 | 001 72 | 05 051276 | 001 37 | 05 056305 | 001 294 |
| 05 030119 | 001 49 | 05 033601 | 001 72 | 05 051461 | 001 233 | 05 056310 | 001 294 |
| 05 030120 | 001 50 | 05 033606 | 001 72 | 05 051462 | 001 231 | 05 056315 | 001 294 |
| 05 030121 | 001 50 | 05 033607 | 001 72 | 05 051464 | 001 54 | 05 056320 | 001 294 |
| 05 030122 | 001 50 | 05 033608 | 001 72 | 05 051465 | 001 230 | 05 056325 | 001 294 |
| 05 030135 | 001 50 | 05 033613 | 001 72 | 05 051482 | 001 230 | 05 056330 | 001 294 |
| 05 030150 | 001 51 | 05 033614 | 001 72 | 05 051500 | 001 314 | 05 056332 | 001 294 |
| 05 030151 | 001 51 | 05 033629 | 001 73 | 05 051501 | 001 314 | 05 056335 | 001 294 |
| 05 030158 | 001 50 | 05 033630 | 001 73 | 05 051502 | 001 314 | 05 056340 | 001 294 |
| 05 030159 | 001 50 | 05 033631 | 001 73 | 05 051510 | 001 206 | 05 056341 | 001 298 |
| 05 030160 | 001 35 | 05 033636 | 001 73 | 05 051511 | 001 207 | 05 056342 | 001 298 |
| 05 030170 | 001 53 | 05 033637 | 001 73 | 05 051512 | 001 207 | 05 056343 | 001 298 |
| 05 030180 | 001 53 | 05 033638 | 001 73 | 05 051575 | 001 85 | 05 056344 | 001 298 |
| 05 030181 | 001 40 | 05 033639 | 001 73 | 05 051576 | 001 86 | 05 056345 | 001 298 |
| 05 030182 | 001 53 | 05 033647 | 001 73 | 05 051580 | 001 85 | 05 056346 | 001 298 |
| 05 030330 | 001 51 | 05 033648 | 001 73 | 05 051582 | 001 85 | 05 056350 | 001 295 |
| 05 030331 | 001 51 | 05 033655 | 001 73 | 05 051583 | 001 85 | 05 056352 | 001 295 |
| 05 030400 | 001 50 | 05 033656 | 001 73 | 05 051587 | 001 85 | 05 056354 | 001 295 |
| 05 030401 | 001 50 | 05 040001 | 001 236 | 05 051601 | 001 85 | 05 056356 | 001 295 |

Code No. Index

| Code No. | Page | Code No. | Page | Code No. | Page | Code No. | Page |
|---------------|------|---------------|------|---------------|------|---------------|------|
| 05 056358 001 | 295 | 05 057122 001 | 331 | 05 057626 001 | 279 | 05 059298 001 | 208 |
| 05 056374 001 | 328 | 05 057150 001 | 305 | 05 057627 001 | 279 | 05 059299 001 | 208 |
| 05 056375 001 | 333 | 05 057151 001 | 305 | 05 057628 001 | 279 | 05 059303 001 | 210 |
| 05 056400 001 | 261 | 05 057152 001 | 305 | 05 057631 001 | 300 | 05 059305 001 | 292 |
| 05 056402 001 | 261 | 05 057153 001 | 305 | 05 057632 001 | 300 | 05 059307 001 | 292 |
| 05 056404 001 | 261 | 05 057160 001 | 305 | 05 057644 001 | 295 | 05 059310 001 | 292 |
| 05 056410 001 | 261 | 05 057161 001 | 305 | 05 057645 001 | 295 | 05 059315 001 | 292 |
| 05 056412 001 | 261 | 05 057162 001 | 305 | 05 057646 001 | 295 | 05 059320 001 | 292 |
| 05 056414 001 | 261 | 05 057163 001 | 305 | 05 057656 001 | 265 | 05 059325 001 | 292 |
| 05 056420 001 | 262 | 05 057225 001 | 292 | 05 057657 001 | 265 | 05 059330 001 | 292 |
| 05 056422 001 | 262 | 05 057235 001 | 292 | 05 057661 001 | 275 | 05 059335 001 | 292 |
| 05 056424 001 | 262 | 05 057240 001 | 292 | 05 057662 001 | 275 | 05 059337 001 | 292 |
| 05 056440 001 | 332 | 05 057412 001 | 330 | 05 057664 001 | 284 | 05 059340 001 | 292 |
| 05 056470 001 | 341 | 05 057415 001 | 330 | 05 057665 001 | 284 | 05 059345 001 | 292 |
| 05 056471 001 | 338 | 05 057416 001 | 329 | 05 057666 001 | 284 | 05 059450 001 | 292 |
| 05 056472 001 | 337 | 05 057417 001 | 323 | 05 057667 001 | 284 | 05 059451 001 | 292 |
| 05 056473 001 | 337 | 05 057418 001 | 161 | 05 057671 001 | 301 | 05 059452 001 | 292 |
| 05 056474 001 | 336 | 05 057420 001 | 327 | 05 057672 001 | 301 | 05 059453 001 | 292 |
| 05 056478 001 | 338 | 05 057421 001 | 329 | 05 057675 001 | 310 | 05 059466 001 | 292 |
| 05 056490 001 | 159 | 05 057422 001 | 340 | 05 057676 001 | 310 | 05 059472 001 | 292 |
| 05 056491 001 | 159 | 05 057423 001 | 340 | 05 057680 001 | 322 | 05 059478 001 | 292 |
| 05 056500 001 | 264 | 05 057424 001 | 342 | 05 057682 001 | 323 | 05 059480 001 | 292 |
| 05 056505 001 | 264 | 05 057430 001 | 327 | 05 057683 001 | 323 | 05 059486 001 | 292 |
| 05 056507 001 | 264 | 05 057431 001 | 329 | 05 057684 001 | 323 | 05 059488 001 | 292 |
| 05 056510 001 | 264 | 05 057432 001 | 339 | 05 057688 001 | 323 | 05 059489 001 | 292 |
| 05 056515 001 | 264 | 05 057433 001 | 339 | 05 057690 001 | 322 | 05 059490 001 | 292 |
| 05 056520 001 | 264 | 05 057434 001 | 341 | 05 057691 001 | 324 | 05 059492 001 | 292 |
| 05 056525 001 | 264 | 05 057435 001 | 339 | 05 057692 001 | 324 | 05 059496 001 | 292 |
| 05 056535 001 | 264 | 05 057436 001 | 338 | 05 057693 001 | 324 | 05 059500 001 | 292 |
| 05 056605 001 | 263 | 05 057441 001 | 326 | 05 057695 001 | 324 | 05 059530 001 | 266 |
| 05 056610 001 | 263 | 05 057450 001 | 331 | 05 057697 001 | 322 | 05 059532 001 | 266 |
| 05 056625 001 | 263 | 05 057460 001 | 214 | 05 057705 001 | 270 | 05 059534 001 | 266 |
| 05 056653 001 | 203 | 05 057470 001 | 215 | 05 057710 001 | 270 | 05 059540 001 | 267 |
| 05 056680 001 | 294 | 05 057471 001 | 222 | 05 057715 001 | 270 | 05 059542 001 | 267 |
| 05 056681 001 | 294 | 05 057472 001 | 57 | 05 057720 001 | 270 | 05 059544 001 | 267 |
| 05 056682 001 | 294 | 05 057473 001 | 216 | 05 057750 001 | 265 | 05 059550 001 | 267 |
| 05 056683 001 | 294 | 05 057474 001 | 217 | 05 057751 001 | 262 | 05 059552 001 | 267 |
| 05 056684 001 | 294 | 05 057480 001 | 203 | 05 057752 001 | 260 | 05 059554 001 | 267 |
| 05 056685 001 | 294 | 05 057481 001 | 80 | 05 057760 001 | 275 | 05 059560 001 | 292 |
| 05 056686 001 | 294 | 05 057482 001 | 202 | 05 057761 001 | 273 | 05 059561 001 | 296 |
| 05 056687 001 | 294 | 05 057483 001 | 202 | 05 057762 001 | 273 | 05 059562 001 | 296 |
| 05 056700 001 | 272 | 05 057484 001 | 79 | 05 057763 001 | 271 | 05 059563 001 | 296 |
| 05 056702 001 | 272 | 05 057484 001 | 256 | 05 057770 001 | 283 | 05 059564 001 | 269 |
| 05 056704 001 | 272 | 05 057485 001 | 80 | 05 057772 001 | 279 | 05 059565 001 | 269 |
| 05 056710 001 | 273 | 05 057505 001 | 298 | 05 057773 001 | 283 | 05 059566 001 | 277 |
| 05 056712 001 | 273 | 05 057510 001 | 298 | 05 057775 001 | 279 | 05 059567 001 | 277 |
| 05 056714 001 | 273 | 05 057515 001 | 298 | 05 057776 001 | 279 | 05 059568 001 | 288 |
| 05 056720 001 | 273 | 05 057520 001 | 298 | 05 057777 001 | 282 | 05 059569 001 | 288 |
| 05 056722 001 | 273 | 05 057525 001 | 298 | 05 057778 001 | 282 | 05 059570 001 | 288 |
| 05 056724 001 | 273 | 05 057530 001 | 298 | 05 057790 001 | 300 | 05 059571 001 | 288 |
| 05 056805 001 | 274 | 05 057603 001 | 293 | 05 057908 001 | 332 | 05 059572 001 | 288 |
| 05 056810 001 | 274 | 05 057604 001 | 293 | 05 058005 001 | 278 | 05 059573 001 | 297 |
| 05 056812 001 | 274 | 05 057605 001 | 293 | 05 058010 001 | 278 | 05 059574 001 | 269 |
| 05 056815 001 | 274 | 05 057606 001 | 293 | 05 058015 001 | 278 | 05 059575 001 | 278 |
| 05 056820 001 | 274 | 05 057615 001 | 260 | 05 058020 001 | 278 | 05 059602 001 | 297 |
| 05 056825 001 | 274 | 05 057616 001 | 260 | 05 059030 001 | 77 | 05 059603 001 | 297 |
| 05 056835 001 | 274 | 05 057617 001 | 260 | 05 059040 001 | 71 | 05 059604 001 | 297 |
| 05 056910 001 | 274 | 05 057620 001 | 271 | 05 059041 001 | 70 | 05 059605 001 | 297 |
| 05 056915 001 | 274 | 05 057621 001 | 271 | 05 059291 001 | 74 | 05 059610 001 | 297 |
| 05 056925 001 | 274 | 05 057622 001 | 271 | 05 059293 001 | 209 | 05 059615 001 | 297 |
| 05 057110 001 | 213 | 05 057623 001 | 279 | 05 059294 001 | 211 | 05 059620 001 | 297 |
| 05 057111 001 | 213 | 05 057624 001 | 279 | 05 059295 001 | 211 | 05 059625 001 | 297 |
| 05 057115 001 | 334 | 05 057625 001 | 279 | 05 059297 001 | 212 | 05 059628 001 | 297 |

Code No. Index

| Code No. | Page | Code No. | Page | Code No. | Page | Code No. | Page |
|---------------|------|---------------|------|---------------|------|---------------|------|
| 05 066160 001 | 304 | 05 066530 001 | 287 | 05 066915 001 | 287 | 05 072055 001 | 291 |
| 05 066165 001 | 304 | 05 066618 001 | 303 | 05 066920 001 | 287 | 05 072057 001 | 291 |
| 05 066170 001 | 304 | 05 066619 001 | 303 | 05 066925 001 | 287 | 05 072059 001 | 291 |
| 05 066272 001 | 289 | 05 066620 001 | 303 | 05 066941 001 | 287 | 05 072061 001 | 291 |
| 05 066274 001 | 289 | 05 066622 001 | 303 | 05 066950 001 | 287 | 05 072063 001 | 291 |
| 05 066276 001 | 289 | 05 066624 001 | 303 | 05 071010 001 | 260 | 05 072065 001 | 291 |
| 05 066278 001 | 289 | 05 066626 001 | 303 | 05 071011 001 | 260 | 05 072070 001 | 264 |
| 05 066279 001 | 289 | 05 066628 001 | 303 | 05 071012 001 | 260 | 05 072072 001 | 264 |
| 05 066280 001 | 289 | 05 066630 001 | 303 | 05 071020 001 | 272 | 05 072074 001 | 264 |
| 05 066282 001 | 289 | 05 066632 001 | 303 | 05 071021 001 | 272 | 05 072080 001 | 274 |
| 05 066284 001 | 289 | 05 066633 001 | 303 | 05 071022 001 | 272 | 05 072082 001 | 274 |
| 05 066286 001 | 289 | 05 066634 001 | 303 | 05 071030 001 | 280 | 05 072084 001 | 274 |
| 05 066287 001 | 289 | 05 066635 001 | 303 | 05 071032 001 | 280 | 05 072400 001 | 264 |
| 05 066288 001 | 289 | 05 066638 001 | 303 | 05 071033 001 | 280 | 05 072401 001 | 264 |
| 05 066290 001 | 289 | 05 066640 001 | 303 | 05 071034 001 | 280 | 05 072402 001 | 264 |
| 05 066300 001 | 282 | 05 066642 001 | 303 | 05 071035 001 | 280 | 05 072403 001 | 275 |
| 05 066301 001 | 282 | 05 066644 001 | 303 | 05 071037 001 | 280 | 05 072404 001 | 275 |
| 05 066302 001 | 282 | 05 066646 001 | 303 | 05 071038 001 | 280 | 05 072405 001 | 275 |
| 05 066303 001 | 282 | 05 066654 001 | 304 | 05 071070 001 | 293 | 05 072406 001 | 283 |
| 05 066304 001 | 282 | 05 066656 001 | 304 | 05 071071 001 | 293 | 05 072407 001 | 283 |
| 05 066305 001 | 282 | 05 066660 001 | 304 | 05 071072 001 | 293 | 05 072408 001 | 283 |
| 05 066308 001 | 282 | 05 066662 001 | 304 | 05 071073 001 | 293 | 05 072409 001 | 283 |
| 05 066310 001 | 282 | 05 066664 001 | 304 | 05 071074 001 | 293 | 05 072411 001 | 283 |
| 05 066312 001 | 282 | 05 066666 001 | 304 | 05 071075 001 | 293 | 05 072412 001 | 283 |
| 05 066313 001 | 282 | 05 066668 001 | 304 | 05 071076 001 | 293 | 05 072441 001 | 265 |
| 05 066315 001 | 282 | 05 066670 001 | 304 | 05 071077 001 | 293 | 05 072443 001 | 275 |
| 05 066320 001 | 282 | 05 066672 001 | 304 | 05 071080 001 | 291 | 05 072444 001 | 275 |
| 05 066325 001 | 282 | 05 066674 001 | 304 | 05 071081 001 | 266 | 05 072446 001 | 283 |
| 05 066330 001 | 282 | 05 066676 001 | 304 | 05 071082 001 | 266 | 05 072447 001 | 283 |
| 05 066335 001 | 282 | 05 066678 001 | 304 | 05 071083 001 | 266 | 05 072448 001 | 283 |
| 05 066394 001 | 300 | 05 066680 001 | 304 | 05 071084 001 | 276 | 05 072449 001 | 283 |
| 05 066395 001 | 301 | 05 066682 001 | 304 | 05 071085 001 | 276 | 05 072451 001 | 283 |
| 05 066396 001 | 300 | 05 066683 001 | 304 | 05 071086 001 | 276 | 05 072452 001 | 283 |
| 05 066400 001 | 301 | 05 066684 001 | 304 | 05 071089 001 | 288 | 05 073050 001 | 295 |
| 05 066405 001 | 301 | 05 066685 001 | 304 | 05 071090 001 | 288 | 05 073051 001 | 295 |
| 05 066410 001 | 301 | 05 066686 001 | 304 | 05 071091 001 | 288 | 05 073052 001 | 295 |
| 05 066415 001 | 301 | 05 066687 001 | 304 | 05 071092 001 | 288 | 05 073053 001 | 295 |
| 05 066420 001 | 301 | 05 066688 001 | 303 | 05 071094 001 | 288 | 05 073054 001 | 295 |
| 05 066455 001 | 283 | 05 066690 001 | 303 | 05 071097 001 | 302 | 05 073055 001 | 295 |
| 05 066460 001 | 283 | 05 066692 001 | 303 | 05 071098 001 | 302 | 05 073056 001 | 297 |
| 05 066465 001 | 283 | 05 066694 001 | 303 | 05 071099 001 | 302 | 05 073057 001 | 297 |
| 05 066485 001 | 282 | 05 066696 001 | 303 | 05 071100 001 | 311 | 05 073058 001 | 297 |
| 05 066486 001 | 282 | 05 066758 001 | 304 | 05 071101 001 | 296 | 05 073059 001 | 297 |
| 05 066487 001 | 282 | 05 066760 001 | 304 | 05 071102 001 | 296 | 05 073060 001 | 297 |
| 05 066488 001 | 282 | 05 066762 001 | 304 | 05 071103 001 | 296 | 05 073061 001 | 297 |
| 05 066489 001 | 282 | 05 066764 001 | 304 | 05 071104 001 | 296 | 05 073064 001 | 288 |
| 05 066490 001 | 282 | 05 066766 001 | 304 | 05 071105 001 | 296 | 05 073065 001 | 288 |
| 05 066491 001 | 282 | 05 066768 001 | 304 | 05 071106 001 | 296 | 05 073066 001 | 288 |
| 05 066492 001 | 282 | 05 066785 001 | 304 | 05 071107 001 | 296 | 05 073070 001 | 289 |
| 05 066493 001 | 282 | 05 066786 001 | 304 | 05 071108 001 | 296 | 05 073071 001 | 289 |
| 05 066494 001 | 282 | 05 066787 001 | 304 | 05 071109 001 | 325 | 05 073072 001 | 289 |
| 05 066495 001 | 282 | 05 066788 001 | 304 | 05 071110 001 | 325 | 05 073073 001 | 289 |
| 05 066496 001 | 282 | 05 066850 001 | 304 | 05 071116 001 | 209 | 05 073074 001 | 301 |
| 05 066497 001 | 287 | 05 066851 001 | 304 | 05 071117 001 | 210 | 05 073075 001 | 301 |
| 05 066498 001 | 287 | 05 066852 001 | 304 | 05 071222 001 | 305 | 05 073076 001 | 302 |
| 05 066499 001 | 287 | 05 066853 001 | 304 | 05 071223 001 | 305 | 05 073077 001 | 302 |
| 05 066500 001 | 287 | 05 066854 001 | 304 | 05 071224 001 | 305 | 05 073200 001 | 317 |
| 05 066505 001 | 287 | 05 066900 001 | 287 | 05 071225 001 | 305 | 05 073201 001 | 299 |
| 05 066510 001 | 287 | 05 066901 001 | 287 | 05 071228 001 | 305 | 05 073202 001 | 299 |
| 05 066515 001 | 287 | 05 066902 001 | 287 | 05 072014 001 | 383 | 05 073210 001 | 316 |
| 05 066520 001 | 287 | 05 066905 001 | 287 | 05 072017 001 | 383 | 05 073220 001 | 160 |
| 05 066525 001 | 287 | 05 066910 001 | 287 | 05 072050 001 | 291 | 05 073230 001 | 164 |

| Code No. | Page | Code No. | Page | Code No. | Page | Code No. | Page |
|---------------|------|---------------|------|---------------|------|---------------|------|
| 05 073240 001 | 207 | 05 073376 001 | 282 | 05 073634 001 | 325 | 05 074717 001 | 355 |
| 05 073241 001 | 207 | 05 073380 001 | 275 | 05 073635 001 | 336 | 05 074717 010 | 359 |
| 05 073260 001 | 98 | 05 073391 001 | 185 | 05 073637 001 | 337 | 05 074720 001 | 356 |
| 05 073261 001 | 116 | 05 073401 001 | 314 | 05 073638 001 | 337 | 05 074720 010 | 361 |
| 05 073262 001 | 134 | 05 073404 001 | 335 | 05 073640 001 | 157 | 05 074721 001 | 357 |
| 05 073268 001 | 168 | 05 073406 001 | 335 | 05 073645 001 | 161 | 05 074721 010 | 361 |
| 05 073270 001 | 168 | 05 073410 001 | 333 | 05 073660 001 | 235 | 05 074722 001 | 356 |
| 05 073271 001 | 168 | 05 073416 001 | 334 | 05 073661 002 | 235 | 05 074722 010 | 361 |
| 05 073272 001 | 168 | 05 073418 001 | 328 | 05 073665 001 | 234 | 05 074728 001 | 355 |
| 05 073273 001 | 168 | 05 073419 001 | 330 | 05 073670 001 | 56 | 05 074728 010 | 359 |
| 05 073274 001 | 168 | 05 073420 001 | 311 | 05 073671 001 | 56 | 05 074730 001 | 350 |
| 05 073275 001 | 168 | 05 073421 001 | 312 | 05 073675 001 | 38 | 05 074731 001 | 350 |
| 05 073276 001 | 168 | 05 073470 001 | 286 | 05 073676 001 | 39 | 05 074733 001 | 351 |
| 05 073277 001 | 168 | 05 073471 001 | 286 | 05 073677 001 | 39 | 05 074734 001 | 351 |
| 05 073278 001 | 168 | 05 073472 001 | 286 | 05 073680 001 | 32 | 05 074738 001 | 352 |
| 05 073279 001 | 168 | 05 073473 001 | 286 | 05 073681 001 | 32 | 05 074739 001 | 352 |
| 05 073280 001 | 168 | 05 073474 001 | 286 | 05 073720 001 | 286 | 05 074745 001 | 353 |
| 05 073281 001 | 168 | 05 073495 001 | 307 | 05 073721 001 | 286 | 05 074746 001 | 353 |
| 05 073282 001 | 168 | 05 073500 001 | 306 | 05 073722 001 | 286 | 05 074750 001 | 79 |
| 05 073283 001 | 168 | 05 073501 001 | 306 | 05 073723 001 | 286 | 05 074752 001 | 79 |
| 05 073284 001 | 168 | 05 073502 001 | 306 | 05 073724 001 | 286 | 05 074757 001 | 79 |
| 05 073285 001 | 168 | 05 073503 001 | 306 | 05 073890 001 | 324 | 05 074770 001 | 350 |
| 05 073286 001 | 168 | 05 073504 001 | 306 | 05 073904 001 | 293 | 05 074772 001 | 350 |
| 05 073287 001 | 168 | 05 073505 001 | 306 | 05 073905 001 | 293 | 05 074774 001 | 350 |
| 05 073290 001 | 169 | 05 073506 001 | 306 | 05 073906 001 | 293 | 05 074780 001 | 350 |
| 05 073295 001 | 170 | 05 073507 001 | 306 | 05 073916 001 | 260 | 05 074782 001 | 350 |
| 05 073304 001 | 264 | 05 073508 001 | 306 | 05 073917 001 | 260 | 05 074784 001 | 350 |
| 05 073305 001 | 264 | 05 073509 001 | 306 | 05 073921 001 | 271 | 05 074786 001 | 351 |
| 05 073306 001 | 264 | 05 073510 001 | 306 | 05 073922 001 | 271 | 05 074788 001 | 351 |
| 05 073307 001 | 264 | 05 073511 001 | 312 | 05 073924 001 | 279 | 05 074790 001 | 354 |
| 05 073308 001 | 275 | 05 073520 001 | 269 | 05 073925 001 | 279 | 05 074790 010 | 358 |
| 05 073309 001 | 275 | 05 073521 001 | 269 | 05 073926 001 | 279 | 05 074792 001 | 354 |
| 05 073310 001 | 275 | 05 073522 001 | 269 | 05 073927 001 | 279 | 05 074792 010 | 358 |
| 05 073311 001 | 275 | 05 073523 001 | 278 | 05 073931 001 | 300 | 05 074794 001 | 354 |
| 05 073313 001 | 282 | 05 073524 001 | 278 | 05 073932 001 | 300 | 05 074794 010 | 358 |
| 05 073314 001 | 282 | 05 073525 001 | 278 | 05 073944 001 | 296 | 05 074800 001 | 358 |
| 05 073315 001 | 282 | 05 073526 001 | 286 | 05 073945 001 | 296 | 05 074800 010 | 363 |
| 05 073316 001 | 282 | 05 073527 001 | 286 | 05 073946 001 | 296 | 05 074802 001 | 351 |
| 05 073317 001 | 282 | 05 073528 001 | 286 | 05 073956 001 | 266 | 05 074804 001 | 351 |
| 05 073318 001 | 313 | 05 073529 001 | 286 | 05 073957 001 | 266 | 05 074810 001 | 358 |
| 05 073323 001 | 264 | 05 073530 001 | 286 | 05 073961 001 | 276 | 05 074810 010 | 363 |
| 05 073324 001 | 264 | 05 073531 001 | 286 | 05 073962 001 | 276 | 05 074820 001 | 355 |
| 05 073325 001 | 264 | 05 073540 001 | 231 | 05 073964 001 | 284 | 05 074820 010 | 360 |
| 05 073326 001 | 264 | 05 073541 001 | 230 | 05 073965 001 | 284 | 05 074822 001 | 355 |
| 05 073332 001 | 261 | 05 073544 001 | 183 | 05 073966 001 | 284 | 05 074822 010 | 360 |
| 05 073333 001 | 261 | 05 073593 001 | 184 | 05 073967 001 | 284 | 05 074824 001 | 355 |
| 05 073334 001 | 261 | 05 073594 001 | 186 | 05 073971 001 | 302 | 05 074824 010 | 360 |
| 05 073335 001 | 261 | 05 073596 001 | 186 | 05 073972 001 | 302 | 05 074826 001 | 357 |
| 05 073336 001 | 273 | 05 073598 001 | 196 | 05 073980 001 | 323 | 05 074826 010 | 362 |
| 05 073337 001 | 273 | 05 073599 001 | 196 | 05 073984 001 | 58 | 05 074828 001 | 357 |
| 05 073338 001 | 273 | 05 073610 001 | 261 | 05 073990 001 | 310 | 05 074828 010 | 362 |
| 05 073339 001 | 273 | 05 073611 001 | 261 | 05 074700 001 | 350 | 05 074840 001 | 356 |
| 05 073340 001 | 282 | 05 073613 001 | 272 | 05 074701 001 | 350 | 05 074840 010 | 360 |
| 05 073342 001 | 295 | 05 073614 001 | 272 | 05 074702 001 | 350 | 05 074842 001 | 356 |
| 05 073344 001 | 295 | 05 073615 001 | 272 | 05 074705 001 | 350 | 05 074842 010 | 360 |
| 05 073346 001 | 282 | 05 073616 001 | 311 | 05 074710 001 | 350 | 05 075604 001 | 364 |
| 05 073357 001 | 315 | 05 073620 001 | 280 | 05 074711 001 | 350 | 05 075605 001 | 365 |
| 05 073370 001 | 274 | 05 073621 001 | 280 | 05 074712 001 | 351 | 05 075610 001 | 366 |
| 05 073371 001 | 274 | 05 073622 001 | 280 | 05 074715 001 | 354 | 05 075611 001 | 367 |
| 05 073372 001 | 274 | 05 073623 001 | 280 | 05 074715 010 | 359 | 05 075620 001 | 367 |
| 05 073373 001 | 274 | 05 073625 001 | 280 | 05 074716 001 | 354 | 05 075621 001 | 367 |
| 05 073375 001 | 282 | 05 073630 001 | 325 | 05 074716 010 | 359 | 05 075622 001 | 367 |

Code No. Index

| Code No. | Page | Code No. | Page | Code No. | Page | Code No. | Page |
|---------------|------|---------------|------|---------------|------|---------------|------|
| 05 075623 001 | 369 | 05 078641 001 | 377 | 05 078720 001 | 379 | 05 104619 001 | 345 |
| 05 075624 001 | 369 | 05 078642 001 | 377 | 05 078721 001 | 379 | 05 104620 001 | 345 |
| 05 075625 001 | 369 | 05 078650 001 | 378 | 05 100000 001 | 61 | 05 104621 001 | 345 |
| 05 075626 001 | 370 | 05 078651 001 | 378 | 05 100001 001 | 61 | 05 104622 001 | 345 |
| 05 075630 001 | 369 | 05 078652 001 | 378 | 05 100002 001 | 61 | 05 104630 001 | 344 |
| 05 075631 001 | 370 | 05 078653 001 | 378 | 05 100003 001 | 61 | 05 104631 001 | 344 |
| 05 075651 001 | 370 | 05 078654 001 | 378 | 05 100004 001 | 61 | 05 104632 001 | 344 |
| 05 075652 001 | 370 | 05 078655 001 | 378 | 05 100011 001 | 61 | 05 104633 001 | 344 |
| 05 075653 001 | 371 | 05 078656 001 | 378 | 05 100012 001 | 61 | 05 104634 001 | 344 |
| 05 075654 001 | 371 | 05 078657 001 | 378 | 05 100015 001 | 62 | 05 104635 001 | 344 |
| 05 075655 001 | 371 | 05 078658 001 | 378 | 05 100016 001 | 62 | 05 104640 001 | 345 |
| 05 075656 001 | 371 | 05 078660 001 | 378 | 05 100019 001 | 62 | 05 104641 001 | 345 |
| 05 075670 001 | 372 | 05 078661 001 | 378 | 05 100020 001 | 62 | 05 104642 001 | 345 |
| 05 075670 010 | 372 | 05 078662 001 | 378 | 05 100021 001 | 63 | 05 104643 001 | 345 |
| 05 075671 001 | 372 | 05 078663 001 | 378 | 05 100022 001 | 63 | 05 104644 001 | 345 |
| 05 075671 010 | 372 | 05 078664 001 | 378 | 05 100024 001 | 64 | 05 104645 001 | 345 |
| 05 075672 001 | 372 | 05 078666 001 | 379 | 05 100025 001 | 64 | 05 104650 001 | 344 |
| 05 075672 010 | 372 | 05 078667 001 | 379 | 05 100026 001 | 64 | 05 104651 001 | 345 |
| 05 075673 001 | 373 | 05 078670 001 | 374 | 05 100030 001 | 13 | 05 104652 001 | 346 |
| 05 075673 010 | 373 | 05 078671 001 | 374 | 05 100031 001 | 13 | 05 104653 001 | 346 |
| 05 075680 001 | 368 | 05 078672 001 | 374 | 05 100042 001 | 12 | 05 104654 001 | 343 |
| 05 075681 001 | 368 | 05 078673 001 | 374 | 05 100043 001 | 12 | 05 104655 001 | 343 |
| 05 075800 001 | 381 | 05 078674 001 | 374 | 05 100044 001 | 12 | 05 104660 001 | 343 |
| 05 075801 001 | 381 | 05 078675 001 | 374 | 05 100050 001 | 14 | 05 104661 001 | 343 |
| 05 075830 001 | 381 | 05 078676 001 | 374 | 05 100051 001 | 14 | 05 104662 001 | 343 |
| 05 075831 001 | 382 | 05 078677 001 | 374 | 05 100052 001 | 14 | 05 104663 001 | 343 |
| 05 075832 001 | 382 | 05 078678 001 | 374 | 05 100055 001 | 14 | 05 104664 001 | 343 |
| 05 078200 001 | 376 | 05 078679 001 | 374 | 05 100056 001 | 14 | 05 104665 001 | 343 |
| 05 078205 001 | 376 | 05 078680 001 | 374 | 05 100057 001 | 14 | 05 104666 001 | 342 |
| 05 078210 001 | 376 | 05 078681 001 | 374 | 05 100060 001 | 16 | 05 104667 001 | 342 |
| 05 078345 001 | 377 | 05 078682 001 | 374 | 05 100061 001 | 16 | 05 104668 001 | 342 |
| 05 078600 001 | 373 | 05 078683 001 | 374 | 05 100062 001 | 16 | 05 104669 001 | 342 |
| 05 078601 001 | 373 | 05 078684 001 | 374 | 05 100063 001 | 16 | 05 104670 001 | 342 |
| 05 078602 001 | 373 | 05 078685 001 | 374 | 05 100064 001 | 16 | 05 104671 001 | 342 |
| 05 078603 001 | 373 | 05 078686 001 | 374 | 05 100070 001 | 18 | 05 104672 001 | 342 |
| 05 078604 001 | 373 | 05 078687 001 | 374 | 05 100071 001 | 18 | 05 105622 001 | 23 |
| 05 078605 001 | 373 | 05 078690 001 | 375 | 05 100072 001 | 18 | 05 105623 001 | 24 |
| 05 078606 001 | 373 | 05 078691 001 | 375 | 05 100075 001 | 9 | 05 105624 001 | 25 |
| 05 078607 001 | 373 | 05 078692 001 | 375 | 05 100076 001 | 9 | 05 105625 001 | 25 |
| 05 078608 001 | 373 | 05 078693 001 | 375 | 05 100077 001 | 9 | 05 105626 001 | 26 |
| 05 078609 001 | 373 | 05 078694 001 | 375 | 05 100080 001 | 9 | 05 105630 001 | 21 |
| 05 078610 001 | 373 | 05 078695 001 | 375 | 05 100081 001 | 9 | 05 105631 001 | 65 |
| 05 078611 001 | 373 | 05 078696 001 | 375 | 05 100082 001 | 9 | 05 105650 001 | 23 |
| 05 078612 001 | 373 | 05 078697 001 | 375 | 05 100085 001 | 8 | 05 105656 001 | 23 |
| 05 078620 001 | 374 | 05 078698 001 | 375 | 05 100086 001 | 8 | 05 110000 001 | 12 |
| 05 078621 001 | 374 | 05 078699 001 | 375 | 05 100087 001 | 8 | 05 110001 001 | 12 |
| 05 078622 001 | 374 | 05 078700 001 | 375 | 05 100100 001 | 64 | 05 110002 001 | 12 |
| 05 078623 001 | 374 | 05 078701 001 | 375 | 05 104600 001 | 345 | 05 110003 001 | 12 |
| 05 078624 001 | 374 | 05 078702 001 | 375 | 05 104601 001 | 345 | 05 110004 001 | 12 |
| 05 078625 001 | 374 | 05 078703 001 | 375 | 05 104602 001 | 345 | 05 110005 001 | 12 |
| 05 078626 001 | 374 | 05 078704 001 | 375 | 05 104603 001 | 345 | 05 110006 001 | 12 |
| 05 078627 001 | 374 | 05 078705 001 | 375 | 05 104604 001 | 345 | 05 110007 001 | 12 |
| 05 078628 001 | 374 | 05 078706 001 | 380 | 05 104605 001 | 345 | 05 110008 001 | 12 |
| 05 078629 001 | 374 | 05 078707 001 | 376 | 05 104610 001 | 345 | 05 110010 001 | 13 |
| 05 078630 001 | 374 | 05 078708 001 | 376 | 05 104611 001 | 345 | 05 110011 001 | 13 |
| 05 078631 001 | 374 | 05 078709 001 | 380 | 05 104612 001 | 345 | 05 110104 001 | 13 |
| 05 078632 001 | 374 | 05 078710 001 | 377 | 05 104613 001 | 345 | 05 110105 001 | 13 |
| 05 078633 001 | 374 | 05 078711 001 | 380 | 05 104614 001 | 345 | 05 117680 001 | 18 |
| 05 078635 001 | 375 | 05 078714 001 | 379 | 05 104615 001 | 345 | 05 117681 001 | 18 |
| 05 078636 001 | 375 | 05 078715 001 | 379 | 05 104616 001 | 345 | 05 117682 001 | 18 |
| 05 078637 001 | 375 | 05 078716 001 | 379 | 05 104617 001 | 345 | 05 117683 001 | 18 |
| 05 078640 001 | 377 | 05 078717 001 | 379 | 05 104618 001 | 345 | 05 117684 001 | 18 |

| Code No. | Page | Code No. | Page | Code No. | Page | Code No. | Page |
|---------------|------|---------------|------|---------------|------|---------------|------|
| 05 117685 001 | 18 | 05 118100 001 | 36 | 05 134025 001 | 256 | 05 134701 001 | 290 |
| 05 117686 001 | 18 | 05 118102 001 | 36 | 05 134025 001 | 256 | 05 134702 001 | 290 |
| 05 117687 001 | 18 | 05 118103 001 | 36 | 05 134200 001 | 333 | 05 134703 001 | 290 |
| 05 117691 001 | 18 | 05 118106 001 | 36 | 05 134275 001 | 28 | 05 134704 001 | 290 |
| 05 117990 001 | 34 | 05 118108 001 | 37 | 05 134370 001 | 267 | 05 134705 001 | 290 |
| 05 117991 001 | 34 | 05 118109 001 | 37 | 05 134371 001 | 267 | 05 134706 001 | 290 |
| 05 117992 001 | 34 | 05 118110 001 | 37 | 05 134372 001 | 267 | 05 134707 001 | 290 |
| 05 117993 001 | 34 | 05 118112 001 | 37 | 05 134373 001 | 267 | 05 134720 001 | 290 |
| 05 117994 001 | 34 | 05 118114 001 | 37 | 05 134374 001 | 281 | 05 134722 001 | 290 |
| 05 117995 001 | 34 | 05 118116 001 | 37 | 05 134375 001 | 281 | 05 134723 001 | 290 |
| 05 117997 001 | 34 | 05 118118 001 | 37 | 05 134376 001 | 281 | 05 134732 001 | 290 |
| 05 118000 001 | 34 | 05 118120 001 | 37 | 05 134377 001 | 281 | 05 134740 001 | 286 |
| 05 118002 001 | 34 | 05 118122 001 | 37 | 05 134378 001 | 281 | 05 134800 001 | 302 |
| 05 118003 001 | 34 | 05 118124 001 | 37 | 05 134379 001 | 281 | 05 134801 001 | 302 |
| 05 118004 001 | 34 | 05 118126 001 | 37 | 05 134380 001 | 268 | 05 134802 001 | 302 |
| 05 118005 001 | 34 | 05 118128 001 | 37 | 05 134381 001 | 268 | 05 134805 001 | 302 |
| 05 118006 001 | 34 | 05 118130 001 | 37 | 05 134382 001 | 268 | 05 134806 001 | 302 |
| 05 118007 001 | 34 | 05 118132 001 | 37 | 05 134384 001 | 277 | 05 134807 001 | 302 |
| 05 118008 001 | 34 | 05 118134 001 | 37 | 05 134385 001 | 277 | 05 134905 001 | 264 |
| 05 118010 001 | 34 | 05 118135 001 | 37 | 05 134386 001 | 277 | 05 134906 001 | 267 |
| 05 118012 001 | 34 | 05 118136 001 | 37 | 05 134397 001 | 315 | 05 134907 001 | 267 |
| 05 118014 001 | 34 | 05 118137 001 | 37 | 05 134398 001 | 315 | 05 134910 001 | 267 |
| 05 118017 001 | 34 | 05 118145 001 | 36 | 05 134399 001 | 317 | 05 134911 001 | 267 |
| 05 118019 001 | 35 | 05 118150 001 | 40 | 05 134480 001 | 314 | 05 134913 001 | 267 |
| 05 118020 001 | 35 | 05 118152 001 | 40 | 05 134491 001 | 208 | 05 134914 001 | 267 |
| 05 118022 001 | 35 | 05 118154 001 | 41 | 05 134605 001 | 270 | 05 134915 001 | 267 |
| 05 118023 001 | 35 | 05 118156 001 | 41 | 05 134609 001 | 289 | 05 134919 001 | 262 |
| 05 118024 001 | 35 | 05 118158 001 | 41 | 05 134654 001 | 290 | 05 134920 001 | 262 |
| 05 118026 001 | 35 | 05 118180 001 | 35 | 05 134655 001 | 290 | 05 134921 001 | 262 |
| 05 118030 001 | 34 | 05 118181 001 | 35 | 05 134656 001 | 290 | 05 134929 001 | 267 |
| 05 118032 001 | 34 | 05 118182 001 | 35 | 05 134657 001 | 290 | 05 134930 001 | 267 |
| 05 118035 001 | 35 | 05 118183 001 | 35 | 05 134658 001 | 290 | 05 134931 001 | 267 |
| 05 118036 001 | 35 | 05 118184 001 | 35 | 05 134664 001 | 289 | 05 134932 001 | 267 |
| 05 118037 001 | 35 | 05 118185 001 | 35 | 05 134665 001 | 289 | 05 135003 001 | 274 |
| 05 118039 001 | 35 | 05 118186 001 | 35 | 05 134667 001 | 289 | 05 135005 001 | 263 |
| 05 118040 001 | 35 | 05 130002 001 | 316 | 05 134668 001 | 289 | 05 135008 001 | 263 |
| 05 118042 001 | 35 | 05 130003 001 | 316 | 05 134669 001 | 289 | 05 135009 001 | 263 |
| 05 118044 001 | 35 | 05 130110 001 | 365 | 05 134670 001 | 289 | 05 135017 001 | 274 |
| 05 118046 001 | 35 | 05 133150 001 | 193 | 05 134671 001 | 289 | 05 135040 001 | 265 |
| 05 118048 001 | 35 | 05 133151 001 | 193 | 05 134672 001 | 289 | 05 135041 001 | 265 |
| 05 118050 001 | 35 | 05 133152 001 | 193 | 05 134673 001 | 289 | 05 135060 001 | 294 |
| 05 118052 001 | 35 | 05 133153 001 | 193 | 05 134674 001 | 289 | 05 135068 001 | 294 |
| 05 118054 001 | 35 | 05 133154 001 | 193 | 05 134675 001 | 289 | 05 135069 001 | 294 |
| 05 118060 001 | 36 | 05 133155 001 | 193 | 05 134676 001 | 289 | 05 135070 001 | 294 |
| 05 118062 001 | 36 | 05 133156 001 | 193 | 05 134677 001 | 289 | 05 135071 001 | 294 |
| 05 118064 001 | 36 | 05 133157 001 | 193 | 05 134678 001 | 289 | 05 135072 001 | 294 |
| 05 118066 001 | 36 | 05 133158 001 | 193 | 05 134679 001 | 289 | 05 135073 001 | 294 |
| 05 118068 001 | 36 | 05 133163 001 | 186 | 05 134680 001 | 289 | 05 135074 001 | 294 |
| 05 118070 001 | 36 | 05 133164 001 | 184 | 05 134681 001 | 289 | 05 135075 001 | 294 |
| 05 118072 001 | 36 | 05 133180 001 | 188 | 05 134682 001 | 289 | 05 135076 001 | 294 |
| 05 118074 001 | 36 | 05 133285 001 | 10 | 05 134683 001 | 289 | 05 135077 001 | 294 |
| 05 118075 001 | 36 | 05 133355 001 | 67 | 05 134684 001 | 289 | 05 135078 001 | 294 |
| 05 118076 001 | 36 | 05 133356 001 | 66 | 05 134685 001 | 289 | 05 135079 001 | 294 |
| 05 118078 001 | 36 | 05 133862 001 | 154 | 05 134686 001 | 289 | 05 135090 001 | 297 |
| 05 118080 001 | 36 | 05 134000 001 | 38 | 05 134687 001 | 289 | 05 135091 001 | 297 |
| 05 118082 001 | 36 | 05 134001 001 | 32 | 05 134688 001 | 289 | 05 135092 001 | 297 |
| 05 118089 001 | 36 | 05 134002 001 | 32 | 05 134690 001 | 289 | 05 135093 001 | 297 |
| 05 118090 001 | 36 | 05 134011 001 | 255 | 05 134691 001 | 289 | 05 135094 001 | 297 |
| 05 118092 001 | 36 | 05 134013 001 | 229 | 05 134695 001 | 289 | 05 135095 001 | 297 |
| 05 118094 001 | 36 | 05 134015 001 | 229 | 05 134698 001 | 290 | 05 135096 001 | 297 |
| 05 118096 001 | 36 | 05 134019 001 | 52 | 05 134699 001 | 290 | 05 135097 001 | 297 |
| 05 118098 001 | 36 | 05 134021 001 | 347 | 05 134700 001 | 290 | 05 135098 001 | 297 |

Code No. Index

| Code No. | Page | Code No. | Page | Code No. | Page | Code No. | Page |
|---------------|------|---------------|------|---------------|------|---------------|------|
| 05 135099 001 | 297 | 05 136011 001 | 347 | 05 150120 001 | 245 | 05 345032 001 | 287 |
| 05 135120 001 | 289 | 05 136013 001 | 67 | 05 150121 001 | 246 | 05 345035 001 | 287 |
| 05 135121 001 | 289 | 05 136018 001 | 68 | 05 150122 001 | 246 | 05 345047 001 | 286 |
| 05 135140 001 | 282 | 05 136019 001 | 69 | 05 150130 001 | 240 | 05 345056 001 | 287 |
| 05 135141 001 | 282 | 05 136022 001 | 68 | 05 150140 001 | 247 | 05 345281 001 | 37 |
| 05 135142 001 | 282 | 05 136026 001 | 228 | 05 150150 001 | 247 | 05 345282 001 | 37 |
| 05 135143 001 | 282 | 05 136027 001 | 76 | 05 150180 001 | 248 | 05 345284 001 | 36 |
| 05 135200 001 | 286 | 05 136301 001 | 297 | 05 150181 001 | 248 | 05 345285 001 | 36 |
| 05 135201 001 | 286 | 05 136302 001 | 297 | 05 150182 001 | 249 | 05 345290 001 | 35 |
| 05 135202 001 | 286 | 05 136303 001 | 297 | 05 150183 001 | 249 | 05 345350 001 | 287 |
| 05 135204 001 | 286 | 05 136304 001 | 297 | 05 160785 001 | 97 | 05 345351 001 | 287 |
| 05 135205 001 | 286 | 05 136305 001 | 269 | 05 160821 001 | 290 | 05 345352 001 | 287 |
| 05 135220 001 | 287 | 05 136306 001 | 269 | 05 160830 001 | 286 | 05 346281 001 | 263 |
| 05 135221 001 | 287 | 05 136307 001 | 269 | 05 160885 001 | 297 | 05 346288 001 | 297 |
| 05 135222 001 | 287 | 05 136308 001 | 278 | 05 160895 001 | 270 | 05 346293 001 | 157 |
| 05 135224 001 | 307 | 05 136309 001 | 278 | 05 160896 001 | 268 | 05 347100 001 | 315 |
| 05 135225 001 | 307 | 05 136310 001 | 278 | 05 160899 001 | 268 | 05 347106 001 | 22 |
| 05 135230 001 | 289 | 05 136311 001 | 286 | 05 160901 001 | 270 | 05 347107 001 | 76 |
| 05 135231 001 | 289 | 05 136312 001 | 286 | 05 160908 001 | 270 | 05 347108 001 | 75 |
| 05 135232 001 | 289 | 05 136313 001 | 286 | 05 160917 001 | 289 | 05 347153 001 | 328 |
| 05 135233 001 | 289 | 05 136314 001 | 286 | 05 160924 001 | 315 | 05 347735 002 | 24 |
| 05 135234 001 | 289 | 05 136315 001 | 286 | 05 160956 001 | 289 | 05 347736 002 | 24 |
| 05 135235 001 | 289 | 05 136316 001 | 286 | 05 160976 001 | 315 | 05 347743 001 | 14 |
| 05 135264 001 | 292 | 05 136385 001 | 327 | 05 160977 001 | 315 | 05 347777 001 | 67 |
| 05 135265 001 | 292 | 05 136390 001 | 340 | 05 160979 001 | 315 | 05 347778 001 | 27 |
| 05 135266 001 | 292 | 05 136391 001 | 340 | 05 160981 001 | 315 | 05 350430 001 | 297 |
| 05 135267 001 | 292 | 05 136392 001 | 329 | 05 160983 001 | 267 | 05 350451 001 | 352 |
| 05 135268 001 | 298 | 05 136393 001 | 342 | 05 200496 001 | 287 | 05 380033 001 | 297 |
| 05 135269 001 | 298 | 05 136400 001 | 155 | 05 200995 001 | 160 | 05 380045 001 | 297 |
| 05 135270 001 | 270 | 05 136420 001 | 111 | 05 203913 001 | 269 | 05 380046 001 | 297 |
| 05 135271 001 | 270 | 05 136421 001 | 131 | 05 203914 001 | 269 | 05 380047 001 | 297 |
| 05 135272 001 | 270 | 05 136422 001 | 156 | 05 204126 001 | 290 | 05 380048 001 | 297 |
| 05 135273 001 | 270 | 05 136424 001 | 48 | 05 221110 001 | 304 | 05 380049 001 | 297 |
| 05 135276 001 | 270 | 05 136425 001 | 48 | 05 223161 001 | 26 | 05 380050 001 | 297 |
| 05 135277 001 | 270 | 05 136426 001 | 49 | 05 259135 001 | 290 | 05 380124 001 | 298 |
| 05 135280 001 | 271 | 05 137811 001 | 10 | 05 300004 001 | 54 | 05 380125 001 | 298 |
| 05 135281 001 | 271 | 05 137812 001 | 10 | 05 308428 001 | 286 | 05 380126 001 | 298 |
| 05 135284 001 | 271 | 05 137813 001 | 10 | 05 311517 001 | 316 | 05 380127 001 | 298 |
| 05 135285 001 | 271 | 05 138070 001 | 15 | 05 319835 001 | 286 | 05 380128 001 | 298 |
| 05 135311 001 | 28 | 05 138250 001 | 27 | 05 320430 001 | 289 | 05 380129 001 | 298 |
| 05 135530 001 | 268 | 05 138257 001 | 17 | 05 320540 001 | 24 | 05 380130 001 | 298 |
| 05 135531 001 | 268 | 05 138258 001 | 17 | 05 323780 001 | 269 | 05 380131 001 | 298 |
| 05 135532 001 | 268 | 05 138259 001 | 17 | 05 323781 001 | 269 | 05 380161 001 | 267 |
| 05 135810 001 | 335 | 05 138260 001 | 17 | 05 324901 001 | 303 | 05 380200 001 | 268 |
| 05 135870 001 | 225 | 05 138261 001 | 17 | 05 326310 001 | 289 | 05 380201 001 | 268 |
| 05 135871 001 | 225 | 05 138262 001 | 17 | 05 328448 001 | 286 | 05 380202 001 | 268 |
| 05 135903 001 | 307 | 05 138263 001 | 17 | 05 332600 001 | 286 | 05 480172 001 | 264 |
| 05 135904 001 | 307 | 05 138264 001 | 17 | 05 332606 001 | 289 | 05 480222 001 | 274 |
| 05 135906 001 | 74 | 05 138265 001 | 17 | 05 332607 001 | 287 | 05 670446 001 | 257 |
| 05 135918 001 | 158 | 05 138266 001 | 17 | 05 332609 001 | 287 | 05 670447 001 | 257 |
| 05 135926 001 | 224 | 05 138268 001 | 17 | 05 332610 001 | 287 | 05 670448 001 | 257 |
| 05 135927 001 | 228 | 05 138269 001 | 17 | 05 340245 001 | 300 | | |
| 05 135928 001 | 227 | 05 138270 001 | 17 | 05 340330 001 | 13 | | |
| 05 135938 001 | 40 | 05 140310 001 | 237 | 05 344511 001 | 319 | | |
| 05 135939 001 | 226 | 05 150101 001 | 241 | 05 344512 001 | 319 | | |
| 05 135942 001 | 203 | 05 150102 001 | 242 | 05 344513 001 | 319 | | |
| 05 135949 001 | 96 | 05 150103 001 | 242 | 05 344514 001 | 319 | | |
| 05 135961 001 | 67 | 05 150104 001 | 243 | 05 344900 001 | 289 | | |
| 05 135973 001 | 55 | 05 150110 001 | 243 | 05 345018 001 | 287 | | |
| 05 136000 001 | 316 | 05 150111 001 | 244 | 05 345019 001 | 289 | | |
| 05 136001 001 | 317 | 05 150112 001 | 244 | 05 345026 001 | 287 | | |
| 05 136002 001 | 317 | 05 150113 001 | 245 | 05 345028 001 | 287 | | |

Article No. Index

| | | | | | | |
|-------------------------|----------|-----|---|-----|---------------------------------------|-----|
| 68 | | 237 | 334 SK | 13 | 454/10 HF Set Imperial 2 | 46 |
| 80 | | 236 | 334 SK/6 | 22 | 467 TORX® HF | 42 |
| 80 RA | | 233 | 334/355/6 Rack | 23 | 467/7 TORX® Set 1 | 47 |
| 81 | | 237 | 334/355 SK/6 | 23 | 467/7 TORX® Set 2 | 47 |
| 82 | | 237 | 334/368/6 | 27 | 495 | 43 |
| 83 | | 237 | 335 | 12 | 712 | 236 |
| 84 | | 237 | 335 SB | 12 | 780 A | 319 |
| 85 | | 237 | 335 Stubby/carburetor screwdriver | 20 | 780 B | 319 |
| 86 | | 237 | 335/350/355/3 | 24 | 780 C | 319 |
| 87 | | 237 | 335/350/355/4 | 24 | 781 A | 318 |
| 88/1 | | 235 | 335/350/355/6 | 23 | 781 B | 318 |
| 91 | | 236 | 335/350/367/7 | 24 | 781 C | 318 |
| 95 Vario | | 236 | 338 | 18 | 781/5 Set 1 | 318 |
| 100 | | 383 | 338/2 | 27 | 784 A/1 | 319 |
| 100 L | | 384 | 350 | 13 | 784 B | 319 |
| 100 S | | 384 | 350 SB | 14 | 784 C | 319 |
| 101 | | 384 | 350 SK | 13 | 800 S | 220 |
| 101 L | | 384 | 350 PH Stubby/carburetor screwdriver | 20 | 800/1 BDC | 290 |
| 102 | | 384 | 352 | 15 | 800/1 BTZ | 291 |
| 102 L | | 384 | 354 | 15 | 800/1 TZ | 291 |
| 160 i VDE | | 60 | 355 | 14 | 800/1 Z | 291 |
| 160 i VDE SB | | 61 | 355 SB | 14 | 800/2 Z | 292 |
| 160 i/6 | | 65 | 355 SK | 14 | 800/4 Z | 292 |
| 160 i/7 | | 66 | 355 Stubby/carburetor screwdriver | 20 | 800/4 Z Take it easy | 292 |
| 160 i/162 i/167 i/9 | | 67 | 367 TORX® | 16 | 800/9 C | 292 |
| 160 i/165 i/7 | | 66 | 367 TORX® SB | 16 | 809/1 ESD Stubby | 57 |
| 160 i/168 i/6 | | 67 | 367/6 TORX® | 27 | 810/1 Vario | 232 |
| 160 iS VDE | | 61 | 367 TORX® Stubby/carburetor screwdriver | 20 | 811/1 ESD Stubby | 57 |
| 160 iS/7 | | 66 | 367 TORX® B0 | 17 | 811/1 Stubby | 232 |
| 160 iSS | | 61 | 367 TORX® HF | 16 | 812/1 Vario | 232 |
| 160 iSS/7 | | 67 | 367/4 TORX® HF | 26 | 813 | 232 |
| 162 i PH/S VDE | | 62 | 367/6 TORX® B0 | 27 | 813 R | 231 |
| 162 i PH/S VDE SB | | 62 | 367/6 TORX® HF | 26 | 813 R ESD | 54 |
| 162 i VDE PH | | 61 | 367/7 TORX® HF | 26 | 816 R | 231 |
| 162 i VDE PH SB | | 61 | 367 TORX PLUS® | 17 | 816 R SB | 231 |
| 162 iS PH VDE | | 61 | 368 | 18 | 816 R ESD | 54 |
| 162 iS PH/S VDE | | 63 | 368 SB | 18 | 816 RA | 233 |
| 162 iSS PH VDE | | 62 | 368 Stubby/carburetor screwdriver | 18 | 817 R | 230 |
| 165 i PZ VDE | | 62 | 391 | 21 | 817 R SB | 230 |
| 165 i PZ VDE SB | | 62 | 391/3 | 18 | 817 VDE | 79 |
| 165 i PZ/S VDE | | 63 | 392 | 28 | 826 T Kraffform Turbo | 203 |
| 165 i PZ/S VDE SB | | 63 | 393 S | 231 | 827 T Kraffform Turbo | 80 |
| 165 iS PZ VDE | | 62 | 395 | 231 | 830 | 236 |
| 165 iS PZ/S VDE | | 63 | 395 H0 | 19 | 840 S Hex-Plus | 219 |
| 165 iS PZ/S VDE # 1 + 2 | | 69 | 395 H0/3 | 19 | 840/1 BTZ | 294 |
| 165 iSS PZ/S VDE | | 63 | 395 H0/7 SM | 28 | 840/1 IMP DC Hex-Plus 3,0 x 25 mm DIY | 293 |
| 167 i TORX® VDE | | 64 | 400 Hex | 28 | 840/1 IMP DC Hex-Plus 4,0 x 25 mm DIY | 293 |
| 167 i/6 TORX® VDE | | 66 | 400 i Hex | 364 | 840/1 IMP DC Hex-Plus 5,0 x 25 mm DIY | 293 |
| 168 i VDE | | 64 | 400 TX | 91 | 840/1 IMP DC Hex-Plus 6,0 x 25 mm DIY | 293 |
| 168 i VDE SB | | 64 | 410 i VDE B | 364 | 840/1 IMP DC SB | 293 |
| 190 i VDE | | 64 | 411 A RA | 86 | 840/1 Z | 294 |
| 247 | | 64 | 416 R | 44 | 840/1 Z SB | 295 |
| 247 SB | | 64 | 416 RA | 43 | 840/1 Z B0 | 298 |
| 300 Hex | | 363 | 454 | 44 | 840/2 Z | 298 |
| 300 IP | 363, 364 | 364 | 454 Imperial | 41 | 840/4 Hex-Plus Ni | 297 |
| 300 TX | | 363 | 454 HF | 42 | 840/4 IMP DC Hex-Plus 4,0 x 50 mm DIY | 295 |
| 300/7 Mix 1 | | 29 | 454 Imperial HF | 42 | 840/4 IMP DC Hex-Plus 5,0 x 50 mm DIY | 295 |
| 300/7 Mix 2 | | 30 | 454/7 HF Set 1 | 42 | 840/4 IMP DC Hex-Plus 6,0 x 50 mm DIY | 295 |
| 334 | | 13 | 454/7 HF Set 2 | 45 | 840/4 IMP DC SB | 296 |
| 334 SB | | 13 | 454/10 HF Set Imperial 1 | 45 | 840/4 Z | 297 |
| 334/6 | | 23 | | 46 | 840/4 Z SB | 297 |

Article No. Index

| | | | | | |
|-------------------------------|-----|-----------------------------------|-----|-----------------------------------|-----|
| 840/4 Z Hex-Plus Take it easy | 296 | 851/11 | 270 | 867/1 TZ TORX® | 282 |
| 840/4 Z BO | 299 | 851/12 | 270 | 867/1 ZA TORX® | 284 |
| 840/9 C | 298 | 851/16 | 270 | 867/1 Z TORX® BO | 287 |
| 842/1 Z | 295 | 851/21 J | 271 | 867/1 Z TORX® BO SB | 288 |
| 842/4 | 298 | 853/4 ACR® Harpoon | 270 | 867/1 Z TORX® W | 283 |
| 843 | 342 | 853/4 ACR® SL | 269 | 867/2 Z TORX® | 287 |
| 844 | 342 | 855 S | 219 | 867/4 IMP DC TORX® 20 x 50 mm DIY | 284 |
| 844/7 | 343 | 855/1 BDC | 272 | 867/4 IMP DC TORX® 25 x 50 mm DIY | 284 |
| 845 | 343 | 855/1 BDC SB | 273 | 867/4 IMP DC TORX® 30 x 50 mm DIY | 284 |
| 845/8 | 343 | 855/1 BTH | 273 | 867/4 IMP DC TORX® 40 x 50 mm DIY | 284 |
| 846 HSS | 344 | 855/1 BTZ | 273 | 867/4 IMP DC TORX® SB | 284 |
| 846/8 | 344 | 855/1 IMP DC PZ 1 x 25 mm DIY | 271 | 867/4 TORX® HF | 285 |
| 847 HSS | 345 | 855/1 IMP DC PZ 2 x 25 mm DIY | 271 | 867/4 TORX® KK | 285 |
| 847/7 HSS | 345 | 855/1 IMP DC PZ 3 x 25 mm DIY | 271 | 867/4 Z TORX® | 286 |
| 848 HSS | 345 | 855/1 IMP DC SB | 271 | 867/4 Z TORX® SB | 286 |
| 848/851/867/19 | 346 | 855/1 RZ | 274 | 867/9 C TORX® | 287 |
| 849 HSS | 345 | 855/1 TH | 274 | 867/12 TORX® | 287 |
| 849/855/867/18 | 346 | 855/1 TH SB | 274 | 867/15 TORX® | 287 |
| 851 S | 218 | 855/1 TiN | 274 | 867/4 Z TORX® BO | 288 |
| 851/1 A | 262 | 855/1 TZ | 274 | 867/4 Z TORX® BO SB | 289 |
| 851/1 BDC | 261 | 855/1 Z | 274 | 867/4 Z TORX® BO Take it easy | 288 |
| 851/1 BDC SB | 261 | 855/1 Z DIY | 275 | 867/1 IP TORX PLUS® | 289 |
| 851/1 BTH | 261 | 855/1 Z DIY 100 | 275 | 867/4 IP TORX PLUS® | 289 |
| 851/1 BTZ | 262 | 855/1 Z SB | 275 | 867/9 C IP TORX PLUS® | 289 |
| 851/1 IMP DC PH 1 x 25 mm DIY | 260 | 855/2 Z | 278 | 867/1 IPR TORX PLUS® | 290 |
| 851/1 IMP DC PH 2 x 25 mm DIY | 260 | 855/4 BDC | 276 | 867/4 IPR TORX PLUS® | 290 |
| 851/1 IMP DC PH 3 x 25 mm DIY | 260 | 855/4 BTH | 276 | 868 S | 220 |
| 851/1 IMP DC SB | 260 | 855/4 BTZ | 277 | 868/1 IMP DC # 2 x 25 mm DIY | 300 |
| 851/1 J | 265 | 855/4 IMP DC PZ 2 x 50 mm DIY | 275 | 868/1 IMP DC # 3 x 25 mm DIY | 300 |
| 851/1 RDC | 263 | 855/4 IMP DC SB | 276 | 868/1 IMP DC SB | 300 |
| 851/1 RH | 263 | 855/4 IMP DC SB | 276 | 868/1 V | 300 |
| 851/1 RZ | 263 | 855/4 PZ Ni | 278 | 868/1 Z | 301 |
| 851/1 RZ SB | 263 | 855/4 TH | 277 | 868/1 Z SB | 301 |
| 851/1 TH | 263 | 855/4 TZ | 277 | 868/4 | 302 |
| 851/1 TiN | 264 | 855/4 TZ SB | 277 | 868/4 SB | 302 |
| 851/1 TZ | 264 | 855/4 Z | 278 | 868/4 BTZ | 302 |
| 851/1 TZ SB | 264 | 855/4 Z SB | 278 | 868/4 IMP DC # 2 x 50 mm DIY | 301 |
| 851/1 Z | 264 | 855/4 Z PZ Take it easy | 277 | 868/4 IMP DC # 3 x 50 mm DIY | 301 |
| 851/1 Z DIY | 264 | 855/11 | 278 | 868/4 IMP DC SB | 302 |
| 851/1 Z DIY 100 | 265 | 855/12 | 278 | 868/4 V | 303 |
| 851/1 Z SB | 264 | 855/4 PZ/S | 279 | 869/4 | 305 |
| 851/2 Z | 270 | 857/1 Z | 305 | 869/4 M | 306 |
| 851/4 A | 267 | 857/4 Z | 305 | 869/4 M SB | 306 |
| 851/4 BDC | 266 | 860/1 XZN | 304 | 869/4 M SB Set A | 307 |
| 851/4 BTH | 267 | 867 S TORX® | 219 | 869/9 | 307 |
| 851/4 BTZ | 267 | 867/1 IMP DC TORX 10 x 25 mm DIY | 279 | 870/1 | 316 |
| 851/4 IMP DC PH 2 x 50 mm DIY | 265 | 867/1 IMP DC TORX® 15 x 25 mm DIY | 279 | 870/2 | 317 |
| 851/4 IMP DC PH 3 x 50 mm DIY | 265 | 867/1 IMP DC TORX® 20 x 25 mm DIY | 279 | 870/4 | 317 |
| 851/4 IMP DC SB | 266 | 867/1 IMP DC TORX® 25 x 25 mm DIY | 279 | 870/4 A | 316 |
| 851/4 J | 268 | 867/1 IMP DC TORX® 30 x 25 mm DIY | 279 | 870/4 SB | 317 |
| 851/4 PH Ni | 269 | 867/1 IMP DC TORX® DIY | 279 | 870/4/7 Set A SB | 317 |
| 851/4 PH/S | 279 | 867/1 IMP DC TORX® SB | 279 | 870/7 | 317 |
| 851/4 R | 268 | 867/1 TORX® | 282 | 870/14 | 317 |
| 851/4 RH | 267 | 867/1 TORX® BDC | 281 | 871/1 DC TORQ-SET® Mplus | 303 |
| 851/4 TH | 268 | 867/1 TORX® BDC SB | 281 | 871/1 TORQ-SET® Mplus 25 mm | 303 |
| 851/4 TZ | 268 | 867/1 TORX® BTZ | 281 | 871/1 TORQ-SET® Mplus 32 mm | 303 |
| 851/4 TZ SB | 268 | 867/1 TORX® DIY | 283 | 871/2 TORQ-SET® Mplus | 304 |
| 851/4 Z | 269 | 867/1 TORX® DIY 100 | 283 | 871/4 DC TORQ-SET® Mplus | 303 |
| 851/4 Z SB | 269 | 867/1 TORX® HF | 281 | | |
| 851/4 Z PH Take it easy | 269 | 867/1 TORX® SB | 282 | | |
| 851/9 C | 270 | | | | |

| | | | | | |
|-------------------------------|-----|---------------------------------------|-----|-------------------------------|----------|
| 871/4 TORQ-SET® Mplus | 304 | 950 SPKS Multicolour | 191 | 1428 | 31 |
| 872/9 | 304 | 950/7 Hex-Plus 1 | 187 | 1429 | 37 |
| 875/1 TRI-WING® 25 mm | 304 | 950/7 Hex-Plus Magnet 1 | 187 | 1430 ESD | 351 |
| 875/4 TRI-WING® | 304 | 950/7 Hex-Plus Multicolour Magnet 1 | 185 | 1440/1442 | 32 |
| 879/4 | 307 | 950/9 Hex-Plus 1 | 185 | 1441 | 32 |
| 881/4/1 SB | 316 | 950/9 Hex-Plus 1 SB | 185 | 1460 ESD | 358, 363 |
| 887/4 RR | 312 | 950/9 Hex-Plus 2 | 186 | 1529 ESD | 51 |
| 887/4 RR SB | 312 | 950/9 Hex-Plus 3 | 186 | 1550 ESD Micro | 49 |
| 888/4/1 K | 312 | 950/9 Hex-Plus 4 | 186 | 1550 ESD PH S Micro | 50 |
| 889/4 R | 312 | 950/9 Hex-Plus 5 | 186 | 1550/6 ESD Micro | 53 |
| 889/4/1 | 312 | 950/9 Hex-Plus 6 | 186 | 1555 ESD PZ Micro | 50 |
| 889/4/1 F | 313 | 950/9 Hex-Plus 6 SB | 186 | 1567 ESD TORX® Micro | 50 |
| 889/4/1 K | 312 | 950/9 Hex-Plus 7 | 187 | 1567 ESD TORX® BO Micro | 50 |
| 889/4/1 K SB | 312 | 950/9 Hex-Plus Imperial 1 | 188 | 1567 ESD TORX® HF Micro | 50 |
| 890/4/1 | 314 | 950/9 Hex-Plus Imperial 1 SB | 188 | 1567 ESD TORX PLUS® IPR Micro | 50 |
| 893/4/1 K | 314 | 950/9 Hex-Plus Multicolour 1 | 184 | 1569 ESD Micro | 51 |
| 893/4/1 K SB | 314 | 950/9 Hex-Plus Multicolour 1 SB | 184 | 1572 ESD Micro | 51 |
| 894/4/1 | 313 | 950/9 Hex-Plus Multicolour 2 | 184 | 1573 ESD Micro | 51 |
| 894/4/1 K | 313 | 950/9 Hex-Plus Multicolour HF 1 | 183 | 1578 A ESD Micro | 49 |
| 895/4/1 | 313 | 950/9 Hex-Plus Multicolour HF 1 | 256 | 1578 A/6 ESD Micro | 53 |
| 895/4/1 K | 313 | 950/9 Hex-Plus Multicolour Imperial 1 | 185 | 2035 Micro | 34 |
| 895/4/1 K SB | 313 | 950/9 Hex-Plus Multicolour Imperial 2 | 185 | 2035/6 A Micro | 40 |
| 896/4/1 SB | 316 | 950/9 L Hex-Plus HF 1 | 185 | 2035/6 B Micro | 40 |
| 897/4 IMP R | 310 | 950/13 Hex-Plus Imperial 1 | 187 | 2050 Micro | 35 |
| 897/4 Impaktor | 310 | 950/13 Hex-Plus Imperial 1 SB | 188 | 2050/6 Micro | 40 |
| 897/4 Impaktor R | 310 | 967 L TORX® HF | 199 | 2052 Micro | 36 |
| 897/4 R | 311 | 967 PKL TORX® | 199 | 2052/6 Micro | 41 |
| 897/4 R SB | 311 | 967 PKXL TORX® | 198 | 2054 Micro | 36 |
| 898/4 | 314 | 967 SL TORX® HF | 197 | 2055 Micro | 34 |
| 898/9 | 314 | 967 SPKL TORX® BO Multicolour | 198 | 2067 TORX® Micro | 35 |
| 898/21 | 314 | 967 SPKXL TORX® Multicolour | 197 | 2067 TORX® BO Micro | 35 |
| 899/3/1 | 315 | 967 SXL HF TORX® Multicolour | 197 | 2067/6 TORX® BO Micro | 41 |
| 899/4/1 | 315 | 967 SXL TORX® Multicolour | 198 | 2067 TORX® HF Micro | 35 |
| 899/4/1 S | 315 | 967 TORX® | 199 | 2067 TORX PLUS® IPR Micro | 35 |
| 899/4/1 SB | 315 | 967 XL TORX® | 199 | 2069 Micro | 37 |
| 899/8/1 | 315 | 967 XL HF TORX® | 198 | 2069/6 Micro | 41 |
| 899/14/1 SB | 315 | 967/9 TX 1 | 196 | 2072 Micro | 36 |
| 917 SPH | 9 | 967/9 TX 1 SB | 196 | 2090 | 383 |
| 917 SPH SB | 9 | 967/9 TX HF 1 | 195 | 2090/17 | 383 |
| 917 SPHS | 9 | 967/9 TX Multicolour HF 1 | 195 | 3160 i VDE | 59 |
| 918 SPZ | 9 | 967/9 TX XL 1 | 196 | 3160 i/7 Rack | 59 |
| 918 SPZ SB | 9 | 967/9 TX XL HF 1 | 195 | 3162 i VDE | 59 |
| 921 | 218 | 967/9 TX XL Multicolour 1 | 195 | 3165 i VDE | 59 |
| 932 A | 8 | 967/9 TX XL Multicolour HF 1 | 195 | 3165 i/6 Rack | 59 |
| 932 A SB | 8 | 967/9 TX BO Multicolour 1 | 196 | 3167 i VDE TORX® | 59 |
| 932 AS | 8 | 967/9 TX BO Multicolour 1 SB | 196 | 3167 i/7 Rack | 60 |
| 932 S/6 | 11 | 977 TORX® | 9 | 3334 | 6 |
| 932/6 | 11 | 977/6 TORX® | 11 | 3334/3350/3355/6 | 8 |
| 932/918/6 | 11 | 1013 Kraftform Micro | 37 | 3334/3355/6 | 7 |
| 950 | 193 | 1013 Kraftform Micro ESD | 54 | 3334/6 | 7 |
| 950 BM | 194 | 1060 i VDE | 85 | 3335 | 6 |
| 950 L | 193 | 1060 i/1062 i/6 VDE | 85 | 3350 | 6 |
| 950 L HF | 193 | 1060 i/1065 i/6 VDE | 86 | 3355 | 7 |
| 950 PKL | 192 | 1062 i PH VDE | 85 | 3367 | 7 |
| 950 PKL BM | 192 | 1065 i VDE | 85 | 3368 | 7 |
| 950 PKL Imperial | 192 | 1267 A TORX® | 30 | 3800/4 | 291 |
| 950 PKLS | 192 | 1267 A TORX PLUS® | 31 | 3816 R | 230 |
| 950 PKS | 193 | 1267 B TORX® | 31 | 3817 VDE Stainless | 71 |
| 950 SPKL HF Multicolour | 190 | 1267 B TORX PLUS® | 31 | 3840/1 TS | 293 |
| 950 SPKL Multicolour | 191 | 1427 | 31 | 3840/4 | 296 |
| 950 SPKL Multicolour Imperial | 191 | | | | |

Article No. Index

| | | | | | |
|---|-----|---------------------------------|--------------------|-----------------------------------|-----|
| 3851/1 TS | 260 | 6004 Joker VDE L | 91 | 8004 B | 119 |
| 3851/1 TS SB | 261 | 6004 Joker VDE M | 91 | 8004 C | 138 |
| 3851/4 | 266 | 6004 Joker VDE S | 91 | 8005 | 164 |
| 3855/1 TS | 272 | 6004 Joker VDE XS | 90 | 8006 C | 135 |
| 3855/1 TS SB | 272 | 6004 Joker VDE 4 Set 1 | 90 | 8006 SC 1 | 135 |
| 3855/4 | 276 | 6005 Joker Double | 179 | 8007 B VDE | 87 |
| 3867/1 TS TORX® | 280 | 6005 Joker 4 Set 1 | 179 | 8008 A | 165 |
| 3867/1 TS TORX® SB | 280 | 7400 | 350, 351, 354, | 8009 Zyklus Pocket Set 1 | 152 |
| 3867/4 TORX® B0 | 288 | | 355, 356, 357, | 8009 Zyklus Pocket Set 2 | 153 |
| 3868/4 | 302 | | 358, 359, 361 | 8009 Zyklus Pocket Imperial Set 1 | 152 |
| 3869/4 | 305 | 7400 Imperial | 350 | 8009 Zyklus Pocket Set Imperial 2 | 154 |
| 3888/4/1 K | 311 | 7400 ESD | 350, 355, 356, 360 | 8100 SA 2 | 96 |
| 3888/4/1 K SB | 311 | 7400 ESD Imperial | 351 | 8100 SA 4 | 97 |
| 3950 PKL | 190 | 7400 ESD Halfmoon | 351, 362, 357 | 8100 SA 6 | 95 |
| 3950 PKL Imperial | 190 | 7400 VDE | 79 | 8100 SA 7 | 99 |
| 3950 SPKL Multicolour | 189 | 7440/41 | 352 | 8100 SA 8 | 100 |
| 3950 SPKL Multicolour HF | 189 | 7440/41/42 | 352 | 8100 SA 9 | 95 |
| 3950 SPKL Multicolour Imperial | 190 | 7443/12 | 353 | 8100 SA 10 | 99 |
| 3950/9 Hex-Plus Stainless 1 | 183 | 7443/61/9 | 353 | 8100 SA 11 | 101 |
| 3950/9 Hex-Plus Stainless 1 SB | 183 | 7445/46/47 | 352 | 8100 SA 12 HF | 101 |
| 3950/9 Hex-Plus Imperial Stainless 1 | 183 | 7761 | 380 | 8100 SA All-In | 94 |
| 3950/9 Hex-Plus Multicolour HF | | 7762 | 380 | 8100 SA/SC 2 | 97 |
| Stainless 1 | 182 | 7763 | 380 | 8100 SB 2 | 114 |
| 3950/9 Hex-Plus Multicolour Stainless 1 | 182 | 7770 | 373 | 8100 SB 4 | 114 |
| 3950/9 Hex-Plus Multicolour Imperial | | 7771 | 374 | 8100 SB 6 | 113 |
| Stainless 1 | 184 | 7772 A | 375 | 8100 SB 7 | 116 |
| 3967 SXL HF TORX® Multicolour | 197 | 7772 B | 375 | 8100 SB 8 | 118 |
| 3967/9 TX SXL Multicolour HF | | 7772 C | 375 | 8100 SB 9 | 113 |
| Stainless 1 | 195 | 7773 A | 376 | 8100 SB 10 | 117 |
| 6000 Joker | 168 | 7773 B | 376 | 8100 SB 11 | 119 |
| 6000 Joker Imperial | 168 | 7773 C | 376 | 8100 SB All-in | 112 |
| 6000 Joker 4 Set 1 | 169 | 7774/1 | 377 | 8100 SB HF 1 | 119 |
| 6000 Joker 4 Imperial Set 1 | 170 | 7774/2 | 377 | 8100 SB VDE 1 | 86 |
| 6000 Joker 8 Imperial Set 1 | 169 | 7774/3 | 377 | 8100 SC 2 | 133 |
| 6000 Joker 11 Set 1 | 169 | 7775 | 378 | 8100 SC 4 | 134 |
| 6000/6002 Joker 6 Set 1 | 169 | 7776 | 378 | 8100 SC 6 | 132 |
| 6001 Joker Switch | 170 | 7779/1 | 379 | 8100 SC 7 | 136 |
| 6001 Joker Switch Imperial | 171 | 7779/2 | 379 | 8100 SC 8 | 137 |
| 6001 Joker Switch 4 Set 1 | 172 | 7780 | 374 | 8100 SC 9 | 133 |
| 6001 Joker Switch 4 Imperial Set 1 | 172 | 7781 | 375 | 8100 SC 10 | 137 |
| 6001 Joker Switch 8 Imperial Set 1 | 172 | 7782 C | 376 | 8100 SC 11 | 138 |
| 6001 Joker Switch 11 Set 1 | 171 | 7782 E | 376 | 8740 A | 108 |
| 6002 Joker Double | 171 | 7783 C | 377 | 8700 A FL | 109 |
| 6003 Joker | 173 | 7783 E | 377 | 8740 A HF | 108 |
| 6003 Joker Imperial | 173 | 7786 | 379 | 8740 A HF 1 | 109 |
| 6003 Joker 4 Set 1 | 177 | 7790/1 | 379 | 8740 B | 127 |
| 6003 Joker Set 4 Imperial Set 1 | 177 | 7790/2 | 379 | 8740 B HF | 126 |
| 6003 Joker 5 Set 1 | 175 | 8000 A | 98 | 8740 B HF 1 | 128 |
| 6003 Joker 5 Imperial Set 1 | 176 | 8000 A SB | 98 | 8740 B HF Imperial 1 | 128 |
| 6003 Joker 8 Imperial Set 1 | 175 | 8000 B | 115 | 8740 B VDE HF | 88 |
| 6003 Joker 11 Set 1 | 174 | 8000 B SB | 116 | 8740 C HF | 148 |
| 6003 Joker 15 Set 1 | 174 | 8000 C | 134 | 8740 C HF 1 | 149 |
| 6003 Joker 22 Set 1 | 174 | 8000 C SB | 134 | 8740 C HF 2 | 149 |
| 6003 Joker Pedal | 173 | 8000 E | 155 | 8751 A | 109 |
| 6004 Joker L | 178 | 8001 A SB | 164 | 8755 A | 109 |
| 6004 Joker M | 178 | 8002 C KOLOSS All Inclusive Set | 154 | 8760 B VDE XZN | 88 |
| 6004 Joker S | 178 | 8002 C Set | 155 | 8767 A | 106 |
| 6004 Joker XL | 178 | 8003 A | 100 | 8767 A HF | 106 |
| 6004 Joker XS | 178 | 8003 B | 117 | 8767 A HF 1 | 107 |
| 6004 Joker XXL | 179 | 8003 C | 137 | 8767 B | 125 |
| 6004 Joker 4 Set 1 | 179 | 8004 A | 101 | 8767 B HF | 124 |

| | | | | | |
|----------------------------|-----|--------------------|-----|-------------------------------|-----|
| 8767 B HF 1 | 126 | 9604 | 48 | Bicycle Set Torque 1 | 366 |
| 8767 B VDE HF | 88 | 9605 | 48 | Bit-Box 15 Impaktor PH | 260 |
| 8767 C HF | 146 | 9606 | 49 | Bit-Box 15 Impaktor PZ | 271 |
| 8767 C HF 1 | 147 | 9700 | 240 | Bit-Box 15 Impaktor TX | 279 |
| 8767 C HF 2 | 147 | 9710 | 241 | Bit-Box 20 BTH PZ | 273 |
| 8767 C HF 3 | 148 | 9711 | 242 | Bit-Box 20 BTZ PH | 262 |
| 8780 C | 155 | 9712 | 242 | Bit-Box 20 BTZ PZ | 273 |
| 8781 C | 155 | 9713 | 243 | Bit-Box 20 PH | 265 |
| 8782 C | 155 | 9720 | 243 | Bit-Box 20 PZ | 275 |
| 8784 A1 | 111 | 9721 | 244 | Bit-Box 20 TX | 283 |
| 8784 B1 | 131 | 9722 | 244 | Bit-Box 20 TX HF | 282 |
| 8784 C2 | 151 | 9723 | 245 | Bit-Box 20 V Robertson | 300 |
| 8789 A | 110 | 9730 | 245 | Bit-Check 6 Impaktor 1 | 324 |
| 8789 B | 130 | 9731 | 246 | Bit-Check 6 Impaktor 1 SB | 324 |
| 8789 C | 151 | 9732 | 246 | Bit-Check 6 PH Impaktor 1 | 324 |
| 8790 B VDE | 88 | 9740 | 247 | Bit-Check 6 PZ Impaktor 1 | 324 |
| 8790 C HF 1 | 143 | 9750 | 247 | Bit-Check 6 PZ Universal 1 | 338 |
| 8790 C Impaktor | 138 | 9780 | 248 | Bit-Check 6 Stainless 1 SB | 325 |
| 8790 C Impaktor Deep | 140 | 9781 | 248 | Bit-Check 6 TX Impaktor 1 | 324 |
| 8790 C Impaktor Deep Set 1 | 140 | 9782 | 249 | Bit-Check 6 TX Universal 1 | 337 |
| 8790 C Wheel Impaktor | 143 | 9783 | 249 | Bit-Check 6 TX Universal 1 SB | 337 |
| 8790 FA | 165 | Belt A 1 | 103 | Bit-Check 6 Universal 1 | 336 |
| 8790 HMA | 102 | Belt A 2 | 108 | Bit-Check 6 Universal 1 SB | 336 |
| 8790 HMA Deep | 105 | Belt A 3 | 107 | Bit-Check 6 Universal 2 | 337 |
| 8790 HMA HF | 102 | Belt A 4 | 103 | Bit-Check 6 Universal 2 SB | 337 |
| 8790 HMB | 120 | Belt A Deep 1 | 105 | Bit-Check 6 V Universal 1 | 338 |
| 8790 HMB Deep | 123 | Belt A Imperial 1 | 104 | Bit-Check 6 Wood TX HF 1 | 341 |
| 8790 HMB HF | 120 | Belt A, 8 | 111 | Bit-Check 7 Diamond 1 | 329 |
| 8790 HMC | 141 | Belt A, 9 | 111 | Bit-Check 7 Diamond 1 SB | 330 |
| 8790 HMC Deep | 144 | Belt B 1 | 121 | Bit-Check 7 Hex-Plus 1 | 336 |
| 8790 HMC HF | 141 | Belt B 2 | 127 | Bit-Check 7 PZ Diamond 1 | 330 |
| 8794 A | 111 | Belt B 3 | 125 | Bit-Check 7 PZ Universal 1 | 335 |
| 8794 B | 131 | Belt B 4 | 121 | Bit-Check 7 TX B0 Universal 1 | 336 |
| 8794 C | 151 | Belt B Deep 1 | 123 | Bit-Check 7 TX Diamond 1 | 330 |
| 8794 LA | 110 | Belt B Imperial 1 | 129 | Bit-Check 7 TX Universal 1 | 335 |
| 8794 LB | 130 | Belt B VDE 1 | 87 | Bit-Check 7 TX Universal 1 SB | 335 |
| 8794 LB VDE | 89 | Belt B VDE, 10 | 89 | Bit-Check 7 Universal 1 | 334 |
| 8794 LC | 150 | Belt B, 8 | 131 | Bit-Check 7 Universal 1 SB | 335 |
| 8794 SA | 110 | Belt B, 9 | 131 | Bit-Check 7 Universal 4 | 335 |
| 8794 SB | 130 | Belt C 1 | 142 | Bit-Check 10 BiTorsion 1 | 328 |
| 8794 SB VDE | 89 | Belt C 2 | 149 | Bit-Check 10 BiTorsion 3 SB | 328 |
| 8794 SC | 150 | Belt C 3 | 146 | Bit-Check 10 Drywall 1 | 347 |
| 8795 A | 110 | Belt C Deep 1 | 145 | Bit-Check 10 Impaktor 1 | 322 |
| 8795 B | 130 | Belt C Impaktor 1 | 139 | Bit-Check 10 Impaktor 1 SB | 323 |
| 8795 C | 151 | Belt C Impaktor, 9 | 156 | Bit-Check 10 Impaktor 2 | 323 |
| 8796 LA | 109 | Belt C, 6 | 155 | Bit-Check 10 Impaktor 3 | 323 |
| 8796 LB | 130 | Bicycle Big Pack 1 | 30 | Bit-Check 10 Impaktor 4 | 323 |
| 8796 LC | 150 | Bicycle Set 1 | 162 | Bit-Check 10 PZ BiTorsion 2 | 328 |
| 8796 SA | 110 | Bicycle Set 2 | 212 | Bit-Check 10 PZ Impaktor 1 | 323 |
| 8796 SB | 130 | Bicycle Set 3 | 163 | Bit-Check 10 Stainless 1 | 325 |
| 8796 SC | 150 | Bicycle Set 4 | 188 | Bit-Check 10 Stainless 1 SB | 325 |
| 8797 C | 136 | Bicycle Set 5 | 223 | Bit-Check 10 TX Impaktor 1 | 323 |
| 9100 | 229 | Bicycle Set 6 | 48 | Bit-Check 10 TX Universal 1 | 334 |
| 9200 | 316 | Bicycle Set 7 | 115 | Bit-Check 10 TX Universal 2 | 334 |
| 9500 | 31 | Bicycle Set 8 | 129 | Bit-Check 10 Universal 1 | 332 |
| 9506 SB | 299 | Bicycle Set 9 | 163 | Bit-Check 10 Universal 2 | 333 |
| 9507 SB | 299 | Bicycle Set 10 | 175 | Bit-Check 10 Universal 3 | 333 |
| 9514 ESD | 58 | Bicycle Set 11 | 223 | Bit-Check 10 Universal 3 SB | 333 |
| 9600 | 111 | Bicycle Set 12 | 176 | Bit-Check 10 Universal 4 | 333 |
| 9601 | 131 | Bicycle Set 13 | 33 | Bit-Check 10 Universal 5 SB | 334 |
| 9602 | 156 | Bicycle Set 15 | 33 | Bit-Check 10 Zyklop Mini 1 | 161 |

Article No. Index

| | | | | | |
|--------------------------------------|-----|--|-----|--|-----|
| Bit-Check 10 Zyklus Mini BiTorsion 1 | 161 | Kraftform 2go 100 | 65 | Kraftform Kompakt Micro 11 ESD 1 | 56 |
| Bit-Check 12 BiTorsion 1 | 327 | Kraftform 2go 300 | 22 | Kraftform Kompakt Micro 11 Universal 1 | 40 |
| Bit-Check 12 BiTorsion 1 SB | 327 | Kraftform 300/7 Set 1 | 24 | Kraftform Kompakt Micro 20 ESD 1 | 56 |
| Bit-Check 12 Diamond 1 | 329 | Kraftform 300/7 Set 2 | 25 | Kraftform Kompakt Micro 21 ESD 1 | 55 |
| Bit-Check 12 Diamond 1 SB | 329 | Kraftform 300/7 Set 3 | 25 | Kraftform Kompakt Pistol RA | 234 |
| Bit-Check 12 Metal 1 | 342 | Kraftform 300/7 Set 4 | 26 | Kraftform Kompakt Pistol RA 4 | 234 |
| Bit-Check 12 Metal 1 SB | 342 | Kraftform 900/7 Set 1 | 10 | Kraftform Kompakt SH 1 | 228 |
| Bit-Check 12 Wood 1 | 340 | Kraftform 900/7 Set 2 | 10 | Kraftform Kompakt SH 2 | 228 |
| Bit-Check 12 Wood 1 SB | 340 | Kraftform 900/7 Set 3 | 10 | Kraftform Kompakt Stubby 1 | 222 |
| Bit-Check 12 Wood 2 | 340 | Kraftform 3100 i/7 Set 1 | 60 | Kraftform Kompakt Stubby ESD 1 | 57 |
| Bit-Check 12 Wood 2 SB | 340 | Kraftform Big Pack 100 VDE | 65 | Kraftform Kompakt Stubby Magazine 1 | 221 |
| Bit-Check 12 Wood TX HF 1 | 339 | Kraftform Big Pack 300 | 21 | Kraftform Kompakt Stubby Magazine 2 | 221 |
| Bit-Check 30 BiTorsion 1 | 327 | Kraftform Big Pack 900 | 10 | Kraftform Kompakt Stubby Magazine 3 | 222 |
| Bit-Check 30 Diamond 1 | 329 | Kraftform Kompakt 10 | 203 | Kraftform Kompakt Stubby Magazine 4 | 222 |
| Bit-Check 30 Impaktor 1 | 322 | Kraftform Kompakt 12 | 203 | Kraftform Kompakt Stubby Magazine 5 | 222 |
| Bit-Check 30 Impaktor 2 | 322 | Kraftform Kompakt 20 | 205 | Kraftform Kompakt Stubby Magazine RA 1 | 220 |
| Bit-Check 30 Metal 1 | 341 | Kraftform Kompakt 20 A | 205 | Kraftform Kompakt Stubby Magazine RA 2 | 221 |
| Bit-Check 30 Stainless 1 | 325 | Kraftform Kompakt 20 Tool Finder 1 | 204 | Kraftform Kompakt Stubby Magazine RA 3 | 221 |
| Bit-Check 30 TX Universal 1 | 332 | Kraftform Kompakt 20 Tool Finder 2 | 205 | Kraftform Kompakt Stubby Magazine RA 4 | 221 |
| Bit-Check 30 Universal 1 | 332 | Kraftform Kompakt 22 | 205 | Kraftform Kompakt Turbo 1 | 202 |
| Bit-Check 30 Wood 1 | 339 | Kraftform Kompakt 25 | 206 | Kraftform Kompakt Turbo Imperial 1 | 202 |
| Bit-Check 30 Wood 2 | 339 | Kraftform Kompakt 26 | 206 | Kraftform Kompakt Turbo i 1 | 79 |
| Bit-Check 30 Wood TX HF 1 | 338 | Kraftform Kompakt 27 Imperial Set 1 | 207 | Kraftform Kompakt Turbo i Imperial 1 | 80 |
| Bit-Check 30 Zyklus Mini 1 | 157 | Kraftform Kompakt 27 RA 1 SB | 235 | Kraftform Kompakt Vario RA | 234 |
| Bit-Check 30 Zyklus Mini 2 | 157 | Kraftform Kompakt 27 RA 2 SB | 235 | Kraftform Kompakt VDE 7 extra slim 1 | 78 |
| Bit-Safe 43 Universal 1 | 331 | Kraftform Kompakt 27 Set 1 | 206 | Kraftform Kompakt VDE 7 Imperial 1 | 78 |
| Bit-Safe 61 BiTorsion 1 | 326 | Kraftform Kompakt 27 Set 2 | 207 | Kraftform Kompakt VDE 7 Universal 1 | 78 |
| Bit-Safe 61 Universal 1 | 331 | Kraftform Kompakt 28 | 208 | Kraftform Kompakt VDE 7 Universal 2 | 79 |
| Click-Torque A 5 | 364 | Kraftform Kompakt 28 Imperial 1 | 207 | Kraftform Kompakt VDE 15 Torque | |
| Click-Torque A 6 | 365 | Kraftform Kompakt 28 SB | 207 | 1,2-3,0 Nm extra slim 1 | 74 |
| Click-Torque A 6 Set 1 | 365 | Kraftform Kompakt 40 | 208 | Kraftform Kompakt VDE 16 extra slim 1 | 77 |
| Click-Torque B 1 | 366 | Kraftform Kompakt 41 | 208 | Kraftform Kompakt VDE 16 Torque | |
| Click-Torque B 2 | 367 | Kraftform Kompakt 60 | 211 | 1,2-3,0 Nm extra slim 1 | 74 |
| Click-Torque C 1 | 367 | Kraftform Kompakt 60 ESD | 55 | Kraftform Kompakt VDE 16 Universal 1 | 78 |
| Click-Torque C 2 | 367 | Kraftform Kompakt 60 Imperial | 211 | Kraftform Kompakt VDE 17 extra slim 1 | 76 |
| Click-Torque C 2 Push R/L | 369 | Kraftform Kompakt 60 KK | 211 | Kraftform Kompakt VDE 17 Universal 1 | 77 |
| Click-Torque C 3 | 367 | Kraftform Kompakt 60 RA | 233 | Kraftform Kompakt VDE 18 Imperial 1 | 75 |
| Click-Torque C 3 Push R/L | 370 | Kraftform Kompakt 60 RA Imperial | 233 | Kraftform Kompakt VDE 18 Universal 1 | 75 |
| Click-Torque C 3 Set 1 | 368 | Kraftform Kompakt 60 Stainless | 209 | Kraftform Kompakt VDE 18 Universal 2 | 76 |
| Click-Torque C 3 Set 2 | 368 | Kraftform Kompakt 60 Stainless Imperial | 210 | Kraftform Kompakt VDE 60 i | 80 |
| Click-Torque C 4 | 369 | Kraftform Kompakt 60 Take it easy | 210 | Kraftform Kompakt VDE 60 i SB | 80 |
| Click-Torque C 5 | 369 | Kraftform Kompakt 60 Torque | 209 | Kraftform Kompakt VDE 60 iS | 81 |
| Click-Torque E 1 | 369 | Kraftform Kompakt 62 | 212 | Kraftform Kompakt VDE 60 iS SB | 81 |
| Click-Torque E 1 Push R/L | 370 | Kraftform Kompakt 70 Allround | 213 | Kraftform Kompakt VDE 62 i | 81 |
| Click-Torque X 1 | 370 | Kraftform Kompakt 71 Security | 213 | Kraftform Kompakt VDE 62 iS | 81 |
| Click-Torque X 2 | 370 | Kraftform Kompakt 96 VK 6,3 | 84 | Kraftform Kompakt VDE 62 iS SB | 81 |
| Click-Torque X 3 | 371 | Kraftform Kompakt 97 VK 8,1 | 84 | Kraftform Kompakt VDE 62 i PH/S | 82 |
| Click-Torque X 4 | 371 | Kraftform Kompakt 98 DK | 84 | Kraftform Kompakt VDE 62 iS PH/S | 82 |
| Click-Torque X 5 | 371 | Kraftform Kompakt 99 FL | 84 | Kraftform Kompakt VDE 64 i | 84 |
| Click-Torque X 6 | 371 | Kraftform Kompakt 100 | 214 | Kraftform Kompakt VDE 64 i SB | 84 |
| Click-Torque XP 1 | 372 | Kraftform Kompakt 400 | 215 | Kraftform Kompakt VDE 65 i | 81 |
| Click-Torque XP 2 | 372 | Kraftform Kompakt 400 RA Set 1 | 215 | Kraftform Kompakt VDE 65 iS | 82 |
| Click-Torque XP 3 | 372 | Kraftform Kompakt 400 RA Set 2 | 216 | Kraftform Kompakt VDE 65 iS SB | 82 |
| Click-Torque XP 4 | 373 | Kraftform Kompakt 400 RA Imperial Set 1 | 216 | Kraftform Kompakt VDE 65 i PZ/S | 82 |
| Hook and Loop Fastener Strip 1 | 257 | Kraftform Kompakt 400 RA Imperial Set 2 | 217 | Kraftform Kompakt VDE 65 iS PZ/S | 82 |
| Hook and Loop Fastener Strip 2 | 257 | Kraftform Kompakt 900 | 217 | Kraftform Kompakt VDE 65 iS PZ/S SB | 83 |
| Hook and Loop Fastener Strip 3 | 257 | Kraftform Kompakt 900 Imperial Set 1 | 218 | Kraftform Kompakt VDE 67 i TORX® | 83 |
| Kraftform 100 i/7 Set 1 | 69 | Kraftform Kompakt F 1 | 229 | Kraftform Kompakt VDE 67 i TORX® SB | 83 |
| Kraftform 100 iS/7 Set 1 | 67 | Kraftform Kompakt H 1 | 226 | Kraftform Kompakt VDE 67 iS TORX® | 83 |
| Kraftform 100 iS/7 Set 2 | 68 | Kraftform Kompakt M 1 | 227 | Kraftform Kompakt VDE 68 i | 83 |
| Kraftform 100 iS/7 Set 3 | 68 | Kraftform Kompakt Micro 11 Electronics 1 | 39 | Kraftform Kompakt VDE 68 iS | 83 |

| | | | |
|--|-----|------------------------|-----|
| Kraftform Kompakt VDE 3060 i SB | 72 | Wera 2go 7 | 254 |
| Kraftform Kompakt VDE 3060 iS SB | 72 | Wera 2go E 1 | 256 |
| Kraftform Kompakt VDE 3062 iS SB | 72 | Wera 2go H 1 | 255 |
| Kraftform Kompakt VDE 3065 iS PZ SB | 73 | Wheel Impaktor C Set 1 | 144 |
| Kraftform Kompakt VDE 3065 iS PZ/S SB | 73 | Zyklop Hybrid Set | 135 |
| Kraftform Kompakt VDE 3067 i TORX® SB | 73 | | |
| Kraftform Kompakt VDE 3067 iS TORX® SB | 73 | | |
| Kraftform Kompakt VDE Stainless 17 extra slim 1 | 70 | | |
| Kraftform Kompakt VDE Stainless 8 extra slim 1 | 71 | | |
| Kraftform Kompakt W 1 | 224 | | |
| Kraftform Kompakt W 2 | 225 | | |
| Kraftform Kompakt W Imperial 1 | 225 | | |
| Kraftform Kompakt Zyklop | 98 | | |
| Kraftform Kompakt Zyklop Mini 2 | 158 | | |
| Kraftform Kompakt Zyklop MS1 Metal/Speed 1/4" | 96 | | |
| Kraftform Micro 6 ESD | 53 | | |
| Kraftform Micro 12 Electronics 1 | 39 | | |
| Kraftform Micro 12 Universal 1 | 38 | | |
| Kraftform Micro Big Pack 1 | 38 | | |
| Kraftform Micro ESD Big Pack 1 | 52 | | |
| Kraftform XXL | 21 | | |
| Kraftform XXL 2 | 22 | | |
| Kraftform XXL 3 | 22 | | |
| Magnetic socket rail A 4 | 104 | | |
| Magnetic socket rail A Deep 1 | 106 | | |
| Magnetic socket rail A Imperial 1 | 104 | | |
| Magnetic socket rail B 4 | 122 | | |
| Magnetic socket rail B Deep 1 | 124 | | |
| Magnetic socket rail B Imperial 1 | 122 | | |
| Magnetic socket rail C 4 | 147 | | |
| Magnetic socket rail C Deep 1 | 145 | | |
| Magnetic socket rail C Impaktor 1 | 139 | | |
| Magnetic socket rail C Imperial 1 | 142 | | |
| Nut Extractor | 103 | | |
| Patio construction set T 1 | 347 | | |
| Rack for Kraftform Micro screwdrivers | 32 | | |
| Rack for Kraftform screwdrivers | 32 | | |
| Safe-Torque A 1 | 381 | | |
| Safe-Torque A 1 Set 1 | 381 | | |
| Safe-Torque A 1 Imperial Set 1 | 382 | | |
| Safe-Torque A 2 | 381 | | |
| Safe-Torque A 2 Set 1 | 382 | | |
| Stubby Set 1 | 28 | | |
| Stubby Set 2 | 29 | | |
| Stubby Set 3 | 29 | | |
| Stubby Set TX 1 | 29 | | |
| Tool-Check 1 SB | 160 | | |
| Tool-Check Automotive 1 | 160 | | |
| Tool-Check PLUS | 159 | | |
| Tool-Check PLUS Imperial | 159 | | |
| Wera 2go 1 | 252 | | |
| Wera 2go 2 | 252 | | |
| Wera 2go 2 | 256 | | |
| Wera 2go 2 XL | 253 | | |
| Wera 2go 3 | 253 | | |
| Wera 2go 4 | 254 | | |
| Wera 2go 5 | 254 | | |
| Wera 2go 6 | 254 | | |



Wera Werkzeuge GmbH
Korzenter Straße 21-25
42349 Wuppertal



+49 / (0)202 / 40 45 - 0
Fax: +49 / (0)202 / 40 45 - 276
E-Mail: info@wera.de



Wera Tools Ibérica, S.L.
Business Center "Nodus Barberà"
C. Mogoda 1. P.I. Can Salvatella
08210 Barberà del Vallès (Barcelona)
☎ +34/93/72 91 - 240
Fax: +34/93/22 97 - 241
E-Mail: ventas@weraspain.com



Wera Tools Finland Oy
Karhumaentie 3
01530 Vantaa
☎ +358 45 206 9556
E-Mail: ahokas@wera.de



Wera Outillages S.A.S.
13, rue Ampère
F - 67500 Haguenau
☎ +33 9 72 61 16 52
E-Mail: info@wera-outillages.fr



Wera Tools (UK) Ltd.
Railway View
Clay Cross
Chesterfield
S45 9FR
☎ +44 (0)1246 / 27 77 56
Fax: +44 (0)1246 / 27 33 35
E-Mail: queries@wera-tools.co.uk



Wera Tools Inc.
3325 Harvester Rd., Unit 16
Burlington, Ontario
Canada, L7N 3N2
☎ 1-800-267-55 41
E-Mail: info@weratools.com



Wera Tools Inc.
3325 Harvester Rd., Unit 16
Burlington, Ontario
Canada, L7N 3N2
☎ 1-800-267-55 41
E-Mail: info@weratools.com



NL - Noord
Frederik Koning
☎ +31 / 615 26 36 97
E-Mail: koning@wera.de

NL - Zuid
Wouter Steijvers
☎ +31 / 65 28 50 162
E-Mail: steijvers@wera.de

NL - Midden
Martijn van Houdt
☎ +31 / 611 06 35 35
E-Mail: vanhoudt@wera.de



Wera Tools Inc.
3325 Harvester Rd., Unit 16
Burlington, Ontario
Canada, L7N 3N2
☎ 1-800-267-55 41
E-Mail: info@weratools.com



Wera Tools Australia Pty Ltd
Australia
☎ +61-435 755 123
E-Mail: mike.sack@wera.de



Wera Tools Japan G.K
2F, Eden Bldg.,
1-10-8 Kamiikebukuro, Toshima-Ku,
Tokyo, 170-0012 Japan
東京都豊島区上池袋1-10-8
エデンビル2階
☎ +81-3-3915-2555
E-Mail メール: frank.yang@wera.de

Imprint

Subject to technical modifications!

Any reprinting – even only excerpts – shall only be permissible with the prior written consent of the company Wera Werkzeuge GmbH.

Edition: EN 1/2023

Trademarks used:

| | |
|-----------------|---|
| ACR | Phillips Screw Company |
| ASSY | Adolf Würth GmbH & Co. KG |
| AW | Adolf Würth GmbH & Co. KG |
| HIOS | Totsu, Katsuyuki |
| Microstix | OSG System Products Co. Ltd. |
| Phillips Recess | Phillips Screw Company |
| Pozidriv | registered trademark for Phillips Screw Company in Canada, Mexico and in the USA; for Trifast plc in the UK |
| PZ | registered trademark for Phillips Screw Company in Canada, Mexico and in the USA |
| PZ1, PZ2, PZ3 | registered trademark in the USA for Phillips Screw Company |
| PUK | Josef Haunstetter Sägenfabrik KG |
| Robertson | British Robertson S.L.U. |
| SDS plus | Robert Bosch GmbH |
| SIT | Adolf Würth GmbH & Co. KG |
| SPAX | Altenloh, Brinck & Co. GmbH & Co. KG |
| T-STAR plus | Altenloh, Brinck & Co. GmbH & Co. KG |
| TORQ-SET | Phillips Screw Company |
| TORX | Acument Intellectual Properties, LLC, Troy, Mich., US |
| TORX PLUS | Acument Intellectual Properties, LLC, Troy, Mich., US |
| TRI-WING | Phillips Screw Company |
| | |
| BESSEY® | BESSEY Tool GmbH & Co. KG |
| “KIRSCHEN”® | Wilh. Schmitt & Comp. GmbH & Co. KG |
| KNIPEX® | KNIPEX-Werk C. Gustav Putsch KG |
| COBRA® | KNIPEX-Werk C. Gustav Putsch KG |
| Lyra® | Johann Froescheis Lyra-Bleistift-Fabrik GmbH & Co. KG |
| PFERD | August Rüggeberg GmbH & Co. KG |
| PICARD® | Picard GmbH |
| RENNSTEIG | Rennsteig Werkzeuge GmbH |
| Stabila® | STABILA Messgeräte Gustav Ullrich GmbH |

We reserve the right to modify without prior notification any details stated in this catalogue regarding product features, versions and designs.

No liability for printing errors or mistakes shall be assumed.



Contact us

All regions (except for North America, UK and Republic of Ireland)

Wera Werkzeuge GmbH · Germany
Korzterter Straße 21–25
D-42349 Wuppertal

Phone: +49 (0) 202 / 40 45-0
Fax: +49 (0) 202 / 40 45 276
E-Mail: info@wera.de

Internet: www.wera.de

North America

Wera Tools Inc.
3325 Harvester Rd., Unit 16
Burlington, Ontario
Canada, L7N 3N2

Phone: 1-800-267-55 41
E-Mail: info@weratools.com

Internet: www.weratools.com

UK & Republic of Ireland

Wera Tools (UK) Ltd.
Railway View
Clay Cross
Chesterfield
S45 9FR

Phone: +44 (0)1246 / 27 77 56
E-Mail: queries@wera-tools.co.uk

Internet: www.wera-tools.co.uk
Socials: [@weratoolsuk](https://www.instagram.com/weratoolsuk)