




---

# ELECTRIC FANS COLLECTION 2025

















DECORATIVE CEILING FAN WITH LED

SUMMER & WINTER MODE

FANKVBL10G

BLACK

FANKVWH20G

WHITE

FANKVN30G

LIGHT BROWN



DC Motor low energy consumption



Dimmable



Timer



Remote control

|                         |                                   |
|-------------------------|-----------------------------------|
| Fan size                | 52" - Φ130cm x max H51cm          |
| Space coverage          | Έως 100τμ   Max 100m <sup>2</sup> |
| Canopy dimensions (WxH) | 150 x 60mm                        |
| Motor power             | DC 40W                            |
| Input voltage           | 230V                              |
| Speeds                  | 6                                 |
| I LED Wattage           | 18W                               |
| Lumens                  | 2190Lm                            |
| Color changing          | 3000K-4000K-6500K                 |
| RPM                     | 200                               |
| Decibel                 | 50db                              |
| Downrods                | 15cm & 25cm                       |
| Timer                   | 1,2,4,8H                          |
| Blades                  | 3 ABS                             |







## DECORATIVE CEILING FAN WITH LED

SUMMER & WINTER MODE

**FANKVBR40G**

BROWN



DC Motor low energy consumption



Remote control



Dimmable



Timer

|                         |                                |
|-------------------------|--------------------------------|
| Fan size                | 52" - $\Phi$ 130cm x max H51cm |
| Space coverage          | Max 100m <sup>2</sup>          |
| Canopy dimensions (WxH) | 150 x 60mm                     |
| Motor power             | DC 40W                         |
| Input voltage           | 230V                           |
| Speeds                  | 6                              |
| LED Wattage             | 18W                            |
| Lumens                  | 2190Lm                         |
| Color changing          | 3000K-4000K-6500K              |
| RPM                     | 200                            |
| Decibel                 | 50db                           |
| Downrods                | 15cm & 25cm                    |
| Timer                   | 1,2,4,8H                       |
| Blades                  | 3 Wooden                       |



DECORATIVE CEILING FAN WITH LED

SUMMER & WINTER MODE

FANKVBR60G

DARK BROWN



DC Motor low energy consumption



Remote control



Dimmable



Timer

|                         |                          |
|-------------------------|--------------------------|
| Fan size                | 52" - Φ130cm x max H51cm |
| Space coverage          | Max 100m <sup>2</sup>    |
| Canopy dimensions (WxH) | 150 x 60mm               |
| Motor power             | DC 40W                   |
| Input voltage           | 230V                     |
| Speeds                  | 6                        |
| LED Wattage             | 18W                      |
| Lumens                  | 2190Lm                   |
| Color changing          | 3000K-4000K-6500K        |
| RPM                     | 170                      |
| Decibel                 | 50db                     |
| Downrods                | 15cm & 25cm              |
| Timer                   | 1,2,4,8H                 |
| Blades                  | 3 ABS                    |



**FANKK14G**

MATT BLACK

**FANKK16G**

SILVER

**FANKK15G**

ARK BROWN



## DECORATIVE CEILING FAN WITH LED AND TRANSPARENT BLADES

SUMMER & WINTER MODE

**FANKKWH10G**

WHITE



DC Motor low energy consumption



Remote control



Dimmable



Timer

|                  |                      |
|------------------|----------------------|
| Fan size         | 42" - 132cm          |
| Space coverage   | Max 20m <sup>2</sup> |
| Motor power      | DC 35W               |
| Input power      | 230V                 |
| Speeds           | 6                    |
| LED Wattage      | 36W                  |
| Lumens           | 2000Lm               |
| Color changing   | 3000K-4000K-6000K    |
| RPM              | 230                  |
| Decibel          | 45db                 |
| Timer            | 1,2,4,8H             |
| Blades           | 3 ABS Transparent    |
| Function control | Remote control       |







## DECORATIVE CEILING FAN WITH LED

SUMMER & WINTER MODE

FANKMBL10G

BLACK



DC Motor low energy consumption



Remote control



Dimmable



Timer

|                  |                      |
|------------------|----------------------|
| Fan size         | 65" - 165cm          |
| Space coverage   | Max 35m <sup>2</sup> |
| Motor power      | DC 45W               |
| Input power      | 230V                 |
| Speeds           | 6                    |
| ILED Wattage     | 22W                  |
| Lumens           | 2000Lm               |
| Color changing   | 3000K-4500K-6000K    |
| RPM              | 135                  |
| Decibel          | 48db                 |
| Downrod          | 15cm & 25cm          |
| Timer            | 1,2,4,8H             |
| Blades           | 6 Aluminum           |
| Function control | Remote control       |



FANKVBR53



DECORATIVE CEILING FAN

SUMMER & WINTER MODE

FANKVBR50

BROWN



DC Motor low energy consumption



Remote control



Timer

|                         |                                |
|-------------------------|--------------------------------|
| Fan size                | 52" - $\Phi$ 130cm x max H51cm |
| Space coverage          | Max 100m <sup>2</sup>          |
| Canopy dimensions (WxH) | 150 x 60mm                     |
| Motor power             | DC 40W                         |
| Input voltage           | 230V                           |
| Speeds                  | 6                              |
| RPM                     | 185                            |
| Decibel                 | 50db                           |
| Downrods                | 15cm & 25cm                    |
| Timer                   | 15',30',2,4,8H                 |
| Blades                  | 3 ABS                          |





CEILING FAN

FANOUWH10

WHITE

FANOUBL10

BLACK

|                         |                          |
|-------------------------|--------------------------|
| Fan size                | 52" - Φ140cm x max H41cm |
| Canopy dimensions (WxH) | 100 x 90mm               |
| Motor power             | AC 60W                   |
| Input voltage           | 230V                     |
| Speeds                  | 5                        |
| RPM                     | 200                      |
| Decibel                 | 50db                     |
| Downrod                 | 26cm                     |
| Blades                  | Iron                     |
| Function control        | Wall mounted switch box  |



DECORATIVE CEILING FAN



DECORATIVE CEILING FAN WITH LIGHT



Rotation right-left



Switch button

## 4TS52HAB

BEIGE

|                   |                         |
|-------------------|-------------------------|
| Fan size          | 52" - Φ130cm            |
| Motor             | Copper                  |
| Input voltage     | 230V                    |
| Function mode     | Wall mounted switch box |
| Adjustable height | Yes                     |
| Blades            | 3 PC                    |

## 4TS52HABOL

BEIGE

|                     |                            |
|---------------------|----------------------------|
| Fan size            | 52" - Φ130cm               |
| Motor               | Copper                     |
| Input voltage       | 230V                       |
| Function mode       | Wall mounted switch box    |
| Adjustable height   | Nai / Yes                  |
| Blades              | 3 PC                       |
| Lamp Wattage        | Max. 60W<br>Lampholder E27 |
| Lamp cover material | Alabaster glass            |



DC Motor low energy consumption



Remote control



Rotating louvers



Timer

## DECORATIVE CEILING FAN WITH LED

SUMMER &amp; WINTER MODE

### General Version

FANOKWH10G

WHITE

FANOKBL10G

BLACK

### Smart Version

FANOKWH20G

WHITE

FANOKBL20G

BLACK



Smart Life App

|                         |                         |
|-------------------------|-------------------------|
| Fan size                | 20" - Φ50cm x max H14cm |
| pace coverage           | Max 20m <sup>2</sup>    |
| Canopy dimensions (WxH) | 182 x 55mm              |
| Motor power             | DC 22W                  |
| Input voltage           | 230V                    |
| Speeds                  | 6                       |
| I LED Wattage           | 36W                     |
| Lumens                  | 2000Lm                  |
| olor changing           | 3000K-4000K-6000K       |
| RPM                     | 1100                    |
| Decibel                 | 50db                    |
| Timer                   | 1,2H                    |
| Blades                  | Clear                   |







PROFESSIONAL STAND FAN

FANSPFLB30R

BLACK



Rotation right-left



Remote control



Switch button



Adjustable height



Timer

|                   |                               |
|-------------------|-------------------------------|
| Fan size          | 26" - 65cm                    |
| Space coverage    | Max 125m <sup>2</sup>         |
| Motor power       | AC 160W                       |
| Input power       | 220-240V                      |
| Speeds            | 3                             |
| RPM               | 1100/1250/1350                |
| Decibel           | 76db                          |
| Adjustable height | 152 - 162cm                   |
| Base              | Cross                         |
|                   | 3 Aluminum                    |
| Timer             | 1-7H                          |
| Function control  | Switch button, Remote control |





PROFESSIONAL STAND FAN

FANSPPB80

BLACK



Rotation right-left




Switch button



Adjustable height

|                   |                |
|-------------------|----------------|
| Fan size          | 26" - Φ65cm    |
| Motor power       | AC 150W        |
| Input voltage     | 230V           |
| Speeds            | 3              |
| RPM               | 1050/1150/1250 |
| Decibel           | 58db           |
| Adjustable height | 150 - 180cm    |
| Base              | Cross          |
| Blades            | 2 Iron         |
| Function control  | Switch button  |





METAL STAND FAN

FANSMPS50

NIKEL

FANSMPC50

COPPER WITH SILVER BLADES



Rotation right-left



Switch button



Adjustable height

|                   |                |
|-------------------|----------------|
| Fan size          | 18" - Φ45cm    |
| Motor power       | AC 60W         |
| Input voltage     | 230V           |
| Speeds            | 3              |
| RPM               | 1050/1150/1250 |
| Decibel           | 58db           |
| Adjustable height | 105 - 135cm    |
| Base              | Round          |
| Blades            | 4 Metal        |



STAND FAN WITH TRANSPARENT BLADES

FANSFPB10R

BLACK



FANSFPW10R

WHITE



Rotation right-left



Tilt adjustment



Remote control



Switch button



Adjustable height



Timer

|                   |                                    |
|-------------------|------------------------------------|
| Fan size          | 18" - 45cm                         |
| Space coverage    | Έως 20τμ   Max 20m <sup>2</sup>    |
| Motor power       | AC 55W                             |
| Input power       | 230V                               |
| Speeds            | 3                                  |
| RPM               | 1050/1150/1250                     |
| Decibel           | 58db                               |
| Adjustable height | 128 - 143cm                        |
| Base              | Rounded                            |
| Timer             | 30', 1,2,4h                        |
| Blades            | 5 ABS Διάφανα<br>5 ABS Transparent |
| Function control  | Switch button, Remote control      |



STAND FAN

FANSPWH10

WHITE



Rotation right-left



Tilt adjustment



Adjustable height

|                   |                |
|-------------------|----------------|
| Fan size          | 18" - Ø45cm    |
| Motor power       | AC 55W         |
| Input voltage     | 230V           |
| Speeds            | 3              |
| RPM               | 1050/1150/1250 |
| Decibel           | 58db           |
| Adjustable height | 105 - 125cm    |
| Base              | Cross          |
| Blades            | 3 PP           |





WALL FAN WITH TRANSPARENT BLADES

FANWFPB20R

BLACK



Rotation right-left



Tilt adjustment



Remote control



Switch button



Timer

|                  |                                          |
|------------------|------------------------------------------|
| Fan size         | 18" - 45cm                               |
| Space coverage   | Max 10m <sup>2</sup>                     |
| Motor power      | AC 50W                                   |
| Input power      | 230V                                     |
| Speeds           | 3                                        |
| RPM              | 1050/1150/1250                           |
| Decibel          | 58db                                     |
| Base             | Wall                                     |
| Timer            | 30', 1, 2, 4H                            |
| Blades           | 5 ABS Transparent                        |
| Function control | Integrated switch button, Remote control |



PROFESSIONAL WALL FAN

FANWPFLB20R

BLACK



Rotation right-left



Remote control



Switch button



Timer

|                  |                |
|------------------|----------------|
| Fan size         | 26" - 65cm     |
| Space coverage   | Max 125m²      |
| Motor power      | AC 160W        |
| Input power      | 230V           |
| Speeds           | 3              |
| RPM              | 1100/1250/1350 |
| Decibel          | 76db           |
| Base             | Wall           |
| Blades           | 3 Aluminum     |
| Timer            | 1-7H           |
| Function control | Remote control |





PROFESSIONAL WALL FAN

FANWPFLB10R

BLACK



Rotation right-left



Remote control





Switch button



Timer

|                  |                       |
|------------------|-----------------------|
| Fan size         | 20" - 50cm            |
| Space coverage   | Max 100m <sup>2</sup> |
| Motor power      | AC 110W               |
| Input power      | 230V                  |
| Speeds           | 3                     |
| RPM              | 1100/1250/1350        |
| Decibel          | 70db                  |
| Base             | Wall                  |
| Blades           | 3 Aluminum            |
| Timer            | 1-7H                  |
| Function control | Remote control        |





WALL FAN

FANWPW40R

WHITE

FANWPB40R

BLACK



Rotation right-left



Remote control



Switch button



Timer

|               |                |
|---------------|----------------|
| Fan size      | 18" - Φ45cm    |
| Motor power   | AC 50W         |
| Input voltage | 230V           |
| Speeds        | 3              |
| RPM           | 1050/1150/1250 |
| Decibel       | 58db           |
| Function mode | Remote control |
| Timer         | 0.5,1,2,4H     |
| Base          | Wall mounted   |
| Blades        | 3 PP           |



Ø30cm



Ø40cm

## TABLE FAN



Rotation right-left



Tilt adjustment

### FANTPWH20

WHITE

|               |                |
|---------------|----------------|
| Fan size      | 12" - Ø30cm    |
| Motor power   | AC 35W         |
| Input voltage | 230V           |
| Speeds        | 3              |
| RPM           | 1050/1150/1250 |
| Decibel       | 58db           |
| Base          | Round          |
| Blades        | 3 PP           |

### FANTPWH30

WHITE

|               |                |
|---------------|----------------|
| Fan size      | 18" - Ø40cm    |
| Motor power   | AC 45W         |
| Input voltage | 230V           |
| Speeds        | 3              |
| RPM           | 1050/1150/1250 |
| Decibel       | 58db           |
| Base          | Round          |
| Blades        | 3 PP           |



## FLOOR FAN

### FANFPG60

WHITE-GREY



Timer




Rotating louvers

|               |                                  |
|---------------|----------------------------------|
| Fan size      | 12" - $\Phi$ 30cm                |
| Motor power   | AC 40W                           |
| Input voltage | 230V                             |
| Speeds        | 3                                |
| RPM           | 1050/1150/1250                   |
| Decibel       | 58db                             |
| Timer         | 20', 40', 60', 80', 100', 120min |
| Blades        | 5 PC                             |








## Installation for sloping ceilings

Suitable for sloping ceilings, which enables the shank to fall vertically so that the fan is always flat with respect to the ceiling and ensures the best operation and comfort.





## Speeds

This fan has 6 speeds, which allows it to always find the most suitable one according to the need at the time, with different consumption and revolutions per minute according to speed (consult in the technical characteristics).

## Suitable for exteriors

Thanks to its IP44, you can install this fan both inside and outside the dwelling, ideal for porches and terraces.





## Diameter

It is very important to choose the right fan size by taking into account the size of the room. This "L" size fan is ideal for rooms between 17.6 and 28 m².

## How to activate the fan

It has a remote control which will allow you to control your fan in a more comfortable and simpler way. [Discover our remote control](#)

